



Midwest
Designer
Supply

888-523-2611

THE FINIAL COMPANY™



February 2018
Drapery Hardware Preview Collection



function inspired by classic design

Our new Drapery Hardware Preview Collection, with more to come this Fall, blends function and form with classic silhouettes and modern finishes to help you create timeless design possibilities. Our growing portfolio of drapery hardware solutions made with quality craftsmanship and attention to detail reflect our shared commitment to great design.

THE FINIAL COMPANY™



table of contents

custom pole returns	2
1 ³ / ₈ " metal collection	8
flat fascia for traverse systems	18

coming fall 2018

NEW catalog and price list
MORE modern steel designs
UPDATED resin collection
NEW modern collection
PLUS 15 new finishes



custom pole returns

The intersection of quality craftsmanship and state-of-the-art bending technology, creates endless possibilities within our steel collection. With new pole diameters, profiles and bypass solutions we can now deliver customization at all the right angles and more.





Steel Pole 90° Bent Returns


Round Backplates: 1 3/8" Dia (for 1/2" 50SRB), 2" Dia (for 3/4" 75HSRB, 3/4" 75RD, 1" RR100, 1 1/4" RR125), 3" Dia (for 1 3/4" RR175).
Rectangular backplates upon request.

Rectangular Backplates: 3" L x 1 1/2" W (for 1" 1SQ). Round backplates upon request. Sold in one foot increments, 2 foot minimum charge.
Pictured: 3/4" 75RD with 90° Bent Returns with CRSR75 Steel C-rings; finish 150 Gray with Gold.


poles




50SRB 1/2" Dia steel, round solid pole
maximum length is 240". Not available for use with bypass brackets and c-rings.




75HSRB 3/4" Dia hammered solid steel pole, round
maximum length is 116". Not available for use with bypass brackets and c-rings.




75RD 3/4" Dia solid steel pole, round
maximum length is 220"





1SQ **NEW** 1" Dia smooth square tube
maximum length is 288"; use with L125SQ, L135SQ brackets, SQRG1 ring. Not available for use with bypass brackets and c-rings.




RR100 **NEW** 1" Dia round tube
maximum length is 192"



RR125 **NEW** 1 1/4" Dia round tube
maximum length is 192"



RR175 **NEW** 1 3/4" Dia round tube
maximum length is 192"



NOTE:

- Double pole treatments are also available with bent returns on the front pole.
- Available in all 40 hand-painted finishes and any custom finish.
- Pole length and return must be specified; please refer to the Retail Price List for required measurements.

brackets



adjustable bracket

BKT050-1 (2½"-3½" return)
½" use with 50SRB

BKT075-100 (3¾"-5" return)
¾" & 1" use with 75HSRB,
75RD and RR100

BKT118-138 (3¾"-4¾" return)
1¼" use with RR125

BKT112-134 (3¾"-5½" return)
1¾" use with RR175



single bracket

L135100 (3¾" return)
¾", 1" use with 75HSRB,
75RD, RR100

L135 (3¾" return)
1¼" use with RR125

A17535 (3½" return)
1¾" use with RR175



extension bracket

BKT050-3 (6" return)
½" use with 50SRB

L16 (6" return)
¾", 1", 1¼" use with 75HSRB,
75RD, RR100, RR125

A1756 (6" return)
1¾" use with RR175



square bracket

L135SQ 3½" return
1" use with 1SQ



custom steel t-bracket

TBKT
please specify:
A. return (distance from wall to center of cradle)
B. pole size and profile

rings



regular steel ring

SR05 (¾"ID, 1½"OD)
½" use with 50SRB

SR1 (1"ID, 1½"OD)
¾" use with 75HSRB, 75RD

SR3 (1½"ID, 2"OD)
1", 1¼" use with RR100,
RR125

SR7 (2¼"ID, 2¾"OD)
1¾" use with RR175



heavy steel ring

FSR1 (1¾"ID, 2¾"OD)
1", 1¼" use with RR100,
RR125

FSR2 (2"ID, 3"OD)
1¾" use with RR175



square ring

SQRG1 (1½"ID, 2½"OD)
1" use with 1SQ



c-rings

CRSR75 (1½"ID, 1¾"OD) **NEW**
¾" use with 75RD

CRSR3 (1½"ID, 2"OD)
1" use with RR100

CRSR7 (1½"ID, 2¾"OD)
1¼" use with RR125

CRSR12 (2½"ID, 3"OD)
1¾" use with RR175

bypass brackets & c-rings

Allow continuous movement
along the length of your
pole, now available for
75RD, RR100, RR125 and
RR175 poles with bent
returns.



bypass bracket

SCB35 (3 ½" return)

SCB6 (6" return)

SCBC (custom return)

SCBCDBL (double custom return)

Use with 75RD (¾"), RR100 (1"),
RR125 (1¼"), RR175 (1¾") poles.

Brackets and rings shown coordinate with custom bent and mitered steel poles.
Additional brackets and rings are available, please refer to the Drapery Hardware
Catalog for the full assortment.



Steel Pole 90° Mitered Returns

Round Backplates: 1 3/8" Dia (for 1/2" pole), 2" Dia (for 3/4", 1" and 1 1/4" poles) and 3" Dia (for 1 3/4" pole).

Rectangular Backplates: 3" L x 1 1/2" W (for 1/2" 50SRB, 3/4" 75HSRB and 75RD, 1" 1SQ, RR100, ST2, ST3, SRT1, SHT1, 1 1/4" RR125, RD125, SRT2, and RR125) and 3 1/2" L x 2" W (for RR175 and TRT). Round backplates upon request.


Sold in one foot increments, 2 foot minimum charge. Ring inner diameter must clear the mitered pole corner, if used.

Pictured: 1" RR100 with 90° Mitered Returns with SR3 steel rings, finish 250 Platinum.


poles




50SRB 1/2" Dia steel, round solid pole maximum length is 240". Not available for use with bypass brackets and c-rings.




75RD 3/4" Dia solid steel pole, round maximum length is 220"




SRH75 3/4" Dia hammered solid steel pole, sq. maximum length is 228". Not available for use with bypass brackets and c-rings.




75HSRB 3/4" Dia hammered solid steel pole, round maximum length is 116". Not available for use with bypass brackets and c-rings.




ST2 1" Dia single twist solid steel pole maximum length is 228"; use ring with minimum 1 1/2" ID. Not available for use with bypass brackets and c-rings.




ST3 1" Dia double twist solid pole maximum length is 228"; use ring with minimum 1 1/2" ID. Not available for use with bypass brackets and c-rings.



SRT1 1" Dia solid rope twist pole maximum length is 228"; use ring with minimum 1 1/2" ID. Not available for use with bypass brackets and c-rings.



RR100 1" Dia round tube maximum length is 192"



Allow continuous movement along the length of your pole, c-rings and bypass brackets are available for 75RD, RR100, RR125 and RR175 poles with mitered returns. Please refer to page 5 for additional bracket and ring options.

c-rings




CRSR75 NEW
3/4" use with
75RD

CRSR3
1" use with
RR100

CRSR7
1 1/4" use with
RR125

CRSR12
1 3/4" use with
RR175

bypass brackets



SCB35 (3 1/2" return)

SCB6 (6" return)


SCBC (custom return)

SCBCDBL (double custom return)


Use with 75RD (3/4"), RR100 (1"), RR125 (1 1/4"), RR175 (1 3/4") poles.




1SQ 1" Dia smooth square tube
maximum length is 288"; use with
L125SQ, L135SQ brackets, SQRG1
ring. Not available for use with bypass
brackets and c-rings.




SHT1 1" Dia square hammered tube
maximum length is 228"; use with
L125SQ, L135SQ brackets, SQRG1
ring. Not available for use with bypass
brackets and c-rings.




RD125 1 1/4" Dia round tube, heavy walled
maximum length is 252"; Not available
for use with bypass brackets and c-rings.




SRT2 1 1/4" Dia solid rope
maximum length is 228"; use ring with
minimum 1 3/4" ID. Not available for use
with bypass brackets and c-rings.





RR125 1 1/4" Dia round tube
maximum length is 192"




TRT 1 1/2" Dia twisted tube
maximum length is 216"; use ring with
minimum 2" ID. Not available for use
with bypass brackets and c-rings.



RD175 1 3/4" Dia round tube, heavy walled
maximum length is 288"; Not available
for use with bypass brackets and c-rings.



RR175 1 3/4" Dia round tube
maximum length is 192"



NOTE:

- Double pole treatments are also available with mitered returns on the front pole.
- Available in all 40 hand-painted finishes and any custom finish.
- Pole length and return must be specified; please refer to the Retail Price List for required measurements.



1³/₈" metal collection

Inspired by a modern interpretation of classic and transitional silhouettes, our new 1³/₈" diameter metal hardware collection blends performance with unique custom quality details and beautiful layered finishes that complement today's modern aesthetic.




1 3/8"
metal



TFCM138100
Turner Finial
5" L x 3" W
Shown in Antique Pewter



TFCM138101
Britton Finial
3 1/4" L x 3 7/8" W
Shown in Venetian Bronze



PN Polished Nickel



AB Antique Brass



ORB Oil Rubbed
Bronze



DRB Dark Oil
Rubbed Bronze



PN Polished Nickel




AB Antique Brass



ORB Oil Rubbed
Bronze



DRB Dark Oil
Rubbed Bronze



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze




SK Satin Black




TFCM138102
Ashby Finial
3 7/8" L x 3 3/8" W
Shown in Dark Oil Rubbed Bronze



TFCM138190
Wells End Cap
1 1/4" L x 2 1/4" W
Shown in Satin Black



PN Polished Nickel



AB Antique Brass



ORB Oil Rubbed Bronze



DRB Dark Oil Rubbed Bronze



PN Polished Nickel



AB Antique Brass



ORB Oil Rubbed Bronze



DRB Dark Oil Rubbed Bronze



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black


1 3/8"
metal



TFCM138104
Harlow Finial
4 3/8" L x 3" W
Shown in Antique Brass



TFCM138105
Weston Finial
4 1/4" L x 3 1/8" W
Shown in Polished Nickel



PN Polished Nickel



AB Antique Brass



ORB Oil Rubbed
Bronze



DRB Dark Oil
Rubbed Bronze



PN Polished Nickel




AB Antique Brass



ORB Oil Rubbed
Bronze



DRB Dark Oil
Rubbed Bronze



AP Antique Pewter



BZ Brushed Bronze




VZ Venetian Bronze



SK Satin Black



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black




TFCM138106
Brentford Finial
3 5/8" L x 3 1/4" W
Shown in Venetian Bronze



TFCM138107
Rothwell Finial
4 1/8" L x 3" W
Shown in Oil Rubbed Bronze



PN Polished Nickel




AB Antique Brass




ORB Oil Rubbed Bronze



DRB Dark Oil Rubbed Bronze



PN Polished Nickel




AB Antique Brass



ORB Oil Rubbed Bronze



DRB Dark Oil Rubbed Bronze



AP Antique Pewter




BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black


1 3/8"
metal



TFCM138103
Abington Finial
4 3/8" L x 3 1/4" W
Shown in Brushed Bronze



PN Polished Nickel



AB Antique Brass



ORB Oil Rubbed
Bronze



DRB Dark Oil
Rubbed Bronze



AP Antique Pewter



BZ Brushed Bronze



VZ Venetian Bronze



SK Satin Black

Turn any finial into
a holdback.

Wall Mount
Adaptor
on page 16



brackets



TFCM138400
Cradle Bracket
3 1/2" - 4 1/2" Return



TFCM138408
Bypass Bracket
3 1/2" - 4 1/2" Return



TFCM138400L
Cradle Bracket
5" - 6 1/2" Return

TFCM138406
Eyelet Bracket
3 1/2" Return



TFCM138401 (sold in pairs)
Inside Mount for Fixed Poles



TFCM138402
Elbow

1 3/8"
metal

poles



PN Polished Nickel



AP Antique Pewter



AB Antique Brass



BZ Brushed Bronze



ORB Oil Rubbed Bronze



SK Satin Black



MK Matte Black for VZ Venetian Bronze & DRB Dark Oil Rubbed Bronze

pole widths

TFCM138202 - 2'

TFCM138208 - 8'

TFCM138204 - 4'

TFCM138210 - 10'

TFCM138206 - 6'

TFCM138212 - 12'

rings

All rings include plastic inserts for smooth gliding.



TFCM138200



TFCM138201

accessories



TFCM38403

Splice

For joining two poles together.

Must be ordered separately.



TFCM138310

Finial Wall Mount Adaptor

The Adaptor turns any finial option into a holdback.

finishes

1 3/8"
metal



PN - Polished Nickel



AP - Antique Pewter



AB - Antique Brass



BZ - Brushed Bronze



ORB - Oil Rubbed Bronze



VZ - Venetian Bronze



DRB - Dark Oil Rubbed Bronze



SK - Satin Black



new fascias for traverse systems

New soft modern fascia profiles can be hand painted in any of our 40 designer finishes to help you create a sleek and more contemporary look for functional window treatments. Built to your specifications and engineered for heavy duty performance, our traverse systems are available in cord draw, hand draw or motorized traversing options.



A photograph of a window with a dark wood fascia. The window is covered with light-colored, patterned curtains that have a scalloped hem. The window is set in a light-colored wall, and a piece of abstract art is visible to the right. The image is used as a background for the text below.

custom solutions for new fascias

Custom designed drapery solutions are our specialty and fascias are no exception. We can create the following solutions for unique window styles and track systems.

- A continuous blended fascia can seamlessly cover multiple, independent track systems on the same window.
- Fascias can be mitered for corner and bay windows.

soft modern profiles

Two new Fascia Options for Hand-Draw, Corded and Motorized Traverse Systems
Available in 40 hand-painted standard finishes

(Pictured with Heavy-Duty Corded Ball Bearing Single Traverse System with Pinch Pleat glides.)

NEW 1 7/8" Slim Round* Smooth Profile Available with Flush Ends or with Mitered Returns.
Shown in 240 Walnut finish.



5/8" W x 1 7/8" H

*This fascia does not accept finials. Not available for back fascia on Double Systems or Double System with Back Traverse and Stationary Pole in Front.

NEW 2 1/4" Flat* Smooth Profile Available with Flush Ends or with Mitered Returns.
Shown in 150 Gray with Gold finish.



3/4" W x 2 1/4" H

*This fascia does not accept finials. Not available for back fascia on Double Systems or Double System with Back Traverse and Stationary Pole in Front.



TFCTTMETAL
Metal Table Top Display
12¼" H x 20" W x 8" Deep

PRICING AND TERMS

Prices found in The Finial Company Price List are our Suggested Retail Prices. Prices are subject to change without notice. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Finial Company Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

RUSH ORDERS: Rush orders are available. An additional 30% charge applies to product and all fees excluding Freight and Packaging. Rush orders will ship within 5 business days. The 30% rush charge is available for all product except arch rods, bay windows, custom brackets, and mitered returns. If an order is received after 12:00 C.S.T., the next business day will count as the first day of production.

IMPORTANT: Please note that rush orders are not always available due to the nature of scheduling in a strictly custom manufacturing environment. Processing time for a rush order is in Business Days, (excluding holidays) not calendar days.

SHIPPING: All hardware orders are shipped FOB Dallas, Texas and Gastonia, North Carolina. Poles over 100" MUST be shipped by common carrier. Please see The Finial Company Retail Price List for applicable Freight and Packaging fees.

RETURNS, CHANGES & CANCELLATIONS

All orders are considered "CUSTOM". No changes or cancellations will be accepted on orders that have begun production. All returns must be authorized by The Finial Company customer service department, and are authorized at our discretion, given the circumstances and nature of each custom order.

Restocking fees of 40% apply and the customer prepays freight. A Return Authorization Number (RA#) must be issued by customer service and the RA#

must be noted on all return packages. Return Credit is issued on returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package return goods. Return Credit will not be issued for unauthorized returns or damaged returns.

DAMAGED GOODS

Immediately upon receipt, your order should be inspected to ensure that there is no concealed damage from shipping. Claims on damaged merchandise must be made within 15 days of receipt. No claims after 15 days will be accepted. If your order is damaged in shipping, carriers require that ALL packing materials be kept in order for a representative to inspect the goods. Our policy is that we replace damaged product per the original order.

Please note on the Bill of Lading if there is any possibility of concealed damaged.

PRODUCT INFORMATION

WOOD POLES AND TRAVERSING RODS: Wood poles and traversing rods are sold in 2 foot increments, 2 foot minimum. We will cut your pole to specification, but we do not save or ship the fall off.

STEEL POLES: All steel poles are sold in 1 foot increments, 2 foot minimum. We will cut to your specification, but we do not save or ship the fall off.

SUPPORT BRACKETS: We recommend support brackets every 3–4 feet.

INSTALLATION: Mollie bolts and nail anchors are recommended for all installations, but are not included. We strongly recommend using a professional installer for our hardware.

FORCE MAJEURE: The Finial Company is not liable for any performance failure that arises from any cause not within its control.

ITEM	PAGE	ITEM	PAGE
1SQ	4, 7	SR7	5
50SRB	4, 6	SRH75	6
75HSRB	4, 6	SRT1	6
75RD	4, 6	SRT2	7
A1756	5	ST2	6
A17535	5	ST3	6
BKT050-1	5	TBKT	5
BKT050-3	5	TFCM138100	10
BKT075-100	5	TFCM138101	10
BKT112-134	5	TFCM138102	11
BKT118-138	5	TFCM138103	14
CRSR3	5, 7	TFCM130104	12
CRSR7	5, 7	TFCM138105	12
CRSR12	5, 7	TFCM138106	13
CRSR75	5, 7	TFCM138107	13
FSR1	5	TFCM138190	11
FSR2	5	TFCM138200	16
L16	5	TFCM138201	16
L135	5	TFCM138202	16
L135SQ	5	TFCM138204	16
L135100	5	TFCM138206	16
RD125	7	TFCM138208	16
RD175	7	TFCM138210	16
RR100	4, 6	TFCM138212	16
RR125	4, 7	TFCM138310	16
RR175	4, 7	TFCM138400	15
SCBC	5, 7	TFCM138400L	15
SCBCDBL	5, 7	TFCM138401	15
SCB6	5, 7	TFCM138402	15
SCB35	5, 7	TFCM138403	16
SHT1	7	TFCM138406	15
SQRG1	5	TFCM138408	15
SRO5	5	TFCTTMETAL	22
SR1	5	TRT	7
SR3	5		

standard finishes

are available on all The Finial Company products



105 Bronze




150 Gray with Gold




600 Gilded Red



700 Graphite



106 Bronze with Gold



155 Antique




610 Cobalt Bronze



710 Tarnished Silver



107 Bronze with Gold and Gray



200 Walnut Gold with Gray Accents



620 Weathered Iron



720 Tawny Oak



109 Flat Black



240 Walnut



630 Ash Gray



730 Rose Gold



110 Flat Black with Gold



250 Platinum



640 Oil Rubbed Bronze



740 Smoky Mocha



112 Silver with Gold



250B Platinum w/Black Highlights




650 Hickory



750 Polished Gold



117 Walnut Gold




270 Mahogany Rust



660 Antique White




760 Rustic Iron



126 Dark Walnut Gloss with Gold



320 Pewter



670 Espresso



770 Bronze Patina



129 Antique Steel



330 Bronze with Black




680 Aged Gold



780 Hazelwood



129B Antique Steel w/Black Highlights



350G Statuary Bronze with Gold



690 Champagne



790 Vintage Bronze

Photographs may not accurately represent the true color of a finish. A finish may show slight variation when painted on different materials, such as wood or steel. For best possible finish match, please refer to the actual sample chip.



Midwest
Designer
Supply

888-523-2611

THE FINIAL COMPANY™

February 2018

Drapery Hardware Preview Collection

© 2018 The Finial Company. All rights reserved.