EFFECTIVE 04.01.23

3

April 2023

Retail Price List & Product Information Guide *10% tariff not included and must be applied to all products and pricing

Contents

General Information »

Production Time, Pricing & Terms, Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™

Portfolio Collection »

ronuono concentin "	
1 1⁄8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat	7
1 3⁄8" Finial Collections Modern, Today's Traditional, Heritage Classics	14
2 ¼" Finial Collections Today's Traditional, Heritage Classics	22
Traverse Systems »	
1 ¾" Motorized Metal Traverse R-TEC Automation® Motorized System	32
Motorized Heavy Duty Traverse R-TEC Automation® or Somfy®	42
Metal Manual Baton Draw Traverse 1 ⅛" - 1 ⅛" Diameters, Baton Draw	63
Heavy Duty Manual Traverse 1¾" - 2¼" Diameters, Corded or Baton	74
Quick Ship Collection »	
1 1⁄8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe	87
1 % " Finial Collections Modern, Today's Traditional, Heritage Classics	93
2 ¼" Finial Collections	102

2 ¼" Finial Collections 102 Today's Traditional, Heritage Classics

Sales Tools »

106









For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.




High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



Available Stock | Quick Ship

When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 plated metal finish options, 5 wood & resin finish options, over 50 finial designs and many bracket and accessory styles.



Superior Service

2

Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.




Designer Expertise 🌉



Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key



Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a ¹/₈" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 ¹/₈" metal finials are supplied with plastic inserts to attach the finials. 1 ³/₈" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems

Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 ⅔" or 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 ⅔" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match[™] and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems Metal traverse systems are available in 1 ⅓" and 1 ¾" Portfolio (except Antique Gold Leaf), PTH Perfect Match[™], Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅓" and Wood & Resin 1 ¾" require Transitional Cuff / Finial Adapters to attach finials, sold separately. Production time for traverse system orders is 10-15 business days. Please refer to pages 32 - 41 and 63 - 73 for available metal track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1, 2019. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA# must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 92" MUST be shipped by common carrier. For current common carrier freight rates and orders subject to actual freight costs, visit www.paristexashardware.com/freight-rate. Shipments exceeding these limits will require a special freight quote. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. Damage and freight claims must be made within 15 days of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

Portfolio Finishes			
AM	Amulet		
AND	Andiron		
AG	Antique Gold		
AGL	Antique Gold Leaf		
AB	Art Bronze		
BW	Barnwood		
BL	Black		
BLU	Blush		
BP	Bronzed Pewter		
СО	Concrete		
COU	Couture		
DC	Dark Chocolate		
FL			
	Firelight		
GOS	Gossamer		
GRE	Greige		
HA	Halo		
JA	Java		
LIN	Linen		
LU	Luminous		
MA	Manor		
MK	Mink		
ML	Moonlight		
MYS	Mystic		
NAB	New Age Bronze		
PAT	Patina		
SH	Shimmer		
SM	Silver Maple		
SPW	Spicewood		
SPG	Spun Gold		
STA	Stardust		
ST	Starlet		
ТТМ	Titanium		
TRU	Truffle		
URB	Urban Bronze		
WН	White		
Quick Ship Wood	& Resin 1 3⁄8" and 2 ¼" Finishes		
AB	Antique Brass		
ORB	Oil Rubbed Bronze		
PL	Platinum		
RG	Rose Gold		
WAL	Walnut		
Quick Ship Me	etal 1 1/8" and 1 3/8" Finishes		
BZ	Brushed Bronze		
	Brushed Bronze Brushed Nickel		
BZ			
BZ BN CZ	Brushed Nickel Charcoal Zinc		
BZ BN CZ MK	Brushed Nickel Charcoal Zinc Matte Black		
BZ BN CZ MK RGD	Brushed Nickel Charcoal Zinc Matte Black Rose Gold		
BZ BN CZ MK RGD SG	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold		
BZ BN CZ MK RGD SG PTH Per	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes		
BZ BN CZ MK RGD SG PTH Per PPMEF	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level		
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level		
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights		
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER PPMGOLD	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights Gold Highlights		
BZ BN CZ MK RGD SG PTH Per PPMEF PPMHGF PPMGLITTER	Brushed Nickel Charcoal Zinc Matte Black Rose Gold Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights		

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- Benjamin Moore[®] color name and number
- · Sheen level: high-gloss or eggshell
- Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100 minimum (net)

Strike-off available: For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

Single Color - With Highlight:

15% upcharge or \$150 minimum (net)

Strike-off available: For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore[®] paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.

Portfolio Collection

Featuring the complete range of Paris Texas Hardware finials and accessories, with 7 style categories and over 200 finials available in 35 hand painted finish options.

ships in 10 - 15 business days

TH PARIS TEXAS HARDWA

6

1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

	PO118ELAFI	PO118EMFI	PO118EMFIGL	PO118EMEC	
Cole	Ella	Elm	Elm - Smoke Glass	Emery End Cap	
3 ¼" L x l ½" W Metal	15%" L x 15%" W Metal	1 1⁄8" L x 2" W Metal	1 ⅓" L x 2" W Metal / Glass	¾" L x 1 ¼" W Metal	
\$92.00 pair*	\$81.00 pair*	\$81.00 pair*	\$92.00 pair*	\$34.00 pair*	
PO118EVEC	PO118KNFI Knox - Crystal	PO118LXFI	PO118LOFI	POII8REFI Reese - Crystal	
³ ⁄4" L x l ³ ⁄4" W Metal	1 ¼" L x 2 5%" W Crystal, Metal Pole	1 ‰" L x 2" W Metal	1 %" L x 3" W Metal / Crystal	2 ¾" L x 2 ½" W Crystal, Metal Pole	
\$34.00 pair*	\$144.00 pair*	\$81.00 pair*	\$167.00 pair*	\$144.00 pair*	
PO118RYFI Style Meets Function 1 ½" Finials require a cuff / finial adapter to work with 1 ½" Metal Traverse.					

1 1/8" Clean Deco Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

PO118ANFI	PO118DAFI	POII8DEEC		PO118PEFI
Andes	Dakota - Crystal	Deco End Cap	Neve - Crystal	Penelope
2 ½" L x 2 5/8" W Metal	2 ¾" L x 2 ½" W Metal / Crystal	¾" L x 1 ⅔" W Metal	2 ½" L x 2" W Metal / Crystal	1 ¼8" L x 2 ¾" W Metal
\$104.00 pair*	\$167.00 pair*	\$34.00 pair*	\$167.00 pair*	\$92.00 pair*
	PO118WRFI	P0118WIFI	PO118ZAEC	
Viktor	Wren	Wright - Crystal	Zane End Cap	
1 ½" L x 2 ¾" W Metal / Acrylic	2" L x 1 %" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5⁄8" L x 2 3⁄8" W Metal	
\$92.00 pair*	\$92.00 pair*	\$167.00 pair*	\$46.00 pair*	

Ryder - Crystal

\$144.00 pair*

1 1/8" Transitional Luxe Finial Collection fits 1.16" poles. Finial adapters are required to adapt to 1.16" metal traverse, sold separately on page 10.					
	Top view showing Marble Finish				
PO118BEEC			PO118HUEC	PO118JUFI	
Beale End Cap	Callie	Fairbanks	Hudson End Cap	Jules	
¹⁄₂" L x 2" W Resin	1 ½" L x 2 5⁄8" W Resin	3 ¼" L x 2" W Resin	%"∟x1%"W Resin	2	
\$40.00 pair*	\$104.00 pair*	\$104.00 pair*	\$46.00 pair*	\$104.00 pair*	
PO118KEFI	PO118NLFI		PO118NOFIGL	PO118PIFI	
Kensington - Crystal	Nola	Nora	Nora - Mercury Glass	Piper	
2 5⁄8" L x 2 5⁄8" W Resin / Crystal	2 ¾" L x 2 ¾" W Resin	2 ¼" L x 2 ¾" W Metal	2 ¼" L x 2 ¾" W Metal / Glass	3 ⅓" L x 2 ⅛" W Resin / Glass	
\$167.00 pair*	\$104.00 pair*	\$92.00 pair*	\$144.00 pair*	\$144.00 pair*	



See page 10 for our 1 1/8" Finial Accessories!

- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1¹/₈" Finial to work with Baton Draw Metal Traverse on pages 63 - 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- Need Some Glamour? » Crystal Band PO118CRMEBAND
 - · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF


1 1/8" Bohemian Chic Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

	3			
PO118ACFI	PO118ASFI	PO118MOFI	PO118NEFI	PO118PAFI
Achilles	Astor	Monet	Nerissa	Patience
4 ⅓" L x 1 ⅔" W Resin	1 ¾" L x 2 ¼" W Resin	2 ¼" L x 2 %" W Resin	4 ½" L x 3 ¾" W Resin	5 1⁄8" L x 5 1⁄2" W Metal
\$104.00 pair*	\$81.00 pair*	\$92.00 pair*	\$104.00 pair*	\$104.00 pair*
PO118PHFI	PO118TBFI			
Phoebe	Tybalt			
2 ⅓" L x 3" W Resin / Glass	2" L x 1 5⁄8" W Resin			
\$144.00 pair*	\$81.00 pair*			

1 1/8" Rustic Retreat Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

PO118AAFI	PO118AHFI	PO118CHFI	PO118FIFI	PO118KAFI
Annabel	Ash	Cheyenne - Crystal	Finley	Kane
2" L x 2 ½" W Resin	3 ¼" L x 2 ¼" W Resin	2 ½" L x 2 ½" W Metal / Crystal	3" L x 2 ¼" W Resin	2 ½" L x 2 ¼" W Resin
\$92.00 pair*	\$92.00 pair*	\$167.00 pair*	\$92.00 pair*	\$92.00 pair*
PO118LEEC	PO118RHFI	POI18STFI		
Lena End Cap	Rhea	Stowe		
¾" L x 1 ½" W Resin	2" L x 2 1⁄8" W Resin	2 ¼" L x 3 ¾" W Resin		
			1	


1 🔏 " French Returns fit the 1 ¼" pole. Look for coordinating brackets on pages 11 - 12 marked with the 🖻 icon.





Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.




10

1 1/8" Modern Metal Brackets fit the 11/8" pole.


Note: Return indicates distance from wall to center of pole. Look for coordina

Look for coordinating brackets for French Returns marked with the FR icon.



1 1/8" Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole. Look for coordinating brackets for French Returns marked with the 🕫 icon.



1¹/₈" Metal Pole

1 1/38" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 1/4" metal poles are supplied with plastic inserts to attach the finials.

P0118ME02	P0118ME04	P0118ME06	P0118ME08	P0118ME10	P0118ME12
2'	4'	6'	8'	10'	12'
\$29.00 each	\$58.00 each	\$87.00 each	\$116.00 each	\$145.00 each	\$174.00 each

1%" Metal Rings fit the 1%" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

POI18SWRI Swing Ring 1 ¼" ID, 1 5%" OD, 5%" drop Metal	PO118SCRI Small C-Ring 1 ¼" ID, 1 5%" OD, 5%" drop, use with Gregory brackets Metal	PO118AURI Austin Ring 1 ¼" ID, 1 5%" OD, ¾" drop Metal	PO118CACRI Caden C-Ring 1 ¼" ID, 1 5%" OD, ¾" drop, use with Aiden brackets Metal	Austin Ring 2/4, 2/4, Caden C-Ring Small C-Ring Swing Ring
\$6.00 each	\$6.00 each	\$7.00 each	\$7.00 each	Top of Fabric

1¹/₈" Metal Accessories


Metal Baton	Clear Acrylic Baton	PO118MEL Hinged Elbow
¾" DIA, Metal	½" DIA, Acrylic	1 1/8" DIA, 2 7%" overall length,
POME36WAND - 36" - \$57.00 each	AC36WAND - 36" - \$45.00 each	1 ¾" L each side when bent
POME48WAND - 48" - \$62.00 each	AC48WAND - 48" - \$50.00 each	Metal
POME60WAND - 60" - \$67.00 each	AC60WAND - 60" - \$55.00 each	\$46.00 each
Handicap Metal Baton	Handicap Clear Acrylic Baton	PSME118403 Pole Splice 4 5%" L, must be
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic	ordered separately
POME48HWAND - 48" - \$62.00 each	AC48HWAND - 48" - \$50.00 each	\$6.00 each
РОМЕ60HWAND - 60" - \$67.00 each	AC60HWAND - 60" - \$55.00 each	-
	AC72HWAND - 72" - \$60.00 each	



1%8 MODELIN FINIA	CONCELION HIS THE 17	i netal pole and metal trav	verse.	
PO138ADFI Adair	PO138AIEC Ainsley End Cap	PO138ASEC Asher End Cap	PO138COFI Cohen	PO138EXFI Exton
3 ¾" L x 3" W Metal	³ ⁄4" L x 1 ½" W Metal	1" L x 2 ¼" W Metal	1 1⁄8" L x 3 3⁄8" W Metal / Clear Acrylic	2 ¾" L x 2 ¼" W Metal
\$92.00 pair*	\$40.00 pair*	\$40.00 pair*	\$190.00 pair*	\$92.00 pair*
PO138LOFI	PO138QUFI	POI38REFI	POI38STFI	PO138ZAFI
London - Crystal	Quinn	Remi - Crystal	Sterling - Crystal	Zara
2 5⁄8" L x 3 3⁄8" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic
\$200.00 pair*	\$92.00 pair*	\$180.00 pair*	\$180.00 pair*	\$200.00 pair*


1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse

1 3/8" French Returns fit the 1 3/8" pole. Look for coordinating brackets on pages 15 & 19 marked with the 🕫 icon.



13/8" Modern Metal Brackets fit the 13%" pole.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.


1 3/8" Metal Pole | 1 3/8" Acrylic Pole 1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

			·	÷ ,	
PO138ME02	P0138ME04	P0138ME06	P0138ME08	P0138ME10	P0138ME12
2'	4'	6'	8'	10'	12'
\$35.00 each	\$70.00 each	\$105.00 each	\$140.00 each	\$175.00 each	\$210.00 each
P0138AC02	P0138AC04	P0138AC06	P0138AC08	P0138AC10	P0138AC12
2'	4'	6'	8'	10'	12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each

1 3/8" Metal Rings fit the 1 3/8" pole. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**



1³/₈" Metal Accessories



³∕s" DIA, Metal	½" DIA, Acrylic
POME36WAND - 36" - \$57.00 each	AC36WAND - 36" - \$45.00 each
POME48WAND - 48" - \$62.00 each	AC48WAND - 48" - \$50.00 each
POME60WAND - 60" - \$67.00 each	AC60WAND - 60" - \$55.00 each

Handicap Metal Baton	Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
POME48HWAND - 48" - \$62.00 each	AC48HWAND - 48" - \$50.00 each
РОМЕ60HWAND - 60" - \$67.00 each	ас60нwand - 60" - \$55.00 each
	ac72hwand - 7 2" - \$60.00 each





PSME138403 Pole Splice 4 ¾" L, must be ordered separately

\$6.00 each

1 3/8" Today's Traditional Finial Collection fits the 1 3/6" wood poles and heavy duty traverse.

PO138AUEC	PO138BRFI	PO138ESEC	PO138EVFI	
Aubrie End Cap	Bradford	Essex End Cap	Everette	June
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	³ ⁄4" L x 2" W Resin	2 %" L x 3 ¼" W [2 ½" square] Resin	2 ¾" L x 2 5⁄8" W Resin
\$46.00 pair*	\$94.00 pair*	\$46.00 pair*	\$94.00 pair*	\$94.00 pair*

PO138LEFI	PO138LIFI	PO138LIFIGL	PO138LYFI	PO138ROFI
Leo	Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
3 ½" L x 2 ¾" W Resin	4" L x 3 ¾" W Resin	4" L x 3 ¾" W Resin / Glass	2 5⁄8" L x 2 3⁄4" W Resin	2 ⅓' L x 2 ¾' W Resin / Crystal
\$94.00 pair*	\$94.00 pair*	\$150.00 pair*	\$94.00 pair*	\$210.00 pair*

1 3/8" Heritage Classics Finial Collection fits the 1 3/6" wood poles and heavy duty traverse.

PO138AEFI	PO138AMFI	PO138AVFI	PO138BYFI	PO138BLFI
Adele	Amboise	Avon	Blythe	Brielle
3 %" L x 2 %" W Metal / Glass	5 ¼" L x 2 %" W Resin	3 5⁄8" L x 3 3⁄4" W Resin	3 5⁄8" L x 2 7⁄8" W Metal / Glass	4" L x 3" W Resin
\$210.00 pair*	\$94.00 pair*	\$94.00 pair*	\$210.00 pair*	\$94.00 pair*

PO138GSFI	PO138HAFI	PO138LAFI	PO138LOEC	PO138SEFI
Gaston	Harper	Lane	Lowell End Cap	Severn
3 5⁄8" L x 3 3⁄8" W Resin	3" L x 2 ¾" W Resin	3 5⁄8" L x 3 1⁄2" W Resin	1" L x 2" W Resin	3 ¾" L x 3" W Resin
\$94.00 pair*	\$94.00 pair*	\$94.00 pair*	\$46.00 pair*	\$94.00 pair*




1³/₈" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- ³/4" L x 1 ¹/₂" W
- Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1³/₈" Today's Traditional or Heritage Classics Finial to work with R-TEC Automation[®] Metal Traverse on pages 32 - 41 and Baton Draw Metal Traverse on pages 68 - 73. Finial Adapters required, sold separately.

\$39.00 pair*

1 3/8" Mix & Match create an even more customized design!



• Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$39.00 pair*

1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into Match for the ultimate customization. the Cuff / Finial Adapter. *Sold in pairs only.

18

1 3/8" Metal Brackets fit the 1 3/8" wood poles.


Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

1 3/8" Wood & Resin Brackets fit the 1 3/6" wood poles.

Note: Return indicates distance from wall to center of pole.



PORE60WAND - 60" - \$68.00 each

1³/₈" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders v	vith poles and/or	traverse track wil	ll incur a \$10.00 p	ackaging fee per	order.

Note: All orders v	vith poles and/or	traverse track wi	II incur a \$10.00 p	ackaging fee per	order.		
P0138SM02	P0138SM04	P0138SM06	P0138SM08	P0138SM10	P0138SM12	P0138SM14	P0138SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each
P0138GR02	P0138GR04	P0138GR06	PO138GR08	P0138GR10	PO138GR12	P0138GR14	P0138GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each
PO138RE02	P0138RE04	PO138RE06	P0138RE08	P0138RE10	PO138RE12	P0138RE14	PO138RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each
Smooth		Gr	ooved / Fluted		Reede	ed	
Note: Ring drop i	PO138MR Metal Rir	e from bottom o t diameter poles.	f pole to bottom a	M Coord Ring	Medium C-king Metal Ring		nd grommets essly across the ithout damaging
Wood	Metal		gory brackets	3/4"		½" W	harge
\$9.00 eac	h \$8.00	each s	\$8.00 each	Top of Fab	ric _		5
1³∕8" Access	ories	I			F		
C-41							
Fiberglass Ba	ton		ar Acrylic Baton Handicap, see			PO138REL Hinged Elbow I 5%" DIA, 3 7%" OL	
¾" DIA, Fibergla	ass	1⁄2" [DIA, Acrylic			2" L each side when bent	,
PORE36WAN	ID - 36" - \$58.0	0 each	ac36wand - <mark>36</mark> '	' - \$45.00 each		when bent Resin	
PORE48WAN	ID - 48" - \$63.0	0 each 🧳	4C48WAND - 48	" - \$50.00 eac	h	\$46.00 each	1

AC60WAND - 60" - \$55.00 each



21/4" Today's Traditional Finial Collection fits the 21/4" wood poles and heavy duty traverse.

PO214AMFI	PO214AMFIGL	PO214APFI	PO214APFIGL	PO214EDFI
Amelie	Amelie - Glass	Aspen	Aspen - Glass	Edward
2" L x 3 ¼" W Resin	2" L x 3 ¼" W Resin / Glass	4 ½" L x 4 ½" W Resin	4 ½" L x 4 ½" W Resin / Glass	4 ¼" L x 3 ¼" W Resin
\$104.00 pair*	\$180.00 pair*	\$116.00 pair*	\$180.00 pair*	\$116.00 pair*



PO214OPFI	PO214SIFI	PO214STFI
Opal	Sidney	Stella 📓
3 ¼8" L x 3 ¾" W Resin	3 ⅛" L x 4 ⅛" W [3" square] Resin	2 ½" L x 3 ¼" W Resin
\$116.00 pair*	\$104.00 pair*	\$104.00 pair*

21/4" Heritage Classics Finial Collection fits the 21/4" wood poles and heavy duty traverse.


	Sin Selo			
PO214ADFI	PO214ADFIGL	PO214BOFI	PO214DUEC	PO214FAFI
Adelaide	Adelaide - Mercury Glass	Bordeaux	Durham End Cap	Farrin - Mercury Glass
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 5⁄8" L x 4" W Resin	1" L x 3" W Resin	4 ½" L x 4 %" W Metal / Glass
\$116.00 pair*	\$180.00 pair*	\$138.00 pair*	\$58.00 pair*	\$180.00 pair*

PO214FIFI	PO214GKFI	PO214LCEC	PO214LYFI	PO214MAEC
Fiona	Greek	Large Carved End Cap	Lyon	Margot End Cap
4" L x 5" W Resin	5" L x 4 ¼" W Resin	1 ⅛" L x 2 ¾" W Resin	4 ½" L x 4 5⁄8" W Resin	¾" L x 3" W Resin
\$138.00 pair*	\$116.00 pair*	\$58.00 pair*	\$138.00 pair*	\$58.00 pair*

PO214MIFI	PO214OLFI	PO214QNFI	PO214RYFI	
Michael	Oliver	Quentin	Rydal	Vivian
6 ½" L x 4" W Resin	3 5⁄8" L x 3 7⁄8" W Resin	5" L x 3 ½" W Metal / Glass	5 ¾" L x 4 ¼" W Resin	5 ¼" L x 4" W Metal / Glass
\$138.00 pair*	\$116.00 pair*	\$225.00 pair*	\$138.00 pair*	\$225.00 pair*

2 ¼" Metal Brackets fit the 2 ¼" wood poles.

Note: Return indicates distance from wall to center of pole.




Ceiling Single


3 ³⁄₄" H x 3 ¹⁄₄" D, 3 ¹⁄₂" drop

Adjustable Single Bracket

1" W x 3 $\frac{1}{2}$ " H backplate, 3 $\frac{7}{8}$ " - 5" adjustable return


\$60.00 each





\$60.00 each





1" W x 1 5/8" H x 2 7/8" D, 1/4" thick


backplate per bracket


Inside Mount

24 PH PARIS TEXAS HARDWARE

2¹/4" Wood & Resin Brackets fit the 2¹/4" wood poles.

Note: Return indicates distance from wall to center of pole.





2¹/₄" Wood Poles


2¹/₄" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 package	ging fee per order.
--	---------------------

				·			
PO214SM02	PO214SM04	PO214SM06	PO214SM08	PO214SM10	PO214SM12	PO214SM14	PO214SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each
PO214GR02	PO214GR04	PO214GR06	PO214GR08	PO214GR10	PO214GR12	PO214GR14	PO214GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each
PO214RE02	PO214RE04	PO214RE06	PO214RE08	PO214RE10	PO214RE12	PO214RE14	PO214RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each



Smooth Wood Pole PO214SM




Grooved / Fluted Wood Pole PO214GR



Reeded Wood Pole PO214RE

2 ¼" Rings fit the 2¼" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ô	Ô	
PO214WRI	PO214MRI	PO214FORI	
Wood Ring	Metal Ring	Forrest Ring	
2 5%" ID, 3 5%" OD,	2 ¼2" ID, 3" OD,	2 ¾" ID, 3 ⅛" OD,	
7%" drop	½" drop	¾" drop	
Wood	Metal	Metal	
\$10.00 each	\$9.00 each	\$9.00 each	



EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.





2¹/₄" Accessories

Fiberglass Baton
¾" DIA, Fiberglass
PORE36WAND - 36" - \$58.00 each
PORE48WAND - 48" - \$63.00 each
PORE60WAND - 60" - \$68.00 each







Modern Holdback Medallions fit modern or transitional resin holdback stems.

РОАСНВ	РОВКНВ	РОНАНВ	РОЈЕНВ	POMARHB	РОРАНВ
Achilles	Blake - Mercury Glass	Hadley	Jem	Mara	Parker
2 ½" square, ½" TH Metal	3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	2 ½" DIA, ¾" TH Metal	3" DIA, 7⁄8" TH Metal	3 ¼" square, 1" TH Metal
\$90.00 pair*	\$135.00 pair*	\$70.00 pair*	\$70.00 pair*	\$100.00 pair*	\$70.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

-	—	<u> </u>	"Dop't forget to
POMHBSTEM2	POMHBSTEM4	POMHBSTEM6	« Don't forget to order your
2" PROJ	4" PROJ	6" PROJ	Holdback Stems
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	separately
\$46.00 pair*	\$52.00 pair*	\$56.00 pair*	

Holdback Arms May be used with any 1 1/8" metal or resin finial without Cuff. Finials are sold separately.





Holdback Arm 7" W, ½" DIA stem 1 5%" H backplate, 5 ½" D, 4 ½" PROJ Metal

\$60.00 pair*

Holdback Arm shown with Achilles Finial (sold separately) Metal

PO214MEBAND

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.

S	A

PO118MEBAND	Ρ

1 1⁄8" Band

³/4" W, 1 ³/₁₆" ID, 1 ⁵/₁₆" OD Metal

\$34.00 pair*



D PO138MEBAND

 1 3%" Band
 2 1/4" Band

 3/4" W, 1 7/16" ID,
 3/4" W, 2 5/16" ID,

 1 5%" OD
 2 1/2" OD

 Metal
 Metal

 \$39.00 pair*
 \$44.00 pair*

Common uses for Medallion Bands:

- 1. Repeated decorative embellishment along the length of a pole.
- 2. Hold gathered rod pocket drapery panel in place.
- 3. Ring stop.






Transitional Holdback Medallions fit modern or transitional resin holdback stems.

РОВЕНВ	POBLHB	POBRHB	РОСННВ	POGEHB	POGLHB
Bernadette	Blois	Brooks	Chenonceau	Genette	Gloria
4 ½" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	5" DIA, 1 ¾" TH Resin
\$120.00 pair*	\$70.00 pair*	\$90.00 pair*	\$70.00 pair*	\$100.00 pair*	\$120.00 pair*

POISHB	POLYHB	РОМІНВ	POMRHB	POSWHB	POTRHB
Isabelle	Lyon	Miranda	Mirna	Swindon	Trudy
5 ½" DIA, 1 ¼" TH Resin	4 ¾" DIA, 2 ½" TH Resin	5" DIA, 1 ½" TH Resin	4 ½" DIA, 1 ¼" TH Resin	5 ¼" DIA, 1 ¼" TH Resin	4 ¾" DIA, ¾" TH Resin
\$90.00 pair*	\$120.00 pair*	\$90.00 pair*	\$120.00 pair*	\$90.00 pair*	\$90.00 pair*

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.









Traverse Systems

Motorized and Manual Systems, featuring the AUTOMATION^{*} Collection Traverse Systems available in Portfolio or Quick Ship finishes.

ships in 10 - 15 business days

Featuring the RTEC AUTOMATION[®] Slim Drapery Motor.

Designed to install seamlessly behind the drapery panel, providing the ultimate integrated functionality without compromising the look of your window treatment.

REC AUTOMATION[®] 1³/₈" Motorized Metal Traverse Systems

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Finials may be ordered separately from 1 3/8" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13/8" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 1/2" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3⁄8" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately

RTEC AUTOMATION



Motor & Power Options



Li-ion Batterv

RTMLDSSB



RTMLDSSUSB

USB Charger Cable

110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

Battery Charger

RTMLDSSBC

		maximum drapery weight per total length of system (lbs)					
	Motor	18' or less	20'	22'	24'		
RTEC AUTOMATION*	Slim Drapery Motor	77	77	77	77		

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.

RTEC) AUTOMATION®

System Features	R-TEC Automation [®] Slim Drapery Motor	Addit
System Features		can be o
Center Draw or One-Way Draw Available	X	
White or Bronze Track, Components & Brackets Available	X	
Track Maximum Length	24'	
Maximum Number of Track Splices	2	
Motor Features		
Battery Power Option	X	
Motor Cord Length as Purchased	10' (custom length up to 20' available)	
2-Way RF Communication	x	
Adjustable Speed	X	
Preferred Open / Close Position	X	
Favorite Position	X	
Obstruction Detection	X	
Manual Override	X	
Quiet Operation	X	
Soft Start / Stop	X	15 [©]
Average Linear Speed	5.5" (14 cm)/sec	0
Motorized Track Noise Level	44 dB	000
Maximum Weight	77 lbs	
Motor Unit can be Installed on Either End of Track	X	
Control Options		
Sun Control	X	
Digital Technology	ARCTM	
Solar Power	X	
Installation Features		
Programming Buttons on Motor Unit	X	
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer	
Amperage	1.3 A	
Power Consumption	20 W	
Power Cable Type	3 Conductor Male Plug	
Standard Accessories Included with System		
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	X	
Carrier Features		
White or Bronze Pinch Pleat Glides	x	
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	X	()




R-TEC Automation® App - Control your window coverings with a smartphone or tablet Our App enables simple, intuitive control and system configuration from your smartphone or tablet.

Download on the App Store bit.ly/R-TEC-Automation-Rowley

Google Play bit.ly/R-TEC-Automation-Rowley-Android

Pair the R-TEC Hub and App with these systems (not sold by Rowley):



tional R-TEC Smart Controls ordered at additional cost

· Range: 60'

1 Channel

· Range: 65' · Available in White

5 Channel

· Range: 65'

· Range: 65'

15 Channel

· Range: 65' · Available in White

· Range: 65' · Available in White

• Range: 65' · Available in White • RTMSMB/W required for

installation

· Range: 65'

RTMHUB2 R-TEC Hub 2-way RF; Wi-Fi built in • 4 ½" H x 1 ¼" W x 4 ½" D

RTMHRIC Handheld Remote with Wall Mount,

· 5 ¾ " H X 1 ¼ " W X ½" D

RTMHR5C Push5 Handheld

• Available in White or Black

RTMWSR5C Surface Mount Wall Switch, 5 Channel · 4 ½" H x 2 ¾" W x ⅛" D

RTMWCRIC RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel · 4 ½" H x 2 ¾" W x 1" D

RTMISS Interior Sun Sensor

·1¾" H x 1¾" W x %" D

· Available in White

Signal Repeater

RTMUSR ARC™ USB

RTMHR15C Handheld Remote with Wall Mount,

·5¾" H x 1¼" W x½" D

Remote with Wall Mount,

· 4 ¾" H x 2" W x ¾" D

Mount, 15 Channel · 4 ¾" H x 2" W x ¾" D

· Available in Off-White RTMHRP15C (/K) Push15 Handheld Remote with Wall
























Available in White (color may vary)

• 2" L x 2 ½" L with USB x 1 5/6" W

· Extends the wireless range of

RTMLDSSBC Wall Charger

- for USB Signal Repeater
- ·17/16" W x 1 13/16" L
- Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- 4 ⁵⁄₈" H x 12 ⁹⁄₁₆" W x 1 ³⁄₈" D
- · Includes I-bracket, cables
- & fastener

1³/₈" Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.


Diameter	Track Finish	Component Color	Max. Continuous Length
] ¾"	Amulet	White	12'
] ¾"	Andiron	White	12'
1 3⁄8"	Antique Gold	White	12'
1 3⁄8"	Art Bronze	Bronze	12'
] 3⁄8"	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
] ¾"	Blush	White	12'
] ¾"	Bronzed Pewter	Bronze	12'
1 3⁄8"	Concrete	White	12'
] ¾"	Couture	White	12'
] ¾"	Dark Chocolate	Bronze	12'
] ¾r"	Firelight	White	12'
] ¾r	Gossamer	Bronze	12'
1 3⁄8"	Greige	White	12'
] 3⁄8"	Halo	White	12'
1 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
1 3⁄8"	Manor	White	12'
] 3⁄8"	Mink	Bronze	12'
] 3⁄8"	Moonlight	Bronze	12'
] ¾r"	Mystic	White	12'
] ¾r	New Age Bronze	Bronze	12'
] ¾r"	Patina	White	12'
] ¾"	Shimmer	Bronze	12'
] ¾"	Silver Maple	White	12'
] 3⁄8"	Spicewood	Bronze	12'
] ¾"	Spun Gold	White	12'
] ¾"	Stardust	White	12'
] ¾"	Starlet	White	12'
] ¾″	Titanium	White	12'
] ¾"	Truffle	Bronze	12'
] 3⁄8"	Urban Bronze	Bronze	12'
] 3⁄8"	White	White	12'
] 3⁄8"	PTH Perfect Match™	please specify	12'
] ¾"	Brushed Nickel	White	12'
] ³ ⁄8"	Brushed Bronze	Bronze	8'
] ¾"	Charcoal Zinc	White	8'
] ¾"	Matte Black	White	12'
] ¾"	Rose Gold	White	8'
1 3⁄8"	Satin Gold	White	8'
] 3⁄8"	Antique Brass	White	12'
] 3⁄8"	Oil Rubbed Bronze	Bronze	12'
] 3⁄8"	Platinum	White	12'
] 3⁄8"	Rose Gold	White	12'
1 3⁄8"	Walnut	Bronze	12'

1³/₈" Motorized Metal Traverse Systems Pricing

Orders with R-TEC			Down	Dipplof	ald ar Di	nch Dla	~+	Suctomore a	re cold in 1ft	incromon
								5	re sold in 1 ft	
Item #	4'	5'	6'	7'	8'	9'	10'	יור		orice per
	se System, W		1.		1					
CSRPTHM1384	400 \$1,518.0	5 \$1,597.00	\$1,676.00	\$1,755.00	\$1,834.00	\$1,913.00	\$1,992.00	\$2,071.00	\$2,150.00	\$79.00
Single Traver	se System, W	all Mount 6	" return ()	adudos track m	otor power opti	on brackets A	incloy and cans	5 channel rom	oto 8 componen	tc)
CSRPTHM1384	-	1	\$1,770.00		\$1.946.00	\$2,034.00	1	\$2,210.00	\$2,298.00	\$88.00
	101 \$1,051.0	0 01,002.00	\$1,770.00	\$1,000.00	\$1,5 10.00	\$2,001.00	Ψ2,122.00	φ2,210.00	\$2,230.00	
Double Trave	erse System, ^v	Wall Mount	(includes tracl	ks, motors, powe	r options, brack	ets, Ainsley end	d caps, 5 channe	el remote & com	nponents)	
CSRPTHM1384	402 \$3,036.0	0 \$3,194.00	\$3,352.00	\$3,510.00	\$3,668.00	\$3,826.00	\$3,984.00	\$4,142.00	\$4,300.00	\$158.00
Single Traver	se System, C	eiling Moun	t (includes tra	ck, motor, powe	r option, bracke	ts, Ainsley end	caps, 5 channel	remote & comp	oonents)	
CSRPTHM1384	403 \$1,518.0	5 \$1,597.00	\$1,676.00	\$1,755.00	\$1,834.00	\$1,913.00	\$1,992.00	\$2,071.00	\$2,150.00	\$79.00
	erse System, (-		1	1			1		
CSRPTHM1384	404 \$3,036.0	0 \$3,194.00	\$3,352.00	\$3,510.00	\$3,668.00	\$3,826.00	\$3,984.00	\$4,142.00	\$4,300.00	\$158.00
	co Cuistono I i	Drafila C								
Circalla Traviar)w-Profile C	eiiing ivio	นที่ (includes t	rack, motor, pov	ver option, brad	ckets, Ainsley er	nd caps, 5 chanr T	nel remote & con	
-	-	1		¢1755.00	¢1.07/00	¢1 017 00		42 071 00		
		1	\$1,676.00	\$1,755.00	\$1,834.00	\$1,913.00	\$1,992.00	\$2,071.00	\$2,150.00	\$79.00
-	-	1	\$1,676.00) \$1,755.00 NET Price	\$1,834.00	\$1,913.00		\$2,071.00		NET
CSRPTHM1384	406 \$1,518.0	0 \$1,597.00	\$1,676.00					\$2,071.00	\$2,150.00	NET
CSRPTHM1384	406 \$1,518.0 Name	0 \$1,597.00	\$1,676.00			Name		Push5 Har	Color ndheld or Wall	NET Price
CSRPTHM1384	ANAME) \$1,597.00 Motor K	\$1,676.00		Item # R-TEC S	Name Smart C	ontrols	Push5 Har Remote - 5	Color adheld or Wall	NET Price Mount ded
Item # R-TEC Aut	Anne Name Comation Slim Drapery Battery, Wall ((included)	Motor with Li-	\$1,676.00 its Cable	NET Price \$350.00	ltem #	Name Smart C	controls eld Remote	Push5 Har Remote - 5	Color ndheld or Wall	NET Price Mount ded
Item # R-TEC Aut	August Slim Drapery Battery, Wall G (included) Slim Drapery	Motor With Li- Charger & USB	\$1,676.00 its Cable on	NET Price	Item # R-TEC S	Name Smart C Handh Mount Push5	eld Remote ,1 ch Handheld Re	Push5 Har Remote - 5 with Wall	Color adheld or Wall 5 channel inclu White Off-	NET Price
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT	Ange Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery	Motor with Li- Charger & USB Motor with Li- Motor with Li- r Panel Charg Motor with 110	\$1,676.00 its on Cable on er v AC/DC	NET Price \$350.00 \$470.00	Item # R-TEC S RTMHRIC RTMHR5C	Name Smart C Handh Mount Push5 Wall M	eld Remote 1 ch Handheld Re ount, 5 ch	Push5 Har Remote - 5 with Wall emote with	Color adheld or Wall 5 channel inclu White Off- White	NET Price Mount ded \$65.0 \$70.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT	Ange Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery	Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rmer 10' with 1	\$1,676.00 its cable cable on er v AC/DC	NET Price \$350.00	Item # R-TEC S RTMHRIC	Name Smart C Handh Mount Push5 Wall M 5C Push15	eld Remote ,1 ch Handheld Re	Push5 Har Remote - 5 with Wall emote with	Color adheld or Wall 5 channel inclu White Off-	NET Price Mount ded \$65.0 \$70.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT	Ange Slim Drapery Battery, Wall of (included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola	Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rmer 10' with 1	\$1,676.00 its cable cable on er v AC/DC	NET Price \$350.00 \$470.00	Item # R-TEC S RTMHRIC RTMHR5C RTMHRP15	Name Smart C Handh Mount Push5 Wall M SC Push15 C/K Push15 C/K Handh	eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote	Push5 Har Remote - 5 with Wall emote with Remote with	Color adheld or Wall 5 channel inclu White Off- White White	NET Price Mount ded \$65.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT	Ange Slim Drapery Battery, Wall of (included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola	Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rmer 10' with 1	\$1,676.00 its on Cable on er v AC/DC 3	NET Price \$350.00 \$470.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC	Name Smart C Handh Mount Push5 Wall M SC/K Vall M Wall M Wall M Mount	eld Remote 1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote 15 ch	Push5 Har Remote - 5 with Wall emote with Remote with with Wall	Color adheld or Wall 5 channel inclu White Off- White or Black White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT	406 \$1,518.0 Name Comation Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola Slim Drapery Power Transfo Conductor Ma	Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rmer 10' with 3 ale Plug	\$1,676.0C	NET Price \$350.00 \$470.00 \$295.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPISC RTMHRISC RTMWSR5	Name Smart C Handh Mount Push5 Wall M SC C/K Push15 C/K Push15 C/K Handh Mount C Surface	eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch e Wall Mount	Push5 Har Remote - 5 with Wall emote with Remote with with Wall t Switch, 5 ch	Color adheld or Wall Schannel inclu White Off- White White or Black White hte White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT Item # R-TEC MO	Ange \$1,518.0 Name Comation [®] Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Ma	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 mmer 10' with 1 ale Plug	\$1,676.0C	NET Price \$350.00 \$470.00 \$295.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC	Name Smart C Handh Mount Push5 Wall M SC Push15 Wall M SC/K Push15 Wall M Handh Mount C Surface C Cut-In	eld Remote 1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote 15 ch e Wall Mount	Push5 Har Remote - 5 with Wall emote with Remote with with Wall t Switch, 5 ch Switch, 1 ch*	Color adheld or Wall Schannel inclu White Off- White White or Black White Mhite White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0 \$50.6
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT Item # R-TEC MO RTMLDSS50	Ange \$1,518.0 Name Comation Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Ma Name	Motor with Li- Charger & USB Motor with Li- r Panel Charge Motor with 110 rrmer 10' with 1 ale Plug	\$1,676.0C	NET Price \$350.00 \$470.00 \$295.00 NET Price	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC RTMWSR5 RTMWCRIC	Name Smart C Handh Mount Push5 Wall M SC C/K Push15 C/K Push15 C/K Handh Mount C Surface C Cut-In	eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch e Wall Mount	Push5 Har Remote - 5 with Wall emote with Remote with with Wall t Switch, 5 ch Switch, 1 ch*	Color adheld or Wall Schannel inclu White White White or Black White Mhite White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0 \$50.6 \$56.5
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT Item # R-TEC MO RTMLDSS50 RTMLDSS50	Ange \$1,518.0 Name Comation (Comparison) Slim Drapery Battery, Wall (Comparison) (included) Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Material Name Com Slim Drapery Slim Drapery	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 mer 10' with 3 ale Plug	\$1,676.0C	NET Price \$350.00 \$470.00 \$295.00 NET Price \$200.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPISC RTMWSR5 RTMWCR14 RTMWCR14	Name Smart C Handh Mount Push5 Wall M SC/K Push15 Wall M Mount C Surface C C Cut-In SC Cut-In	eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch e Wall Mount Wall Mount S	Push5 Har Remote - 5 with Wall emote with Remote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 2 ch*	Color adheld or Wall Schannel inclu White White White or Black White Mhite White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0 \$50.6 \$56.5 \$75.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT Item # R-TEC MO RTMLDSS50 RTMLDSSB RTMLDSSBC	August 2 Sim Drapery Battery, Wall of (included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola Slim Drapery Power Transfor Conductor Ma Name tor & Com Slim Drapery Li-ion Battery	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 mer 10' with 3 ale Plug	\$1,676.0C	NET Price \$350.00 \$470.00 \$295.00 NET Price \$200.00 \$120.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPIS RTMHRPIS RTMWCRI RTMWCRI RTMWCRI	Name Smart C Handh Mount Push5 Wall M SC C/K Push15 C/K Push15 C/K Handh Mount C Surface C Cut-In SC Cut-In SC Cut-In	eld Remote 1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote 15 ch wall Mount Wall Mount Wall Mount	Push5 Har Remote - 5 with Wall emote with emote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 2 ch* Switch, 15 ch	Color adheld or Wall Schannel inclu White White White White White White White White White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0 \$50.6 \$56.5 \$75.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDS2KIT RTMLDS2KIT Item # R-TEC MO RTMLDSS50 RTMLDSSBC RTMLDSSUSB	+06 \$1,518.0 Name Comation® Slim Drapery Battery, Wall G (included) Slim Drapery Battery & Sola Slim Drapery Power Transfor Conductor Main Name tor & Com Slim Drapery Li-ion Battery Battery Wall G	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rrmer 10' with 1 ale Plug Motor Motor Sharger Wotor	\$1,676.00 its Cable on er v AC/DC 3	NET Price \$350.00 \$470.00 \$295.00 NET Price \$200.00 \$120.00 \$15.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPIS RTMHRPIS RTMWCRI RTMWCRI RTMWCRI	Name Smart C Handh Mount Push5 Wall M 6C Push15 Wall M 6C Push15 Wall M Mount C Surface C Cut-In 5C Cut-In 5C Cut-In 5C Cut-In 5C Wi-Fi te	Controls eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch Wall Mount Wall Mount Wall Mount Wall Mount	Push5 Har Remote - 5 with Wall emote with emote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 15 ch Il Back Box e Hub-2-Way ower Cord,	Color adheld or Wall Schannel inclu White White White White White White White White White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$70.0 \$50.6 \$50.6 \$56.5 \$75.0 \$85.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDACKIT Item # R-TEC MO RTMLDSS50 RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSBC RTMLDSSPT	406 \$1,518.0 Name Comation® Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Materia Name tor & Com Slim Drapery Li-ion Battery Battery Wall C USB Cable 110v AC/DC Per with 3 Conduct 110v AC/DC Per	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with 110 mer 10' with 1 ale Plug Motor Motor Motor Charger Motor Charger Motor Charger Motor	\$1,676.00 its on Cable on er v AC/DC 3 her 10' her 20'	NET Price \$350.00 \$470.00 \$295.00 \$295.00 \$120.00 \$120.00 \$15.00 \$15.00 \$15.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPIS RTMWSRS RTMWCR1 RTMWCR1 RTMWCR1 RTMWSR15	Name Smart C Handh Mount Push5 Wall M SC/K Push15 Wall M SC/K Handh Mount C Surface C C Cut-In SC Cut-In SC Cut-In Wi-Fi tr RF-incl Power	eld Remote and held Re	Push5 Har Remote - 5 with Wall emote with emote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 2 ch* Switch, 15 ch Il Back Box e Hub-2-Way ower Cord, rnet Cable	Color adheld or Wall Schannel inclu White White White White White White White White White White White White	NET Price Mount ded \$65.0 \$770.0 \$75.0 \$85.0 \$770.0 \$50.6 \$50.6 \$56.5 \$75.0 \$8.5 \$255.0
Item # R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDS2KIT RTMLDS2KIT RTMLDSS50 RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMLDSSUSB RTMLDSSPT RTMDSSPTCS	+06 \$1,518.0 Name comation® Slim Drapery Battery, Wall G (included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Main Name tor & Com Slim Drapery Li-ion Battery Battery Wall G USB Cable 110v AC/DC Pec with 3 Conduct 110v AC/DC Pec (plug RTMP sc	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rrmer 10' with 1 ale Plug Motor tharger wer Transform tor Male Plug wer Transform tor Male Plug	\$1,676.00 its on Cable on er v AC/DC 3 her 10' her 20'	NET Price \$350.00 \$470.00 \$295.00 \$295.00 \$295.00 \$120.00 \$120.00 \$15.00 \$15.00 \$15.00 \$70.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPIS RTMWSR5 RTMWCR10 RTMWCR10 RTMWCR10 RTMWCR10 RTMWCR10 RTMWCR10 RTMWCR10 RTMSMB/V	Name Smart C Handh Mount Push5 Wall M 6C Push15 Wall M 6C Push15 Wall M Mount C Surface C Cut-In 6C Cut-In 6C Cut-In 6C Cut-In 7 Wi-Fi to 8F-incl Power Interior	Controls eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch Wall Mount Wall Mount Wall Mount Wall Mount Wall Mount Wall Mount Control Wall Mount Control	Push5 Har Remote - 5 with Wall emote with emote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 15 ch Il Back Box e Hub-2-Way ower Cord, rnet Cable	Color Color Maheld or Wall Channel incluid White White White White White White White White White White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0 \$75.0 \$50.6 \$56.5 \$75.0 \$8.5 \$75.0 \$8.5 \$75.0 \$8.5
R-TEC Aut RTMLDKIT RTMLDS2KIT RTMLDS2KIT RTMLDSS50 RTMLDSS50 RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB	406 \$1,518.0 Name Comation® Slim Drapery Battery, Wall ((included) Slim Drapery Battery & Sola Slim Drapery Battery & Sola Slim Drapery Power Transfe Conductor Materia Name tor & Com Slim Drapery Li-ion Battery Battery Wall C USB Cable 110v AC/DC Per with 3 Conduct 110v AC/DC Per	Motor with Li- Charger & USB Motor with Li- Charger & USB Motor with Li- r Panel Charg Motor with 110 rrmer 10' with 1 ale Plug Motor tharger wer Transform tor Male Plug wer Transform tor Male Plug	\$1,676.00 its on Cable on er v AC/DC 3 her 10' her 20'	NET Price \$350.00 \$470.00 \$295.00 \$295.00 \$120.00 \$120.00 \$15.00 \$15.00 \$15.00	Item # R-TEC S RTMHRIC RTMHRSC RTMHRPIS RTMHRPIS RTMWSRS RTMWCR2 RTMWCR2 RTMWSRIS RTMWSRIS RTMSMB/V RTMHUB2 RTMISS	Name Smart C Handh Mount Push5 Wall M C C Push15 Wall M C C Push15 Wall M Mount C Surface C Cut-In C C C C Cut-In C C C C C C C C C C C C C C C C C C C	Controls eld Remote ,1 ch Handheld Re ount, 5 ch Handheld R ount, 15 ch eld Remote ,15 ch Wall Mount Wall Mount Wall Mount Wall Mount Wall Mount Wall Mount Control Wall Mount Control	Push5 Har Remote - 5 with Wall emote with emote with with Wall t Switch, 5 ch Switch, 1 ch* Switch, 2 ch* Switch, 15 ch Il Back Box e Hub-2-Way ower Cord, rnet Cable	Color Adheld or Wall Schannel inclue White Off- White White or Black White White White White White White White White White White White White	NET Price Mount ded \$65.0 \$70.0 \$75.0 \$85.0

*RTMSMB/W required for installation.





Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

PTH Motorized Traverse Tips

- Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add ¹/₂" at each end, totaling 1".
- Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold® style 80% fullness

6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel BEFORE drapery fabric is installed

Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.


1³/₈" Motorized Metal Traverse Systems Information


 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

	(T	5 5	ļ
PTHMT138400	PTHMT138401	PTHMT138402	PTHMT138403	PTHMT138404	PTHMT138405
Wall Mount 3 ½" return	Wall Mount 6" return	Wall Mount Double	Ceiling Mount Single	Ceiling Mount Double	Ceiling Bracket Extender
\$29.00 each	\$38.00 each	\$51.00 each	\$29.00 each	\$79.00 each	\$15.00 each












Wall Mount Double PTHMT138402







Ceiling Mount Double PTHMT138404



Ceiling Bracket Extender PTHMT138405




Low-Profile Single Ceiling PTHMT138406



Carriers for additional carriers.

Pinch Pleat Glides



Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.

	Master Carrier Body RTPTH138MCB RTPTH138MCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$10.50 NET each
	Overlap Master Carrier Arms for Center Draw RTPTH138CD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$5.50 NET pair*
	Master Carrier Arm for One-Way Draw RTPTH138PPOR RTPTH138PPOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$3.00 NET each
. ; ;	Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
	Ripplefold Butt Master Carrier Arm for One-Way Draw RTPTH1380BR RTPTH1380BL	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$4.00 NET each

Upgrade your End Cap with Finial Styles

1 3⁄8" R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with all 1 3⁄8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



3⁄4" L x 1 ½" W

40

Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™
 Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$39.00 pair*

How To Add Your Transitional Cuff / Finial Adapter »



Select your Cuff style and finish - Mix & Match for the ultimate customization.







Install finials by screwing into the Cuff / Finial Adapter.


	-
H	PARIS TEXAS H A R DW A R F

Metal Motorized Traverse Order Form




	PO #		Side Mark			Ship via			Date	
		-		2	found of the former			I	-	
Company Information			l	5	snipping intormation	lon	l	I		
Company Name		Acct #		ŏ	Company Name				Acct #	
Contact Person				ŏ	Contact Person					
Street Address				St	Street Address					
City		State	ZIP	City	Ň				State	ZIP
Email				ш	Email					
Phone	Fax			Ę	Phone		Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including pulleys.	FEMS - Consult Price Lis track length including pulley	for detailed	specifications.							
tem tem	R-TEC Power Option Motor **see additional R-TEC options below		System Custom Length Length	Finish Code	Draw Preference	ICe Operation	Glides pinch pleat OR Rinnlefold [®] style*	Ž	Price per Unit	Subtotal
	Slim	110v AC/DC Power					PP RF	î		
	Slim	110v AC/DC Power				L L R	PP C			
	Slim Li-ion Battery	110v AC/DC Power			L	L L R	PP			
	Slim 🗌 Li-ion Battery	110v AC/DC Power			L	L 	PP RF			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, cuffs & collars, additional brackets and accessories here.	RDINATING ACCESSO		DDITIONAL FEES		**Power Option ADDITIONAL: \$	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' corc	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	ecify tota	Il feet; plug \$25	
Item #	Finish Code				Description			Qty	Price per Unit	Subtotal
Glide and Bracket Information	l	l	I	I	I	I	M*	/hen orderii	ng Ripplefold carriers, c	"When ordering Ripplefold carriers, answer these questions
Quantity included per system based on cut track length Glides (2 ner foot includes master carriers & end cans (2))	cut track length 4' 5'	6' 7' 8 9' '	10° 11' 12' 40 44 48	13' 14' 52 56	15' 16' 17' 18' 1 60 64 68 72	19' 20' 21' 22' 76 80 84 88	23'24'	Select R	1. Select Ripplefold fullness: □ 60% □ 80% □ 100%	□120%
Brackets	2 2	4 4 5	co :		6 7 7	5 80 5 80	3 Ø	Select Ri	0	
Special Instructions										
									TOTAL	


Fascia Profiles for Motorized Heavy Duty Systems



Flat



Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

*Fascia Profile is not

not accept finials.

available for back track in

double systems and does

REE AUTOMATION[®] Motorized Heavy Duty Traverse Systems

Create a commercial look with the benefits of motorization using our R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately

Double



(front fascia shown; front and back fascia also available)

Double Traverse System With Fascia

- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3⁄8" and 2 1⁄4" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Single or Double Traverse System Without Fascia

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately



(front fascia shown; front and back fascia also available; mitered returns on front only)

Double Traverse System With Mitered Returns

- Standard double brackets are 5 ¼" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



(back track shown with fascia & finials)


Stationary Front Pole With Back Traverse

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 ¼" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
 - Full rings available on stationary



RTEC) AUTOMATION®

Finial, End Cap or Mitered Return



Motor & Power Options

Slim Drapery Motor RTMLDSS50



Battery Charger RTMLDSSBC





110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

			maxi	mum dı	rapery w	eight p	er total l	ength of	fsystem	(lbs)	
	Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'
RTEC AUTOMATION®	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

Ships in 10 - 15 business days.

System Features	R-TEC Automation [®] Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	×
White or Bronze Track, Components & Brackets Available	X
Track Maximum Length	36'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	x
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	X
Adjustable Speed	X
Preferred Open / Close Position	X
Favorite Position	X
Obstruction Detection	X
Manual Override	X
Quiet Operation	X
Soft Start / Stop	X
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	110 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	x
Digital Technology	ARC™
Solar Power	x
Installation Features	
Programming Buttons on Motor Unit	x
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	X
Carrier Features	
White or Bronze Pinch Pleat Glides	X
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	Х



configuration from your smartphone or tablet. bit.ly/R-TEC-Automation-Rowley App Store Google Play

bit.ly/R-TEC-Automation-Rowley-Android

amazon alexa

Remotes

R-TEC

Hub

Pair the R-TEC Hub and App with these systems (not sold by Rowley):

(maximum of 2 repeaters

per system or network)



Slim Drapery Motor






R-TEC Automation® App - Control your window

Our App enables simple, intuitive control and system

coverings with a smartphone or tablet



Additional R-TEC Smart Controls

can be ordered at additional cost

- 2-way RF; Wi-Fi built in
- 4 ½" H x 1 ¼" W x 4 ½" D • Range: 60'

RTMHRIC Handheld Remote with Wall Mount, 1 Channel

- · 5 ³/₁₆" H X 1 ¹/₄" W X ¹/₂" D
- · Range: 65'
- · Available in White

RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in Off-White

RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black

RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- •5¾" H x 1¼" W x½" D
- · Range: 65'
- · Available in White

RTMWSR5C Surface Mount

- Wall Switch, 5 Channel · 4 ½" H x 2 ¾" W x 1/8" D
- · Range: 65'
- · Available in White

RTMWCRIC RTMWCR2C RTMWSR15C Cut-In Wall Mount Switch, 1, 2 or 15 Channel

- · 4 ½" H x 2 ¾" W x 1" D
- · Range: 65'
- · Available in White
- · RTMSMB/W required for installation
- **RTMISS Interior Sun Sensor** •1¾"Hx1¾"Wx5%"D
- · Range: 65'
- · Available in White

RTMUSR ARC™ USB Signal Repeater

- 2" L x 2 ½" L with USB x 1 5/6" W
- · Extends the wireless range of the R-TEC Hub and remotes up to 60'
- Maximum 2 repeaters per
- system or network Available in White (color may vary)

RTMLDSSBC Wall Charger for USB Signal Repeater

- ·17/6" W x 1 13/6" L
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- · 4 ⁵/₈" H x 12 ⁹/₁₆" W x 1 ³/₈" D Includes I-bracket, cables
- & fastener





I

ECO

friendly













R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

ltem

Motorized Traverse System with Wood Fascia

Name

Single Track System wi	ith Wood Fascia for 1 ³/8" round	4'	5'	6'	7'	8'	9'	10'	
CSRPTH138WF	R-TEC Slim Drapery Motor	\$1,627.00	\$1,694.00	\$1,761.00	\$1,828.00	\$1,895.00	\$1,962.00	\$2,029.00	
Double Track System	ns with Wood Fascia Front Only fo	or 1 ³/8" round	b						
CSRPTH138WFFDBL	R-TEC Slim Drapery Motor	\$2,891.00	\$2,998.00	\$3,105.00	\$3,212.00	\$3,319.00	\$3,426.00	\$3,533.00	
Double Track System	with Wood Fascia Front and Bad	ck for 1 ³/8" rc	bund						
CSRPTH138WFDBL	R-TEC Slim Drapery Motor	\$3,254.00	\$3,388.00	\$3,522.00	\$3,656.00	\$3,790.00	\$3,924.00	\$4,058.00	
Single Track System wi	ith Wood Fascia for 1 $^7/_8$ " slim, 2 $^1/_4$ "	flat smooth	or 2 1/4" rour	nd					
CSRPTH214WF	R-TEC Slim Drapery Motor	\$1,759.00	\$1,893.00	\$2,027.00	\$2,161.00	\$2,295.00	\$2,429.00	\$2,563.00	
Double Track System	ns with Wood Fascia Front Only fo	or 1 7/8" slim, 2	2 1/4" flat smo	ooth or 2 1/4"	round				
CSRPTH214WFFDBL	R-TEC Slim Drapery Motor	\$3,023.00	\$3,197.00	\$3,371.00	\$3,545.00	\$3,719.00	\$3,893.00	\$4,067.00	
Double Track System	with Wood Fascia Front and Bad	ck for $2^{1}/_{4}$ " ro	ound						
CSRPTH214WFDBL	R-TEC Slim Drapery Motor	\$3,518.00	\$3,786.00	\$4,054.00	\$4,322.00	\$4,590.00	\$4,858.00	\$5,126.00	
Double Track System	ns with Stationary Front Only $2^{1/4}$	Wood Pole							
CSRPTH214SDBL	R-TEC Slim Drapery Motor	\$1,688.00	\$1,856.00	\$2,024.00	\$2,192.00	\$2,360.00	\$2,528.00	\$2,696.00	
Double Track System	ns with Stationary Front 2 ¼" Woo	d Pole & Wo	ood Fascia E	Back for $2^{1}/_{4}$	round				
CSRPTH214WFBSDBL	R-TEC Slim Drapery Motor	\$2,183.00	\$2,445.00	\$2,707.00	\$2,969.00	\$3,231.00	\$3,493.00	\$3,755.00	

Motorized Traverse System without Wood Fascia

Single Track System track available in white a	nd bronze 4'	5'	6'	7'	8'	9'	10'	
CSRPTHTRACK R-TEC Slim Drapery Mo	otor \$1,264.0	0 \$1,304.00	\$1,344.00	\$1,384.00	\$1,424.00	\$1,464.00	\$1,504.00	
Double Track System track available in wh	te and bronze							
CSRPTHTRACKDBL R-TEC Slim Drapery Mo	otor \$2,528.0	0 \$2,608.00	\$2,688.00	\$2,768.00	\$2,848.00	\$2,928.00	\$3,008.00	
Additional R-TEC Traverse Fees		ltem #	Name			NET	Price	
PTHFEEMITER-EACH Wood Fascia Mitered Return	n per return \$80.00	R-TEC A	Automat	ion® Mc	otor Kits			
PTHFEEMITER-45 Wood Fascia Mitered Cut 45 $^\circ$ (90 $^\circ$ corner) per connection	angle \$65.00	RTMLDKIT		apery Motor Wall Charge		Je \$3	50.00	
PTHFEEMITER-NON45 Wood Fascia Mitered Cu	t non-45° \$65.00		(includ	,		,ie	50.00	
angle (non-90° corner) per connection PTHFEEBLEND Blended Fascia Splice per blenc	\$108.00	RTMLDS2k		rapery Motor & Solar Pane		\$4	70.00	
PTHFEEFASCUT Fascia Fabrication Fee (if orderi alone, order full pole and specify fascia fabricatio	ng fascia \$65.00		Slim Di	rapery Motor Transformer	with 110v AC		95.00	
PTHFEERESTRING Restringing Fee per track	\$100.00			ctor Male Plu		Ψ2.		
Standard 45 Fascia Splice	No Charge							

Quantity Per System

Ex:

	4'	5'	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'	17'	18'	19'
Pinch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Brackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

R-TEC Automation[®] 10ft. center draw, pinch pleat (standard 4 glides per ft.)

4.2" + [(40/2) x .563"] + 3.375" = 18.84" stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

RTEC AUTOMATION®

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee.

Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge.

Available in all profiles for 1 3/8", 1 7/8" and 2 1/4" diameter fascias or without a wood fascia.

Systems are sold in 1 ft increments

		omation [®] Track,	Brackets, Cor	mponents, Motor,	Power Option &	Push5 Chann	el Handheld Rem	note witl	h Wall N	dount
							Splic	ced syst	tems b	egin at
יון	12'	13'	14'	15'	16'	17'	18'	19'		per add'
\$2,096.00	\$2,163.00	\$2,230.00	\$2,297.00	\$2,364.00	\$2,431.00	\$2,498.00	\$2,565.00	\$2,632	2.00	\$67
			. ,		. ,	. ,		. ,		
\$3,640.00	\$3,747.00	\$3,854.00	\$3,961.00	\$4,068.00	\$4,175.00	\$4,282.00	\$4,389.00	\$4,496	500	\$107.
\$3,040.00	\$3,747.00	\$3,034.00	\$3,501.00	\$4,000.00	\$4,175.00	φ-,202.00	\$4,505.00	φ-,-50		φi07.
\$4,192.00	\$4,326.00	\$4,460.00	\$4,594.00	\$4,728.00	\$4,862.00	\$4,996.00	\$5,130.00	\$5,264		\$134
φ+,152.00	\$4,520.00	\$4,400.00	\$4,354.00	φ+,720.00	\$4,002.00	\$4,550.00	\$3,130.00	ΨJ,204	F.00	φı 9 -
\$2,697.00	\$2,831.00	\$2,965.00	\$3,099.00	\$3,233.00	\$3,367.00	\$3,501.00	\$3,635.00	\$3,769		\$134
\$2,697.00	φ2,031.00	\$2,903.00	\$3,099.00	\$3,233.00	\$3,307.00	\$3,301.00	\$3,033.00	\$5,709	.00	404
\$4,241.00	\$4,415.00	\$4,589.00	\$4,763.00	\$4,937.00	\$5,111.00	\$5,285.00	\$5,459.00	\$5,633		\$174
\$4,241.00	\$4,415.00	\$4,589.00	\$4,763.00	\$4,937.00	\$5,111.00	\$5,285.00	\$5,459.00	<u> </u>	.00	\$174
	#5 662 00	d5 070 00		#5 (55 00	#C 77 (00	¢= 000 00	## 3#3 00	# 7 570		taco
\$5,394.00	\$5,662.00	\$5,930.00	\$6,198.00	\$6,466.00	\$6,734.00	\$7,002.00	\$7,270.00	\$7,538	.00	\$268
	AT 070 00				47.70 (0.0	#7 070 00		<i>.</i>		
\$2,864.00	\$3,032.00	\$3,200.00	\$3,368.00	\$3,536.00	\$3,704.00	\$3,872.00	\$4,040.00	\$4,208	3.00	\$168
				+						
\$4,017.00	\$4,279.00	\$4,541.00	\$4,803.00	\$5,065.00	\$5,327.00	\$5,589.00	\$5,851.00	\$6,113.	.00	\$262
							Splic	ced syst	tems b	egin at
יון	12'	13'	14'	15'	16'	17'	18'	19'		per add
\$1,544.00	\$1,584.00	\$1,624.00	\$1,664.00	\$1,704.00	\$1,744.00	\$1,784.00	\$1,824.00	\$1,864	.00	\$4C
1 1			+ ., = =	\$1,704.00	\$1,744.00	\$1,704.00	\$1,024.00	φ.,σσ.		
			+ .,	\$1,704.00	\$1,744.00	\$1,704.00	\$1,024.00	\$1,001	I	
\$3,088.00	\$3,168.00	\$3,248.00	\$3,328.00	\$3,408.00	\$3,488.00	\$3,568.00	\$3,648.00	\$3,728	8.00	\$80
\$3,088.00		\$3,248.00		\$3,408.00	\$3,488.00	\$3,568.00				
	Name		\$3,328.00			\$3,568.00 Name	\$3,648.00	\$3,728 Handheld	Color	NE e with W
\$3,088.00	Name	mponent	\$3,328.00	\$3,408.00	\$3,488.00 Item # R-TEC Sn	\$3,568.00 Name nart Con	\$3,648.00	\$3,728 Handhelc - 5 chann	Color d Remote nel inclua	NE e with Wa
\$3,088.00 Item # R-TEC Mc	Name otor & Co		\$3,328.00	\$3,408.00	\$3,488.00 Item #	\$3,568.00 Name nart Con	\$3,648.00 trols Push5 F Mount	\$3,728 Handhelc - 5 chann	Color	e with Wo
\$3,088.00 Item # R-TEC Mc RTMLDSS50	Name Dtor & Co	mponent ry Motor	\$3,328.00	\$3,408.00 NET Price \$200.00	\$3,488.00 Item # R-TEC Sn	\$3,568.00 Name nart Con Handheld R Mount, 1 ch Push5 Hanc	\$3,648.00 trols Push5 H Mount Remote with Wall dheld Remote wit	\$3,728 Handhelc - 5 chann V th C	Color d Remote hel inclua White Off-	NE e with Wo ded \$65
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSB	Name Dtor & Co Slim Drape Li-ion Batte Battery Wal	mponent ry Motor	\$3,328.00	\$3,408.00 NET Price \$200.00 \$120.00	\$3,488.00 Item # R-TEC Sn RTMHR1C RTMHR5C	\$3,568.00 Name nart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount	\$3,648.00 trols Push5 H Mount - Remote with Wall sheld Remote wit , 5 ch	\$3,728 Handhelc - 5 chann V th C	Color d Remote mel inclua White Off- White	NE e with Wo ded \$65 \$70
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB	Name Name Slim Draper Li-ion Batte Battery Wal USB Cable 110v AC/DC	ry Motor ry Il Charger Power Transforr	\$3,328.00	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00	\$3,488.00 Item # R-TEC Sn RTMHRIC	\$3,568.00 Name nart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount Push15 Han	\$3,648.00 trols Push5 H Mount - Remote with Wall sch dheld Remote wit dheld Remote wit	\$3,728 -landhelc - 5 chann V th C V	Color d Remote hel inclua White Off-	NE e with Wo ded \$65 \$70
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT	Name Dtor & Co Slim Draper Li-ion Batter Battery War USB Cable 110v AC/DC 3 Conducto 110v AC/DC	ry Motor ry Il Charger Power Transforr r Male Plug Power Transforr	\$3,328.00 ts ner 10' with ner 20'	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$15.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHR5C RTMHRP15C	\$3,568.00 Name Nart Con Handheld F Mount, 1 ch Push5 Han Wall Mount Push15 Han Wall Mount	\$3,648.00 trols Push5 H Mount Remote with Wall sheld Remote wit dheld Remote wit dheld Remote wit 2 ch Remote with Wall	\$3,728 Handhelc - 5 chann kh C V th C V V th C	Color d Remote hel inclua White Off- White White	NE e with We ded \$65 \$70 \$75
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB	Name Dtor & Co Slim Draper Li-ion Batter Battery War USB Cable 110v AC/DC 3 Conducto 110v AC/DC	Power Transforr ry Motor	\$3,328.00 ts ner 10' with ner 20'	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHR5C RTMHRP15C/K	\$3,568.00 Name Nart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld R Mount, 15 ch	\$3,648.00 trols Push5 H Mount Remote with Wall sheld Remote wit dheld Remote wit dheld Remote wit 2 ch Remote with Wall	\$3,728 -landhelc - 5 chann th C V th C V V	Color d Remoted nel inclua White Off- White White or Black	NE e with Wa \$65 \$70 \$75 \$85
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT	Name Dtor & Co Slim Draper Li-ion Batter Battery War USB Cable 110v AC/DC 3 Conducto 110v AC/DC	Power Transform ry Male Plug Power Transform sold separately	\$3,328.00 ts ner 10' with ner 20'	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$15.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHR5C RTMHRP15C/K RTMHRP15C/K RTMHR15C	\$3,568.00 Name Dart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld R Mount, 15 ch Surface Wal	\$3,648.00 trols Push5 F Mount Remote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall n	\$3,728 -landhelc - 5 chann X th C V th V c 5 ch V	Color d Remote hel inclua White Off- White White or Black White	NE e with Waded \$65 \$70 \$75 \$85 \$70
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS	Name Name Slim Drape Li-ion Batte Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMP 3 Conducto	Power Transforr ry Motor II Charger Power Transforr r Male Plug Power Transforr 2 sold separately or Male Plug	\$3,328.00 ts mer 10' with ner 20') specify ft.	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$15.00 \$770.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC/K RTMHRISC RTMHRISC	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall	\$3,648.00 trols Push5 H Mount - Remote with Wall sch dheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall 1 Mount Switch, 5	\$3,728 Handhelcc - 5 chann th C V th C V th V c c 5 ch V V ch* V	Color d Remote hel inclua White Off- White or Black White White	NE e with Waled \$65 \$70 \$75 \$85 \$70 \$75 \$85 \$70
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS RTMP PTH Moto	Name Name Dtor & Co Slim Drape Li-ion Batte Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto Trized Tra m cut length in	Power Transforr Male Plug Power Transforr Sold separately or Male Plug averse Tip dicates track leng	\$3,328.00 ts ner 10' with ner 20') specify ft. S gth including d	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC/K RTMHRPISC/K RTMHRISC RTMWSR5C RTMWSR5C	\$3,568.00 Name Dart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld R Mount, 15 ch Surface Wal Cut-In Wall	\$3,648.00 trols Push5 F Mount Remote with Wall cheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall 1 Mount Switch, 1 c	\$3,728 Handhelc - 5 chann kh C V th C V s ch V ch* V	Color d Remote hel incluo White Off- White White White White White	NE e with Wald \$65 \$70 \$75 \$85 \$70 \$50 \$50
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS RTMP PTH Moto	Name Name	Power Transform ry Motor II Charger Power Transform r Male Plug Power Transform sold separately or Male Plug averse Tip	\$3,328.00 \$3,328.00 ts mer 10' with mer 20') specify ft. DS gth including d ck (½" total); m	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC/K RTMHRPISC/K RTMHRISC RTMWSRSC RTMWCRIC RTMWCRIC	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall	\$3,648.00 trols Push5 F Mount Remote with Wall theld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall n I Mount Switch, 1 c Mount Switch, 2 c	\$3,728 -andhelc - 5 chann th C th C S ch V ch V ch V v ch V	Color d Remote hel inclua White Off- White or Black White White White White	NE e with Waled \$65 \$70 \$75 \$85 \$70 \$85 \$70 \$50 \$75
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS RTMP PTH Moto	Name Dtor & Co Slim Drape Li-ion Batte Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto Drized Tra m cut length inr 1 be ¼" longer a he following to 1	Power Transforr Power Transforr Male Plug Power Transforr Sold separately averse Tip dicates track leng t each end of track	\$3,328.00 \$3,328.00 ts ts mer 10' with mer 20') specify ft. S gth including d ck (½" total); m m:	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRPISC RTMHRPISC/K RTMHRPISC/K RTMHRISC RTMWSR5C RTMWCRIC RTMWCRIC RTMWCR2C	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall *Surface Mcc RF-includes	\$3,648.00 trols Push5 F Mount - Remote with Wall sheld Remote wit ,5 ch dheld Remote wit ,15 ch Remote with Wall I Mount Switch, 5 Mount Switch, 1 c Mount Switch, 15 punt Wall Back Bo C Bridge Hub-2-V S USB Power Corc	\$3,728 -andhelc - 5 chann th C th C th C th C C C C C C C C C C C C C	Color d Remote hel incluo White Off- White White White White White White	NE e with Ward \$65 \$70 \$75 \$85 \$70 \$50 \$70 \$50 \$75 \$85 \$70 \$50 \$75 \$85 \$75
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSBC RTMLDSSUSB RTMDSSPTCS RTMDSSPTCS RTMP PTH Moto Specified custor gears; fascia wil fascia will add th fascia i avil add th Fascia 13/4" 2 1/4" Flat	Name Dtor & Co Slim Drape Li-ion Batte Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto Drized Tra m cut length in l be ¼" longer a he following to 1 Depth + to 7/8" 2" 13/4" 13/4	Power Transform ry Motor Power Transform r Male Plug Power Transform sold separately or Male Plug averse Tip dicates track leng t each end of trac the traverse system t traverse system	\$3,328.00 \$3,328.00 ts ts mer 10' with mer 20') specify ft. S gth including d ck (½" total); m m:	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC/K RTMHRPISC/K RTMHRISC RTMWSR5C RTMWCRIC RTMWCRIC RTMWCRIC RTMWSRISC RTMSRISC	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall *Surface Mcc RF-includes	\$3,648.00 trols Push5 F Mount Remote with Wall cheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall n I Mount Switch, 1 c Mount Switch, 2 c Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 2 c Endge Hub-2-V 5 USB Power Corc & Ethernet Cable	\$3,728 -andhelc - 5 chann - 5 chann - 5 chann - 0 - 1 - 5 chann - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	Color d Remote hel incluo White Off- White White or Black White White White White White White	NE e with Wald \$65 \$70 \$75 \$85 \$70 \$50
\$3,088.00 Item # R-TEC MC RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSB RTMLDSSUSB RTMDSSPTCS RTMDSSPTCS RTMP PTH Moto • Specified custor gears; fascia will fascia will fascia 13%" 2 ¼" Flat Slim Round • Track and fascia	Name Dtor & Co Slim Draper Li-ion Batter Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMP 3 Conducto Drized Tra m cut length int l be ½" longer a he following to 1 Depth + tc 7/e" 2" 13/e" 3" 3/e" 13/2 awill be spliced	mponent ry Motor ry II Charger Power Transforr r Male Plug Power Transforr sold separately or Male Plug averse Transforr sold separately or Male Plug dicates track leng t each end of trac the traverse system traverse system	\$3,328.00 \$3,328.00 ts mer 10' with mer 20') specify ft. DS gth including d ck (½" total); m m: 	\$3,408.00 NET Price \$200.00 \$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC RTMHRPISC RTMWSR5C RTMWSR5C RTMWCRIC RTMWCR1C RTMWSRISC RTMSNB/W RTMHUB2 RTMISS	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall *Surface Mc Wi-Fi to ARC RF-includes Power Plug Interior Sun	\$3,648.00 trols Push5 F Mount Remote with Wall semote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall n I Mount Switch, 1 Mount Switch, 2 Mount Switch, 2 Mount Switch, 1 Sunt Wall Back Bo C Bridge Hub-2-V USB Power Corc & Ethernet Cable Sensor	\$3,728 -landhelc - 5 chann th C th C th C th C th V th V th V V V V V V V V V V V V V	Color d Remote hel inclua White Off- White or Black White White White White White White White White	NE e with Waled \$65 \$70 \$75 \$85 \$70 \$50 \$75 \$85 \$70 \$50 \$50 \$50 \$50 \$255 \$45
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS RTMP PTH Moto Specified custor gears; fascia will fascia will add th <u>Fascia</u> 13/4" 23/4" <u>Flat</u> Slim Round Track and fascia Blended fascia	Name Dtor & Co Slim Draper Li-ion Batter Battery Wa USB Cable 100v AC/DC 3 Conducto 110v AC/DC (plug RTMP 3 Conducto Drized Tra m cut length in l be ¼" longer a he following to t Depth + tc 7/e" 2" 13/a" 3" 3/4" 13/4 awill be spliced is available for a	mponent ry Motor ry II Charger Power Transforr r Male Plug Power Transforr sold separately or Male Plug averse Transforr sold separately or Male Plug dicates track leng t each end of trac the traverse system traverse system	\$3,328.00 \$3,328.00 tS mer 10' with mer 20') specify ft. OS gth including d ck (½" total); m m: 	\$3,408.00 NET Price \$200.00 \$120.00 \$120.00 \$15.00 \$15.00 \$775.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC RTMHRPISC RTMHRSSC RTMWSRSC RTMWSRSC RTMWCRIC RTMWSRISC RTMSS RTMISS RTMUSR	\$3,568.00 Name Dart Con Handheld F Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld F Mount, 15 ch Surface Wal Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall Cut-In Wall *Surface Mo RF-includes Power Plug Interior Sun ARC USB Si	\$3,648.00 trols Push5 F Mount Remote with Wall dheld Remote with 3 5 ch Remote with Wall 1 Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 1 c Mount Switch, 2 c Mount Swi	\$3,728 Handhelc - 5 chann th C th C th C th V ch* V ch* V v ch* V v v v v v v v v v v v v v	Color d Remote hel incluo White Off- White White or Black White White White White White White White White White	NE e with We \$65 \$70 \$75 \$85 \$70 \$50 \$50 \$50 \$50 \$50 \$255 \$45. \$120.
\$3,088.00 Item # R-TEC Mc RTMLDSS50 RTMLDSSB RTMLDSSBC RTMLDSSUSB RTMDSSPT RTMDSSPTCS RTMP PTH Moto Specified custor gears; fascia will fascia will add th Fascia 13/6" 23/4" Flat Slim Round Track and fascia Blended fascia	Name Dtor & Co Slim Drape Li-ion Batte Battery Wal USB Cable 110v AC/DC 3 Conducto 110v AC/DC (plug RTMF 3 Conducto 110v AC/DC c(plug RTMF 3 Conducto Drized Tra he following to 1 be ¼" longer a he following to 1 be ½" longer a he f	Power Transform ry Motor Power Transform r Male Plug Power Transform sold separately r Male Plug averse Tip dicates track leng the traverse system the traverse system traverse system traverse system traverse system traverse system	\$3,328.00 \$3,328.00 tS mer 10' with mer 20') specify ft. OS gth including d ck (½" total); m m: 	\$3,408.00 NET Price \$200.00 \$120.00 \$120.00 \$15.00 \$15.00 \$770.00 \$75.00 \$25.00	\$3,488.00 Item # R-TEC Sn RTMHRIC RTMHRSC RTMHRPISC RTMHRPISC RTMHRPISC RTMWSR5C RTMWSR5C RTMWCRIC RTMWCR1C RTMWSRISC RTMSNB/W RTMHUB2 RTMISS	\$3,568.00 Name Dart Con Handheld R Mount, 1 ch Push5 Hanc Wall Mount Push15 Han Wall Mount Handheld R Mount, 15 ch Surface Wal Cut-In Wall Cut-In Cut RF-includes Power Plug Interior Sun ARC USB Si Wall Charger	\$3,648.00 trols Push5 F Mount Remote with Wall semote with Wall dheld Remote wit , 5 ch dheld Remote wit , 15 ch Remote with Wall n I Mount Switch, 1 Mount Switch, 2 Mount Switch, 2 Mount Switch, 1 Sunt Wall Back Bo C Bridge Hub-2-V USB Power Corc & Ethernet Cable Sensor	\$3,728	Color d Remote hel inclua White Off- White or Black White White White White White White White White	ded \$65. \$70. \$75.

• R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

*RTMSMB/W required for installation.



R-TEC Motorized Heavy Duty Traverse Systems Finishes


Decorative wood fascia available in 1 ¾" or 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	Bronze	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	Bronze	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
1 3⁄8" or 2 1⁄4"	Halo	White	White	16'
smooth, reeded or	Java	Bronze	Bronze	16'
grooved / fluted profiles	Linen	White	White	16'
with	Luminous	Bronze	Bronze	16'
coordinating finials	Manor	White	White	16'
1 7⁄8" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat	Mystic	White	White	16'
smooth profile	New Age Bronze	Bronze	Bronze	16'
With flush ends	Patina	White	White	16'
or mitered returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	Bronze	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	Bronze	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'



White brackets may be substituted upon request.

Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- 1³/₈" and 2 ¹/₄" diameters available with R-TEC Systems
 2 ¹/₄" diameter available with Somfy Systems
- ·See below for coordinating finial options

Reeded

- .13/8" and 2 1/4" diameters available with R-TEC Systems
- $\cdot\,2$ ¼" diameter available with Somfy Systems
- ·See below for coordinating finial options

Grooved / Fluted

- .13/8" and 2 1/4" diameters available with R-TEC Systems
- $\cdot 2$ ¼" diameter available with Somfy Systems
- ·See below for coordinating finial options

Slim Round Smooth, No Finials

.1 7/8" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

Mitered Returns

(sold separately) .13%", 1 7%" and 2 1/4" diameters available

· All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. 1 3/8" or 2 1/4" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1 3/8" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102




1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102




R-TEC Motorized Heavy Duty Traverse Systems Brackets

		R-TEC Single TB035-R	2 ¹¹ /16" H x 1 ¹ /2" W backplate, adjustable up to 3 ¹ /4" return Available in white or bronze /BR.	\$28.75 each
	1.200 I 1.000	R-TEC Single or Double TB060-R	$3{}^{5}\!/{}^{_{16}"}$ H x 1 ${}^{1}\!/{}^{_{2}"}$ W backplate, 5 ${}^{1}\!/{}^{_{4}"}$ front return and 2" back return Available in white or bronze /BR.	\$46.00 each
TB035-R	TB060-R TB100-R	R-TEC Single, Double or Triple TB100-R	4 ¼" H x 1 ½" W backplate, adjustable up to 9" return Available in white or bronze /BR.	\$46.00 each
		Ceiling Mount Clip Single RTMDTBCM	¹ ⁄ ₄ " H x 2 ¹ ⁄ ₄ " D x 1 ¹ ⁄ ₁₆ " W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.00 NET each
		Fascia Mount Clip RTMDTFC	1/2" H x 1" W Use to attach fascia to traverse systems; included. Available in zinc.	\$2.50 NET each


R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



R-TEC Ceiling Mount Bracket RTMDTBCM

Please note: Ceiling Bracket will not accommodate fascia and finials.




•	Custom Over- Bracket Single TBKT214-R	3 ½" H x ¾" W backplate, 7 %" front return and 3" back return Use to combine 2 ¼ full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™	\$80.50 each
	Custom Ceiling Single CMTB-R	2 ¾" H x ¾" W backplate for double ceiling mount installation, install two brackets into ceiling. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™ When ordering, specify: A. Fascia diameter and profile. B. Projection to carrier and/or to front of fascia. C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). D. Width of mounting plate if longer than 2 ¾".	\$69.00 each

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.




When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4."

R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides



Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.


Master Carrier Body RTMDTMCB RTMDTMCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$4.00 NET each
Overlap Master Carrier Arms for Center Draw RTMDTCD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$4.75 NET pair*
Tandem Master Carrier Arms for Center Draw RTMDTCDTAN	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$7.00 NET pair*
Master Carrier Arm for One-Way Draw RTMDTOR RTMDTOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each
Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
Ripplefold Butt Master Carrier Arm for One-Way Draw RTMDTOB	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each

Tandem Alternative


Tandem alternative ARC[™] motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw




R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB







R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




1 3/3" R-TEC Motorized Metal Traverse ONLY Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTPTH138CD



1 3⁄8" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation[®] & Somfy Comparison

Slim Drazer Valvor Heavy Day Randard Standard Standard Man gigstem Facture Slim Dropeny Motor Glydert ULTRA 30e Existem 01178.30e Histon 01178.30e gigstem Facture Track Available X X X X X X White ar Bronze Track Available X X X X X X White ar Bronze Track Available X X X X X X X White ar Bronze Track Available X X X X X X X X Markmun Langen 38 39 52 33 52 2			•/	1		
SpannerNon-Add to the set of	System Features	R-TEC [®] Automation [®] Slim Drapery Motor				
Fach Ball Table Statute Table Statute <thtable statute<="" td=""><td>System Features</td><td>Slim Drapery Motor</td><td>Glydea® ULTRA 60e</td><td>Glydea® ULTRA 35e</td><td>Irismo™ 45</td><td>Irismo™ 35</td></thtable>	System Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
White or bronze Grupoment AvailableXXXXXXWhite or bronze Munper AvailableXXXXXXXNameur orgh3%3%3%3%3%3%3%Mannum Number of Track Splices22222222Minimum Gurong BalliaMulter GoLMTiller GoLMTiller GoLMTiller GoLMTiller GoLMXX </td <td></td> <td>\$2,295.00</td> <td>\$3,550.00</td> <td>\$3,105.00</td> <td>\$3,550.00</td> <td>\$3,105.00</td>		\$2,295.00	\$3,550.00	\$3,105.00	\$3,550.00	\$3,105.00
White or Brown Components Analiable X X X X X X X X X Track Maximum Length 360 360 370 370 370 370 Minimum Munder Drack Splits 2	Center Draw or One-Way Draw Available	X	X	Х	Х	X
Tack Maximum Longth $36'$ $36'$ $32'$ $33'$ $32'$ Madmum Number of Tack Splices 2	White or Bronze Track Available	X	Х	Х	Х	X
Maximum Number of Track Splices. 2 2 2 2 2 2 2 Minimum Quring Bidlus III8*00 CMI X	White or Bronze Components Available	X	X	X	X	X
Minimum Curving Badius Intell	Track Maximum Length	36'	36'	32'	33'	32'
White or Brance Wall Mount Brackets [5gl & Dit) X X X X X X X X X White Standard Ceiling Mount Brackets Sim Drageny Motor Cipitea ¹¹ LITEA Size Intomo ¹⁴ 45 Intomo ¹⁴ 45 Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Dito' Na Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Na X Motor Card Length as Purchased ¹²⁰ or specify feighting Dito' Dito' Na X Soft Start X X X X X X Soft Start X X X X X Soft Start X X X X X Soft Start X X X X X Adverse Linnis X X X X X Motor Adjustment Sin As B25 in A ² B Bit As Patient As Bit Methods My Position My Position Motor Adjustate Linnis X X X X X Addrese Table Motor Filly Cosof Position Bit	Maximum Number of Track Splices	2	2	2	2	2
white at Branze Wall Mount Brackets (Spl & Dbl) X X X X X X X X X White Standard Geling Mount Bracket X C X	Minimum Curving Radius		11.8" (30 CM)	11.8" (30 CM)		11.8" (30 CM)
White Standard Ceiling Mount BracketXXXXXX15' Fractional SelectionStim Drapery MoorOlydea* ULTRA 60eGivdea* ULTRA 50eFiltermor* 36Motor FeaturesStim Drapery MoorUpor*Tao*Tao*Intermor* 36Motor Cord Langth as Purchased120' or specify englTao*Tao*NAXXTouch MotionXXXXXXXManual OverrideXXXXXXXSoft StantXXXXXXXXSoft StantXX		X			X	
3% Fascia Available X Clyster* III.TRA 50e Versme ¹⁴ 45 Insme ¹⁴ 45 Motor Cord Langth as Purchased 10 ¹⁰ rspecify length up to 2001 120° ná 188.4″ Motor Cord Langth as Purchased X X X XX XX Manual Overside X X XX XX XX XX Start X X XX XX XX XX Start X XX XX XX XX XX Start X XX XX XX XX XX Start X XX XX XX XX XX Average Linear Speed 5.5 in, A · B25 in, A 4 ³ in A · 7.25 in, A 49 in A · 7.86 in, A 49 in A · 7.86 in, A Motor Altronatically Stop When System Reaches full Consel Paction My Paciton My Paciton My Paciton My Paciton Motor Altronatically Stop When System Reaches full Consel Paciton My Paciton My Paciton My Paciton Mator Altronatically Stop When System Reaches full Consel Paciton My Paciton My Paciton My Paciton Mator Altronatically Stop When System Reaches full Construct XX X X X Alglustable limitet Yis Yis Yi		X				
Motor FeaturesSlim Dropery MotorClydes* ULTRA 50eDiverse* 45Hisme**35Motor Card Length as Purchased120 or specify length upto 2400120 r120 rn.d.a358.4 rToroch MotonXXXXXXXManual OverrideXXXXXXShi StartXXXXXXXSoft StartXXXXXXXShi StartXXXXXXXXSpeci Control & AdjustmentXXX						
Motor Cand Length as Purchased 120° or predity length up to 2002TooTooNa 158.4° Touch MotionXXXXXXXXFouch MotionXXXXXXXSoft StartXXXXXXXXSoft StartXXXXXXXXXSpeed Control & AdjustmentXXX <td></td> <td></td> <td>Glvdea® UI TRA 60e</td> <td>Glvdea® ULTRA 35e</td> <td>Irismo™ 45</td> <td>Irismo™ 35</td>			Glvdea® UI TRA 60e	Glvdea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Touch Motion X X X X X X X Manual Override X X X X X X X Soft Start X X X X X X X Soft Start X X X X X X X Speed Control & Adjustment X X X X X X Word Pattomatically Stops When System SS in <i>Ls</i> - 25 in <i>.k</i> 49 in <i>k</i> - 786 in <i>k</i> 49 in <i>k</i> - 786 in <i>k</i> Motor Automatically Stops When System X X X X X Adjustable Limits X X X X X X Adjustable Limits X<		120" or specify length	-			
Soft StartXXXXXXXSoft StopXXXXXXXSpeed Cortrol & AdjustmentXXXXXXXAuerage Linear Speed $55 \ln A \cdot 82 \ln A$ $49 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 726 \ln A \cdot 726 \ln A$ $40 \ln A \cdot 726 \ln A \cdot 72$	Touch Motion		X	X	X	X
Soft StartXXXXXXSoft StortXXXXXXSpeed Control & AdjustmentXXXXXXAverage Linear Speed $55 \text{ in}, k - 82 \text{ in}, k$ $49 \text{ in}, k - 786 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ $49 \text{ in}, k - 726 \text{ in}, k$ X						
Speed Control & AdjustmentXXXXXXAverage Linear Speed $55 \ln/s - 825 \ln/s$ $49 \ln/s - 726 \ln/s$ (glient 295 in/s) $49 \ln/s - 726 \ln/s$ 						
Speed Control & AdjustmentXXXXXXAverage Linear Speed $5.5 in/s - 8.25 in/s$ $4.9 in/s - 7.26 in/s$ Motor QuestionFavorite PositionXX<						
Average Linear Speed 55 in /s - 8.25 in /s $4.9 \text{ in } \frac{k}{528 \text{ in } \frac{k}{5}}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{50 \text{ in } k}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{k}$ $4.9 \text{ in } \frac{k}{k} - 7.86 \text{ in } \frac{k}{k}$ Motor Automatically Stops When System X						
Reaches Pully Open or Fully Closed PositionAAAAAdjustable LimitsXXXXXAdjustable LimitsFavorite PositionMy PositionMy PositionMy PositionMotorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode38 dB in silent mode44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXKot Unit can be Installed on Either SindoXXXXXXFactory ResetXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXPower CollXXXXXX			4.9 in./s - 7.86 in, /s	4.9 in./s - 7.86 in _. /s		4.9 in./s - 7.86 in./s
NoticeFavorite PositionMy Posit	Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position	X	Х	X	X	X
Motorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode44 dB44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs1154 lbsMotor Unit can be Installed on Either End of TrackXXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXXInverse Mounting of MotorXXXXXXXXXXFactory ResetXXX	Adjustable Limits	X	X	X	Х	х
Maximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of Track.XXXXXInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Irismo™ 45Sun ControlXXXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXSun ControlXXXXXXXXSolar PowerXXXXXXXXPower SupplyILi-ion Battery or 10 V AC/CC Power TransformerGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Power Consumption13.A0.8 A0.8 A0.5 A2.4XXPower Cable Type3 conductor male plug3 con	Intermediate Position	Favorite Position	My Position	My Position	My Position	My Position
Tandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXInverse Mounting of MotorXXXXXXXPactory ResetXXXXXXXControl Options***Slim Drapery MotorGlydea ^a ULTRA 60eGlydea ^a ULTRA 35eIrismol ^m 45Irismol ^m 45Sun ControlXXXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC TM Frado Technology Somfy (RTS)Irismol ^m 45Irismol ^m 45Solar PowerXXXXXXXXProgramming Buttons on Motor UnitXXXXXXPower Supply10X AC/DC Power TransformerGlydea ^a ULTRA 60eGlydea ^a ULTRA 55eIrismol ^m 45Irismol ^m 45Amperage13A0.8A0.8A0.5A2A2APower Cable Type3 conductor male plug3 cond	Motorized Track Noise Level	44 db	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
Noter Unit can be installed on Either End of TrackXXXXXInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlXXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC™Glydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Digital Communication TechnologyARC™Cilydea® ULTRA 60eGlydea® ULTRA 55eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower Supply10×AC/DC Power Transformer13.A0.8.A0.8.A0.8.A0.5.A2.4Power Consumption20.W96.W96.W60.W48.W2.42.42.4Power Cable Type3 conductor male plug3	Maximum Weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
TrackAAAAAInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlSlim Drapery MotorXXXXXXSun ControlXXXXXXXDigital Communication TechnologyARC™Clydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Solar PowerXXXXXXXInstallation FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Programming Buttons on Motor UnitXXXXXXXPower Supply10×AC/DC Power Transformer13A0.8A0.8A0.8A0.5A24V DC Power SupPower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug1 irismo™ 451 irismo™ 45Schannel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold* StyleSim Drapery MotorGlydea* ULTRA 50eGlydea* ULTRA 55eI irismo™ 45I irismo™ 45Schannel Transmitter (Remote Control; White) <td< td=""><td>Tandem Alternative Maximum Weight</td><td>220 lbs</td><td>266 lbs</td><td>154 lbs</td><td>198 lbs</td><td>154 lbs</td></td<>	Tandem Alternative Maximum Weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
Actory ResetXXXXXXXControl Options***Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlXXXXXXSun ControlXXXXXDigital Communication TechnologyARC™Radio Technology Somfy (RTS)Solar PowerXImprove ARImprove ARImprove ARInstallation FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Programming Buttons on Motor UnitXXXXXPower Supply110° AC/DC Power TransformerImprove AC/DC Power24V DC Power Supply24V DC Power SupplyAmperage13A0.8A0.8A0.5A2APower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEcTUV tuctCC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXWhite or Bronze Pinch Pleat or Ripplefold* Styleyyyyy		Х	×	×	×	×
Control Options***Slim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Timer ControlXXXXXSun ControlXXXXXDigital Communication TechnologyARC [™] Radio Technology Somfy (RTS)Solar PowerXImbo Papery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Installation FeaturesSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or Transformer10.4 AC/DC Power Transformer25.9 V DC Power (Li-ion Rechargeabel)24V DC Power SupplyAmperage13.A0.8 A0.8 A0.5 A2.APower Consumption20 W96 W96 W60 W48 WPower Cable TypeSconductor male plug3 conductor male plug3 conductor male plugCertificationsCECTUV UV CC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45Schannel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo [™] 45Irismo [™] 45White or Bronze Pinch Pleat or Ripplefold [®] StyleVXXX <td< td=""><td>Inverse Mounting of Motor</td><td>X</td><td>X</td><td>X</td><td>Х</td><td>X</td></td<>	Inverse Mounting of Motor	X	X	X	Х	X
Immer ControlXXXXXSun ControlXXXXXXDigital Communication TechnologyARC TM Radio Technology Somfy (RTS)XXXSolar PowerXClydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXPower SupplyLl-ion Battery or TransformerIti-M 62/E Power TransformerIti-M 62/E Power Transformer259 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage13A0.8A0.8A0.5A2.APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCettificationsCEc TUV \downarrow CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Style χ	Factory Reset	X	Х	Х	Х	X
Sun ControlXXXXXXXDigital Communication Technology ARC^{TM} RC^{TM} $Radio Technology Somfy (RTS)$ Solar PowerXRadio Technology Somfy (RTS)Solar PowerXClydea® ULTRA 50eClydea® ULTRA 35eIrismo TM 45Irismo TM 35Installation FeaturesSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35Programming Buttons on Motor UnitXXXXXXXPower SupplyLi-ion Battery or Transformer13 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEcTUV usCECECEStandard Accessories Included With SystemSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35S Channel Transmitter (Remote Control; White)XXXXXXXCarrier FeaturesSlim Drapery MotorClydea® ULTRA 60eClydea® ULTRA 35eIrismo TM 45Irismo TM 35White or Bronze Pinch Pleat or Ripplefold® Styleyyyyyy	Control Options***	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Digital Communication Technology ARC™ Radio Technology Somfy (RTS) Solar Power X Image: Communication Technology Somfy (RTS) Solar Power Installation Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 Programming Buttons on Motor Unit X X X X X X Power Supply Li-ion Battery or TIO AC/DC Power Transformer Li-ion Rechargeable 24V DC Power Supply 24V DC Power Supply Amperage 13 A 0.8 A 0.8 A 0.5 A 2 A Power Consumption 20 W 96 W 96 W 60 W 48 W Power Cable Type 3 conductor male plug 5 C E C E C E Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 5 Channel Transmitter (Remote Control; White) X X X	Timer Control		X	Х	X	X
Solar Power X Clydea® ULTRA 60e Clydea® ULTRA 35e Irismo™ 45 Irismo™ 35 Programming Buttons on Motor Unit X	Sun Control	X	X	X	X	X
Solar Power X Clydea® ULTRA 60e Clydea® ULTRA 35e Irismo™ 45 Irismo™ 35 Programming Buttons on Motor Unit X Qiver Gold and and and and and and and and and an	Digital Communication Technology	ARCTM		Radio Technolo	agy Somfy (RTS)	1
Installation FeaturesSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or Transformer10V AC/DC Power Transformer259 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCECTUV us, CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Carrier FeaturesSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35White or Bronze Pinch Pleat or Ripplefold® Stylexxxxxx						
Programming Buttons on Motor UnitXXXXXXXPower SupplyLi-ion Battery or TransformerLi-ion Battery or Transformer25.9 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV u, CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Styleyyyyyyy			Glydea® UI TRA 60e	Glydea® ULTRA 35e	lrismo™ 45	Irismo™ 35
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor			-	-		
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conducto	Power Supply	Li-ion Battery or 110v AC/DC Power Transformer	12	0V		24V DC Power Supp
Power Consumption 20 W 96 W 96 W 60 W 48 W Power Consumption 3 conductor male plug 3 conductor male	Amperage		0.8 A	0.8 A	0.5 A	2 A
Power Cable Type3 conductor male plug3 conductor male plug <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Certifications CE cTUV us, CCC, CE CE CE Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 5 Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style y y y y y						
Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 S Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style x x x x x						
S Channel Transmitter (Remote Control; White) X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style y y y y y						
Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style v v v v v v			-	-		
White or Bronze Pinch Pleat or Ripplefold® Style v v v v v						
			-	Jiyuea ULI KA 558	115110	
		X	X	X	X	X

*components include: carriers, master carriers, drive gears, return hooks and fascia clips. **maximum allowable charging current. ***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments – from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 ¼" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 ¼" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single bracket is adjustable 2 ³/₄" 3 ⁵/₈" return
- Longer return bracket options may be substituted at no charge
- · Traverse system includes track, fascia, motor, power option,
- brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all fascia profiles
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- Standard single bracket is adjustable 2 ¾" 3 ⅛" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
- Coordinates with all fascia profiles
- Additional remote options sold separately



Single Traverse System Without Fascia

 \cdot Standard single bracket is adjustable 2 $^3\!\!4"$ - 3 $^5\!\!8"$ return

₿

- \cdot ~ Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- · Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Double



With Fascia

- Standard double brackets are adjustable 5" 5 3" front return and adjustable 1 3" 2 3" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- 2.1/# finiale and additional merceto antional
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



(front fascia shown; front and back fascia also available; mitered returns on front only)

Double Traverse System With Mitered Returns

- Standard double brackets are adjustable 5" 5 %" front return and adjustable 1 %" 2 %" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options,
- brackets, components and a standard 5 channel remote control Coordinates with all fascia profiles
- Additional remote options sold separately


Davida la Travia de Custa da	

Double Traverse System Without Fascia

- Standard double brackets are adjustable 5" 5 %" front return and adjustable 1 %" 2 %" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia;
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:





Please note: Somfy Glydea[®] systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.

Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- Track sold in 1 foot increments, 6' minimum
- Maximum continuous length is 20'; spliced lengths up to 36'
- Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- · Available in white or bronze; track finish will complement fascia finish
- End drive gears available in white
- May be ordered with or without fascia options
- Curved tracks available with minimum 11.8" radius; curving fees apply

Somfy Irismo[™] 45 RTS Motor

1002353

- · Heavy duty motor, 1 per track
- · Maximum drapery weight for motor: 99 lbs
- · Maximum length for motor: 33'
- · 25.9V Li-ion Battery Power
- · Motor can be mounted on right or left for center draw, or top mounted
- · Return hooks/snaps included; available in white
- · Available in white
- 5 vear warrantv

Somfy Glydea® ULTRA 60e RTS Motor 1003159

Heavy duty motor, 1 per track

- Maximum drapery weight for heavy duty motor: 132 lbs
- Maximum length for heavy duty motor: 36'
- 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center draw,
- or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- Available in brushed aluminum

Somfy Motorized Traverse System

· 5 year warranty (warranty voided if hardwired)

Somfy Situo[®] standard remote control transmitter

1870575 (multi-channel handheld remote)

- ·51/4"H x15/8"W
- · 1 remote control per track
- 5 channels Programmable My Position to set your favorite drapery position
- · Available in white

Somfy Irismo[™] 35 Mini RTS Motor 1003004

• Mini motor, 1 per track


- · Maximum drapery weight for mini motor: 77 lbs
- · Maximum length for mini motor: 32
- · 24V DC Power Supply cord with plug: 158.4" cord length · Motor can be mounted on right or left for center draw,
- or top mounted

Somfy Glydea® ULTRA 35e RTS Motor 1003152

- · Light duty motor; 1 per track
- Maximum drapery weight for light duty motor: 77 lbs
- Maximum length for light duty motor: 32
- · 110V Power Supply cord with plug: 120" cord length
- · Motor can be mounted on right or left for center
- draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- Available in brushed aluminum
- · 5 year warranty (warranty voided if hardwired)

includes 1 motor with power supply (1 per track), track(s) with components, brackets,

and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

		maximum drapery weight per total length of system (lbs)												
		Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'
	Std	Glydea® ULTRA 35	77	77	77	77	77	77	77	77	-	-	-	-
somfy.	HD	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
S U III y.	Std	Irismo 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately



- · Return hooks/snaps included; available in white
- · Available in white
- 5 vear warrantv

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	White	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	White	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete	White	White	16'
	Couture	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige	White	White	16'
2 ¼" smooth,	Halo	White	White	16'
reeded or grooved /	Java	White	Bronze	16'
fluted profiles	Linen	White	White	16'
with coordinating	Luminous	White	Bronze	16'
finials	Manor	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat smooth profile	Mystic	White	White	16'
	New Age Bronze	Bronze	Bronze	16'
With flush ends or mitered	Patina	White	White	16'
returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle	Bronze	Bronze	16'
	Urban Bronze	White	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	White	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

White brackets may be substituted upon request.



Somfy Motorized Heavy Duty Traverse Systems Pricing

•/				•/		С			
Item #	Name Pricing Includes Somfy® Motorized Traverse Trac					g the Irismo™			
	se System with Wood Fascia	6'	7'	8'	9'	10'	יוו		
Single Track System v	Single Track System with Wood Fascia for 1 7⁄8" slim, 2 ¼" flat smooth and 2 ¼" round								
STRACKF2S6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,290.00	\$3,420.00	\$3,550.00	\$3,680.00	\$3,810.00	\$3,940.00	<u> </u>	
STRACKF2S35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,845.00	\$2,975.00	\$3,105.00	\$3,235.00	\$3,365.00	\$3,495.00		
Double Track System	with Wood Fascia Front Only for 1 7/8" slim, 2 1/4	ulat smoo	th and 2 ¼'	' round					
STRACKF2DF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,265.00	\$6,480.00	\$6,695.00	\$6,910.00	\$7,125.00	\$7,340.00		
STRACKF2DF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,375.00	\$5,590.00	\$5,805.00	\$6,020.00	\$6,235.00	\$6,450.00		
STRACKF2DFMix	Mixed Motors	\$5,820.00	\$6,035.00	\$6,250.00	\$6,465.00	\$6,680.00	\$6,895.00		
Double Track System	with Wood Fascia Front and Back for 2 ¼" rou	ind only							
STRACKF2DFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,580.00	\$6,840.00	\$7,100.00	\$7,360.00	\$7,620.00	\$7,880.00		
STRACKF2DFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,690.00	\$5,950.00	\$6,210.00	\$6,470.00	\$6,730.00	\$6,990.00		
STRACKF2DFBMix	Mixed Motors	\$6,135.00	\$6,395.00	\$6,655.00	\$6,915.00	\$7,175.00	\$7,435.00		
Double Track System	with Stationary Front Wood Pole & No Back Fa	ascia							
STRACKF2DSF6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,567.00	\$3,780.00	\$3,993.00	\$4,206.00	\$4,419.00	\$4,632.00		
STRACKF2DSF35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,122.00	\$3,335.00	\$3,548.00	\$3,761.00	\$3,974.00	\$4,187.00		
Double Track System	with Stationary Front Wood Pole & Back Wood	d Fascia for	2 ¼" round	lonly					
STRACKF2DSFB6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,882.00	\$4,140.00	\$4,398.00	\$4,656.00	\$4,914.00	\$5,172.00		
STRACKF2DSFB35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,437.00	\$3,695.00	\$3,953.00	\$4,211.00	\$4,469.00	\$4,727.00		
Motorized Travers	se System without Wood Fascia								
	track available in white or bronze	6'	7'	8'	9'	10'	יוו		
STRACK6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$2,975.00	\$3,060.00	\$3,145.00	\$3,230.00	\$3,315.00	\$3,400.00		
STRACK35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,530.00	\$2,615.00	\$2,700.00	\$2,785.00	\$2,870.00	\$2,955.00		
Double Track System	track available in white or bronze								
STRACKDBL6045	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$5,950.00	\$6,120.00	\$6,290.00	\$6,460.00	\$6,630.00	\$6,800.00		
STRACKDBL35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,060.00	\$5,230.00	\$5,400.00	\$5,570.00	\$5,740.00	\$5,910.00		
STRACKDBLMix	Mixed Motors	\$5,505.00	\$5,675.00	\$5,845.00	\$6,015.00	\$6,185.00	\$6,355.00		
Oupptity Dor Sy					lotorizor				

Quantity Per System

	6'	7'	8'	9'	10'	ירו	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel) master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7"$ stack, panel with over arm BEFORE drapery fabric is installed $4.07" + [(40/2) \times .563"] + 3.75" = 19.1"$ stack, panel with under arm BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips

 Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3⁄8"	7⁄8"	2"
2 1/4"	1 3⁄8"	3"
Flat	3/4"] 3/4"
Slim Round	5⁄8"	1 1/2"

• Track and fascia will be spliced in the center of overall length.

• Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.

 Back fascia can accommodate decorative end caps; decorative end caps sold separately. Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Orders that contain a Li-ion battery will be charged a \$25.00 shipping surcharge. Available in all profiles for 1 7%" and 2 1/4" diameter fascias or without a wood fascia. 1 3%" not available with Somfy Systems.

12'	13'	14	15'	16'	per add'l ft
	1	1	Systems are	sold in 1 ft	
\$4,070.00	\$4,200.00	\$4,330.00	\$4,460.00	\$4,590.00	\$130.00
\$3,625.00	\$3,755.00	\$3,885.00	\$4,015.00	\$4,145.00	\$130.00
\$7,555.00	\$7,770.00	\$7,985.00	\$8,200.00	\$8,415.00	\$215.00
\$6,665.00	\$6,880.00	\$7,095.00	\$7,310.00	\$7,525.00	\$215.00
\$7,110.00	\$7,325.00	\$7,540.00	\$7,755.00	\$7,970.00	\$215.00
1					
\$8,140.00	\$8,400.00	\$8,660.00	\$8,920.00	\$9,180.00	\$260.00
\$7,250.00	\$7,510.00	\$7,770.00	\$8,030.00	\$8,290.00	\$260.00
\$7,695.00	\$7,955.00	\$8,215.00	\$8,475.00	\$8,735.00	\$260.00
1					
\$4,845.00	\$5,058.00	\$5,271.00	\$5,484.00	\$5,697.00	\$213.00
\$4,400.00	\$4,613.00	\$4,826.00	\$5,039.00	\$5,252.00	\$213.00
\$5,430.00	\$5,688.00	\$5,946.00	\$6,204.00	\$6,462.00	\$258.00
\$4,985.00	\$5,243.00	\$5,501.00	\$5,759.00	\$6,017.00	\$258.00
			Systems are	sold in 1 ft	increments
12'	13'	14'	15'	16'	per add'l ft
\$3,485.00	\$3,570.00	\$3,655.00	\$3,740.00	\$3,825.00	\$85.00
\$3,040.00	\$3,125.00	\$3,210.00	\$3,295.00	\$3,380.00	\$85.00
\$6,970.00	\$7,140.00	\$7,310.00	\$7,480.00	\$7,650.00	\$170.00
\$6,080.00	\$6,250.00	\$6,420.00	\$6,590.00	\$6,760.00	\$170.00
 \$6,525.00	\$6,695.00	\$6,865.00	\$7,035.00	\$7,205.00	\$170.00



ltem #	Name	Color	Price
Somfy M	otors		
1003159	Somfy Glydea® ULTRA 60e Heav	y Duty Motor	\$1,380.00
1003152	Somfy Glydea® ULTRA 35e Std N	lotor	\$1,132.75
1002353	Somfy Irismo™ 45 Std Motor**		\$1,380.00
1003004	Somfy Irismo™ 35 Mini Motor*		\$1,132.75

* Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$94.17
9026476	Rechargeable Li-ion Battery	White	\$201.25

Transmitters/Devices

1870575	Situo®Transmitter-5 channel (included)	White	\$258.75
1810652	Telis Transmitter-5 channel	Black	\$325.00
1870571	Situo® Transmitter-1 channel	White	\$201.25
1810639	Telis Transmitter-1 channel	Silver	\$260.00
1810650	Telis Transmitter-1 channel	Black	\$260.00
1811081	Telis16 RTS-16 channel	White	\$787.75
1811082	Telis16 RTS-16 channel	Silver	\$787.75
1810897	Wireless Wall Switch-1 channel	White	\$442.75
1810898	Wireless Wall Switch-1 channel	lvory	\$442.75
1810899	Wireless Wall Switch-1 channel	Black	\$506.00
1810813	Wireless Wall Switch-5 channel	White	\$460.00
1810814	Wireless Wall Switch-5 channel	lvory	\$460.00
1810830	Wireless Wall Switch-5 channel	Black	\$534.75
1811185	Table Top Accessory *	White	\$138.00
1810972	Table Top Accessory *	Silver	\$138.00
1811051	Table Top Accessory *	Black	\$138.00
* 11.1.1.1			

* use with Wireless Wall Switch


Programmable Timers

0		
1811731	Somfy TaHoma® gateway	\$228.85 NET

Additional Somfy Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge
Curving Fees (per bend, template required)	Quoted
Crating for Curved Track	\$75.00
Packaging fee per order	\$25.00

Somfy Motorized Heavy Duty Traverse Systems Information




D. Width of mounting plate if longer than 2 3/4.

Carriers for additional carriers.

	Somfy Standard Pinch Pleat Glide 1781415 white 1782869 bronze	Wheeled for smooth movement. Included in system; additional glides may be ordered separately. Available in white or bronze.	\$1.85 NET each
	Somfy Ripplefold Clide 1780901 white 1782870 bronze 120% 1780902 white 1782871 bronze 100% 1780903 white 1782872 bronze 80%	Snap accepts Ripplefold tape and swivels to create fold. Fullness 80%, 100% or 120% - specify fullness on order. Available in white or bronze.	\$2.60 NET each
0 0	Master Carrier Body 1781344	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Pinch pleat or Ripplefold. Available in gray with white only.	\$15.00 NET each
No © 50	Overlap Master Carrier Arms for Center Draw 1782320 (Over Arm) 1782321 (Under Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$12.75 NET each
	Tandem Master Carrier Arms for Center Draw 1782662 (Under Arm) 1780947 (Over Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$12.75 NET each
	Master Carrier Arm for One-Way Draw 1782320	Right and Left use. Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$12.75 NET each
H. 02000	Ripplefold Butt Master Carrier Arms for Center Draw 1780953	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$12.75 NET each
	Ripplefold Butt Master Carrier Arms for Center Draw Tandem Option 1782319	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$12.75 NET each
\$ 	Ripplefold Butt Master Carrier Arm for One-Way Draw 1782319	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$12.75 NET each


Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea[®] Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea[®] Motorized system.

Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319




Somfy Pinch Pleat or Ripplefold Master Carrier Arms -Center Draw

Under Arm 1782321 Over Arm 1782320



Somfy Ripplefold Butt Master Carrier Arm - Center Draw 1780953 L 2.6"



PARIS TEXAS	Motorized Travers	raver	Se C	e Order Form	For	E		VIEO AUTOMATIGN®	DMAT	<u>O</u> N		SOmfy.
HARDWARE	PO#		S	Side Mark			Ship via	ia			Date	
Company Information		I		I		Shipping	Shipping Information	I	I		I	
Company Name		Acct #				Company Name	ame			Acct #		
Contact Person		-				Contact Person	son			-		
Street Address						Street Address	SSS					
City		State		ZIP		City				State	ZIP	
Email	-					Email						
Phone	Fax					Phone			Fax			
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including drive gears; Mitered fascia w	YSTEMS - Consult Price Li s track length including drive gears.	st for detail : Mitered faso	ed specif a will be up	specifications. ill be up to 3" longer	than track	length, depe.	specifications. iill be up to 3" longer than track length, depending on the profile ordered.	rdered.				
tem # Motor	Power Option *see additional R-TEC options below	Fascia Type	System Length (Up to 36' (per 1')	Custom Cut Track Length (inches)	Fascia Finish Code P	Bracket Preference	Draw Preference Center One-Way	Motor	Glide Style pinch pleat or Ripplefold ®*	Qty	Price per Unit	Subtotal
	Li-ion Battery 110v AC/DC Power							R L				
	ILi-ion Battery I10v AC/DC Power							R L	PP RF			
	ILi-ion Battery I10v AC/DC Power							R L	PP RF			
	ILi-ion Battery I10v AC/DC Power							R L R R	PP			
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, mitered returns, and accessories here.	OORDINATING ACCESSO and accessories here.	RIES AND		DDITIONAL FEES	ŝ	**Pc ADI	**Power Options for R-TEC Motor (NET) ADDITIONAL: solar panel \$120; 20' cord \$75 - specify total feet; plug \$25	TEC Motor (NET 1el \$120; 20' cor) d \$75 - specify	total feet; p	olug \$25	
Item #	Finish Code					Description	ц		Qty		Price per Unit	Subtotal
Additional Information	NOTE:	NOTE: Minimum track		ength for R-TEC is 4' and for Somfy is 6'	and for S	omfy is 6'	I			_	TOTAL	
Quantity included per system based on cut track length Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] Brackets (1 per every 3-4 feet)	[2]]	6' 7' 24 28 4 4		10° 11° 12° 40 44 48 40 44 48 4 5 5	2 13 1 1 1 1 1 1 1 1 1 1	14' 15' 16' 56 60 64 6 6 6	17: 18: 19: 68 72 76 7 7 7	20' 80 8				
Special Instructions								* When ordering Ripplefold carriers, answer these questions: 1. Select Ripplefold fullness: 60% 80% 100% 11	g Ripplefold c fold fullness:	arriers, an	swer these q	se questions: 100%120%
							 	2. Select Ripplefold masters:	fold masters:	Overlap	ap Dutt Master	Aaster

1¹/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect MatchTM.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ⁵/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 11/2" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Ceiling Mount

- Ceiling bracket: 3 "/₁₆" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1¹/₈" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

1¹/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item #	Price						System	s are sold	in 1 ft incr	rements
ו אוי Baton Draw Metal Trave	erse Sy	vstem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	price per ft
CSPTHMT118400	\$240.00	\$300.00	\$360.00	\$420.00	\$480.00	\$540.00	\$600.00	\$660.00	\$720.00	\$60.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT118401	\$272.00	\$340.00	\$408.00	\$476.00	\$544.00	\$612.00	\$680.00	\$748.00	\$816.00	\$68.00
Double Traverse System Wall Mount										
CSPTHMT118402	\$480.00	\$600.00	\$720.00	\$840.00	\$960.00	\$1,080.00	\$1,200.00	\$1,320.00	\$1,440.00	\$120.00
Single Traverse System Ceiling Mount										
CSPTHMT118403	\$240.00	\$300.00	\$360.00	\$420.00	\$480.00	\$540.00	\$600.00	\$660.00	\$720.00	\$60.00
Double Traverse System Ceiling Mount										
CSPTHMT118404	\$480.00	\$600.00	\$720.00	\$840.00	\$960.00	\$1,080.00	\$1,200.00	\$1,320.00	\$1,440.00	\$120.00
Single Traverse System Low-Profile Ceiling Mount										
CSPTHMT118406	\$192.00	\$240.00	\$288.00	\$336.00	\$384.00	\$432.00	\$480.00	\$528.00	\$576.00	\$48.00

1¹/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

			~	~1	~
36" Metal Baton ⅔" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$57.00 each	\$62.00 each	\$67.00 each	\$45.00 each	\$50.00 each	\$55.00 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$50.00 each	\$55.00 each	\$60.00 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$62.00 each	\$67.00 each
QSME48HWAND	QSME60HWAND
\$55.00 each	\$60.00 each

-0	\sim	\sim
48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic
AC48HWAND	AC60HWAND	AC72HWAND
\$50.00 each	\$55.00 each	\$60.00 each

1¹/₈" Baton Draw Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes

Diameter	Track Finish	Component Color	Max. Continuous Length
] ¼8"	Amulet	White	12'
1 1⁄8"	Andiron	White	12'
1 1⁄8"	Antique Gold	White	12'
] 1⁄8"	Art Bronze	Bronze	12'
] 1⁄8"	Barnwood	Bronze	12'
] 1⁄8"	Black	Bronze	12'
] 1⁄8"	Blush	White	12'
] 1⁄8"	Bronzed Pewter	Bronze	12'
] ¼8"	Concrete	White	12'
] 1⁄8"	Couture	White	12'
] 1⁄8"	Dark Chocolate	Bronze	12'
] 1⁄8"	Firelight	White	12'
] 1⁄8"	Gossamer	Bronze	12'
] 1⁄8"	Greige	White	12'
] 1⁄8"	Halo	White	12'
] 1⁄8"	Java	Bronze	12'
] 1⁄8"	Linen	White	12'
] 1⁄8"	Luminous	Bronze	12'
] 1⁄8"	Manor	White	12'
] 1⁄8"	Mink	Bronze	12'
] 1⁄8"	Moonlight	Bronze	12'
] 1⁄8"	Mystic	White	12'
] 1⁄8"	New Age Bronze	Bronze	12'
] 1⁄8"	Patina	White	12'
] 1⁄8"	Shimmer	Bronze	12'
] 1⁄8"	Silver Maple	White	12'
] 1⁄8"	Spicewood	Bronze	12'
] 1⁄8"	Spun Gold	White	12'
] 1⁄8"	Stardust	White	12'
] 1⁄8"	Starlet	White	12'
] 1⁄8"	Titanium	White	12'
] 1⁄8"	Truffle	Bronze	12'
] 1⁄8"	Urban Bronze	Bronze	12'
] 1⁄8"	White	White	12'
1 1⁄8"	PTH Perfect Match™	please specify	12'
1 1⁄8"	Brushed Nickel	White	12'
1 1⁄8"	Brushed Bronze	Bronze	8'
] 1⁄8"	Charcoal Zinc	White	8'
] 1⁄8"	Matte Black	White	12'
] 1⁄8"	Rose Gold	White	8'
] 1⁄8"	Satin Gold	White	8'

1¹/₈" Baton Draw Metal Traverse Systems Information


 $1^{1}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.

Image: Definition of the systemImage: Definition of the syste		ONNECLOIS for additio	nai prackets. Se	ee below for diagrams/	JIMensions.	
Wall Mount 3 ½" returnWall Mount 6" returnWall Mount DoubleCeiling Mount SingleCeiling Mount DoubleCeiling Bracket Extender	(—		T	E C	Ļ
3 ¹ / ₂ " return 6" return Double Single Double Extender	THMT118400 PTH	THMT118401 PTHM	MT118402	PTHMT118403	PTHMT118404	PTHMT118405
\$22.00 each \$30.00 each \$40.00 each \$22.00 each \$61.00 each \$12.00 each						
	\$22.00 each \$	\$30.00 each \$4	-0.00 each	0.00 each \$22.00 each \$		\$12.00 each
PTHMT118406 PTHMT118407 PTHMT118407 PTHMT118409 Wall Mount 3 ½" return Wall Mount 3 ½" return Low-Profile Connector / PTHMT118409 Hinged Elbow 11/6" 11/6" 11/6" \$14.00 each \$7.00 each \$25.00 each \$25.00 each \$25.00 each \$25.00 each \$25.00 each	ow-Profile Conne eiling Single Splice	nector / Hinged Elb	409 2"1	1T118400 		cket Mounting Plate
Wall Mount 6" returnWall Mount DoubleLow-Profile Ceiling SinglePTHMT118401PTHMT118402PTHMT118406	all Mount 6" return	V	Wall Mount Dou	ıble		
	1 7/8"	5" 2	17/8"	3"		\$/ ₄ "
		PTHMT118403	PTHM 2 ⁵ / ₈ "		Extende	er 🔸 🚽 🖓
CarrierS for additional carriers. for master carrier diagrams, see page 84.	ITTIETS for additional c master carrier diagrams	l carriers. ns, see page 84.		• •		• • -
Pinch Pleat Ripplefold	nch Pleat F	Ripplefold	C	- তিই	0.	
Pinch Pleat Master Carrier Ripplefold Overlap Master Carrier BT3005R or BT3005L BER Stainless steel overlap arms with multi-wheel Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white Stainless steel overlap arms with multi-wheel or bronze /BR and left or right. Stainless steel overlap arms with multi-wheel		0410	BT3005R or Stainless steel design for smo	BT3005L /BR overlap arms with multi-whee both movement. Available in w	I Stainless steel overlap hite smooth movement. A	Dearms with snaps to accept
Pinch Pleat Glide Ripplefold Glide Image: March State \$4.75 NET each \$5.65 NET each			\$	4.75 NET each	\$5.65	NET each
CP10 or CP10/BR R R4060/P R4060/P/BR R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR R4120/P R4120/P/BR R4120/P R4120/P/BR R4120/P R4120/P/BR Ripplefold Glides with detachable pendents. Available in white or bronze /BR. Ripplefold Glides with detachable pendents. Available in 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white or bronze /BR. Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right. Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	all Bearing Wheel for nooth movement. 'ailable in white or onze /BR.	R4080/P R4080/P/BR R4100/P R4100/P/BR R4120/P R4120/P/BR Ripplefold Glides with detachable pendents. Available in 60%, 80%, 100% or 120% fullness - specify fullness on order. Available in white	BT4333 Stainless steel accept Ripplef for smooth mo	fold tape and a multi-wheel de ovement. Available in white or	BT3600R or BT360 Arms with snaps to ac multi-wheel design fo Master Carriers do no filter between draper treatments. Must be e	DOL VER ccept. Ripplefold tape and a or smooth movement. Butt it overlap, allowing light to ies on center draw specified for substitution.
\$2.95 NET pack (10 pieces) \$0.63 NET each \$0.55 NET each \$5.85 NET each	2.95 NET pack (10 pieces)	\$0.63 NET each	\$	0.55 NET each	\$5.85	NET each

Upgrade your End Caps with Finial Styles

1 1⁄8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1⁄8" Finials across five style categories using either Cuff / Finial Adapter.







Portfolio page 7 | Quick Ship page 87 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 9 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



1³/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- · 13/8" collection finials and additional remote options sold separately





Double Traverse System, Ceiling Mount

- · Ceiling bracket: 4" drop, 4 ½" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3⁄8" collection finials and additional remote options sold separately

1³/₈" Baton Draw Metal Traverse Systems Finishes 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 3⁄8"	Amulet	White	12'
] 3⁄8"	Andiron	White	12'
1 3⁄8"	Antique Gold	White	12'
1 3⁄8"	Art Bronze	Bronze	12'
	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
1 3⁄8"	Blush	White	12'
] 3⁄8"	Bronzed Pewter	Bronze	12'
] 3⁄8"	Concrete	White	12'
] 3⁄8"	Couture	White	12'
1 3⁄8"	Dark Chocolate	Bronze	12'
1 3⁄8"	Firelight	White	12'
1 ¾"	Gossamer	Bronze	12'
1 3⁄8"	Greige	White	12'
1 3⁄8"	Halo	White	12'
1 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
1 3⁄8"	Manor	White	12'
] 3⁄8"	Mink	Bronze	12'
] 3⁄8"	Moonlight	Bronze	12'
] ¾"	Mystic	White	12'
1 ¾"	New Age Bronze	Bronze	12'
] ¾ ["]	Patina	White	12'
1 3⁄8"	Shimmer	Bronze	12'
1 3⁄8"	Silver Maple	White	12'
1 3⁄8"	Spicewood	Bronze	12'
1 3⁄8"	Spun Gold	White	12'
1 3⁄8"	Stardust	White	12'
] ¾"	Starlet	White	12'
] 3⁄8"	Titanium	White	12'
1 3⁄8"	Truffle	Bronze	12'
1 3⁄8"	Urban Bronze	Bronze	12'
] 3⁄8"	White	White	12'
1 3⁄8"	PTH Perfect Match™	please specify	12'
1 3⁄8"	Brushed Nickel	White	12'
1 3⁄8"	Brushed Bronze	Bronze	8'
1 3⁄8"	Charcoal Zinc	White	8'
] 3⁄8"	Matte Black	White	12'
] 3⁄8"	Rose Gold	White	8'
1 3⁄8"	Satin Gold	White	8'
1 3⁄8"	Antique Brass	White	12'
] 3⁄8"	Oil Rubbed Bronze	Bronze	12'
] 3⁄8"	Platinum	White	12'
] 3⁄8"	Rose Gold	White	12'
] 3⁄8"	Walnut	Bronze	12'

1³/₈" Baton Draw Metal Traverse Systems Pricing

Orders with Baton Draw Metal traverse systems will incur a \$25 packaging fee.

Name & Item #	Price						System	s are sold	in 1 ft inci	rements
1 ¾" Baton Draw Metal Traverse System										
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	price per ft
CSPTHMT138400	\$316.00	\$395.00	\$474.00	\$553.00	\$632.00	\$711.00	\$790.00	\$869.00	\$948.00	\$79.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT138401	\$352.00	\$440.00	\$528.00	\$616.00	\$704.00	\$792.00	\$880.00	\$968.00	\$1,056.00	\$88.00
Double Traverse System Wall Mount										
CSPTHMT138402	\$632.00	\$790.00	\$948.00	\$1,106.00	\$1,264.00	\$1,422.00	\$1,580.00	\$1,738.00	\$1,896.00	\$158.00
Single Traverse System Ceiling Mount										
CSPTHMT138403	\$316.00	\$395.00	\$474.00	\$553.00	\$632.00	\$711.00	\$790.00	\$869.00	\$948.00	\$79.00
Double Traverse System Ceiling Mount										
CSPTHMT138404	\$632.00	\$790.00	\$948.00	\$1,106.00	\$1,264.00	\$1,422.00	\$1,580.00	\$1,738.00	\$1,896.00	\$158.00
Single Traverse System Low-Profile Ceiling Mount	:									
CSPTHMT138406	\$252.00	\$315.00	\$378.00	\$441.00	\$504.00	\$567.00	\$630.00	\$693.00	\$756.00	\$63.00

1³/₈" Baton Draw Metal Traverse Systems Information

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.


C->+1	Cast				
36" Metal Baton ℁" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$57.00 each	\$62.00 each	\$67.00 each	\$45.00 each	\$50.00 each	\$55.00 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$50.00 each	\$55.00 each	\$60.00 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$62.00 each	\$67.00 each
QSME48HWAND	QSME60HWAND
\$55.00 each	\$60.00 each

\sim	\sim	\sim
48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic
AC48HWAND	AC60HWAND	AC72HWAND
\$50.00 each	\$55.00 each	\$60.00 each

1³/₈" Baton Draw Metal Traverse Systems Information

 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions



Upgrade your End Caps with Finial Styles

1 3/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff / Finial Adapter PO138CUFF or QS138CUFF below







Place Cuff onto metal traverse and tighten set screw with Allen Wrench.




PARIS TEXAS HARDWARE

72

HSI													
PARIS TEXAS HARDWARE	Manual Metal Tr		/erse	Coll	ectio	averse Collection Order Form	der F	orm					
	PO #		Side Mark	llark			Sh	Ship via			Ď	Date	
Company Information	l	l	l		Sh	Shipping Information	rmation					l	
Company Name		Acct #			Cor	Company Name	_				Acct #		
Contact Person					Cor	Contact Person							
Street Address					Stre	Street Address							
City		State	ZIP	<u>م</u>	City						State	ZIP	
Email		-	-		Email	ail				-		-	
Phone	Fax				Pho	Phone				Fax			
METAL TRAVERSE SYSTEMS - Consult Price List for detailed s	EMS - Consult Price List f	or detailed speci	pecifications.	l	l							l	l
		l											
Item #		Finish Code	System Length (per 1')	Custom Cut Length ^(inches)	Pr Center	Draw Preference er One-Way		Baton (sold separately)	\$	Glides Pinch Pleat or Ripplefold*	r Qty	Price per Unit	Subtotal
						니니							
						ב 					_		
						L R				PP RF			
						L R				PP RF			
			-										
METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES Order finials, cuffs, batons, additional brackets and accessories here.	IDINATING ACCESSORI s, additional brackets ai	ES AND ADDITI nd accessories	ONAL FEI here.	S									
Item #	Finish Code	le				Description	ц			Qty	Price per Unit	er Unit	Subtotal
Glide and Bracket Information		-									Answer Ti	Answer These Questions	suc
Quantity included per system based on cut track length	ed on cut track length 4'	5' 6' 7' 8	9' 10' 1	11' 12' 1	13' 14'	15' 16' 17'	18' 19'	20' 21' 22'	23' 24'	1. S	olefold fullné		
Glides [4 per foot, includes master carriers & end caps (2)]	s & end caps (2)] 16	20 24 28 32	36 40	44 48 5	52 56 0	60 64 68	72 76	80 84 88	92 96		□ 60% □ 80% □ 100%	100% 🛛 120%	
Brackets	3	3 4 4 4	5	2	9	6 6 7	7 7	8	8	5 	elect Ripplefold masters: Butt Master Overlap	ters: verlap	
Special Instructions										* Must speci	fy Ripplefo	* Must specify Ripplefold carrier fullness.	ess.
											F	TOTAL	

Ľ 7 C ÷ Ì Č - t - l - t -

Fascia Profiles for Manual Heavy Duty Systems



stationary front pole

Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- Coordinates with all fascia profiles or available with no fascia
- Standard corded single bracket has 3 7/8" 5 3/8" return;
- standard baton single bracket has adjustable 3 3/8" 4" return
- Longer return bracket options may be substituted at no charge
- Batons and finials sold separately
- C-Rings available for 1 3/8" and 2 1/4"

Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Coordinates with all fascia profiles or available with no fascia
- Standard corded double brackets have 3" back track and adjustable 6" - 7 ¹/₂" front track return; standard baton double brackets have 2 1/4" back track and adjustable 5 1/4" - 6" front track return
- Longer return bracket options may be substituted at no charge
- Batons and finials sold separately
- C-Rings available for 1 3/8" and 2 1/4" (front track)





Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.


- Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 1/2" return; standard baton single bracket has adjustable 3 3/8" - 4" return
- Standard corded double brackets have 3" back track and adjustable 6" - 7 1/2" front track return; standard baton double brackets have 2 1/4" back track and adjustable 5 ¼" - 6" front track return
- Batons and mitered returns sold separately
- C-Rings not available

Stationary Front Pole With Back Traverse System

2¼" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 1/4" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 1⁄4" poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- Batons and finials sold separately
- Full rings available on stationary front pole, sold separately; C-Rings not available





mitered returns on front only)

Batons

(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

36" Fiberglass Baton ¾" DIA, Fiberglass	36" Clear Acrylic Baton ½" DIA, Acrylic
PORE36WAND	AC36WAND
\$58.00 each	\$45.00 each
QSRE36WAND	
\$58.00 each	
48" Fiberglass Baton ¾" DIA, Fiberglass	48" Clear Acrylic Baton ⅔" DIA, Acrylic
PORE48WAND	AC48WAND
\$63.00 each	\$50.00 each
QSRE48WAND	
\$63.00 each	
60" Fiberglass Baton ¾" DIA, Fiberglass	60" Clear Acrylic Baton ½" DIA, Acrylic
PORE60WAND	AC60WAND
\$68.00 each	\$55.00 each
QSRE60WAND	
\$68.00 each	

\sim
AC48HWAND
48" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic
\$50.00 each
AC48HWAND
60" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic
\$55.00 each
AC60HWAND
72" Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Acrylic

\$60.00 each

Finishes

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7%" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Fascia Finish	Track and Bracket* Color	Component Color
	Amulet	White	White
	Andiron	White	White
	Antique Gold	White	White
	Antique Gold Leaf	White	White
	Art Bronze	Bronze	Bronze
	Barnwood	Bronze	Bronze
	Black	Bronze	Bronze
	Blush	White	White
	Bronzed Pewter	Bronze	Bronze
	Concrete	White	White
	Couture	White	White
	Dark Chocolate	Bronze	Bronze
	Firelight	White	White
	Gossamer	Bronze	Bronze
	Greige	White	White
1 3⁄8" or 2 1⁄4"	Halo	White	White
smooth, reeded or	Java	Bronze	Bronze
grooved / fluted	Linen	White	White
profiles with coordinating	Luminous	Bronze	Bronze
finials	Manor	White	White
1 %" slim round	Mink	Bronze	Bronze
smooth profile	Moonlight	Bronze	Bronze
2 ¼" flat smooth profile	Mystic	White	White
·	New Age Bronze	Bronze	Bronze
With flush ends or mitered	Patina	White	White
returns	Shimmer	Bronze	Bronze
	Silver Maple	White	White
	Spicewood	Bronze	Bronze
	Spun Gold	White	White
	Stardust	White	White
	Starlet	White	White
	Titanium	White	White
	Truffle	Bronze	Bronze
	Urban Bronze	Bronze	Bronze
	White	White	White
	PTH Perfect Match™	please specify	please specify
	Antique Brass	White	White
	Oil Rubbed Bronze	Bronze	Bronze
	Platinum	White	White
	Rose Gold	White	White
	Walnut	Bronze	Bronze

PARIS TEXAS HARDWARE 76

White brackets may be substituted upon request.

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles

	Smooth •1¾" and 2¼" diameters available • See below for coordinating finial options
	Reeded ·1¾" and 2¼" diameters available · See below for coordinating finial options
	Grooved / Fluted ·1¾" and 2¼" diameters available · See below for coordinating finial options
	Slim Round Smooth, No Finials •1 7⁄8" diameter, available with flush ends or mitered returns
	Flat Smooth, No Finials • 2 ¼" height, available with flush ends or mitered returns
	Mitered Returns (sold separately) ·1¾",1 [™] " and 2 ¼" diameters available · All profiles
Upgrade your Manual H	D Traverse with Finial Styles

Finials are sold separately. 1³/₈" or 2 ¹/₄" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1³/₈" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102

Heavy Duty Corded or Baton Traverse Systems Pricing

Item # for Corded System Item # for Baton System Name

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia


Track System with Wood Corded Systems	Fascia(s) for 1 ¾" round Baton Systems (batons s	old separately)	4'	6'	8'	10'	
CSPTHC138WF	CSPTHB138WF	Single with Fascia, No Rings	\$420.00	\$620.00	\$820.00	\$1,020.00	
CSPTHC138WFFDBL	CSPTHB138WFFDBL	Double with Front Fascia, No Rings	\$700.00	\$1,045.00	\$1,390.00	\$1,735.00	
CSPTHC138WFDBL	CSPTHB138WFDBL	Double with Front & Back Fascias, No Rings	\$840.00	\$1,240.00	\$1,640.00	\$2,040.00	
CSPTHC138WFC	CSPTHB138WFC	Single with Fascia, C-Rings	\$670.00	\$1,005.00	\$1,340.00	\$1,675.00	
CSPTHC138WFFCDBL	CSPTHB138WFFCDBL	Double with Front Fascia, C-Rings	\$950.00	\$1,430.00	\$1,910.00	\$2,390.00	
CSPTHC138WFCDBL	CSPTHB138WFCDBL	Double with Front & Back Fascias, C-Rings	\$1,090.00	\$1,625.00	\$2,160.00	\$2,695.00	
Track System with Wood *available in 2 ¼" round or Corded Systems	I Fascia(s) for 17⁄8" slim, 21⁄4" nly 17⁄8" slim and 21⁄4" flat sr Baton Systems (batons s	nooth double systems are available in the front fascia option	only 17⁄8" slim ar	nd 2¼" flat smoot	th are not availabl	e with c-rings	
CSPTHC214WF	CSPTHB214WF	Single with Fascia, No Rings	\$545.00	\$815.00	\$1,085.00	\$1,355.00	
CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia, No Rings	\$825.00	\$1,240.00	\$1,655.00	\$2,070.00	

CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia, No Rings	\$825.00	\$1,240.00	\$1,655.00	\$2,070.00	
CSPTHC214WFDBL	CSPTHB214WFDBL	Double with Front & Back Fascias, No Rings *	\$1,090.00	\$1,630.00	\$2,170.00	\$2,710.00	
CSPTHC214WFC	CSPTHB214WFC	Single with Fascia, C-Rings *	\$800.00	\$1,200.00	\$1,600.00	\$2,000.00	
CSPTHC214WFFCDBL	CSPTHB214WFFCDBL	Double with Front Fascia, C-Rings *	\$1,080.00	\$1,625.00	\$2,170.00	\$2,715.00	
CSPTHC214WFCDBL	CSPTHB214WFCDBL	Double with Front & Back Fascias, C-Rings *	\$1,345.00	\$2,015.00	\$2,685.00	\$3,355.00	
CSPTHC214SDBL	CSPTHB214SDBL	Double with Stationary Front & No Fascia *	\$704.00	\$977.00	\$1,250.00	\$1,523.00	
CSPTHC214WFBSDBL	CSPTHB214WFBSDBL	Double with Stationary Front & Back Fascia *	\$969.00	\$1,367.00	\$1,765.00	\$2,163.00	

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

Single Track System Corded Systems	track available in white an Baton Systems (batons s		4'	6'	8'	10'	
CSPTHCTRACK	CSPTHBTRACK	Single with No Fascia	\$280.00	\$425.00	\$570.00	\$715.00	
CSPTHCTRACKDBL	CSPTHBTRACKDBL	Double with No Fascia	\$560.00	\$850.00	\$1,140.00	\$1,430.00	

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

Quantity included per system based on cut track length	4'	6'	8'	10'	12'	14'	16'	18'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	24	32	40	48	56	64	72	80
Brackets (1 per every 3-4 feet)	2	3	4	4	5	6	6	7	8

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,220.00	\$1,420.00	\$1,620.00	\$1,820.00	\$2,020.00	\$200.00
\$2,080.00	\$2,425.00	\$2,770.00	\$3,115.00	\$3,460.00	\$345.00
\$2,440.00	\$2,840.00	\$3,240.00	\$3,640.00	\$4,040.00	\$400.00
\$2,010.00	\$2,345.00	\$2,680.00	\$3,015.00	\$3,350.00	\$335.00
\$2,870.00	\$3,350.00	\$3,830.00	\$4,310.00	\$4,790.00	\$480.00
\$3,230.00	\$3,765.00	\$4,300.00	\$4,835.00	\$5,370.00	\$535.00

\$1,625.00	\$1,895.00	\$2,165.00	\$2,435.00	\$2,705.00	\$270.00
\$2,485.00	\$2,900.00	\$3,315.00	\$3,730.00	\$4,145.00	\$415.00
\$3,250.00	\$3,790.00	\$4,330.00	\$4,870.00	\$5,410.00	\$540.00
\$2,400.00	\$2,800.00	\$3,200.00	\$3,600.00	\$4,000.00	\$400.00
\$3,260.00	\$3,805.00	\$4,350.00	\$4,895.00	\$5,440.00	\$545.00
\$4,025.00	\$4,695.00	\$5,365.00	\$6,035.00	\$6,705.00	\$670.00
\$1,796.00	\$2,069.00	\$2,342.00	\$2,615.00	\$2,888.00	\$273.00
\$2,561.00	\$2,959.00	\$3,357.00	\$3,755.00	\$4,153.00	\$398.00

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$860.00	\$1,005.00	\$1,150.00	\$1,295.00	\$1,440.00	\$145.00
\$1,720.00	\$2,010.00	\$2,300.00	\$2,590.00	\$2,880.00	\$290.00

Additional Heavy Duty Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge

Please specify:

- Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- Bracket return: see page 80 for details.
- Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- Pinch pleat or Ripplefold[®] style carriers
- Cord drop (standard is 120")
- Finish name for fascia, if selected

Component

Colors	White	Bronze
Track	•	•
Master Carriers	•	•
Glides	•	•
Brackets	•	•
End Pulleys / Caps	•	•

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 - 4 carriers per foot.
- · Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- Track maximum continuous length up to 240 inches (20'); splice lengths available up to 40' for center draw only.
- · Track, bracket and components available in White or Bronze.
- Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 1/4" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- Standard cord drop: 120"
- Mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3⁄8"	7⁄8"	2"
2 1/4"	13⁄8"	3"
Flat	3/4"	1 3⁄4"
Slim Round	5⁄8"	1 1/2"

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat:	master carrier	+	(# glides on panel x .63")	+	2.75" (0")	stack per drapery panel for cord draw (baton draw)
Heavy Duty Ripplefold*:	master carrier	+	(# glides on panel x .563")	+	2.75" (0")	stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.




Heavy Duty Corded Traverse Systems Information

1	HD Corded Single TB035-H	2 ¹¹ / ₁₆ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 5 $\frac{3}{8}$ " return Available in white or bronze /BR.	\$28.75 each
· (6.1. 6.	HD Corded Single or Double TB060-H	3 ⁵ /i6" H x 1 ½" W backplate, adjustable 6" - 7 ½" front return and 3" back return Available in white or bronze /BR.	\$46.00 each
ТВ035-Н ТВ060-Н ТВ100-Н	HD Corded Single, Double or Triple TB100-H	$4 \frac{1}{2}$ " H x 1 $\frac{1}{2}$ " W backplate, adjustable up to 11 $\frac{1}{4}$ " return Available in white or bronze /BR.	\$46.00 each
	HD Corded Ceiling Mount Clip Single CD533	⁵ /8" H x 2 ⁵ /8" D x ⁷ /8" W May only be used in corded systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.15 NET each
	HD Corded Fascia Mount Clip CD4001FC	¹ /2" H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc.	\$7.35 NET each
	Corded Pinch Pleat Master Carrier / ER CD3300R or CD3300L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Overlap Master Carrier ER CD3412R or CD3412L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Butt Master Carrier CD3600R or CD3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Corded Pinch Pleat C-Ring Master Carrier BR CD3500R or CD3500L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Corded Universal End Pulley Body CD4311R or CD4311L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$5.65 NET each
8	Corded One-Way End Pulley Body B CD4310R or CD4310L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$2.75 NET each
	HD Custom Over-Bracket Single TD/TO/CHU	2" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; udes traverse ceiling mount bracket attached onto the tom of the over-bracket. Fascias sold separately. Available in of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood esin finishes or your own custom PTH Perfect Match™ finish. el	\$80.50 each
	HD Custom Ceiling Single CMTB-H E	" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, call two brackets into ceiling. Steel en ordering, specify: "ascia diameter and profile. Projection to carrier and/or to front of fascia. Drop from ceiling to carrier eyelet and/or from ceiling to top of ascia (tip: finial must clear ceiling). Width of mounting plate if longer than 2 ¾.	\$69.00 each




Scan the QR code to the right or visit bit.ly/PTH-C-Rings for diagrams of C-Ring Systems »


Single, Double or Triple Corded Bracket ТВ100-Н




Corded Single Ceiling Mount Bracket CD533




Custom Over-Bracket



Corded Track



Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to
- top of fascia (tip: finial must clear ceiling).
- D. Width of mounting plate if longer than 2 3/4.


ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings Requires warning tags for child safety on all interior drapery hardware and window covering products that incorporate cords, bead chains, cord shrouds or any type of flexible loop control device in their operation INCLUDING sales collateral materials.



Heavy Duty Baton Traverse Systems Information

	HD Baton Single TB035-HB	2 "/16" H x 1 ½" W backplate, adjustable up to 4" return Available in white or bronze /BR.	\$28.75 each
	HD Baton Single or Double TB060-HB	3 ³/8" H x 1 ½" W backplate, adjustable 5 ¼" - 6" front return and adjustable 2 ¼" - 3 ½" back return Available in white or bronze /BR.	\$46.00 each
100 E	HD Baton Single, Double or Triple TB100-HB	4 ½" H x 1 ½" W backplate, adjustable up to 9 ¾" return Available in white or bronze /BR.	\$46.00 each
Q	HD Baton Ceiling Mount Clip Single BT5333	¼" H x 2 ¼" D x 1" W May only be used in baton systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$1.00 NET each
10	HD Baton Fascia Mount Clip BT4003NFC	¹ /2" H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc.	\$7.35 NET each
	Baton Pinch Pleat Master Carrier BR BT3005R or BT3005L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Baton Ripplefold Overlap Master Carrier ØBR BT3125R or BT3125L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
(a b	Baton Ripplefold Butt Master Carrier Mer BT3600R or BT3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Baton Pinch Pleat C-Ring Master Carrier ER BT3501R or BT3501L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Baton Pinch Pleat End Cap BT4013	Available in white or bronze /BR.	\$1.30 NET each
	Baton Pinch Pleat C-Ring End Cap BT4500	Right or Left. Pinch Pleat with C-Rings. Available in white or bronze /BR.	\$1.30 NET each
	Baton Ripplefold End Cap BT4123	Available in white or bronze /BR.	\$1.40 NET each
	HD Custom Us Over-Bracket bc Single an TBKT214-HB & I	/2" H x ¾" W backplate, 7 %" front return and 3" back return ie to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ittom of the over-bracket. Fascias sold separately. Available in y of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish. eel	\$80.50 each
-	Coiling Single	4" H x ¾" W backplate. Specify drop: contingent upon which scia or finials are chosen - for double ceiling mount installation, stall two brackets into ceiling. eel	\$69.00 each




Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.




See pages 80 & 82 for Master Carrier options.



Heavy Duty Butt Master Carriers

\$1.80 NET pack (10 pieces)



	avy D	uty T	rave	rse (Order	Heavy Duty Traverse Order Form							
HARDWARE PO#				Side	Side Mark		Ship via				Date	te	
Company Information	I	I			I	Shipping Information	nation	I		I		I	
Company Name			Acct #			Company Name				_ 	Acct #		
Contact Person						Contact Person							
Street Address						Street Address							
City			State		ZIP	City				S	State	ZIP	
Email						Email						-	
Phone	Fax					Phone			Fax	×			
HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detai Specified custom cut length includes pulleys or end caps. For mitered ret	- Consult P 's or end cap	rice List fo s. For mite		led specifications. urns, see page 79.	ations. je 79.								
tem #	Fascia Type	System Length (per 2')		Fascia Finish Code	Bracket Preference	Draw Preference Center One-Way	Cord (Cord Length Bi (standard D	Baton Pi Draw Pi Option* 1	Glides Pinch Pleat or Ripplefold*	ot c	Price ber Unit	Subtotal
						L	L R			PP C		-	
						L	L			PP C			
							L			PP RF			
						L L	L R			PP RF			
HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES AN Order finials, mitered returns, and accessories here.	ATING ACC ories here.	ESSORIE	ES AND /	ΙΟΙΤΙΟΙ	D ADDITIONAL FEES	I							
Item #	Finish Code	Code				Description				Qty	Price per Unit	r Unit	Subtotal
Additional Information								* Baton d	Iraw op	* Baton draw option available; batons sold separately.	e; baton	s sold sepa	rately.
Quantity included per system based on cut track length	k length	4' 6'	8° 10'	12' 14' 1	16' 18' 20'						76	TOTAL	
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] Brackets (1 per every 3-4 feet)	& end caps (2)]	16 24 2 3	32 40 4 4	48 56 6 5 6 6	64 72 80 6 7 8								
Special Instructions							÷ +	* When ordering Ripplefold c 1. Select Ripplefold fullness:	ing Ripp lefold fu	* When ordering Ripplefold carriers, answer these questions: 1. Select Ripplefold fullness:60%80%100%12	arriers, answ	swer these quest 80% 100%	iestions: %120%
							~	Select Ripp	lefold m	2. Select Ripplefold masters:	Overlap	Butt Master	aster

PARIS TEXAS HARDWARE 85

Quick Ship Collection

A carefully edited collection of drapery hardware and you get it fast! Orders ship within 24 hours, available in 6 metal and 5 wood & resin finishes.


ships within 24 hours!

1 1/8" Modern Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 89.

	6							
QS118COFI	QS118ELAFI		QS118EMFI		QS118EMFIGL		QS118EMEC	回秋日 法书版 回忆起
Cole	Ella		Elm		Elm - Smoke Gl	ass	Emery End Cap	
3 ¼" L x 1 ½" W Metal	1 5⁄8" L x 1 5⁄8" W Metal		1		1 ¼" L x 2" W Metal / Glass		³ ⁄4" L x 1 ½" W Metal	
\$80.00 pair*	\$70.00 pair	*	\$70.00 pai	r*	\$80.00 pa	ir*	\$30.00 pa	r*

QS118EVEC	QS118KNFI	QS118LXFI	QS118LOFI	QS118REFI
Evan End Cap	Knox - Crystal	Lex	London - Crystal	Reese - Crystal
³ ⁄4" L x 1 ³ ⁄4" W Metal	1 ¼" L x 2 5⁄8" W Crystal, Metal Pole	1	1 ‰" L x 3" W Metal / Crystal	2 ¾" L x 2 ½" W Crystal, Metal Pole
\$30.00 pair*	\$125.00 pair*	\$70.00 pair*	\$145.00 pair*	\$125.00 pair*

QS118RYFI	
Ryder - Crystal	
1 ¾" L x 1 ¾" W Metal / Crystal	
\$125.00 pai	r*



Andes

Metal

2 ½" L x 2 %" W

Penelope

Metal

1 ½" L x 2 ¾" W

\$80.00 pair*

1 1/8" Clean Deco Finial Collection fits 11/8" poles. Finial adapters are required to adapt to 11/8" metal traverse, sold separately on next page.

Neve - Crystal

2 ½" L x 2" W

Metal / Crystal

Deco End Cap

3⁄4" L x 1 3⁄8" W

Metal

\$90.00 pair*	\$90.00 pair* \$145.00 pair*		\$30.00 pair*		\$145.00 pair*		
QS118VIFI		QS118WRFI		QS118WIFI		QS118ZAEC	
Viktor	EIAR (Wren		Wright - Crystal		Zane End Cap	
1 ½" L x 2 ¾" W Metal / Acrylic		2" L x 1 %" W Metal		2 ½" L x 2 ¾" W Metal / Crystal		5⁄8" L x 2 3⁄8" W Metal	
\$80.00 pair*	¢	\$80.00 pair*	ĸ	\$145.00 pair'	*	\$40.00 pai	r*

Dakota - Crystal

2 ¾" L x 2 ½" W

Metal / Crystal

1 1/8" Transitional Luxe Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on next page.




1 ¹/⁸" Mix & Match create an even more *customized* design!




Style Meets Function

1 ¹/₈" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 ¹/₈" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.



1 1/8" Modern Metal Brackets fit the 1/8" pole.

Note: Return indicates distance from wall to center of pole.



1¹/₈" Metal Pole

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

Note: All orders with poles and/or traverse track will in	ncur a \$10.00 packaging fee per order.
---	---

QS118ME02	QS118ME04	QS118ME06	QS118ME08	QS118ME10	QS118ME12	
2'	4'	6'	8'	10'	12'	
\$25.00 each	\$50.00 each	\$75.00 each	\$100.00 each	\$125.00 each	\$150.00 each	

1%" Metal Rings fit the 1%" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**



1¹/₈" Metal Accessories

Finishes Available: BN, BZ & MK

QSME48HWAND - 48" - \$55.00 each

QSME60HWAND - 60" - \$60.00 each

			and the second s
Metal Baton	Clear Acrylic Baton		QS118MEL Hinged Elbow
¾" DIA, Metal	½" DIA, Acrylic		1 ⅓" DIA, 2 %" overall length,
QSME36WAND - 36" - \$50.00 each	AC36WAND - 36" - \$45.00 each		1 ¾" L each side when bent
QSME48WAND - 48" - \$55.00 each	AC48WAND - 48" - \$50.00 each		Metal
QSME60WAND - 60" - \$60.00 each	AC60WAND - 60" - \$55.00 each		\$40.00 each
	1]	
			PSME118403
Handicap Metal Baton	Handicap Clear Acrylic Baton		Pole Splice
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic		4 5⁄8" L, must be ordered separately

AC48HWAND - 48" - \$50.00 each

AC60HWAND - 60" - \$55.00 each AC72HWAND - 72" - \$60.00 each \$6.00 each

Modern Holdback Medallions fit modern holdback stems only.

QSHAHB	QSPAHB
Hadley	Parker
3 ½" DIA, 1" TH Metal	3 ¼" square, 1" TH Metal
\$60.00 pair*	\$60.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.


—	—	
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/16" DIA Stem: ½" DIA Metal	Base: 2 ³/ ₁₆ " DIA Stem: ½" DIA Metal
\$40.00 pair*	\$45.00 pair*	\$50.00 pair*

« Don't forget to order yourHoldback Stems separately

1 3/8" Modern Finial Collection fits the 13/6" metal pole and metal traverse.


QSI38ADFI Adair 3 3/8" L x 3" W Metal	QS138AIEC Ainsley End Cap ³ / ₄ " L x 1 ¹ / ₂ " W Metal	QSI38ASEC Asher End Cap 1" L x 2 ¹ /4" W Metal	QS138COFI Cohen 1 7/8" L x 3 3/8" W Metal / Clear Acrylic	QS138EXFI Exton 2 ³ / ₄ " L x 2 ¹ / ₄ " W Metal
\$80.00 pair*	\$35.00 pair*	\$35.00 pair*	\$165.00 pair*	\$80.00 pair*

QS138LOFI	QS138QUFI	QSI38REFI Remi - Crystal	QSI38STFI	QS138ZAFI
2 5%" L x 3 3%" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic
\$175.00 pair*	\$80.00 pair*	\$155.00 pair*	\$155.00 pair*	\$175.00 pair*



1 3/8" Modern Metal Brackets fit the 1 %" pole.

Note: Return indicates distance from wall to center of pole.



1³/₈" Metal Pole | 1³/₈" Acrylic Pole

1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, SG, CZ and MK finishes; up to 8' on RGD and BZ finishes. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

		•			8 8 1	
Q	S138ME02	QS138ME04	QS138ME06	QS138ME08	QS138ME10	QS138ME12
	2'	4'	6'	8'	10'	12'
\$3	30.00 each	\$60.00 each	\$90.00 each	\$120.00 each	\$150.00 each	\$180.00 each
Q	S138AC02	QS138AC04	QS138AC06	QS138AC08	QS138AC10	QS138AC12
	2'	4'	6'	8'	10'	12'
\$7	77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each

13/8" Metal Rings fit the 13/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Calla C-Ring

Fabric

Q	Ç	Rowan Ring
QS138RORI Rowan Ring	QSI38CLCRI Calla C-Ring	
2" ID, 2 ¾" OD, ¾" drop Metal	2" ID, 2 ¾" OD, ¾" drop, use with Talon brackets Metal	3/4"
\$7.00 each	\$7.00 each	Top of

1³/₈" Metal Accessories

Metal Baton	Clear Acrylic Baton
¾" DIA, Metal	½" DIA, Acrylic
QSME36WAND - 36" - \$50.00 each	AC36WAND - 36" - \$45.00 each
QSME48WAND - 48" - \$55.00 each	AC48WAND - 48" - \$50.00 each
QSME60WAND - 60" - \$60.00 each	AC60WAND - 60" - \$55.00 each



1 3/8" DIA, 2 7/8" overall length, 2" L each side when bent Metal

\$45.00 each

Coxe	\sim	PSME138403
Handicap Metal Baton	Handicap Clear Acrylic Baton	Pole Splice
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic	4 ¾" L, must be ordered separately
QSME48HWAND - 48" - \$55.00 each	AC48HWAND - 48" - \$50.00 each	\$6.00 each
QSME60HWAND - 60" - \$60.00 each	ас60нwand - 60" - \$55.00 each	
	AC72HWAND - 72" - \$60.00 each	

Modern Holdback Medallions fit modern holdback stems only.

QSHAHB	QSPAHB
Hadley	Parker
3 ½" DIA, 1" TH Metal	3 ¼" square, 1" TH Metal
\$60.00 pair*	\$60.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

—	<u> </u>	· · · · ·
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/ ₁₆ " DIA Stem: ½" DIA Metal
\$40.00 pair*	\$45.00 pair*	\$50.00 pair*

« Don't forget to order yourHoldback Stems separately

1 3/8" Today's Traditional Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.


QSI38AUEC	QS138BRFI	QS138EVFI	QS138JUFI	QS138LEFI
Aubrie End Cap	Bradford	Everette	June	Leo
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	2	2 ¾" L x 2 ⅛" W Resin	3 ½" L x 2 ¾" W Resin
\$40.00 pair*	\$70.00 pair*	\$70.00 pair*	\$70.00 pair*	\$70.00 pair*

QS138LIFI	QS138LIFIGL	QSI38LYFI	QS138ROFI
Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
4" L x 3 ⅔" W Resin	4" L x 3 ¾" W Resin / Glass	2 5⁄8" L x 2 3⁄4" W Resin	2 ½" L x 2 ¾" W Resin / Crystal
\$70.00 pair*	\$135.00 pair*	\$70.00 pair*	\$185.00 pair*

1 3/8" Heritage Classics Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.

QS138HAFI	QS138LAFI	QS138LOEC
Harper	Lane	Lowell End Cap
3" L x 2 ¾" W Resin	3 5⁄8" L x 3 1⁄2" W Resin	1" L x 2" W Resin
\$70.00 pair*	\$70.00 pair*	\$40.00 pair*

1 3/8" Mix & Match create an even more *customized* design!



\$39.00 pair*

1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff / Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into Match for the ultimate customization. the Cuff / Finial Adapter. *Sold in pairs only.

98

1 3/8" Wood & Resin Brackets fit the 1 3/8" wood poles.

Note: Return indicates distance from wall to center of pole.



1 3⁄8" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging	fee per order.
--	----------------

· · · · · · · · · · · · · · · · · · ·						
QS138SM02	QS138SM04	QS138SM06	QS138SM08	QS138SM10	QS138SM12	
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each	
QS138GR02	QS138GR04	QS138GR06	QS138GR08	QS138GR10	QS138GR12	
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each	
QS138RE02	QS138RE04	QS138RE06	QS138RE08	QS138RE10	QS138RE12	
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each	

Wood





Smooth Wood Pole QSI38SM Wood




Reeded Wood Pole QS138RE Wood

1 3/8" Wood & Metal Rings fit the 1 3/8" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.





4" Loop, ADA Compliant, Acrylic
AC48HWAND - 48" - \$50.00 each
ас60нwand - 60" - \$55.00 each
AC72HWAND - 72" - \$60.00 each



QS138REL Hinged Elbow

1 5%" DIA, 3 7%" OL, 2" L each side when bent Resin

\$40.00 each

Transitional Holdback Medallions fit transitional holdback stems.

	IN Sterris.	fit transitional holdback stems.				
QSBRHB	QSMIHB	QSTRHB				
Brooks	Miranda	Trudy				
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ½" TH Resin	4 ¾" DIA, ¾" TH Resin				
\$70.00 pair*	\$75.00 pair*	\$75.00 pair*				
		1				
QSBKHB	QSHAHB	QSPAHB				
Blake - Mercury Glass	Hadley	Parker				
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal				
\$120.00 pair*	\$60.00 pair*	\$60.00 pair*				

Don't forget to order your Holdback Stems separately ≽

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

G •	6	6
QSTHBSTEM2	QSTHBSTEM4	QSTHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 3" DIA Stem: 5%" DIA Metal	Base: 3" DIA Stem: 5⁄8" DIA Metal	Base: 3" DIA Stem: ⁵⁄a" DIA Metal
\$50.00 pair*	\$55.00 pair*	\$60.00 pair*

21/4" Today's Traditional Finial Collection fits the 21/4" wood poles and heavy duty traverse.

QS214AMFI	QS214APFI	QS214EDFI	QS214HZFI
Amelie	Aspen	Edward	Hazel - Crystal
2" L x 3 ¼" W Resin	4 ½" L x 4 ½" W Resin	4 ¼" L x 3 ¼" W Resin	2 5⁄8" L x 3 3⁄8" W Resin / Crystal
\$90.00 pair*	\$95.00 pair*	\$90.00 pair*	\$215.00 pair*

QS214SIFI	QS214STFI	
Sidney	Stella	
3 ¼" L x 4 ¼" W [3" square] Resin	2 ½" L x 3 ¼" W Resin	
\$90.00 pair*	\$90.00 pair*	


2¹/₄" Heritage Classics Finial Collection fits the 2¹/₄" wood poles and heavy duty traverse.

QS214ADFI	QS214ADFIGL	QS214FAFI	QS214FIFI
Adelaide	Adelaide - Mercury Glass	Farrin - Mercury Glass	Fiona
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 ½" L x 4 ⅔" W Metal / Glass	4" L x 5" W Resin
\$95.00 pair*	\$155.00 pair*	\$155.00 pair*	\$125.00 pair*

QS214MAEC	QS214OLFI	
Margot End Cap	Oliver	
¾" L x 3" W Resin	3 5⁄8" L x 3 7⁄8" W Resin	
\$50.00 pair*	\$95.00 pair*	


$2\,\ensuremath{\ensuremath{\mathcal{K}}}$ "Wood & Resin Brackets fit the 2 $\ensuremath{\ensuremath{\mathcal{K}}}$ wood poles.

Note: Return indicates distance from wall to center of pole.



21/4" Metal Brackets fit the 21/4" wood poles.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

2 ¼" Wood Poles

2 ¼" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

QS214SM02	QS214SM04	QS214SM06	QS214SM08	QS214SM10	QS214SM12	
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each	
QS214GR02	QS214GR04	QS214GR06	QS214GR08	QS214GR10	QS214GR12	
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each	
QS214RE02	QS214RE04	QS214RE06	QS214RE08	QS214RE10	QS214RE12	
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each	







Grooved / Fluted Wood Pole QS214GR Wood

Smooth Wood Pole QS214SM Wood




Reeded Wood Pole QS214RE Wood

2¹/₄" Rings fit the 2¹/₄" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**






EZ Glide Tape Included with pole order. Al

Included with pole order. Allows rings and grommets to slide effortlessly across the drapery rod without damaging the finish.





Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic AC48HWAND - 48" - \$50.00 each AC60HWAND - 60" - \$55.00 each AC72HWAND - 72" - \$60.00 each



2 3/8" DIA, 5 1/8" OL, 2 9/16" L each side when bent Resin

\$55.00 each

Transitional Holdback Medallions fit transitional holdback stems.

fit transitional holdback stems.					
QSBRHB	QSMIHB	QSTRHB			
Brooks	Miranda	Trudy			
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ¹ / ₂ " TH 4 ³ / ₄ " DIA, ³ / ₄ " TH Resin				
\$70.00 pair*	\$75.00 pair*	\$75.00 pair*			
QSBKHB	QSHAHB	QSPAHB			
Blake - Mercury Glass	Hadley	Parker			
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal			
\$120.00 pair*	\$60.00 pair*	\$60.00 pair*			

Don't forget to order your Holdback Stems separately ≽


Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




Sales Tools

Sales Tools

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.



106 PH PARIS TEXAS HARDWARE





PARIS TEXAS HARDWARE™



www.midwestdesignersupply.com

888-523-2611 262-524-1007 (fax)



ParisTexasHardware.com