



**ALTA**  
WINDOW FASHIONS

*design simplified*

# FAUX WOOD BLINDS

Pricing effective January 22, 2024 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

Revised 6-1-24

---

## SUMMARY OF REVISIONS

---

**6-1-24 Revisions:**

Pages 8-10 & 13 ..... Tile Cut-Out no longer available

**4-22-14 Revisions:**

Updates have been made to the entire guide in compliance with the CPSC Voluntary standard

---

# TABLE OF CONTENTS

---

## Product Overview

- Color Charts ..... 2

## Alta Advantage Faux Wood

- 2" Advantage Faux Wood - Price Chart & Valance Replacement Charge ..... 4
- 2" Advantage Faux Wood - Product Specifications ..... 5-6

## Alta Faux Wood

- 2" & 2-1/2" Faux - Whites & Neutrals Price Chart and Surcharges ..... 8
- 2" Faux Premium Grains I Price Chart and Surcharges ..... 9
- 2" Faux - Premium Grains II Price Chart and Surcharges ..... 10

## Valance Information

- Individual Valance ordering and Color Chart. .... 11
- Valances and Valance Return Information and Specifications ..... 12

## Product and Specifications

- Product Specifications. .... 13
- Size Specifications, Finished Dimensions and Mounting Requirements ..... 14

## Controls, Components, Ladder/Tape Placement & Stack-up Charts

- Cordless XL ..... 15
- Cordless ..... 16
- Cordless Lift & Lock™ ..... 17
- BLISS and Somfy Automation. .... 18

**Automation Price Guide** – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

**Product Components Guide** – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

## COLOR CHART

### ADVANTAGE FAUX WOODS

2" FAUX			
Lily	SD053	Textured Lily	PM054
Gravel	SD046	Pecan Pie	PM036
Greek Villa	SD130	Walnut Grove	PM035

### WHITES & NEUTRALS

2" FAUX	COLOR #	2-1/2" FAUX	COLOR #
Blooming Jasmine	S1001	Blooming Jasmine	S1001
Canvas	S920	Canvas	S920
Cotton	S1000	Cotton	S1000
Flannel	S1005	Flannel	S1005
Gathered Gray	S921	Gathered Gray	S921
Gray Owl	S1003	Gray Owl	S1003
Old Linen	S904	Old Linen	S904
Pearl	S903	Pearl	S903
Silhouette	S1002	Silhouette	S1002
Soft Whisper	S1004	Soft Whisper	S1004
Snow	S901	Snow	S901
Ultra White	S951	Ultra White	S951
Wrought Iron	S922	Wrought Iron	S922
Textured Cotton	T1000		
Textured Gray Owl	T1003		
Textured Pearl	T903		
Textured Pure White	T901		
Textured Soft Whisper	T1004		

### PREMIUM GRAIN I

2" FAUX			
Campfire Ash	PG509	Heathered	PG500
Canyon	PG508	Sterling Gray	PG502
Down Home	PG510	Slate	PG501

### PREMIUM GRAIN II

2" FAUX			
Blonde Hickory	PG700	Gray Ashwood	PG703
Colonial Maple	PG702	Sierra Spruce	PG704
Early American	PG701	Special Walnut	PG705

## CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer a long lasting performance. A durable engineered polymer material is used for all colors with the exception of the darker colors in Premium Grain II. These Premium Grain darker colors; Early American, Colonial Maple, and Special Walnut are made of acrylic styrene acrylonitrile (ASA).

Faux wood blinds are not intended for installation near heat sources such as radiators, heat registers, and space heaters which can potentially compromise the integrity of the faux wood material. Airflow through the blind is also very important. Keeping slats closed for long periods of time and/ or using additional window treatments in front of or behind blinds can significantly increase the temperature the blinds are exposed to. These high temperatures (above 140°F / 60°C) may cause the slats to warp or twist.

# **ALTA ADVANTAGE FAUX WOOD**

**ADVANTAGE 2" GROUP 1**

- LILY
- GREEK VILLA
- TEXTURED LILY
- GRAVEL

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
30"	\$111	128	146	156	168	185	214	227	244	278	298	308	319
36"	117	137	156	167	178	200	227	242	268	298	319	332	346
42"	127	147	166	177	195	215	243	263	288	329	349	363	376
48"	134	154	174	189	208	229	259	282	308	346	376	390	407
54"	146	169	192	209	229	252	288	308	334	383	407	424	
60"	156	181	206	223	242	267	305	327	357	407	440		
66"	164	190	217	234	258	283	324	348	386	434			
72"	173	203	232	250	276	302	348	373	408				
78"	178	209	240	261	288	316	367	392					
84"	187	221	254	276	302	336	384						

**ADVANTAGE 2" GROUP 2**

- PECAN PIE
- WALNUT GROVE

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
30"	\$133	154	175	187	202	222	256	272	293	342	363	376	393
36"	141	164	187	200	214	239	272	290	321	373	393	407	424
42"	153	176	199	213	234	258	292	316	345	410	427	444	464
48"	160	184	209	227	249	275	311	338	370	437	457	478	498
54"	175	203	231	250	275	303	345	370	400	488	508	528	
60"	187	217	247	267	290	320	366	393	428	518	549		
66"	197	228	260	281	310	339	389	417	464	562			
72"	208	243	278	300	331	362	417	448	489				
78"	214	251	288	314	345	379	440	471					
84"	225	265	305	331	362	403	461						

**VALANCE REPLACEMENT CHARGE**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	90"	96"	102"	120"	144"	168"
2.5" Crescent	\$28	28	28	41	41	41	41	58	58	58	65	65	87	105	120	135

# PRODUCT SPECIFICATIONS

## FEATURES

- Cordless Operation
- Wand Tilt - Left Side Only
- Low Profile PVC Headrail (Steel reinforced over 60" wide)
- LightsOut Routeless Feature


## NO CHARGE OPTIONS

- 2-1/2" Crescent Valance
- Hold-Down Brackets (Plastic)
- Center Supports included
- Continuous Valance
- Spacer Blocks (3/8")

## BOTTOM RAIL SIZE: 2" X 3/4"



Bottom Rail



End Cap

## SIZE SPECIFICATIONS

Minimum Width	18"
Maximum Width	96"
Minimum Height	18"
Maximum Height	84"

\*Blinds are built with a height tolerance, therefore extra slats may rest on the bottom rail.

## VALANCE ORDERING


Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"

**NOTE:** Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame


## STANDARD RETURNS

Inside Mount	1/2"
Outside Mount	3"


## 2-1/2" CRESCENT VALANCE



Mitered Corner







Corner Cap




Valance Clip

- Height: 2-1/2" Depth: 3/8"
- Standard with blind
- Returns are available with miter cuts that attach with hidden connectors or straight cuts that attach with visible corner caps
- Attaches with hidden, adjustable valance clip



## INSTALLATION BRACKETS

Blind Width	Box Brackets	Support Brackets*
Below 30"	2	0
30" - 48"	2	1
38-1/8" - 72"	2	2
72-1/8" - 84"	2	3
72-1/8" - 84"	2	3
84-1/8" - 96"	2	4



\* Support brackets are evenly spaced along length of headrail


## FINISHED DIMENSIONS

	Inside Mount	Outside Mount
Headrail	-1/2"	-1/2"
Blind Width	-1/2"	0"
Valance	-1/8"	+1"

*Do NOT make any deductions from your measurements*

# PRODUCT SPECIFICATIONS

## MOUNTING DEPTH & REQUIREMENTS



Headrail		Headrail Projects (X)	Headrail Flush (Y)	Valance Flush (Z)
Height	Depth			
1-1/2"	2-3/8"	3/4"	2-1/2"	3-1/2"

STACKING CHART	
Blind Height	Stack Height
24"	3-3/4"
36"	4-5/8"
42"	5"
48"	5-1/4"
54"	5-3/4"
60"	6"
66"	6-1/2"
72"	6-3/4"
84"	7-1/2"

• Height includes headrail

LADDER PLACEMENT CHART		
Blind Width (Net)	Number of Ladders	
	Gravel, Pecan Pie and Walnut Grove	Lily, Greek Villa and Textured Lily
18" - 24"	2	2
24-1/8" - 36"	3	3
36-1/8" - 48"	4	4
48-1/8" - 54"	5	5
54-1/8" - 60"	6	5
60-1/8" - 66"	5	6
66-1/8" - 72"	6	6
72-1/8" - 78"	6	7
78-1/8" - 84"	8	7
84-1/8" - 96"	8	8

**NOTE:** Since this product has varying ladder spacing between colors, the spacing may differ slightly from color to color.

WAND SIZING	
Blind length less than or equal to 72":	24" Wand
Blind length greater than 72"	36" Wand
If blind width < 36" AND blind length > 72":	36" Wand (2-piece)



# **ALTA FAUX WOOD**

**2" & 2-1/2" WHITES AND NEUTRALS**

Cordless XL and 3" Std Decorative Valance Included

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$135	150	160	178	188	212	228	263	280	305	323	343	369
36"	146	157	168	187	205	222	244	280	300	332	343	369	398
42"	155	168	182	204	219	240	265	304	324	353	377	402	436
48"	166	178	189	215	234	258	281	320	347	383	397	432	468
54"	178	196	214	238	260	281	312	353	383	414	443	470	507
61"	188	207	225	250	276	298	331	381	405	444	469	507	546
66"	200	217	236	269	288	318	349	399	433	477	501	538	581
73"	215	233	249	286	309	342	377	433	462	507	536	580	626
78"	222	242	265	297	323	353	394	452	490	535	564	607	
84"	233	250	279	315	342	377	417	474	514	567	594	629	
90"	242	265	288	331	356	394	434	495	536	592	608		
96"	249	279	305	343	377	414	460	522	563	621			

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> <li>• 3" Modern Valance</li> <li>• 3" Crescent Valance</li> <li>• Controls (L or R)</li> <li>• Hold Down Brackets - not available on 2-1/2" cordless lift &amp; lock</li> <li>• Spacer Blocks (3/8" &amp; 3/4")</li> </ul>	<ul style="list-style-type: none"> <li>• Extension Brackets (Long &amp; Short)</li> <li>• Wand Tilt Only</li> <li>• Optional Wand Lengths</li> <li>• 2 on 1 Headrail - available on cordless lift &amp; lock only (price each blind separately)</li> <li>• Side by Side*</li> </ul> <p>*Guaranteed within 1/4" when requested at the time of order.</p>

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)	
<ul style="list-style-type: none"> <li>• Cordless Lift &amp; Lock .....add \$100 each</li> <li>• Cordless Lift System.....add \$125 each</li> <li>• 4.5" Modern Valance *.....add \$18 each</li> </ul>	<ul style="list-style-type: none"> <li>• Keystone Valance (for blinds under 102").....add \$18 each</li> <li>• Blinds under 12" Wide .....add \$16</li> </ul> <p>* Please see page 6 for available colors</p>

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Cordless XL	Cordless Lift	Cordless Lift & Lock™	Automation
				Bliss Somfy Automation w/ Cordless Lift System
<b>2" &amp; 2 - 1/2" Blinds</b>				
Minimum Width - *Center Tilt (Tilt only, No lift) - notched not routed	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12"
Maximum Height	96"	72"	84"	72"
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			

2" Blinds - Max Area / Square Footage  
 2-1/2" Blinds Max Area / Square Footage

Cordless XL	Cordless Lift	Cordless Lift & Lock™	Bliss Somfy Automation w/ Cordless Lift System
49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
39 sq/ft	36 sq/ft	31 sq/ft	36 sq/ft

\*Cordless XL blinds with Center Tilt will be notched instead of routed.

**BLISS Automation pricing. [Click here to view.](#)**  
**Somfy Automation pricing. [Click here to view.](#)**

**2" PREMIUM GRAINS I**

Cordless XL and 3" Std Decorative Valance Included

- PG509 CAMPFIRE ASH
- PG508 CANYON
- PG510 DOWN HOME
- PG500 HEATHERED
- PG502 STERLING GRAY
- PG501 SLATE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$159	173	185	206	227	248	272	313	345	365	395	418	451
36"	170	184	200	226	244	268	297	341	370	395	428	452	487
42"	182	200	219	244	264	294	319	370	405	433	473	493	534
48"	192	208	233	258	286	314	346	394	433	472	504	530	575
54"	214	235	258	288	314	346	380	433	483	517	561	587	635
61"	226	248	271	308	335	367	406	469	516	554	600	632	680
66"	240	262	292	324	359	392	437	504	552	598	648	679	732
73"	258	286	308	350	384	426	473	541	598	638	692	737	794
78"	270	298	324	374	410	452	498	572	639	690	750	787	
84"	292	318	351	401	441	487	538	616	688	738	811	817	
90"	305	338	371	426	469	517	575	663	732	785	831		
96"	322	352	394	447	492	544	609	696	774	836			

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> <li>• 3" Modern Valance</li> <li>• 3" Crescent Valance</li> <li>• Controls (L or R)</li> <li>• Hold Down Brackets - not available on 2-1/2" cordless lift &amp; lock</li> <li>• Spacer Blocks (3/8" and 3/4")</li> </ul>	<ul style="list-style-type: none"> <li>• Extension Brackets (Long &amp; Short)</li> <li>• Wand Tilt Only</li> <li>• Optional Wand Lengths</li> <li>• 2 on 1 Headrail - available on cordless lift &amp; lock only (price each blind separately)</li> <li>• Side by Side*</li> </ul> <p style="text-align: right;">*Guaranteed within 1/4" when requested at the time of order.</p>

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)	
<ul style="list-style-type: none"> <li>• Cordless Lift &amp; Lock* .....add \$100 each</li> <li>• Cordless Lift System* .....add \$125 each</li> </ul>	<ul style="list-style-type: none"> <li>• Keystone Valance (for blinds under 102").....add \$18 each</li> <li>• Blinds under 12" Wide.....add \$16 each</li> </ul>

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Automation			
	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	2" Bliss or Somfy Automation w/ Cordless Lift System
Minimum Width - *Center Tilt (Tilt only, No lift) -notched not routed	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12"
Maximum Height	96"	72"	84"	72"
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			

\* Cordless XL blinds with Center Tilt will be notched instead of routed.

**BLISS Automation pricing. [Click here to view.](#)**  
**Somfy Automation pricing. [Click here to view.](#)**

**2" PREMIUM GRAINS II**

Cordless XL and 3" Modern Valance Included

- PG700 BLONDE HICKORY
- PG702 COLONIAL MAPLE
- PG701 EARLY AMERICAN
- PG703 GRAY ASHWOOD
- PG704 SIERRA SPRUCE
- PG705 SPECIAL WALNUT

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
<b>HEIGHT TO:</b>													
30"	\$166	181	194	216	238	260	285	328	361	382	413	437	471
36"	178	193	209	237	256	281	310	356	387	413	447	472	509
42"	191	209	229	256	277	308	333	387	423	453	494	515	558
48"	201	218	243	269	299	329	362	412	453	493	528	554	601
54"	223	245	269	302	329	362	396	453	506	540	586	614	663
61"	237	260	284	322	351	384	424	490	539	579	627	660	710
66"	251	273	306	339	375	410	457	528	577	625	678	709	765
73"	269	299	322	366	402	445	494	565	625	666	723	769	830
78"	283	311	339	391	429	472	520	597	667	721	784	822	
84"	306	332	367	418	461	509	562	643	719	770	847	854	
90"	319	353	388	445	490	540	601	692	765	819	868		
96"	336	368	412	467	514	569	637	727	809	874			

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> <li>• Controls (L or R)</li> <li>• Hold Down Brackets - not available on 2-1/2" cordless lift &amp; lock</li> <li>• Spacer Blocks (3/8" and 3/4")</li> <li>• Extension Brackets (Long &amp; Short)</li> </ul>	<ul style="list-style-type: none"> <li>• Wand Tilt Only</li> <li>• Optional Wand Lengths</li> <li>• 2 on 1 Headrail - available on cordless lift &amp; lock only (price each blind separately)</li> <li>• Side by Side*</li> </ul>
*Guaranteed within 1/4" when requested at the time of order.	

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)	
• Cordless Lift & Lock* .....add \$100 each	• Keystone Valance (for blinds under 102").....add \$18 each
• Cordless Lift System* .....add \$125 each	• Blinds under 12" Wide.....add \$16 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Automation			
	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	2" Bliss or Somfy Automation w/ Cordless Lift System
Minimum Width - *Center Tilt (Tilt only, No lift) -notched not routed	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12'
Maximum Height	96"	72"	84"	72"
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			

\* Cordless XL blinds with Center Tilt will be notched instead of routed.

**BLISS Automation pricing.** [Click here to view.](#)  
**Somfy Automation pricing.** [Click here to view.](#)

## INDIVIDUAL VALANCE ORDERING & PRICING

**2" & 2-1/2" FAUX WOOD  
COLOR NAMES**

	Color Number	3" Modern	3" Standard Decorative	3" Crescent	4.5" Modern
Blonde Hickory	PG700	•			
Blooming Jasmine	S1001	•	•	•	•
Campfire Ash	PG509	•	•	•	
Canvas	S920	•	•	•	•
Canyon	PG508	•	•	•	
Colonial Maple	PG702	•			
Cotton	S1000	•	•	•	•
Down Home	PG510	•	•	•	
Early American	PG701	•			
Flannel	S1005	•	•	•	•
Gathered Gray	S921	•	•	•	
Gray Ashwood	PG703	•			
Gray Owl	S1003	•	•	•	•
Heathered	PG500	•	•	•	•
Old Linen	S904	•	•	•	
Pearl	S903	•	•	•	•
Sierra Spruce	PG704	•			
Silhouette	S1002	•	•	•	•
Slate	PG501	•	•	•	
Snow	S901	•	•	•	•
Soft Whisper	S1004	•	•	•	•
Special Walnut	PG705	•			
Sterling Gray	PG502	•	•	•	
Textured Cotton	T1000	•	•	•	•
Textured Gray Owl	T1003	•	•	•	•
Textured Pearl	T903	•	•	•	•
Textured Pure White (Snow)	T901	•	•	•	•
Textured Soft Whisper	T1004	•	•	•	•
Ultra White	S951	•	•	•	•
Wrought Iron	S922	•	•	•	•

• NOTE: When ordering Textured Cotton, Textured Gray Owl, Textured Pearl, Textured Pure White or Textured Soft Whisper all valances will be smooth.



4-1/2" Modern Valance

- Available in 10 colors
- Outside Mount only, mitered corners and returns
- Utilizes our magnetic valance clip
- Valance projects 1/2" to 5/8" above the headrail when installed
- Keystone not available
- Valance will be notched if ordered with a Cordless XL 2-1/2" blind

### INDIVIDUAL VALANCE PRICING

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Standard Deco, Crescent, and Modern Valance	\$32	32	32	32	49	49	49	49	67	67	67	67	80	80	81	105	105	105	136	153
4.5" Modern Valance	59	59	59	59	77	77	98	98	117	117	136	136	156	156	175	175	195	195	214	234



3" Standard Decorative




3" Crescent



3" Modern

Standard Decorative - 3" Profile  
 Crescent Valance - 3" Profile (optional)  
 Modern Valance - 3" Profile (Optional)  
 Modern Valance - 4-1/2" (Optional)



# VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

## VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Min 2 Splices)
Notes:	

- Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

## RETURN LENGTHS

Inside Mount Blind		3" Valance Standard Decorative · Crescent · Modern		4-1/2" Modern Valance		Outside Mount Blind		3" Valance Standard Decorative · Crescent · Modern		4-1/2" Modern Valance	
		Minimum	Maximum	Minimum	Maximum			Standard (Min. Recommended)	Maximum	Standard (Min. Recommended)	Maximum
Cordless XL	2" Faux	1/2"	6"	3/4"	6"	Cordless XL	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux*	3/4"	6"	3/4"	6"		2-1/2" Faux*	3-5/8"	6"	3-5/8"	6"
Cordless Lift & Cordless Lift & Lock™	2" Faux	1/2"	6"	3/4"	6"	Cordless Lift & Cordless Lift & Lock™	2" Faux	3"	6"	3-1/4"	6"
	2-1/2" Faux	1/2"	6"	3/4"	6"		2-1/2" Faux	3-3/8"	6"	3-5/8"	6"

*\*All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched.*

- 4-1/2" Modern Valance cannot be installed inside the window frame. Returns must be selected for all inside mount blinds.
- All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pulling the clips outward, they can provide an additional 1/4" projection.


## ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

- \*3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

## CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



## KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"

A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.

Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.

The color of the keystone will match valance.



Order Configuration	IB	How Valance Will Be Produced
RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	1" Wider than ordered size ( no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

## PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	30	13
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - <b>Cordless XL &amp; Cordless Lift</b>	Trapezoid	Trapezoid
Bottomrail - <b>Cordless Lift &amp; Lock™</b>	Vinyl	Vinyl
Ladder Space	44 mm	54 mm
Wand Tilt	Yes	Yes
Standard Decorative Valance	Yes – 3"	Yes – 3"
Crescent Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 4-1/2"	Yes – 4-1/2"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Headrail End Stiffener	Yes	Yes
Warranty ( <i>Tilt motor systems are warranted for 5 years</i> )	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701 (2" & 2-1/2" Whites/ Neutrals & 2" Premium Grains I)	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless XL	Yes	Yes
Cordless Lift	Yes	Yes
Cordless Lift & Lock™	Yes	Yes
Bliss and Somfy Automation System	Yes	Yes
* 2 On 1 Headrail - <b>not available</b> with Cordless XL or Cordless Lift	Yes	Yes
Crescent Valance Option	Yes	Yes
Modern Valance Option	Yes	Yes
Keystone Valance Option	Yes	Yes
CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Wand – Alternative Lengths (single blind)	Yes	Yes
Tilt Control Position – Cordless XL	L or R Under 12" net - <b>center tilt only</b>	L or R Under 12" net - <b>center tilt only</b>
Tilt Control Position – Cordless Lift	Left Tilt Only	Left Tilt Only
Tilt Control Position – Cordless Lift & Lock™ (single blind)	L or R	L or R
Tile Cut-out(s)	No	No
Spacer Blocks (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - <b>not available</b> with 2-1/2" Cordless Lift & Lock	Yes	Yes

2 on 1 Lift & Lock™ with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind
		WAND TILT	WAND TILT
	10-1/2" to 12-3/8"	C (only)	C (only)
	12-1/2" or more	L or R	L or R

FOOTNOTES (FEATURES & SPECIFICATIONS)
* There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 on 1 headrail not available with the Automation upgrades.

## SIZE SPECIFICATIONS

<b>Cordless XL</b>	<b>2"</b>	<b>2-1/2"</b>
Minimum Width (Net)	8" - 11-7/8" (Tilt Only No Lift) 12"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	96"	
Maximum AREA (SQ/FT)	49 sq/ft	39 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

<b>CORDLESS LIFT</b>	<b>2"</b>	<b>2-1/2"</b>
Minimum Width (Net)	18"	
Maximum Width (One blind)	78"	
Minimum Height	12"	
Maximum Height	72"	
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

<b>CORDLESS LIFT &amp; LOCK™</b>	<b>2"</b>	<b>2-1/2"</b>
Minimum Width (Net)	10-1/2"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	84"	
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	
Maximum Continuous Valance Width (not spliced)	102"	

<b>Bliss &amp; Somfy Automation</b>	<b>2" w/ Cordless Lift</b>	<b>2-1/2" w/ Cordless Lift</b>
Minimum Width (Net)	20"	20"
Maximum Width (One blind)	78"	78"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	

### FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

<b>Inside (IB) Mount</b>	
Headrail width <sup>1</sup>	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
<b>Outside (OB) Mount</b>	
Headrail width <sup>1</sup>	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
<b>2 on 1 Headrail</b>	
Gap between panels	Approx. 1/4" - 1/2"

### MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

<b>Inside (IB) Mount</b>	
Minimum mounting depth: <b>2"</b>	1-1/8"
Minimum mounting depth: <b>2-1/2"</b>	1-1/4"
Minimum mounting depth, flush mount - <b>2" Slat:</b>	3-1/2"
Minimum mounting depth, flush mount - <b>2-1/2" Slat:</b>	3-3/4"
<b>Outside (OB) Mount</b>	
Minimum flat vertical surface:	1-3/4"

#### FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.




# CONTROL CHARTS – CORDLESS XL

## TILT WAND

• Plastic tilt wand is **color - coordinated** with slats

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"


No additional wand sizes available.



## BOTTOMRAIL

• 2" Trapezoid bottom rails are standard on faux blinds with Cordless XL

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

The chart shows the end routes and the tilter route position based on the NET width of the headrail. The tilter route is from the end of the headrail.

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
21-1/8" to 96"	5"	1-1/2"

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
20-1/8" to 96"	5"	1-1/2"

tilter route is from the end of the headrail

\*For the ranges between 30.125" and 40", add the same quantity of lift cords as ladders when the drop is 70" or greater.

## STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is


2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS	+ 2-1/2"
------	----------

PLUS	+ 2-1/2"
------	----------

## VALANCE



• All valance profiles ordered over 2-1/2" Cordless XL will be notched for better clearance.

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:														
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A
90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A
96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A

Max Square Footage 49

### 2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:														
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A
90	15	18	20	23	26	30	34	38	N/A	N/A	N/A	N/A	N/A	N/A
96	16	19	21	24	28	32	36	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 39

# CONTROL CHARTS – CORDLESS

## TILT WAND

- Tilt wands are **color - coordinated** with slats
- Tilt Length Override (**Optional**) - specify length when ordering
- Bliss and Somfy Automation, tilt function is controlled by remote unit



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blnd Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4

\*\*Routes are positioned approximately 6" from the end of the slat for all blinds and 6-5/8" for blinds with Bliss or Somfy Automation

## BOTTOMRAIL

- 2" Trapezoid bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



## STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS + 2-1/2"

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40

Max Square Footage 40

### 2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	N/A	N/A

Max Square Footage 36

# CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

## TILT WAND

- Tilt wands are **color-coordinated** with slats
- Tilt Length Override (**Optional**) – specify length when ordering



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

## LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4

\*\*Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

## BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A **2" deep by 1" tall faux bottomrail** is standard
- Bottom rail colors are pre-selected. Color matched to slat color. Hardware override is not available
- Color coordinated end caps



## STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

**PLUS** + 2-1/2"

**PLUS** + 2-1/2"

## SQUARE FOOTAGE SPECIFICATIONS

### 2" FAUX

WIDTH TO:	2" FAUX															
	24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:																
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36	6	7	8	9	11	12	14	15	17	18	20	21	23	1		
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32		
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36		
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A		
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A		
73	12	14	16	18	21	24	27	30	33	37	40	N/A	N/A	N/A		
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A		
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A		

Max Square Footage 40

### 2-1/2" FAUX

WIDTH TO:	2-1/2" FAUX															
	24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:																
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24		
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48	8	9	11	12	14	16	18	20	22	24	26	28	30	N/A		
54	9	11	12	14	16	18	20	23	25	27	29	N/A	N/A	N/A		
61	10	12	14	15	18	20	23	25	28	N/A	N/A	N/A	N/A	N/A		
66	11	13	15	17	19	22	25	28	30	N/A	N/A	N/A	N/A	N/A		
73	12	14	16	18	21	24	27	30	N/A	N/A	N/A	N/A	N/A	N/A		
78	13	15	17	20	23	26	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
84	14	16	19	21	25	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

Max Square Footage 31

## CONTROL CHARTS – BLISS AND SOMFY AUTOMATION

### LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" FAUX		
Blind Width	# of Ladders	# of Routes
20" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

\*\*Routes approximately 6-5/8" from the end of the slat.

### STACK-UP CHART (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

• *Headrail+Bottomrail = 2-1/2"*

2" Faux		2 1/2" Faux	
Blind Height	Stack Height	Blind Height	Stack Height
48"	5"	48"	4"
72"	7-1/2"	72"	6-1/4"
84"	9-1/4"	84"	7-1/2"
96"	10-7/8"	96"	9"



1-888-523-2611

customer.service@midwestdesignersupply.com