

January 16, 2023

(Updated 5/23/23)

Transitional Shades



www.midwestdesignersupply.com

888-523-2611 262-524-1007 (fax)



CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.



271
cases of child death in the U.S. since 1990 were due to unsafe window coverings.

94.3% of those recorded deaths were due to entanglement involving window cords.

16,827 children in the US were treated for injuries caused by window treatments between 1990 and 2015.

of reported injuries involved horizontal blinds —the most common product in homes

BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.







For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.


All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.

For additional window treatment child safety information, please visit the Window Covering Safety Council (www.windowcoverings.org).

INDEX									
SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION							
Fabric Information Size Standards Small Cassette Large Cassette Modern Cassette Board Mounted Accu-Rise Modernaire Couplitaire Sidelight Arches Couplitaire Privacy System II & WireFree Motorization Design Options Lift Systems Options Chart Couplitaire Lift System Options All Other Options Finished Dimensions & Mounting Requirements Small Cassette Large Cassette Modern Cassette Board Mounted Modernaire Couplitaire Sidelight	Standard, Board Mounted & Modernaire Transitional Chart A Chart 1 Chart 2 Chart 3 Chart 4 Chart 5 Chart 6 Lifting System Surcharges Design Options Surcharges Standalone Valance Surcharges Arch Surcharges Couplitaire Transitional Surcharges Charts 1 & 2 Accu-Rise Surcharge Options & Surcharges Motorization Surcharges	Small and Large Cassette Modern Cassette Board Mounted System II Sonesse 28 WF Ultra 30 WireFree SimpleMotion Accu-Rise Modernaire Couplitaire Sidelight Specialty Shapes Design Options Valance Options Design Options Measuring & Installation Lafayette Warranty Color Coordination (web only) Valance & Headrail Layering (web only)							

• Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. For repairs and remakes, see our policies page.

- * Use the Previous button to return to your previous view (web version only)
- * Use the Index button to return to the Table of Contents



Allure Fabric Information

Fabric Name	Price Chart	Max Shade Width	Solid Vane Size*	Sheer Vane Size*	Vane Alignment	# of Colors	Fabric Type
Angelique	4	102"	3"	2"	Y	4	Room Dimming
Appeal	2	94"	3"	2"	Y	1	Light Filtering
Artistry	3	96"	3 1/2"	2 3/4"	Y	4	Light Filtering
Aurora	3	102"	3 3/4"	2 3/4"	Y	4	Light Filtering
Blake	2	102"	3"	2"	Y	3	Light Filtering
Bliss	3	84"	3"	2"	Y	3	Light Filtering
Callie	3	96"	3"	2"	Y	3	Light Filtering
Captivation	5	94"	3"	2"	Y	1	Light Filtering
Chanel	5	102"	2 7/8"	2"	Y	1	Room Dimming
Covert	4	108"	3"	2"	Y	5	Room Dimming
Coy	5	102"	4"	2 3/4"	Y	4	Room Dimming
Delight	5	110"	3"	2"	Y	2	Light Filtering
Demure	3	110"	3"	2"	Y	1	Light Filtering
Discreet	5	110"	3"	2"	Y	2	Room Dimming
Divine	4	110"	3"	2"	Y	3	Light Filtering
Elegance	2	108"	3"	2"	Y	3	Light Filtering
Entice	Α	110"	3"	2"	Y	11	Light Filtering
Felicity	5	102"	4 1/2"	3 1/4"	Y	1	Light Filtering
Garbo	4	108"	3"	2"	Y	3	Light Filtering
Glamour	4	94"	3"	2"	Y	2	Semi-Sheer
Grace	1	108"	4"	2 3/4"	Y	4	Light Filtering
Hush	6	90"	3"	2"	Y	1	Room Dimming
Hypnotic	5	110"	3"	2"	Y	3	Light Filtering
Intrigue	4	110"	3"	2"	Y	2	Room Dimming
Isabelle	4	110"	5"	3 1/8"	Υ	4	Light Filtering
Keiria	4	102"	4"	2 3/4"	Y	3	Light Filtering
Laila	5	102"	4"	2 3/4"	Y	4	Light Filtering
Lena	4	102"	4 1/2"	2 1/2"	Y	3	Room Dimming
Luminescence	5	92"	3"	2"	Y	4	Light Filtering
Melody	3	102"	3"	2"	Y	3	Light Filtering
Muse	5	110"	4"	2 3/4"	N/A	2	Light Filtering
Mystic	1	108"	3"	2"	Y	17	Light Filtering
Mystic Wide	2	110"	4 1/2"	3 1/2"	Y	1	Light Filtering
Phoenix	4	94"	3"	2"	Y	2	Light Filtering
Pizzazz	2	88"	3"	2"	Y	1	Light Filtering
Reserved	6	110"	3"	2"	Y	1	Room Dimming
Rhumba	3	110"	3"	2"	Y	3	Light Filtering
Ritz	2	108"	3"	2"	Y	2	Light Filtering
Roxie	1	108"	3"	2"	Y	5	Light Filtering
Spotlight	2	108"	3"	2"	Y	2	Light Filtering
Temptation	5	108"	4 1/2"	2 3/4"	Y	2	Light Filtering
Tenley	3	102"	3"	2"	Y	3	Light Filtering
Twilight	5	90"	3"	2"	Y	1	Light Filtering
Utopia	6	110"	3"	2"	Y	2	Room Dimming
Xanadu	1	110"	3"	2"	Y	5	Light Filtering
Zen	4	108"	5"	3 1/2"	Y	3	Light Filtering

^{*} Vane size may vary up to 1/4"

** Entice Colors: Anthracite and Latte are double layer

** Rhumba Color: Travertine is single layer

+ Not available with fabric wrapped valance

Size Standards

Max Width Angelique 102" Appeal 94" Artistry 96" Aurora 102" Blake 102" Bliss 84" Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Mystic 108" Mystic 108" Mysti	Max Height 78" 96" 96" 96" 84" 84" 84"	Max Width 102" 94" 96" 102"	120" 120"	Max Width 102"	Max Height	Max Width	Max Height	Max Width	Max Height
Appeal 94" Artistry 96" Aurora 102" Blake 102" Blake 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Discreet 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic Wide 110" Phoenix 94" Reserved 110" Rizzazz 88" Reserved 108" Roxie 108" Roxie 108" Roxie 108" Roxie 108" Roxie 108" Roxie 108"	96" 96" 96" 84" 84"	94" 96" 102"	120"		110"	102"	0.411	****	
Artistry 96" Aurora 102" Blake 102" Bliss 84" Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Riz 108" Ritz 108" Roxie 108" Roxie 108" Roxie 108"	96" 96" 84" 84"	96"		2	-	102	84"	N/A	N/A
Aurora 102" Blake 102" Bliss 84" Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic Wide 110" Phoenix 94" Reserved 110" Rizzazz 88" Reserved 108" Ritz 108" Roxie 108" Roxie 108" Roxie 108" Reserved 110" Reiria 108" Roxie 108" Roxie 108"	96" 84" 84"	102"		94"	120"	94"	84"	84"	72"
Blake 102" Bliss 84" Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Discreet 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108"	84" 84"	+	120"	96"	120"	96"	96"	84"	72"
Bliss 84" Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108"	84"	400"	120"	102"	120"	102"	84"	84"	72"
Callie 96" Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Roxie 108"		102"	120"	102"	120"	102"	96"	84"	72"
Captivation 94" Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Roxie 108" Spotlight 108"	84"	84"	120"	84"	120"	84"	78"	84"	72"
Chanel 102" Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Roxie 108" Spotlight 108"		96"	120"	96"	120"	96"	84"	84"	72"
Covert 108" Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	94"	120"	94"	120"	94"	96"	84"	72"
Coy 102" Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	102"	120"	102"	120"	102"	96"	84"	72"
Delight 110" Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Roxie 108" Spotlight 108"	60"	108"	120"	108"	120"	108"	72"	N/A	N/A
Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	60"	102"	120"	102"	120"	102"	72"	84"	72"
Demure 110" Discreet 110" Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Divine 110" Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	110"	120"	110"	110"	110"	78"	84"	72"
Elegance 108" Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Entice 110" Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	96"	84"	72"
Felicity 102" Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Garbo 108" Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Mumescence 92" Melody 102" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	78"	102"	120"	102"	120"	102"	70"	84"	72"
Glamour 94" Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	88"	84"	72"
Grace 108" Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Myse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	94"	120"	94"	120"	94"	96"	84"	72"
Hush 90" Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Hypnotic 110" Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	90"	120"	90"	120"	90"	84"	84"	72"
Intrigue 110" Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Roxie 108" Spotlight 108"	96"	110"	96"	110"	96"	110"	96"	84"	72"
Isabelle 110" Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	110"	120"	110"	120"	110"	88"	84"	72"
Keiria 108" Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	110"	120"	110"	120"	110"	78"	N/A	N/A
Laila 102" Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	108"	120"	108"	120"	108"	84"	84"	66"
Lena 102" Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	72"	102"	120"	102"	110"	102"	60"	N/A	N/A
Luminescence 92" Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	102"	120"	102"	120"	102"	84"	84"	72"
Melody 102" Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	92"	120"	92"	120"	92"	84"	84"	72"
Muse 110" Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	102"	102"	102"	102"	102"	78"	84"	72"
Mystic 108" Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	84"	84"	72"
Mystic Wide 110" Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Phoenix 94" Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	110"	120"	110"	120"	110"	84"	84"	72"
Pizzazz 88" Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	72"	94"	96"	94"	96"	94"	60"	N/A	N/A
Reserved 110" Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	96"	88"	120"	88"	120"	88"	96"	84"	72"
Rhumba 108" Ritz 108" Roxie 108" Spotlight 108"	84"	110"	120"	110"	120"	110"	78"	84"	72"
Ritz 108" Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Roxie 108" Spotlight 108"	96"	108"	120"	108"	120"	108"	96"	84"	72"
Spotlight 108"	72"	108"	120"	108"	90"	108"	84"	N/A	N/A
	96"	108"	120"	108"	120"	108"	96"	84"	72"
iempiation IV/A	N/A	108"	120"	108"	102"	N/A	N/A	N/A	N/A
Tenley 102"	96"	100	120"	100	120"	102"	96"	84"	72"
Twilight 90"	96"	90"	120"	90"	120"	90"	96"	84"	72"
	84"	110"	<u> </u>	110"		110"	78"	84"	
Utopia 110" Xanadu 110"	84"	110"	120" 120"	110"	120" 110"	110"	78"	84"	72" 72"
	96"	108"				108"	96"	84"	72"
Zen 108" Minimum	Minimum	Minimum	120" Minimum	108" Minimum	120" Minimum	Minimum	Minimum	Minimum	Minimum
Width 15"	Height	Width 15"	Height	Width 15"	Height	Width 15"	Height	Width 18"	Height

Size Standards

Pattern	Mode	ernaire	Coup	litaire*	Side	elight	Arc	hes
ı alleni	Max Width	Max Height						
Angelique	102"	84"	96"	84"	32	84	84	46
Appeal	94"	84"	94"	84"	32"	84"	84"	46"
Artistry	96"	96"	96"	96"	32"	84"	84"	46"
Aurora	102"	84"	96"	84"	32"	84"	84"	46"
Blake	102"	96"	96"	96"	32"	84"	84"	46"
Bliss	84"	78"	84"	78"	32"	84"	84"	46"
Callie	96"	84"	96"	84"	32"	84"	84"	46"
Captivation	94"	96"	94"	96"	32"	84"	84"	46"
Chanel	102"	96"	96"	96"	32"	84"	84"	46"
Covert	108"	72"	96"	72"	N/A	N/A	84"	46"
Coy	102"	72"	96"	72"	32"	84"	84"	46"
Delight	110"	96"	96"	96"	32"	84"	84"	46"
Demure	110"	96"	96"	96"	32"	84"	84"	46"
Discreet	110"	78"	96"	78"	32"	84"	84"	46"
Divine	110"	96"	96"	96"	32"	84"	84"	46"
Elegance	108"	96"	96"	96"	N/A	N/A	84"	46"
Entice	110"	96"	96"	96"	32"	84"	84"	46"
Felicity	102"	70"	96"	70"	32"	84"	84"	46"
Garbo	108"	88"	96"	88"	32"	84"	84"	46"
Glamour	94"	96"	94"	96"	32"	84"	84"	46"
Grace	108"	84"	96"	84"	32"	84"	84"	46"
Hush	90"	84"	90"	84"	32"	84"	84"	46"
Hypnotic	110"	96"	96"	96"	32"	84"	84"	46"
	110"	88"	96"	88"	32"	84"	84"	46"
Intrigue	110"	78"	96"	78"	32"	84"	84"	46"
Isabelle		+	1 1	-	-	-	84"	-
Keiria	108"	84"	96"	84"	32"	84"	-	46"
Laila	102"	60"	96"	60"	32"	84"	84"	46"
Lena	102"	84"	96"	84"	32"	84"	84"	46"
Luminescence	92"	84"	92"	84"	N/A	N/A	84"	46"
Melody	102"	78"	96"	78"	32"	84"	84"	46"
Muse	110"	84"	96"	84"	32"	84"	84"	46"
Mystic	108"	84"	96"	84"	32"	84"	84"	46"
Mystic Wide	110"	84"	96"	84"	32"	84"	84"	46"
Phoenix	94"	60"	94"	60"	32"	84"	84"	46"
Pizzazz	88"	96"	88"	96"	32"	84"	84"	46"
Reserved	110"	78"	96"	78"	32"	84"	84"	46"
Rhumba	108"	84"	96"	84"	32"	84"	84"	46"
Ritz	108"	96"	96"	96"	32"	84"	84"	46"
Roxie	108"	84"	96"	84"	32"	84"	84"	46"
Spotlight	108"	96"	96"	96"	32"	84"	84"	46"
Temptation	N/A	N/A	N/A	N/A	32"	84"	84"	46"
Tenley	102"	96"	96"	96"	32"	84"	84"	46"
Twilight	90"	96"	90"	96"	32"	84"	84"	46"
Utopia	110"	78"	96"	78"	32"	84"	84"	46"
Xanadu	110"	72"	96"	72"	32"	84"	84"	46"
Zen	108"	96"	96"	96"	32"	84"	84"	46"
	Min Width	Min Height						
	15"	12"	18"	12"	6"	12"	15"	7 1/2"

Couplitaire Privacy Fabric Information

0:		Couplitaire [™]								
Size Standards	Price Chart	Opacity	Maximum Width	Maximum Height						
Boho Eclipse	2	5	92"	84"						
Linen	1	5	84"	96"						
Minimalist	1	5	96"	96"						
Mystic	1	3	96"	96"						
Pearlescent ⁺	1	5	96"	96"						
Serene	1	5	96"	96"						
SheerWeave 7200	2	5	96"	84"						
Superwide	1	5	96"	96"						

^{*} Please refer to the Size Standards for the Allure shade maximum width.

Couplitaire Privacy Fabric Information - Motorization

Size Standards	System II			sse 28 Free	0.10.	a 30 Free	SimpleMotion		
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	
Boho Eclipse	92"	84"	92"	84"	92"	84"	92"	84"	
Linen	84"	96"	84"	96"	84"	96"	84"	96"	
Mystic	96"	96"	96"	96"	96"	96"	96"	96"	
Minimalist	96"	96"	96"	96"	96"	96"	96"	96"	
Pearlescent	96"	96"	96"	96"	96"	96"	96"	96"	
Serene	96"	96"	96"	96"	96"	96"	96"	96"	
SheerWeave 7200	96"	84"	96"	84"	96"	84"	96"	84"	
Superwide	96"	96"	96"	96"	96"	96"	96"	96"	

^{* 2-}On-1 Headrail Maximum width equals maximum width of the privacy fabric

^{*}Pearlescent will be railroaded

For privacy shade lifting system specifications, please refer to the Genesis Retail Sales Guide

Design Options

Lift System Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Modernaire	Sidelight	Special Shapes
Clutch	Y	Y	Y	Y	Υ	N/A	N/A
Accu-Rise	Y	Υ	Y	Y	Υ	N/A	N/A
System II	Y	Υ	Y	Υ	Y	N/A	N/A
Sonesse 28 WF	Y	Υ	Υ	Υ	Y	N/A	N/A
Ultra 30 WireFree	Y	Υ	Υ	Υ	Y	N/A	N/A
SimpleMotion	Y	Y	Υ	Υ	Y	N/A	N/A
For Hard-Wired Motori	zation ontion availability	nlease see the Lafave	tte Motorization Soluti	ons Guida			<u>'</u>

Couplitaire Lift System Options Availability	Clutch	Accu-Rise	System II	Sonesse 28 WireFree	Ultra 30 WireFree
Allure Shade	Standard	Option	Option	Option	Option
Privacy Shade	Option	Accu-Rise Std.	Option	Option	Option
2-On-1 Headrail Allure Shade (Front), Privacy Shade Single	Standard (L & R control)	Option	Option	Option	Option

Options Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Accu-Rise	Modernaire	Couplitaire	Sidelight	Special Shapes
			No Cha	arge Options					
Extension Brackets	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N/A	Υ
Spacer Blocks	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N/A	Υ
Cassette/Rail Color Substitution	Υ	Y	Υ	N/A	Υ	Y	N/A	N/A	N/A
Cassette Size	Υ	Y	N/A	N/A	Y	N/A	N/A	N/A	N/A
Plastic Bead Chain Color Substitution	Υ	Y	Y	Υ	N/A	Y	Υ	N/A	N/A
Magnetic Hold Down Brackets	Υ	Y	Y	Υ	Y	Y	N/A	Υ	N/A
Optional Bead Chain Lengths	Υ	Υ	Υ	Υ	N/A	Υ	Υ	N/A	N/A
Vane Alignment	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N/A
Exposed Roller	Υ	Υ	Υ	Υ	Υ	Υ	Υ	N/A	N/A
Majesty Wood Valance	N/A	N/A	N/A	Υ	Υ	N/A	Υ	N/A	N/A
Noble 4 5/8" Wood Valance	N/A	N/A	N/A	Υ	Υ	N/A	Υ	N/A	N/A
P Clip SafetyTensioner	Υ	Υ	Υ	Υ	N/A	Υ	Υ	N/A	N/A
	·		Surch	arge Options					
Mixed Metal Designer Accents	Υ	Y	Y	N/A	Υ	N/A	N/A	N/A	N/A
Metal Bead Chain	Υ	Υ	Υ	Υ	N/A	Υ	Υ	N/A	N/A
2-On-1 Headrail	Υ	Υ	Υ	Υ	N/A	N/A	Υ	N/A	N/A
Fabric Wrapped Bottom Rail	Υ	Y	Υ	Υ	Υ	Y	Υ	Υ	N/A
7" Fabric Wrapped Valance Upgrade	N/A	N/A	N/A	Υ	Υ	N/A	Υ	N/A	N/A
FR Coating/Antimicrobial	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ

Notes:
Fabric Wrapped bottom rail or valance not available for pattern Covert.
For Hard-Wired Motorization availability, please see the Lafayette Motorization Solutions Guide.
*Valances available for Accu-Rise or motorized lifting systems only if shade is Board Mounted or Couplitaire.

Finished Dimensions & Mounting Requirements

	Finished Dimensions (All finished dimensions are based on ordered height or width)				Light Gap		Mounting Requirements			
Small Cassette	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface	
Standard Clutch	- 3/16"	Ordered Width	-1 3/16"	3/4"	7/16"	5/8"	1 3/8"	3 3/8"	1 1/8"	
Accu-Rise	- 3/16"	Ordered Width	-15/16"	1/2"	7/16"	N/A	1 3/8"	3 3/8"	1 1/8"	
System II	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"	
Sonesse 28 WireFree	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"	
Ultra 30 WireFree	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"	
SimpleMotion	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"	

	Finished Dimensions (All finished dimensions are based on ordered height or width)				Light Gap		Mounting Requirements			
Large Cassette	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface	
Standard Clutch	- 3/16"	Ordered Width	- 1 1/8"	11/16"	7/16"	5/8"	1 1/4"	4 7/16"	2"	
Accu-Rise	- 3/16"	Ordered Width	-3/4"	3/8"	3/8"	N/A	1 3/8"	4 7/16"	2"	
System II	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"	
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"	
Ultra 30 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"	
SimpleMotion	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"	

	Finished Dimensions (All finished dimensions are based on ordered height or width)				Light Gap		Mounting Requirements			
Modern Cassette	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface	
Standard Clutch	- 3/16"	Ordered Width	- 1 3/16"	3/4"	7/16"	5/8"	1 3/8"	3 3/4"	1 1/8"	
Accu-Rise	- 3/16"	Ordered Width	-15/16"	1/2"	7/16"	N/A	1 3/8"	3 3/4"	1 1/8"	
System II	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"	
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"	
Ultra 30 WireFree	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"	
SimpleMotion	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"	

		nished Dimensio ions are based on orde			Light Gap		Mounting Requirements					
Board Mounted	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface			
Standard Clutch	- 1/8"	Ordered Width	- 7/8"	9/16"	5/16"	5/8"	1"	3 3/4"	2"			
Accu-Rise	- 1/8"	Ordered Width	-5/8"	5/16"	5/16"	N/A	1"	3 3/4"	2"			
System II	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"			
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"			
Ultra 30 WireFree	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"			
SimpleMotion	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 1/2"	2"			

^{*}Inside mount shades will have a 1/8" deduction from ordered height for bottom rail clearance.

Finished Dimensions & Mounting Requirements

		nished Dimensio ions are based on orde			Light Gap		Mounting Requirements					
Modernaire	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface			
Standard Clutch	- 3/16"	Ordered Width	- 1 1/16"	11/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			
Accu-Rise	- 3/16"	Ordered Width	-3/4"	3/8"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			
System II	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			
Ultra 30 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			
SimpleMotion	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"			

	-	inished Dimensionsions are based on order			Light Gap		Mounting Requirements					
Couplitaire	Inside Mount*	Outside Mount	Fabric Width	Control Side	ldle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface			
Standard Clutch - Allure	- 1/8"	Ordered Width	- 7/8"	9/16"	5/16"	5/8"	2"	6 1/4"	2"			
Standard Clutch - Privacy	- 1/8"	Ordered Width	- 1 3/16"	11/16"	1/2"	N/A						
Accu-Rise - Allure	- 1/8"	Ordered Width	- 5/8"	5/16"	5/16"	N/A	2"	6 1/4"	2"			
Cordless - Privacy	- 1/8"	Ordered Width	- 7/8"	3/8"	1/2"	N/A						
System II - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"			
System II - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A						
Sonesse 28 WireFree - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"			
Sonesse 28 WireFree - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A						
Ultra 30 WireFree - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"			
Ultra 30 WireFree - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A						
SimpleMotion - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"			
SimpleMotion - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A						

		nished Dimensionions are based on order			Light Gap		Mounting Requirements						
Sidelight	Inside Mount	Outside Mount	Fabric Width	Control Side	ldle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface				
	- 1/2"	Ordered Width	- 11/16"	3/16"	1/8"	N/A	1 1/4"	1 1/4"	1 1/4"				

Fabric Wrapped &			Finished Dimensions (All finished dimensions are based on ordered height or width)											
Wood Valances	No Re	eturns	Ret	urns										
	Inside Mount	Outside Mount	Inside Mount	Outside Mount										
Fabric Wrapped/1/2" MDF	- 1/8"	Ordered Width	+ 1 3/8"	+ 1 1/2"										
Noble	- 1/8"	Ordered Width	+ 1 7/8"	+ 2"										
Majesty	- 1/8"	Ordered Width	+ 1 5/8"	+ 1 3/4"										

^{*}Inside mount shades will have a 1/8" deduction from ordered height for bottom rail clearance.

_		Fabrics	Entice												
Cas	ssette, Board Mounted & Modernaire Chart A						S	hade Wi	dth Up To	0:					
	Cliait A	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	215	244	275	303	336	365	392	419	446	530	644	682	759	813
	36"	225	259	290	323	359	388	421	448	471	557	669	709	788	846
	42"	232	265	298	330	367	400	432	459	484	567	678	721	798	859
	48"	234	273	307	338	378	411	440	471	494	575	692	730	809	871
	54"	244	284	319	355	396	428	461	492	513	594	709	748	834	896
	60"	253	290	328	363	407	438	475	505	523	605	721	763	846	911
Shade Height Up To:	66"	257	296	336	371	413	450	488	515	534	619	732	775	861	925
ght U	72"	261	305	344	380	425	461	498	530	546	628	740	784	871	936
e Hei	78"	298	328	369	413	461	503	544	582	600	632	746	790	875	940
Shad	84"	305	336	380	421	471	515	557	592	615	638	753	796	882	948
	90"	315	348	396	440	494	538	584	619	638	661	778	825	913	982
	96"	319	355	407	450	503	550	594	634	648	671	790	836	928	996
	102"	328	361	413	459	515	561	607	644	661	686	798	846	940	1,009
	108"	332	367	421	469	523	571	619	659	671	696	809	859	953	1,023
	114"	336	375	428	480	532	584	632	669	686	707	821	869	967	1,040
	120"	344	382	438	488	544	594	644	686	696	719	834	882	980	1,053

_		Fabrics	: Grace, N	lystic, Ro	xie, Xanad	du									
Cas	Cassette, Board Mounted & Modernaire Chart 1						S	hade Wi	dth Up T	0:					
30"			30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	223	255	282	307	340	369	400	425	459	542	646	688	763	819
	36"	234	273	309	344	384	419	453	482	496	596	709	748	836	898
	42"	244	284	325	359	403	438	473	503	515	619	734	778	865	928
	48"	255	296	338	375	419	457	494	523	534	644	761	805	896	961
	54"	269	317	363	407	453	492	532	565	571	688	805	853	948	1,019
	60"	280	330	378	421	471	515	559	590	594	715	834	882	984	1,057
Up To:	66"	288	344	392	438	490	534	582	615	619	738	861	913	1,015	1,090
ght U	72"	298	355	411	455	511	557	603	638	655	761	882	938	1,044	1,121
e Hei	78"	332	375	432	484	542	592	644	682	688	767	892	946	1,057	1,132
Shade Height Up	84"	340	386	446	498	559	613	663	705	717	782	909	963	1,073	1,153
	90"	350	398	459	515	575	632	686	725	746	807	934	990	1,103	1,184
	96"	359	411	473	530	592	648	707	746	759	832	957	1,015	1,134	1,215
	102"	367	421	488	546	613	667	728	769	784	853	984	1,044	1,161	1,246
	108"	378	432	500	561	630	690	746	792	803	875	1,009	1,071	1,192	1,280
	114"	386	442	515	575	644	707	769	813	850	900	1,034	1,096	1,221	1,311
	120"	396	455	528	592	663	728	790	836	871	925	1,059	1,123	1,250	1,344

	Lifting System Surcharges
Accu-Rise	117
Motorization	View Motorization Pricing

		Fabric	s: Appeal,	Blake, El	egance, M	ystic Wi	ide, Pizz	azz, Ritz,	Spotlight						
Ca	assette, Board Mounted & Modernaire Chart 2							Shade W	/idth Up	То:					
	Cilait 2	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	253	294	336	369	413	450	488	515	534	644	767	811	903	971
	36"	263	309	350	388	434	473	513	544	559	671	796	844	938	1,009
	42"	275	323	367	411	457	498	542	571	584	703	830	875	975	1,048
	48"	286	336	384	428	480	521	565	598	607	730	859	911	1,011	1,086
	54"	307	363	417	463	519	567	615	648	655	784	917	973	1,082	1,161
	60"	317	380	434	486	542	592	644	678	694	817	948	1,007	1,121	1,207
p To:	66"	332	392	453	505	565	619	669	709	715	850	984	1,044	1,161	1,248
ght U	72"	344	411	473	528	590	644	700	734	738	878	1,017	1,080	1,205	1,290
e Hei	78"	400	457	530	592	663	728	792	834	838	928	1,071	1,138	1,265	1,359
Shade Height Up	84"	413	473	550	617	690	757	821	861	869	963	1,107	1,173	1,309	1,407
	90"	425	490	569	638	715	782	850	890	900	996	1,142	1,213	1,350	1,450
	96"	438	505	588	659	738	809	880	917	932	1,030	1,178	1,248	1,392	1,496
	102"	450	521	607	682	763	838	911	944	963	1,061	1,213	1,288	1,436	1,542
	108"	461	542	628	705	788	865	940	973	994	1,096	1,248	1,325	1,480	1,586
	114"	475	557	646	725	811	890	971	1,003	1,025	1,130	1,284	1,361	1,519	1,632
	120"	488	571	665	746	838	917	1,000	1,030	1,057	1,159	1,319	1,400	1,561	1,675

		Fabric	s: Artisti	y, Aurora	, Bliss, Ca	ıllie, Den	nure, Melo	dy, Rhum	nba, Tenle	y					
C	assette, Board Mounted & Modernaire Chart 3							Shade W	/idth Up	То:					
	Chart 3	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	263	298	338	375	421	482	519	553	559	682	800	850	944	1,015
	36"	280	319	359	400	448	515	559	590	594	725	850	900	1,003	1,075
	42"	294	338	382	425	475	550	596	632	655	771	898	948	1,057	1,138
	48"	309	357	407	450	503	586	634	669	700	813	942	1,000	1,115	1,196
	54"	328	378	425	475	530	619	671	711	734	861	990	1,050	1,171	1,259
	60"	344	396	448	500	559	655	711	748	780	905	1,040	1,100	1,230	1,317
p To:	66"	359	413	469	525	588	690	748	792	825	948	1,086	1,153	1,284	1,380
Height Up	72"	375	434	492	553	617	725	788	832	882	994	1,134	1,205	1,340	1,440
e Hei	78"	417	461	542	596	671	796	846	896	940	1,011	1,153	1,223	1,365	1,463
Shade	84"	432	482	561	625	700	825	882	934	963	1,057	1,200	1,273	1,419	1,523
	90"	448	498	588	646	721	850	921	971	1,009	1,096	1,244	1,319	1,473	1,582
	96"	461	515	605	663	740	878	955	1,009	1,057	1,140	1,288	1,367	1,525	1,638
	102"	480	534	619	688	769	911	994	1,048	1,078	1,182	1,336	1,417	1,582	1,698
	108"	494	555	644	709	794	944	1,030	1,084	1,113	1,223	1,380	1,463	1,636	1,757
	114"	511	571	667	734	821	978	1,067	1,123	1,192	1,265	1,425	1,513	1,690	1,811
	120"	523	590	690	759	846	1,011	1,103	1,161	1,225	1,309	1,471	1,561	1,744	1,871

	Lifting System Surcharges									
Accu-Rise 117										
Motorization	View Motorization Pricing									

		Fabrics:	Angeliq	ue, Cove	rt, Divin	e, Garb	o, Glamo	ur, Intrigu	e, Isabell	e, Keiria,	Lena, Ph	oenix, Zen	1		
C	assette, Board Mounted & Modernaire Chart 4							Shade '	Width U	то:					
	Chart 4	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	296	340	382	425	475	542	586	623	634	773	882	936	1,044	1,107
	36"	313	359	407	450	503	575	625	663	669	819	961	1,017	1,134	1,217
	42"	332	380	428	475	532	615	665	705	707	865	1,009	1,069	1,190	1,280
	48"	348	398	450	503	561	648	705	746	761	911	1,057	1,121	1,248	1,340
	54"	363	419	473	528	590	686	742	788	803	955	1,107	1,173	1,307	1,407
	60"	380	438	496	555	619	721	782	825	842	1,003	1,155	1,223	1,365	1,469
한 다	66"	398	457	519	578	646	759	821	855	867	1,048	1,205	1,278	1,423	1,528
ght U	72"	413	480	542	603	675	792	863	892	909	1,092	1,255	1,330	1,484	1,590
e Hei	78"	461	513	582	653	730	853	928	971	982	1,113	1,273	1,350	1,505	1,619
Shade Height Up	84"	480	530	603	673	759	886	967	1,005	1,019	1,155	1,319	1,400	1,561	1,675
	90"	494	550	625	700	784	923	1,005	1,042	1,061	1,200	1,365	1,450	1,619	1,736
	96"	511	567	646	725	811	955	1,042	1,075	1,100	1,242	1,415	1,498	1,673	1,796
	102"	525	586	667	748	840	990	1,080	1,113	1,140	1,286	1,459	1,550	1,728	1,855
	108"	542	605	692	773	867	1,025	1,117	1,146	1,178	1,330	1,505	1,598	1,786	1,915
	114"	559	625	711	798	896	1,059	1,153	1,184	1,217	1,373	1,555	1,648	1,840	1,975
	120"	573	644	732	825	921	1,092	1,192	1,217	1,257	1,417	1,598	1,698	1,894	2,034

		Fabrics: Captivation, Chanel, Coy, Delight, Discreet, Felicity, Hypnotic, Laila, Luminescence, Muse, Temptation, Twilight													
C	assette, Board Mounted & Modernaire Chart 5						;	Shade W	idth Up	То:					
	Chart 3	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	309	369	419	467	521	598	648	690	694	825	911	967	1,073	1,153
	36"	336	396	448	498	559	644	700	740	759	907	973	1,030	1,148	1,219
	42"	359	421	480	532	594	694	753	790	794	967	1,053	1,117	1,244	1,319
	48"	384	448	509	565	634	738	803	838	850	1,025	1,134	1,205	1,344	1,425
	54"	411	473	534	598	669	784	853	884	903	1,084	1,219	1,294	1,446	1,534
	60"	428	498	565	634	707	834	907	934	953	1,144	1,288	1,367	1,525	1,623
-p To:	66"	450	523	594	665	742	878	955	982	1,009	1,205	1,361	1,446	1,615	1,717
Height Up	72"	471	550	625	700	782	928	1,007	1,030	1,061	1,263	1,436	1,521	1,700	1,809
e Hei	78"	494	586	667	746	838	990	1,080	1,113	1,140	1,286	1,459	1,553	1,730	1,859
Shade	84"	515	607	696	780	873	1,034	1,130	1,159	1,190	1,344	1,521	1,617	1,803	1,936
	90"	538	634	721	811	909	1,080	1,175	1,205	1,242	1,400	1,582	1,678	1,873	2,013
	96"	559	659	748	844	944	1,123	1,225	1,248	1,292	1,457	1,644	1,744	1,946	2,090
	102"	582	682	780	875	980	1,169	1,275	1,294	1,344	1,513	1,703	1,807	2,019	2,167
	108"	600	707	807	909	1,015	1,213	1,321	1,340	1,392	1,571	1,765	1,873	2,090	2,244
	114"	625	732	836	940	1,050	1,259	1,373	1,386	1,446	1,628	1,825	1,938	2,163	2,321
	120"	646	757	863	971	1,086	1,303	1,421	1,432	1,496	1,686	1,884	2,003	2,236	2,400

Lifting System Surcharges										
Accu-Rise	117									
Motorization										

		Fabrics	: Hush, I	Reserve	d, Utopia										
C	assette, Board Mounted & Modernaire Chart 6							Shade W	/idth Up	То:					
	Chart	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	323	378	425	482	542	607	653	707	767	846	990	1,050	1,169	1,257
	36"	346	409	463	525	592	655	717	778	844	923	1,057	1,119	1,244	1,340
	42"	365	425	498	569	638	707	773	842	913	982	1,117	1,186	1,319	1,419
	48"	388	455	534	615	688	763	836	909	984	1,059	1,182	1,255	1,396	1,498
	54"	415	488	573	657	736	819	898	978	1,057	1,140	1,244	1,319	1,471	1,582
	60"	430	511	603	694	775	863	944	1,030	1,117	1,203	1,309	1,388	1,546	1,661
Shade Height Up To:	66"	453	538	638	730	819	911	1,000	1,088	1,182	1,271	1,369	1,455	1,625	1,744
ght U	72"	473	565	669	769	863	957	1,053	1,148	1,242	1,340	1,448	1,523	1,703	1,834
e Hei	78"	523	592	705	807	907	1,009	1,107	1,209	1,307	1,411	1,511	1,603	1,792	1,905
Shad	84"	544	619	736	846	946	1,057	1,159	1,265	1,369	1,480	1,584	1,684	1,880	1,998
	90"	565	644	769	884	990	1,105	1,215	1,325	1,436	1,546	1,657	1,761	1,969	2,090
	96"	586	671	803	925	1,034	1,153	1,267	1,384	1,498	1,617	1,730	1,840	2,057	2,186
	102"	605	700	836	961	1,078	1,205	1,321	1,442	1,563	1,686	1,805	1,917	2,144	2,280
	108"	628	725	869	1,000	1,121	1,250	1,375	1,500	1,625	1,757	1,880	1,996	2,232	2,373
	114"	646	753	903	1,040	1,163	1,298	1,430	1,561	1,690	1,825	1,953	2,075	2,319	2,469
	120"	667	780	934	1,078	1,209	1,348	1,486	1,621	1,750	1,892	2,025	2,157	2,411	2,561

Lifting System Surcharges										
Accu-Rise	117									
Motorization	Motorization View Motorization Pricing									

Pricing - Surcharges

			Desig	n Opti	ions Sı	ırchar	ges							
2-On-1 Headrail	Price a	is two se	parate sh	nades ar	nd add §6	61								
Sidelight Shade	Deduct	t 25% fro	m shade	price										
Metal Bead Chain	Add \$3	0 per sha	ade											
Fabric Wrapped Bottom Rail	Add \$3	dd [§] 30 per shade												
Light Gap Stop (Per Ft.)	View c	view common surcharges												
Palladian Shelf - Finished (Per Ft.)	View c	ommon	surcharge	es										
Palladian Shelf - Unfinished (Per Ft.)	View c	ommon	surcharge	es										
FR or Antimicrobial Coating (Per Sq. Ft.)	View c	ommon	surcharge	es										
Shade Width Up To:	24"	4" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108"												
Mixed Metal Designer Accents	55 61 67 75 82 84 92 96 103 107 117 119 121 125 128													
7" Valance Upgrade (board mounted only)	17 17 19 19 21 21 25 25 25 25 28 30 34 38 40													

	Standalone Valance Option Surcharges														
Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
4 5/8" Fabric Wrapped Valance	130	132	138	144	163	209	244	305	346	373	284	309	336	361	388
7" Fabric Wrapped Valance	7" Fabric Wrapped Valance 138 142 146 153 173 221 259 323 363 394 305 332 355 382 411														411

	Arch Surcharges												
Standard Arch	192												
Shade Width Up To: 36" 48" 60" 72" 84"													
Framed Arch	663	771	880	986	1105								
Routed Framed Arch	907	1015	1121	1257	1407								

Pricing - Couplitaire Transitional Shades

Co	ouplitaire Surcharge							Shade Wid	dth Up To:						
	Chart 1	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	142	153	169	182	194	207	217	228	242	255	267	278	298	325
	36"	144	157	175	190	205	217	228	244	257	267	284	292	319	346
	42"	148	163	184	200	215	228	244	259	269	284	298	309	338	363
	48"	153	169	192	207	223	236	257	273	284	296	313	330	357	384
.i	54"	155	173	200	215	232	253	267	284	294	309	332	346	375	409
t Up	60"	161	178	205	221	242	259	278	292	307	325	344	357	388	423
Shade Height Up	66"	163	184	211	232	253	269	288	307	319	338	357	371	411	442
ade H	72"	169	190	217	242	261	282	298	323	336	355	371	390	428	461
S	78"	171	192	223	248	269	290	309	336	348	367	388	411	446	486
	84"	175	196	232	259	280	303	325	348	361	382	409	425	463	505
	90"	178	203	236	265	288	309	336	359	371	392	421	438	486	528
	96" 184 207 246 275 296 325 348 371 386 413 438 457 503 546													546	
	To price: Add this surcharge	to base sh	ade price t	rom tables	on pages	11 - 19									

Co	ouplitaire Surcharge							Shade Wid	dth Up To:						
	Chart 2	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
	30"	157	175	196	211	228	244	259	275	288	303	315	336	361	388
	36"	165	186	207	223	242	261	275	290	307	323	338	357	386	419
	42"	173	192	217	234	257	275	290	309	328	344	359	378	413	448
	48"	178	200	225	246	267	286	305	325	340	359	378	398	434	471
ë	54"	184	207	232	259	280	298	319	340	357	375	398	419	457	498
	60"	190	213	244	267	290	313	336	355	371	392	413	438	482	521
Height Up	66"	194	219	255	278	303	328	348	369	388	413	432	457	500	542
Shade F	72"	200	225	263	288	313	340	361	386	409	428	450	480	523	571
Š	78"	205	232	273	296	328	353	375	403	421	442	467	496	544	594
	84"	207	236	280	307	336	363	386	413	434	457	486	513	565	617
	90"	215	246	288	315	348	375	403	430	450	480	500	532	588	644
	96"	219	255	296	330	361	390	419	446	469	496	521	557	615	671
	To price: Add this surcharge	to base sh	ade price t	rom tables	on pages	11 - 19									

Lifting System Surcharges											
Accu-Rise	Accu-Rise 117										
Motorization											

	Design Options Surcharges													
2-On-1 Headrail	Price a	s two se	parate sl	nades ar	nd add ^{\$} 6	61								
Metal Bead Chain	Add \$3	0 per sh	ade											
Fabric Wrapped Bottom Rail	Add \$3	dd §30 per shade												
Light Gap Stop (Per Ft.)	View c	w common surcharges												
Palladian Shelf - Finished (Per Ft.)	View c	ommon	surcharge	es										
Palladian Shelf - Unfinished (Per Ft.)	View c	ommon	surcharge	es										
Shade Width Up To:	24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108"													
7" Valance Upgrade (board mounted only) 17 17 19 19 21 21 25 25 25 25 28 30 34 38 4										40				

Important note: 2-On-1 headrail only applies to the Allure Transitional Shade and with clutch lifting system only (not available with Accu-Rise). It will have a single privacy fabric shade at the back; therefore standard maximum width will still apply.

Product Information - Small and Large Cassette

Product Features

- · Fits rectangular window openings
- Clutch operated with beaded loop chain
- · Includes a fabric insert, color coordinated cassette
- Color coordinated beaded loop chain, bottom rail and end caps View Color Coordination

Size Standards

Cassettes

Important Child Safety Note
The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16"- 54"	36"	Over 102"	96"
54 1/16"- 66"	48"		

[•] For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes


- Vane Alignment Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"

Caution

- Fabric Covered Large Cassette With certain fabrics, (Fabric Information) Large Cassette will have sheer and solid fabric layered to create a unique appearance (See photo). Therefore a Small Cassette and Large Cassette will not have the same appearance within a room.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



Large Cassette



Double Layered Large Cassette



Available in: White, Vanilla, Brushed Nickel, Bronze and Black



Product Information - Modern Cassette

Modern Cassette System Features

- · Fits rectangular window openings.
- · Available in Black, Bronze, Brushed Nickel, Vanilla and White. View Color Coordination
- · Fabric inserted into front of cassette.
- The metal hem and end caps help prevent the shade material from rolling completely into the cassette.

Size Standards

Cassettes

Important Child Safety Note
The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops


Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16"- 54"	36"	Over 102"	96"
54 1/16"- 66"	48"		

[•] For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- Installation Brackets
- Cord Tension Lock





Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions



Double Layered Modern Cassette

Ordering Notes

- · Vane Alignment Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"

Caution

Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.



Available in: Black, Bronze, Brushed Nickel, Vanilla and White

Pricing

Product Information - Board Mounted

Product Features

- Board Mounted Shade with Fabric Wrapped Valance is wrapped in
- 4 5/8" high valance, fabric has velcro attachment to the board.

• 3" returns (measured from the back of valance) unless specified

Size Standards

- Board Mounted
- Accu-Rise

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16"- 54"	36"		
54 1/16"- 66"	48"		

[•] For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- Vane Alignment Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- Exact Return size for fabric wrapped valance may be requested.
- For 2-On-1 headrail, controls must be on left and right side. Max width is 156".
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Boards and Valances over 95" will be spliced. Valance will have a 2" fabric keystone to cover the splice.

Caution


- Fabric Covered Valance With certain fabrics, fabric covered valance will have sheer and solid fabric layered to create a unique appearance. See Fabric Information for fabrics that will be double layered.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could ncrease slightly.


Pricing

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves, the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.







WrappedValance

WrappedValance



Valance with Splice

Product Information - Somfy Battery Operated Series

Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire



	Allure Transitional Shades					
Battery and Rechargeable Motorization	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.	
System II	17"	108"	12"	120"	64	
Sonesse 28 WireFree	25"	108"	12"	120"	64	
Ultra 30 WireFree	31"	110"	12"	120"	80	

View Fabric Width Restrictions - *Not available with fabrics Laila, Isabelle, and Temptation

System II Information (1.1Nm) • 12V DC Motor

- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- · Adjustable speed 10 28 RPM
- Compatible with all of Somfy's RTS transmitters



Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10 28 RPM
- · Compatible with all of Somfy's RTS transmitters
- 40 décibels
- Soft Start/Soft Stop



Ultra 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
 Adjustable speed 10-28 RPM
 Compatible with all of Somfy's RTS transmitters

- Ultra quiet sound level (38 decibels)
- Soft Start/Soft Stop



Finished Dimensions & Mounting Requirements

Pricing

To price, add motorization surcharges to shade price.

Notes:

 Side by side motorized shades are not guaranteed to travel up/down with bottom rail alignment.

Product Information - Somfy Battery Operated Series

- Somfy TaHoma Overview
 2.4Ghz WiFi connection(Not 5Ghz) or Ethernet
 Apple (iOS 8+) or Android (Lolipop 6.0+) compatible using the TaHoma North America App
 Join up to 10 TaHoma hubs together (RTS only) for multi-zone
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant







Options - Controls



Situo 1 Channel Remote



Situo 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel ion Transmitter

arıa	VC			
		3		
	0			
	1		E	
	1			
	1	1702	·	
	11	Y A	. 7	
		specty		
		Y A	. 7	

Five Channel Decoflex Wall Switch

Design Options Availability	System II	Sonesse 28 WireFree	Ultra 30 WireFree			
No Charge Options						
Extension Brackets	Y	Υ	Υ			
Spacer Blocks	Y	Υ	Υ			
Cassette/Rail Color Substitution	Y	Υ	Υ			
Cassette Size	Y	Υ	Y			
Magnetic Hold Down Brackets	Y	Υ	Υ			
Vane Alignment	Y	Υ	Y			
Exposed Roller	Y	Υ	Υ			
Majesty Wood Valance	Y	Υ	Υ			
Noble 4 5/8" Wood Valance	Y	Υ	Υ			
Surchar	ge Options					
Mixed Metal Designer Accents	Y	Υ	Υ			
2-On-1 Headrail	Y	Υ	Y			
Fabric Wrapped Bottom Rail	Y	Υ	Y			
7" Fabric Wrapped Valance Upgrade	Y	Υ	Υ			
FR Coating/Antimicrobial	Y	Υ	Υ			

Motorization Services

- Customer Service Motorization Skill Set
- > 800-342-5523
- > motor@lafvb.com
 Technical Support by trained Customer Service Agents
- · Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information - SimpleMotion™ Motorization

SimpleMotion Information Internal li-ion rechargeable motor Approximately 4-6 hours for a full charge Motor can be left or right

- · Optional surface mounted wall switch, hand held remote, or wand control



Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

SimpleMotion Motor

Allure Transitional Shades	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
Width ≤ 25"	17"	25"	12"	84"	15
Width > 25" 25 1/16" 108" 12" 120" 64					
View Fabric Width Restrictions - *Not available with fabrics Laila, Isabelle, and Temptation					

Design Options Availability					
No Charge Options					
Extension Brackets	Υ				
Spacer Blocks	Υ				
Cassette/Rail Color Substitution	Y				
Cassette Size	Y				
Magnetic Hold Down Brackets	Y				
Vane Alignment	Y				
Exposed Roller	Y				
Majesty Wood Valance	Y				
Noble 4 5/8" Wood Valance	Y				
Surcharge Options					
Mixed Metal Designer Accents	Y				
2-On-1 Headrail	Y				
Fabric Wrapped Bottom Rail	Y				
7" Fabric Wrapped Valance Upgrade	Y				
FR Coating/Antimicrobial	Y				



6-Channel Wall Switch





Solar Panel (21" wide)

Finished Dimensions & Mounting Requirements



4' Charger



Wand Control 36" length, white only

Pricing

• To price, add motorization surcharges to shade price.

Notes:

- Wand control requires 40" inside flush mount to clear sill.
- · Wand control not available with Modern Cassette Headrail or board mounted

Product Information - Accu-Rise

Product Features

- Fits rectangular window openings
 Available with Small/Large Cassette, Modern Cassette, Board Mounted and Modernaire
- · Color-coordinated end cap, bottom rail and brackets View Color Coordination



- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Hardware Included

Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions



 Vane Alignment - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.

Caution

· Accu-Rise is meant to be raised or lowed by applying controlled, level, pushing or pulling force to the center of the bottom rail. Acute application of force can cause fabric to roll over itself and/or cause the material to tear. Operating the shade off center will cause skewing damage to the ends of the fabric.

Care should be taken when using the handle on Accu-Rise shade with fabric wrapped bottom rail. Do not allow the handle to move along the bottom rail or fabric could be damaged.

Shade Operation


 The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.

Pricing





Accu-Rise Handle



Product Information - Modernaire

Product Features

- · Fits rectangular window openings
- Clutch operated with beaded loop chain
- · Color coordinated beaded chain and bottom rail View Color Coordination
- Uses the Modernaire headrail (with no cassette)
 - Available in colors: White, Black and Vanilla

Size Standards

Modernaire

Important Child Safety Note
The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102	84"
42 1/16"- 54"	36"		
54 1/16"- 66"	48"		

[•] For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- · Vane Alignment Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- Headrail color must be requested at time of order.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution

- With light filtering fabrics there may be a light gap between the shade and the bottom of the mounting board on inside mount.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.

Pricing

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.









Outside Mount

Inside Mount





Product Information - Couplitaire

Product Features

Fits rectangular window openings

- Clutch operated with beaded loop chain on Allure shade.
 Cordless standard on Privacy shade
 Includes a 4 5/8" Board Mounted Fabric Wrapped Valance in Allure shade material
- Color coordinated beaded chain, bottom rail and end caps for Allure shade. View Color Coordination
- Fabric wrapped bottom rail on Privacy shade

Size Standards

- Couplitaire
- Accu-Rise

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102	84"
42 1/16"- 54"	36"		
54 1/16"- 66"	48"		

[•] For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- Vane Alignment Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- To price, add the Allure fabric base price to the Couplitaire privacy fabric surcharge.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution

- Fabric Covered Valance Will have sheer and solid fabric layered to create a unique appearance Fabric Information
 Maximum Width of Allure shade will be dependent on maximum width of Privacy fabric selected. Maximum width will be the smaller width of the two selected.
- 2-On-1 Headrail applies to Allure Transitional shade only. Will have a single privacy shade so max width will still apply.
- For 2-On-1 heádrail, controls must be on left and right side.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.


Pricing

- To price, add Couplitaire Surcharge to base price charts.
- If both Allure Transitional Shade and Privacy Shade are to be motorized, motorization surcharge is to be doubled.

Shade Operation
The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view. The Cordless system is lowered by pulling shade or giving a slight tug to







Product Information - Sidelight

Product Features

- · Fits rectangular window openings
- · Cannot be raised or lowered but allows rotating the vanes to open or closed position
- Color coordinated bottom rail and end caps View Color Coordination

Size Standards

Sidelight

Hardware Included

Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Caution

Place the fabric preserving tab on the edge of a solid fabric vane at the optimal operation level of the shade. Always avoid direct contact with the fabric. Natural oils found in our skin can cause even clean hands to leave permanent stains on some fabrics.

Shade Operation
Transitional Shade sidelights are operated by gently pulling up or down on the fabric preserving tab placed on a solid fabric vane. Moving this tab up or down will cause the fabric to begin rotating around stationary rails mounted directly to the top and bottom of the sidelight. (See image below) Operation of the Sidelight Transitional Shade allows changes to the vane openness but will not change the overall width or height of the shade.

Pricing








Product Information - Specialty

Product Features - Allure Arches

- Standard Allure Arch
 - Allure fabric in the fixed open or fixed closed position
 - Wood Frame
 - Gimp Trim and Staples
 - Painted or stained frame to color coordinate
- Framed Allure Arch
 - Finished look with minimized light gap in arch opening
 - 14 Finishes available: Gardenia, Navajo White, Natural, Cottage Pine, Buckeye, Mahogany, Java Roast, Thunder, Ebony Wash, Snow White, Harmony, Moonshine, Revere Pewter, and Accessible Beige.
- Routed Framed Allure Arch
 - Provides a notched edge on backside so face will fit flush against window frame for easier installation and reduced light gap

 - Available for the arch portion only or full frame 14 Finishes available: Gardenia, Navajo White, Natural, Cottage Pine, Buckeye, Mahogany, Java Roast, Thunder, Ebony Wash, Snow White, Harmony, Moonshine, Revere Pewter, and Accessible Beige.



Standard Arch with gimp and wood frame

Size Standards

Arches


Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- To price Standard Allure Arch, add surcharge price to the Allure shade base price
- To price Framed Allure Arch and Routed Framed Arch, add width based surcharge to the Allure shade base price





Routed Framed Arch (Back View) Rout on Arch or All Sides



Framed Arch Available in 14 colors

Online Template Service • Lafayette produced - Flat fee.

- To order a factory-made template visit the Lafayette web site at www.lafvb.com, www.lafayetteinteriorfashions.com
 - Print and complete template order form to be submitted via fax
 - Complete and submit web-based order form online

Design Options - Valances and Metal Accents

Fabric Wrapped Valances


- · Available on board mounted Allure shades.
- A board wrapped in shade material, attached with velcro to a painted or stained color coordinated dust cover.
- 4 5/8" or 7" valance, fabric has velcro attachment to the board.
- Maximum width of valance is fabric width. Valances over 95" will have a splice. A fabric keystone is included to cover 2" splice.
- On certain fabrics, (Fabric Information) Fabric Wrapped Valance will have sheer and solid fabric layered to create a unique appearance.



Fabric Wrapped Valance Returns

Valance with Splice

- For inside mounts, no returns will be sent unless specified (see undersize return).
- Standard Return The standard return is 3 1/4" (measured from the back of valance) with a 3" mounting board.
- Oversize Return required for an outside mount on trim or when using extension brackets. The size you specify is equal to the depth of the trim (wall to the high point of the trim) or the depth of the extension brackets. We will add that measure to the standard return.
- Undersize Return required for an inside mount protruding into the room. The size you specify is equal to the recessed mounting depth.
- Exact Size Return The size you specify is equal to the measurement from the back of the return to the back of the valance face (inside miter).
- Minimum Return: 1"
- Maximum Return: 7"
- Valances wider than 95" will be spliced with a fabric keystone




Mixed Metal Designer Accents

The face of the cassette can be covered with one of five Designer Accent materials.

The front and back of the bottom rail is also wrapped in the same selection.

- Available for Small and Large Cassette, Accu-Rise and motorized systems.
- Maximum width 120".
- For 2-on-1 Headrail use overall width to price.
- Hardware is color-coordinated to Allure material unless specified.
- Colors available: Brushed Sterling, Brushed Titanium, Brushed Graphite, Bronze Shimmer, and Bronze Pearl. Samples are available using MySwatch



Cassette with Mixed Metal Accents



Majesty and Noble Wood Valances

- Available with board mounted Allure shades.
- Valances are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, & Thunder. Sample chips are available using MySwatch.
- Standard return is 2 7/8" from back of valance to wall.
- · Valance is velcro attached to the board



Product Information - Design Options Information

- **Bead Chain Options** Available on Cassettes, Board Mounted and Couplitaire
- · Plastic bead chain colors are White, Vanilla, Black, Brown, Sierra Tan, and Gray.

- Bead chain is color coordinated to the shade color.

 Bead chain lengths are 12", 18", 24", 36", 48", 60", 72", 84" and 96".

 Bead chain lengths must be at least 6" shorter than window length for inside mounts to properly install tensioner.

Metal Bead Chains

- Available with a clutch lifting system as a surcharge option
- Finishes available: Stainless Steel, Antique Bronze, Gun Metal, Burnished Copper.



2-on-1 Headrail

- Two shades share a common headrail
- · Overall max width is maximum single shade width with a fabric wrapped valance, with wood valances: 96"



Vane Alignment

• Alignment of the semi-opaque or opaque fabric vanes can be guaranteed within ½" if shades are ordered at the **same time**, in the identical style, color and height, and room number specified. We can not guarantee vane alignment for more than 4 shades together. Only applies when shades are in the fully lowered open or closed position. Must be same headrail type. View Fabric Information



Exposed Roller

• Allure transitional shades will come set to stop in the closed position at ordered length. The exposed roller option has the stop set to come past order length and allow for minor adjustments.

- Fabric Wrapped Bottom Rail

 Bottom Rail is wrapped in shade material
 Fabric does not cover the entire back side of the bottom rail in order to comply with the CPSC child safety label requirements
 - Not available with fabric Covert



Fabric Wrapped Front



Fabric Wrapped Back



Standard Bottom Rail

Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Gray, Vanilla and White





Measuring & Installation Information

Small, Large, Modern Cassette & Accu-Rise Brackets

Small Cassette, Accu-Rise - Item 80-30053-XX


Colors:03 Black, 09 Vanilla, 11 White, 38 Bronze, 53 Sierra Tan, 90 Bright Zinc. Large Cassette - Item # 100-37000-82





Magnetic Hold Downs


 Magnets are applied to bottom rail and hold down magnets are attached to the window frame to hold the bottom rail in place when the shade is lowered.
 Item # 15-9108






Modernaire Bracket

Item # 80-20053-11








Optional Hold Downs

 Metal is inserted at the ends of the bottom rail and hold down brackets are attached to the window frame to hold the bottom rail in place when the shade is lowered.

Item # 80-37053-xx 03-Black, 09-Vanilla, 11-White, 38-Bronze





Sidelight Bracket

Item # 15-2009




Bottom Rail

• The shape is designed to keep the two fabric layers closer together as they move through the bottom rail.



Optional Extension Bracket

Item # PT-SV32 Item # PT-SV30



Cord Tension Lock

- Standard on all Allure shades with Clutch system.
- Must be secured to the wall to provide the necessary tension for the shade to operate.
- Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.



Optional Spacer Block

Item # SP-31 1" W x 1 3/4" L x 3/8" Depth



Button Catch for Arch Receiver - Item # B0-07000-034

Catch - Item #702664 Screw - Item TFP-04051-034



P Clip Safety Tensioner

 An option in place of a cord tension lock. The clear P-Clip has a torsion spring that will open the tensioner and prevents the chain from sliding through it. The tensioner will then render the shade partially inoperable if it is loose from the wall.






Shipping Position

Attached to Wall

Measuring & Installation Information

Best Practices for Measuring

- · Always use a steel tape or a metal ruler for measuring
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.



Measuring for Allure Shades

- All shade pricing is based on the width and the window opening
- Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, measure the exact width between the jambs (inside) where the shade is to be mounted. If the end caps are not tightly secured it is possible the shade will not fit in the opening.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement.
- Measure between the point where the brackets are to be placed and specify that as an outside width.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.

General Advisories

Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.

Allure Care & Cleaning

The operating system of the Allure Transitional Shade dusts the fabric when the panel is rotated thereby reducing the care necessary for the shade. The shade can be feather dusted or vacuumed at a low setting. Allure fabrics are primarily Polyester. Spots can be cleaned with a damp sponge and mild soap. To avoid discoloration, do not use chemical cleaners. Ultrasonic cleaning is not recommended.

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- · Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- · Must be installed below the radius of window as routed ends are
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from blind or shade (Priced by lineal foot round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Oeko-Tex[™] Rating for Mirage Fabric
The Oeko-Tex Standard 100 provides the textile and clothing industry with a globally uniform standard for the objective assessment of harmful substances. Raw materials, intermediate and end products at all stages of processing throughout the manufacturing chain, including accessories, are tested and certified. Certification is obtained by application in writing from the manufacturer to one of the authorized test institutes or official offices around the globe. The samples submitted are tested exclusively in the member institutes in Europe and Japan in order to ensure a consistently high level of testing. The mark "Confidence in Textiles - Test for harmful substances according to Oeko-Text Standard 100" states that the marked product fulfills the conditions specified in this standard, are under the supervision of an institute belonging to the International Association for Research and Testing in the field of Textile Ecology (Oeko-Tex). The mark is not a quality label. The mark relates only to the as-produced state of the textile and says nothing about other properties of the product such as e.g. fitness for use, reaction to cleaning processes, physiological behaviour in respect to clothing, properties relating to use in buildings, burning behaviour etc.

Flame Retardant (FR) Coating or Antimicrobial

• A flame retardant or antimicrobial coating is available for Allure fabrics without these inherent properties. The shade is fabricated then sent to an external facility for the flame coating or antimicrobial process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant or antimicrobial coating.



LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- · Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Allure Fabrics are covered for 5 years.
- · Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.
- Parasol shades are covered against fabric delamination for 7 years from the date of purchase.

NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- · Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- · Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- · Shipping, removal, re-measuring, or reinstallation costs

TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

Note: In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.



1-888-523-2611

Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com

MDS - your one source for window fashions.