

ALLURE[®]

Genuine Value Retail Sales Guide



Distributed by:

April 15, 2024

Transitional Shades



Midwest
Designer
Supply



www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)

AMERICAN QUALITY CUSTOM | SINCE 1950

CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.



BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.



For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.

All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.

For additional window treatment child safety information, please visit the Window Covering Safety Council (www.windowcoverings.org).

INDEX


SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
<p>Fabric Information</p> <p>Size Standards</p> <ul style="list-style-type: none"> Small Cassette Large Cassette Modern Cassette Board Mounted Accu-Rise Modernaire Couplitaire Sidelight Arches Couplitaire Privacy System II & WireFree Motorization <p>Design Options</p> <ul style="list-style-type: none"> Lift Systems Options Chart Couplitaire Lift System Options All Other Options <p>Finished Dimensions & Mounting Requirements</p> <ul style="list-style-type: none"> Small Cassette Large Cassette Modern Cassette Board Mounted Modernaire Couplitaire Sidelight 	<p>Standard, Board Mounted & Modernaire Transitional</p> <ul style="list-style-type: none"> Chart A Chart 1 Chart 2 Chart 3 Chart 4 Chart 5 Chart 6 Lifting System Surcharges Design Options Surcharges Standalone Valance Surcharges Arch Surcharges <p>Couplitaire Transitional Surcharges</p> <ul style="list-style-type: none"> Charts 1 & 2 Accu-Rise Surcharge Options & Surcharges <p>Motorization Surcharges</p>	<ul style="list-style-type: none"> Small and Large Cassette Modern Cassette Board Mounted System II Sonesse 28 WF Ultra 30 WireFree SimpleMotion Accu-Rise Modernaire Couplitaire Sidelight Specialty Shapes <p>Design Options</p> <ul style="list-style-type: none"> Valance Options Design Options <p>Measuring & Installation</p> <p>Lafayette Warranty</p> <p>Color Coordination (web only)</p> <p>Valance & Headrail Layering (web only)</p>

• Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **For repairs and remakes, see our [policies](#) page.**

* Use the Previous button to return to your previous view (web version only)

* Use the Index button to return to the Table of Contents

* User map (web version only)



Allure Fabric Information

Fabric Name	Price Chart	Max Shade Width	Solid Vane Size*	Sheer Vane Size*	Vane Alignment	# of Colors	Fabric Type
Angelique	4	102"	3"	2"	Y	2	Room Dimming
Appeal	2	94"	3"	2"	Y	1	Light Filtering
Artistry	3	96"	3 1/2"	2 3/4"	Y	4	Light Filtering
Aurora	3	102"	3 3/4"	2 3/4"	Y	4	Light Filtering
Bardot	2	94"	3"	2"	Y	3	Light Filtering
Blake	2	102"	3"	2"	Y	2	Light Filtering
Bliss	3	84"	3"	2"	Y	2	Light Filtering
Brinkley	2	96"	4"	2 3/4"	Y	5	Light Filtering
Captivation	6	94"	3"	2"	Y	1	Light Filtering
Covert+	4	108"	3"	2"	Y	5	Room Dimming
Coy	5	102"	4"	2 3/4"	Y	4	Room Dimming
Delight	5	110"	3"	2"	Y	1	Light Filtering
Demure	3	110"	3"	2"	Y	1	Light Filtering
Discreet	5	110"	3"	2"	Y	2	Room Dimming
Divine	4	110"	3"	2"	Y	3	Light Filtering
Elegance	2	108"	3"	2"	Y	4	Light Filtering
Entice**	A	110"	3"	2"	Y	11	Light Filtering
Garbo	4	108"	3"	2"	Y	3	Light Filtering
Glamour	4	94"	3"	2"	Y	2	Semi-Sheer
Goldie	4	94"	3 7/8"	2 5/8"	Y	4	Room Dimming
Grace	1	108"	4"	2 3/4"	Y	4	Light Filtering
Hepburn	4	108"	4"	2 3/8"	Y	1	Room Dimming
Hush	6	90"	3"	2"	Y	1	Room Dimming
Hypnotic	5	110"	3"	2"	Y	3	Light Filtering
Intrigue	4	110"	3"	2"	Y	1	Room Dimming
Jolene	5	90"	3"	1 7/8"	Y	3	Room Dimming
Keiria	4	102"	4"	2 3/4"	Y	3	Light Filtering
Lena	4	102"	4 1/2"	2 1/2"	Y	2	Room Dimming
Loren	3	108"	3"	1 7/8"	Y	5	Light Filtering
Luminescence++	5	92"	3"	2"	Y	4	Light Filtering
Mabel	5	108"	3 1/8"	2"	Y	5	Room Dimming
Melody	3	102"	3"	2"	Y	3	Light Filtering
Monroe	3	108"	2 7/8"	2"	Y	6	Light Filtering
Muse	5	110"	4"	2 3/4"	N/A	1	Light Filtering
Mystic	1	108"	3"	2"	Y	17	Light Filtering
Mystic Wide	2	110"	4 1/2"	3 1/2"	Y	1	Light Filtering
Phoenix	4	94"	3"	2"	Y	2	Light Filtering
Pizzazz	2	88"	3"	2"	Y	1	Light Filtering
Reserved	6	110"	3"	2"	Y	1	Room Dimming
Rhumba***	1	110"	3"	2"	Y	3	Light Filtering
Roxie	1	108"	3"	2"	Y	5	Light Filtering
Tenley	3	102"	3"	2"	Y	3	Light Filtering
Twilight	5	90"	3"	2"	Y	1	Light Filtering
Utopia	6	110"	3"	2"	Y	2	Room Dimming
Xanadu	1	110"	3"	2"	Y	5	Light Filtering
Zen	4	108"	5"	3 1/2"	Y	3	Light Filtering

* Vane size may vary up to 1/4"
 ** Entice Colors: Anthracite and Latte are double layer
 *** Rhumba Color: Travertine is single layer
 + Not available with fabric wrapped valance
 ++ Not available with fabric wrapped bottom rail

Size Standards

Pattern	Small Cassette		Large Cassette		Modern Cassette		Board Mounted		Accu-Rise	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Angelique	102"	78"	102"	120"	102"	110"	102"	84"	N/A	N/A
Appeal	94"	96"	94"	120"	94"	120"	94"	84"	84"	72"
Artistry	96"	96"	96"	120"	96"	120"	96"	96"	84"	72"
Aurora	102"	96"	102"	120"	102"	120"	102"	84"	84"	72"
Bardot	94"	96"	94"	120"	94"	120"	94"	84"	84"	72"
Blake	102"	84"	102"	120"	102"	120"	102"	96"	84"	72"
Bliss	84"	84"	84"	120"	84"	120"	84"	78"	84"	72"
Brinkley	96"	96"	96"	120"	96"	120"	96"	84"	84"	72"
Captivation	94"	96"	94"	120"	94"	120"	94"	96"	84"	72"
Covert	108"	60"	108"	120"	108"	120"	108"	72"	N/A	N/A
Coy	102"	60"	102"	120"	102"	120"	102"	72"	84"	72"
Delight	110"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Demure	110"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Discreet	110"	84"	110"	120"	110"	110"	110"	78"	84"	72"
Divine	110"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Elegance	108"	96"	108"	120"	108"	120"	108"	96"	84"	72"
Entice	110"	96"	110"	120"	110"	120"	110"	96"	84"	72"
Garbo	108"	96"	108"	120"	108"	120"	108"	88"	84"	72"
Glamour	94"	96"	94"	120"	94"	120"	94"	96"	84"	72"
Goldie	94"	66"	94"	102"	94"	102"	94"	66"	84"	72"
Grace	108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Hepburn	108"	66"	108"	96"	108"	96"	108"	72"	84"	72"
Hush	90"	84"	90"	120"	90"	120"	90"	84"	84"	72"
Hypnotic	110"	96"	110"	96"	110"	96"	110"	96"	84"	72"
Intrigue	110"	84"	110"	120"	110"	120"	110"	88"	84"	72"
Jolene	90"	84"	90"	120"	90"	120"	90"	84"	84"	72"
Keiria	102"	84"	102"	120"	102"	120"	102"	84"	84"	66"
Lena	102"	84"	102"	120"	102"	120"	102"	84"	84"	72"
Loren	108"	60"	108"	96"	108"	96"	108"	60"	84"	66"
Luminescence*	92"	96"	92"	120"	92"	120"	92"	84"	84"	72"
Mabel	108"	72"	108"	108"	108"	108"	108"	72"	84"	66"
Melody	102"	84"	102"	102"	102"	102"	102"	78"	84"	72"
Monroe	108"	72"	108"	120"	108"	120"	108"	72"	84"	72"
Muse	110"	96"	110"	120"	110"	120"	110"	84"	84"	72"
Mystic	108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Mystic Wide	110"	96"	110"	120"	110"	120"	110"	84"	84"	72"
Phoenix	94"	72"	94"	96"	94"	96"	94"	60"	N/A	N/A
Pizzazz	88"	96"	88"	120"	88"	120"	88"	96"	84"	72"
Reserved	110"	84"	110"	120"	110"	120"	110"	78"	84"	72"
Rhumba	108"	96"	108"	120"	108"	120"	108"	84"	84"	72"
Roxie	108"	72"	108"	120"	108"	90"	108"	84"	N/A	N/A
Tenley	102"	96"	102"	120"	102"	120"	102"	96"	84"	72"
Twilight	90"	96"	90"	120"	90"	120"	90"	96"	84"	72"
Utopia	110"	84"	110"	120"	110"	120"	110"	78"	84"	72"
Xanadu	110"	84"	110"	120"	110"	110"	110"	72"	84"	72"
Zen	108"	96"	108"	120"	108"	120"	108"	96"	84"	72"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	12"	15"	12"	15"	12"	15"	12"	18"	12"

* Fabric wrapped bottom rail or valance not available

Size Standards

Pattern	Modernaire		Couplitaire*		Sidelight		Arches	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Angelique	102"	84"	96"	84"	32"	84"	84"	46"
Appeal	94"	84"	94"	84"	32"	84"	84"	46"
Artistry	96"	96"	96"	96"	32"	84"	84"	46"
Aurora	102"	84"	96"	84"	32"	84"	84"	46"
Bardot	94"	84"	94"	84"	32"	84"	84"	46"
Blake	102"	96"	96"	96"	32"	84"	84"	46"
Bliss	84"	78"	84"	78"	32"	84"	84"	46"
Brinkley	96"	84"	96"	84"	32"	84"	84"	46"
Captivation	94"	96"	94"	96"	32"	84"	84"	46"
Covert	108"	72"	96"	72"	N/A	N/A	84"	46"
Coy	102"	72"	96"	72"	32"	84"	84"	46"
Delight	110"	96"	96"	96"	32"	84"	84"	46"
Demure	110"	96"	96"	96"	32"	84"	84"	46"
Discreet	110"	78"	96"	78"	32"	84"	84"	46"
Divine	110"	96"	96"	96"	32"	84"	84"	46"
Elegance	108"	96"	96"	96"	32"	84"	84"	46"
Entice	110"	96"	96"	96"	32"	84"	84"	46"
Garbo	108"	88"	96"	88"	32"	84"	84"	46"
Glamour	94"	96"	94"	96"	32"	84"	84"	46"
Goldie	94"	66"	94"	66"	32"	84"	84"	46"
Grace	108"	84"	96"	84"	32"	84"	84"	46"
Hepburn	108"	72"	96"	72"	32"	84"	84"	46"
Hush	90"	84"	90"	84"	32"	84"	84"	46"
Hypnotic	110"	96"	96"	96"	32"	84"	84"	46"
Intrigue	110"	88"	96"	88"	32"	84"	84"	46"
Jolene	90"	84"	90"	84"	32"	84"	84"	46"
Keiria	102"	84"	96"	84"	32"	84"	84"	46"
Lena	102"	84"	96"	84"	32"	84"	84"	46"
Loren	108"	60"	96"	60"	32"	84"	84"	46"
Luminescence	92"	84"	92"	84"	N/A	N/A	84"	46"
Mabel	108"	72"	96"	72"	32"	84"	84"	46"
Melody	102"	78"	96"	78"	32"	84"	84"	46"
Monroe	108"	72"	96"	72"	32"	84"	84"	46"
Muse	110"	84"	96"	84"	32"	84"	84"	46"
Mystic	108"	84"	96"	84"	32"	84"	84"	46"
Mystic Wide	110"	84"	96"	84"	32"	84"	84"	46"
Phoenix	94"	60"	94"	60"	32"	84"	84"	46"
Pizzazz	88"	96"	88"	96"	32"	84"	84"	46"
Reserved	110"	78"	96"	78"	32"	84"	84"	46"
Rhumba	108"	84"	96"	84"	32"	84"	84"	46"
Roxie	108"	84"	96"	84"	32"	84"	84"	46"
Tenley	102"	96"	96"	96"	32"	84"	84"	46"
Twilight	90"	96"	90"	96"	32"	84"	84"	46"
Utopia	110"	78"	96"	78"	32"	84"	84"	46"
Xanadu	110"	72"	96"	72"	32"	84"	84"	46"
Zen	108"	96"	96"	96"	32"	84"	84"	46"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	12"	18"	12"	6"	12"	15"	7 1/2"

* For Couplitaire privacy shade lifting system specifications, please refer to the [Genesis Retail Sales Guide](#)

Couplitaire Privacy Fabric Information

Size Standards	Couplitaire™			
	Price Chart	Opacity	Maximum Width	Maximum Height
Boho Eclipse	2	5	92"	84"
Linen	1	5	84"	96"
Minimalist	1	5	96"	96"
Mystic	1	3	96"	96"
Pearlescent*	1	5	96"	96"
Serene	1	5	96"	96"
SheerWeave 7200	2	5	96"	84"

* Please refer to the Size Standards for the Allure shade maximum width.
 * 2-On-1 Headrail Maximum width equals maximum width of the privacy fabric
 * Pearlescent will be railroaded
 For privacy shade lifting system specifications, please refer to the [Genesis Retail Sales Guide](#)

Couplitaire Privacy Fabric Information - Motorization

Size Standards	System II		Sonesse 28 WireFree		Ultra 30 WireFree		SimpleMotion	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Boho Eclipse	92"	84"	92"	84"	92"	84"	92"	84"
Linen	84"	96"	84"	96"	84"	96"	84"	96"
Mystic	96"	96"	96"	96"	96"	96"	96"	96"
Minimalist	96"	96"	96"	96"	96"	96"	96"	96"
Pearlescent	96"	96"	96"	96"	96"	96"	96"	96"
Serene	96"	96"	96"	96"	96"	96"	96"	96"
SheerWeave 7200	96"	84"	96"	84"	96"	84"	96"	84"

Design Options

Lift System Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Modernaire	Sidelight	Special Shapes
Clutch	Y	Y	Y	Y	Y	N/A	N/A
Accu-Rise	Y	Y	Y	Y	Y	N/A	N/A
System II	Y	Y	Y	Y	Y	N/A	N/A
Sonesse 28 WF	Y	Y	Y	Y	Y	N/A	N/A
Ultra 30 WireFree	Y	Y	Y	Y	Y	N/A	N/A
SimpleMotion	Y	Y	Y	Y	Y	N/A	N/A

For Hard-Wired Motorization option availability, please see the [Lafayette Motorization Solutions Guide](#).

Couplitaire Lift System Options Availability	Clutch	Accu-Rise	System II	Sonesse 28 WireFree	Ultra 30 WireFree
Allure Shade	Standard	Option	Option	Option	Option
Privacy Shade	Option	Accu-Rise Std.	Option	Option	Option
2-On-1 Headrail Allure Shade (Front), Privacy Shade Single	Standard (L & R control)	Option	Option	Option	Option

Options Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Accu-Rise	Modernaire	Couplitaire	Sidelight	Special Shapes	Motorization
No Charge Options										
Extension Brackets	Y	Y	Y	Y	Y	Y	Y	N/A	Y	Y
Spacer Blocks	Y	Y	Y	Y	Y	Y	Y	N/A	Y	Y
Cassette/Rail Color Substitution	Y	Y	Y	N/A	Y	Y	Y	N/A	N/A	Y
Cassette Size	Y	Y	N/A	N/A	Y	N/A	N/A	N/A	N/A	Y
Plastic Bead Chain Color Substitution	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A	N/A
Magnetic Hold Down Brackets	Y	Y	Y	Y	Y	Y	N/A	Y	N/A	Y
Optional Bead Chain Lengths	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A	N/A
Vane Alignment	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y
Exposed Roller	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y
Majesty Wood Valance	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A	Y
Noble 4 5/8" Wood Valance	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A	Y
Surcharge Options										
Mixed Metal Designer Accents	Y	Y	Y	N/A	Y	N/A	N/A	N/A	N/A	Y
Metal Bead Chain	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A	N/A
2-On-1 Headrail	Y	Y	Y	Y	N/A	N/A	Y	N/A	N/A	Y
Fabric Wrapped Bottom Rail	Y	Y	Y	Y	Y	Y	Y	Y	N/A	Y
7" Fabric Wrapped Valance Upgrade	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A	Y
FR Coating	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Notes:
 Fabric Wrapped bottom rail or valance not available for pattern Covert.
 For Hard-Wired Motorization availability, please see the [Lafayette Motorization Solutions Guide](#).
 *Valances available for Accu-Rise or motorized lifting systems only if shade is Board Mounted or Couplitaire.

Finished Dimensions & Mounting Requirements

Small Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 3/16"	Ordered Width	-1 3/16"	3/4"	7/16"	5/8"	1 3/8"	3 3/8"	1 1/8"
Accu-Rise	- 3/16"	Ordered Width	-15/16"	1/2"	7/16"	N/A	1 3/8"	3 3/8"	1 1/8"
System II	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"
Sonesse 28 WireFree	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"
Ultra 30 WireFree	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"
SimpleMotion	- 3/16"	Ordered Width	-1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/8"	1 1/8"

Large Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 3/16"	Ordered Width	- 1 1/8"	11/16"	7/16"	5/8"	1 1/4"	4 7/16"	2"
Accu-Rise	- 3/16"	Ordered Width	-3/4"	3/8"	3/8"	N/A	1 1/4"	4 7/16"	2"
System II	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"
Ultra 30 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"
SimpleMotion	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	1/2"	1 1/4"	4 7/16"	2"

Modern Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 3/16"	Ordered Width	- 1 3/16"	3/4"	7/16"	5/8"	1 3/8"	3 3/4"	1 1/8"
Accu-Rise	- 3/16"	Ordered Width	-15/16"	1/2"	7/16"	N/A	1 3/8"	3 3/4"	1 1/8"
System II	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"
Ultra 30 WireFree	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"
SimpleMotion	- 3/16"	Ordered Width	- 1 1/16"	9/16"	1/2"	1/2"	1 3/8"	3 3/4"	1 1/8"

Board Mounted	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 7/8"	9/16"	5/16"	5/8"	1"	3 3/4"	2"
Accu-Rise	- 1/8"	Ordered Width	-5/8"	5/16"	5/16"	N/A	1"	3 3/4"	2"
System II	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"
SimpleMotion	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	3 3/4"	2"

*Inside mount shades will have a 1/8" deduction from ordered height for bottom rail clearance.

Finished Dimensions & Mounting Requirements

Modernaire	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 3/16"	Ordered Width	- 1 1/16"	11/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
Accu-Rise	- 3/16"	Ordered Width	-3/4"	3/8"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
System II	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
Sonesse 28 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
Ultra 30 WireFree	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
SimpleMotion	- 3/16"	Ordered Width	- 15/16"	9/16"	3/8"	N/A	1 1/8"	2 3/8"	2 3/8"

Couplitaire	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount*	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch - Allure	- 1/8"	Ordered Width	- 7/8"	9/16"	5/16"	5/8"	2"	6 1/4"	2"
Standard Clutch - Privacy	- 1/8"	Ordered Width	- 1 3/16"	11/16"	1/2"	N/A	---	---	---
Accu-Rise - Allure	- 1/8"	Ordered Width	- 5/8"	5/16"	5/16"	N/A	2"	6 1/4"	2"
Cordless - Privacy	- 1/8"	Ordered Width	- 7/8"	3/8"	1/2"	N/A	---	---	---
System II - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"
System II - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A	---	---	---
Sonesse 28 WireFree - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"
Sonesse 28 WireFree - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A	---	---	---
Ultra 30 WireFree - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"
Ultra 30 WireFree - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A	---	---	---
SimpleMotion - Allure	- 1/8"	Ordered Width	- 3/4"	1/2"	1/4"	1/2"	1"	6 1/4"	2"
SimpleMotion - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A	---	---	---

Sidelight	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
	- 1/2"	Ordered Width	- 11/16"	5/16"	3/8"	N/A	1 1/4"	1 1/4"	1 1/4"

Fabric Wrapped & Wood Valances	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			
	No Returns		Returns	
	Inside Mount	Outside Mount	Inside Mount	Outside Mount
Fabric Wrapped/1/2" MDF	- 1/8"	Ordered Width	+ 1 3/8"	+ 1 1/2"
Noble	- 1/8"	Ordered Width	+ 1 7/8"	+ 2"
Majesty	- 1/8"	Ordered Width	+ 1 5/8"	+ 1 3/4"

*Inside mount shades will have a 1/8" deduction from ordered height for bottom rail clearance.

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart A		Fabrics: Entice													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	236	267	300	332	369	400	432	463	500	605	675	715	792	850
	36"	244	275	309	342	382	413	446	478	519	621	696	738	817	878
	42"	253	286	317	353	394	428	461	494	536	642	717	759	840	905
	48"	257	292	323	359	400	436	471	505	548	653	732	773	857	921
	54"	263	298	334	369	411	448	484	519	563	669	750	794	880	946
	60"	269	307	344	382	425	463	496	534	578	688	771	815	905	971
	66"	275	315	353	390	436	473	513	550	596	705	790	836	928	996
	72"	282	321	361	400	446	486	525	565	611	723	811	857	950	1,019
	78"	336	359	405	450	505	550	596	642	694	740	830	878	973	1,046
	84"	342	365	413	461	515	563	609	657	711	757	848	898	998	1,069
	90"	348	375	423	471	528	575	623	671	728	778	869	919	1,019	1,096
	96"	355	384	432	482	538	588	638	688	744	794	888	942	1,044	1,121
	102"	361	390	442	492	550	600	653	703	759	813	909	961	1,067	1,146
	108"	367	398	450	500	563	613	665	717	778	830	928	982	1,092	1,171
114"	378	407	461	513	573	625	680	734	792	846	948	1,003	1,113	1,196	
120"	384	413	469	523	584	640	694	748	811	865	967	1,023	1,138	1,221	

Cassette, Board Mounted & Modernaire Chart 1		Fabrics: Grace , Mystic , Rhumba , Roxie , Xanadu													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	257	292	330	363	407	442	471	507	548	657	730	771	857	919
	36"	267	303	342	380	423	461	490	528	571	684	755	798	886	953
	42"	275	313	355	394	440	480	511	548	594	707	782	825	917	986
	48"	286	323	367	409	457	496	530	569	615	732	807	855	948	1,017
	54"	300	342	390	434	484	528	561	603	653	769	848	898	998	1,069
	60"	311	355	405	450	505	548	582	625	680	796	880	930	1,034	1,109
	66"	319	365	421	467	521	567	605	650	703	823	907	961	1,065	1,144
	72"	332	380	434	482	538	588	623	671	728	848	934	990	1,098	1,182
	78"	382	411	475	530	594	648	690	744	805	861	946	1,003	1,113	1,194
	84"	390	423	488	544	611	667	709	767	830	884	971	1,032	1,144	1,230
	90"	400	434	500	561	625	686	730	788	855	911	998	1,057	1,178	1,263
	96"	409	446	515	575	644	705	748	807	875	934	1,025	1,086	1,209	1,298
	102"	421	457	530	592	661	725	769	830	900	961	1,053	1,113	1,240	1,330
	108"	430	469	542	607	680	742	790	850	921	986	1,080	1,142	1,271	1,365
114"	438	480	557	621	696	761	811	873	946	1,009	1,105	1,171	1,303	1,398	
120"	448	490	569	638	713	782	830	894	969	1,036	1,132	1,198	1,336	1,434	

Lifting System Surcharges	
Accu-Rise	123
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart 2		Fabrics: Appeal , Bardot , Blake , Brinkley , Elegance , Mystic Wide , Pizzazz													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	265	309	353	388	434	473	513	540	561	675	805	850	948	1,019
	36"	275	323	367	407	455	496	538	571	586	705	836	886	986	1,059
	42"	290	340	386	432	480	523	569	600	613	738	871	919	1,023	1,100
	48"	300	353	403	448	505	548	594	628	638	767	903	957	1,061	1,140
	54"	321	382	438	486	544	596	646	682	688	823	963	1,021	1,136	1,219
	60"	334	398	455	511	569	621	675	711	730	859	996	1,057	1,178	1,267
	66"	348	411	475	530	594	650	703	744	750	892	1,034	1,096	1,219	1,311
	72"	361	432	496	555	619	675	736	771	775	921	1,067	1,134	1,265	1,355
	78"	421	480	557	621	696	763	832	875	880	973	1,125	1,194	1,328	1,428
	84"	434	496	578	648	725	794	863	905	913	1,011	1,163	1,232	1,373	1,478
	90"	446	515	598	669	750	821	892	934	946	1,046	1,198	1,273	1,417	1,523
	96"	461	530	617	692	775	848	923	963	978	1,082	1,236	1,311	1,461	1,571
	102"	473	548	638	715	800	880	957	992	1,011	1,113	1,273	1,353	1,507	1,619
	108"	484	569	659	740	828	909	988	1,021	1,044	1,150	1,311	1,392	1,555	1,665
114"	498	584	680	761	850	934	1,019	1,053	1,078	1,186	1,348	1,430	1,594	1,713	
120"	513	600	698	784	880	963	1,050	1,082	1,109	1,217	1,386	1,471	1,638	1,759	

Cassette, Board Mounted & Modernaire Chart 3		Fabrics: Artistry , Aurora , Bliss , Demure , Loren , Melody , Monroe , Tenley													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	275	313	355	394	442	507	544	580	586	715	840	892	992	1,065
	36"	294	336	378	421	471	540	586	619	623	761	892	946	1,053	1,130
	42"	309	355	400	446	498	578	625	663	688	811	944	996	1,109	1,194
	48"	323	375	428	473	528	615	665	703	736	855	990	1,050	1,171	1,257
	54"	344	396	446	498	557	650	705	746	771	905	1,040	1,103	1,230	1,321
	60"	361	417	471	525	586	688	746	786	819	950	1,092	1,155	1,292	1,384
	66"	378	434	492	553	617	725	786	832	867	996	1,140	1,211	1,348	1,448
	72"	394	455	517	580	648	761	828	873	925	1,044	1,190	1,265	1,407	1,513
	78"	438	484	569	625	705	836	888	942	988	1,061	1,211	1,284	1,434	1,536
	84"	453	507	588	657	736	867	925	980	1,011	1,109	1,261	1,338	1,490	1,600
	90"	471	523	617	680	757	892	967	1,019	1,059	1,150	1,307	1,386	1,546	1,661
	96"	484	540	636	696	778	921	1,003	1,059	1,109	1,196	1,353	1,436	1,603	1,719
	102"	505	561	650	723	807	957	1,044	1,100	1,132	1,240	1,403	1,488	1,661	1,784
	108"	519	582	675	744	834	992	1,082	1,138	1,169	1,284	1,448	1,536	1,717	1,844
114"	536	600	700	771	863	1,025	1,121	1,180	1,253	1,328	1,496	1,588	1,775	1,900	
120"	550	619	725	796	888	1,061	1,157	1,219	1,286	1,373	1,544	1,638	1,832	1,965	

Lifting System Surcharges	
Accu-Rise	123
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart 4		Fabrics: Angelique , Covert , Divine , Garbo , Glamour , Goldie , Hepburn , Intrigue , Keiria , Lena , Phoenix , Zen													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	311	357	400	446	498	569	615	655	665	813	925	982	1,096	1,163
	36"	330	378	428	473	528	605	657	696	703	861	1,009	1,067	1,190	1,278
	42"	348	398	448	498	559	646	698	740	742	909	1,059	1,123	1,250	1,344
	48"	365	419	473	528	588	682	740	784	798	957	1,109	1,178	1,311	1,407
	54"	382	440	496	555	619	719	780	828	842	1,003	1,163	1,232	1,371	1,478
	60"	398	461	521	582	650	757	821	867	884	1,053	1,213	1,284	1,434	1,542
	66"	419	480	544	607	680	796	863	898	911	1,100	1,265	1,342	1,494	1,605
	72"	434	505	569	632	709	832	907	936	955	1,146	1,317	1,396	1,559	1,669
	78"	484	538	611	686	767	894	973	1,019	1,032	1,169	1,338	1,417	1,580	1,700
	84"	505	557	632	707	796	930	1,015	1,055	1,069	1,213	1,386	1,471	1,638	1,759
	90"	519	578	657	736	823	969	1,055	1,094	1,113	1,261	1,434	1,523	1,700	1,823
	96"	536	596	680	761	850	1,003	1,094	1,130	1,155	1,305	1,486	1,573	1,757	1,886
	102"	553	615	700	786	882	1,040	1,134	1,169	1,196	1,350	1,532	1,628	1,813	1,948
	108"	569	636	728	813	911	1,078	1,173	1,205	1,236	1,396	1,580	1,678	1,875	2,011
114"	586	657	746	838	942	1,111	1,211	1,242	1,278	1,442	1,632	1,732	1,932	2,073	
120"	603	675	769	867	967	1,146	1,253	1,278	1,319	1,488	1,678	1,784	1,988	2,136	

Cassette, Board Mounted & Modernaire Chart 5		Fabrics: Coy , Delight , Discreet , Hypnotic , Jolene , Luminescence , Mabel , Muse , Twilight													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	323	388	440	490	548	628	682	725	730	867	957	1,015	1,128	1,211
	36"	353	417	471	523	586	675	736	778	796	953	1,021	1,082	1,207	1,280
	42"	378	442	505	559	623	730	790	830	834	1,015	1,105	1,173	1,307	1,386
	48"	403	471	534	594	665	775	842	880	892	1,078	1,190	1,265	1,411	1,496
	54"	432	496	561	628	703	823	894	928	948	1,138	1,280	1,359	1,519	1,611
	60"	448	523	594	665	742	875	953	980	1,000	1,200	1,353	1,436	1,603	1,705
	66"	473	550	623	698	780	921	1,003	1,032	1,059	1,265	1,430	1,519	1,696	1,803
	72"	494	578	657	736	821	973	1,057	1,082	1,113	1,325	1,507	1,598	1,786	1,898
	78"	519	615	700	784	880	1,040	1,134	1,169	1,196	1,350	1,532	1,630	1,817	1,953
	84"	540	638	732	819	917	1,086	1,186	1,217	1,250	1,411	1,598	1,698	1,892	2,032
	90"	565	665	757	850	955	1,134	1,234	1,265	1,305	1,471	1,661	1,761	1,967	2,113
	96"	586	692	786	886	992	1,180	1,286	1,311	1,357	1,530	1,725	1,832	2,044	2,194
	102"	611	715	819	919	1,030	1,228	1,340	1,359	1,411	1,588	1,788	1,896	2,119	2,275
	108"	630	742	846	955	1,065	1,273	1,388	1,407	1,461	1,650	1,853	1,967	2,194	2,357
114"	657	769	878	988	1,103	1,321	1,442	1,455	1,519	1,709	1,917	2,036	2,271	2,438	
120"	680	794	907	1,019	1,140	1,367	1,492	1,503	1,571	1,769	1,978	2,103	2,348	2,521	

Lifting System Surcharges	
Accu-Rise	123
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart 6		Fabrics: Captivation , Hush , Reserved , Utopia													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	340	396	446	507	569	638	686	742	805	888	1,040	1,103	1,228	1,319
	36"	363	430	486	553	621	688	753	817	886	969	1,109	1,175	1,307	1,407
	42"	384	446	523	598	669	742	813	884	959	1,032	1,173	1,244	1,386	1,490
	48"	407	478	561	646	723	800	878	955	1,034	1,111	1,240	1,317	1,467	1,573
	54"	436	513	603	690	773	861	944	1,025	1,109	1,196	1,307	1,386	1,544	1,661
	60"	450	536	632	730	815	907	992	1,082	1,173	1,263	1,373	1,457	1,623	1,744
	66"	475	565	669	767	861	957	1,050	1,142	1,240	1,336	1,438	1,528	1,707	1,832
	72"	496	594	703	807	907	1,005	1,105	1,207	1,305	1,407	1,521	1,600	1,788	1,925
	78"	550	621	740	846	953	1,059	1,163	1,269	1,371	1,482	1,586	1,682	1,882	2,000
	84"	571	650	773	888	994	1,109	1,217	1,328	1,438	1,555	1,663	1,767	1,973	2,098
	90"	594	675	807	928	1,040	1,161	1,275	1,392	1,507	1,623	1,740	1,848	2,067	2,194
	96"	615	705	842	971	1,086	1,211	1,330	1,453	1,573	1,698	1,817	1,932	2,159	2,294
	102"	636	736	878	1,009	1,132	1,265	1,388	1,515	1,642	1,769	1,894	2,013	2,250	2,394
	108"	659	761	913	1,050	1,178	1,313	1,444	1,575	1,707	1,844	1,973	2,096	2,344	2,492
114"	680	790	948	1,092	1,221	1,363	1,500	1,638	1,775	1,917	2,050	2,180	2,436	2,592	
120"	700	819	980	1,132	1,269	1,415	1,561	1,703	1,838	1,986	2,128	2,265	2,532	2,688	

Lifting System Surcharges	
Accu-Rise	123
Motorization	View Motorization Pricing

Pricing - Surcharges

Design Options Surcharges															
2-On-1 Headrail (price as 2 separate shades and add:)	63														
Sidelight Shade	Deduct 25% from shade price														
Metal Bead Chain (per shade)	32														
Fabric Wrapped Bottom Rail (per shade)	32														
Light Gap Stop (Per Ft.)	View common surcharges														
Palladian Shelf - Finished (Per Ft.)	View common surcharges														
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges														
FR Coating (Per Sq. Ft.)	View common surcharges														
Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
Mixed Metal Designer Accents	57	63	71	80	86	88	96	100	107	113	123	125	128	132	134
7" Valance Upgrade (board mounted only)	17	17	19	19	23	23	28	28	28	28	30	32	36	40	42

Standalone Valance Option Surcharges															
Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
4 5/8" Fabric Wrapped Valance	136	138	144	150	171	192	219	246	257	293	319	346	363	380	392
7" Fabric Wrapped Valance	144	148	155	161	182	203	232	261	271	309	340	371	382	392	413

Arch Surcharges					
Standard Arch	203				
Shade Width Up To:	36"	48"	60"	72"	84"
Framed Arch	696	811	923	1036	1161
Routed Framed Arch	953	1065	1178	1319	1478

Pricing - Couplitaire Transitional Shades

Couplitaire Surcharge Chart 1		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	148	161	178	190	205	217	228	238	255	267	280	292	313	342
	36"	150	165	184	200	215	228	238	257	269	280	298	307	336	363
	42"	157	171	192	211	225	238	257	271	282	298	313	323	355	382
	48"	161	178	203	217	234	248	269	288	298	311	330	346	375	403
	54"	163	182	211	225	244	265	280	298	309	323	348	363	394	430
	60"	169	186	215	232	255	271	292	307	321	342	361	375	407	444
	66"	171	192	221	244	265	282	303	321	336	355	375	390	432	465
	72"	178	200	228	255	273	296	313	340	353	373	390	409	448	484
	78"	180	203	234	261	282	305	323	353	365	386	407	432	469	511
	84"	184	207	244	271	294	317	342	365	380	400	430	446	486	530
	90"	186	213	248	278	303	323	353	378	390	411	442	461	511	555
	96"	192	217	259	290	311	342	365	390	405	434	461	480	528	573

To price: Add this surcharge to base shade price from tables on pages 11 - 19

Couplitaire Surcharge Chart 2		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	110"
Shade Height Up To:	30"	165	184	207	221	238	257	271	290	303	317	332	353	380	407
	36"	173	194	217	234	255	273	290	305	321	340	355	375	405	440
	42"	182	203	228	246	269	290	305	323	344	361	378	396	434	471
	48"	186	211	236	259	280	300	319	342	357	378	396	419	455	494
	54"	192	217	244	271	294	313	336	357	375	394	419	440	480	523
	60"	200	223	257	280	305	330	353	373	390	411	434	461	507	548
	66"	205	230	267	292	317	344	365	388	407	434	453	480	525	569
	72"	211	236	275	303	330	357	380	405	430	448	473	505	550	600
	78"	215	244	288	311	344	369	394	423	442	465	490	521	571	623
	84"	217	248	294	321	353	382	405	434	455	480	511	538	594	648
	90"	225	259	303	332	365	394	423	450	473	505	525	559	617	675
	96"	230	267	311	346	380	409	440	469	492	521	548	584	646	705

To price: Add this surcharge to base shade price from tables on pages 11 - 19

Lifting System Surcharges	
Accu-Rise	123
Motorization	View Motorization Pricing

Design Options Surcharges	
2-On-1 Headrail	Price as two separate shades and add \$63
Metal Bead Chain (per shade)	32
Fabric Wrapped Bottom Rail (per shade)	32
Light Gap Stop (Per Ft.)	View common surcharges
Palladian Shelf - Finished (Per Ft.)	View common surcharges
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges
Shade Width Up To:	24" 30" 36" 42" 48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108"
7" Valance Upgrade (board mounted only)	17 17 19 19 23 23 28 28 28 28 30 32 36 40 42

Important note: 2-On-1 headrail only applies to the Allure Transitional Shade and with clutch lifting system only (not available with Accu-Rise). It will have a **single** privacy fabric shade at the back; therefore **standard maximum width will still apply.**

Product Information - Small and Large Cassette

Product Features

- Fits rectangular window openings
- Clutch operated with beaded loop chain
- Includes a fabric insert, color coordinated cassette
- Color coordinated beaded loop chain, bottom rail and end caps
[View Color Coordination](#)

Size Standards

- [Cassettes](#)

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"	Over 102"	96"
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes



- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"

Caution



- Fabric Covered Large Cassette - With certain fabrics, ([Fabric Information](#)) Large Cassette will have sheer and solid fabric layered to create a unique appearance (See photo). Therefore a Small Cassette and Large Cassette will not have the same appearance within a room.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



Small Cassette



Large Cassette



Double Layered Large Cassette



Available in: White, Vanilla, Brushed Nickel, Bronze and Black

Pricing

Product Information - Modern Cassette

Modern Cassette System Features


- Fits rectangular window openings.
- Available in Black, Bronze, Brushed Nickel, Vanilla and White. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The metal hem and end caps help prevent the shade material from rolling completely into the cassette.

Size Standards

- [Cassettes](#)

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.




Modern Cassette

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"	Over 102"	96"
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.



Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)



Double Layered Modern Cassette

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"

Caution

- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.



Available in: Black, Bronze, Brushed Nickel, Vanilla and White

Pricing

Product Information - Board Mounted

Product Features

- Board Mounted Shade with Fabric Wrapped Valance is wrapped in shade material
- 4 5/8" high valance, fabric has velcro attachment to the board.
- 3" returns (measured from the back of valance) unless specified

Size Standards

- [Board Mounted](#)
- [Accu-Rise](#)

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- **Exact Return size** for fabric wrapped valance may be requested.
- For 2-On-1 headrail, controls must be on left and right side. Max width is 156".
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Boards and Valances over 95" will be spliced. Valance will have a 2" fabric keystone to cover the splice.


Caution

- **Fabric Covered Valance** - With certain fabrics, fabric covered valance will have sheer and solid fabric layered to create a unique appearance. [See Fabric Information](#) for fabrics that will be double layered.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.

Pricing

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves, the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



(Standard) 4 5/8" Fabric Wrapped Valance



(Optional) 7" Fabric Wrapped Valance



Valance with Splice

Product Information - Somfy Battery Operated Series



Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Battery and Rechargeable Motorization					
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
System II	17"	108"	12"	120"	64
Sonesse 28 WireFree	25"	108"	12"	120"	64
Ultra 30 WireFree	31"	110"	12"	120"	80

[View Fabric Width Restrictions](#)

System II Information (1.1Nm)

- 12V DC Motor
- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- Available in Zigbee option



Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- 40 decibels
- Soft Start/Soft Stop
- Available in Zigbee option

Zigbee Systems

- Zigbee 3.0 from Somfy is a bi-directional smart shade ecosystem

Ultra 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- Ultra quiet sound level (38 decibels)
- Soft Start/Soft Stop
- Available in Zigbee option



Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Somfy TaHoma Overview

- 2.4Ghz WiFi connection (Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes & 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant

Notes:

- Side by side motorized shades are not guaranteed to travel up/down with bottom rail alignment.

RTS Controls



Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price.

Motorization Services

- Customer Service Motorization Skill Set
- > 800-342-5523
- > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.



Five Channel Decoflex Wall Switch

See the [Motorization Solutions Guide](#) for more controls and accessories.

Product Information - SimpleMotion™ Motorization

Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Rechargeable Motorization - Allure Transitional Shades					
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
Width ≤ 25"	17"	25"	12"	84"	15
Width > 25"	25 1/16"	120"	12"	120"	80

[View Fabric Width Restrictions](#)

SimpleMotion Information

- Internal li-ion rechargeable motor
- Approximately 4-6 hours for a full charge
- Motor can be left or right
- Optional surface mounted wall switch, hand held remote, or wand control



Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Notes:

- Wand control requires 40" inside flush mount to clear sill.
- Wand control not available with Modern Cassette Headrail or board mounted

Controls & Accessories



6-Channel Wall Switch



6-Channel Remote

Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price.



Solar Panel (21" wide)



4' Charger



Wand Control
36" length, white only

Product Information - Accu-Rise



Product Features

- Fits rectangular window openings
- Available with [Small/Large Cassette](#), [Modern Cassette](#), [Board Mounted](#) and [Modernaire](#)
- Color-coordinated end cap, bottom rail and brackets
[View Color Coordination](#)

Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For sizes 48" width or wider, two handles must be installed for the shade to operate correctly

Caution

- Accu-Rise is meant to be raised or lowed by applying controlled, level, pushing or pulling force to the center of the bottom rail. Acute application of force can cause fabric to roll over itself and/or cause the material to tear. Operating the shade off center will cause skewing damage to the ends of the fabric. Care should be taken when using the handle on Accu-Rise shade with fabric wrapped bottom rail. Do not allow the handle to move along the bottom rail or fabric could be damaged.


Shade Operation

- The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.


Pricing




Accu-Rise Handle




Small Cassette



Board Mounted



Modernaire (OB)



Modernaire (IB)

Product Information - Modернаire

Product Features

- Fits rectangular window openings
- Clutch operated with beaded loop chain
- Color coordinated beaded chain and bottom rail
- [View Color Coordination](#)
- Uses the Modернаire headrail (with no cassette)
- Available in colors: White, Black and Vanilla

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



Size Standards

- [Modернаire](#)

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- Headrail color must be requested at time of order.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution

- With light filtering fabrics there may be a light gap between the shade and the bottom of the mounting board on inside mount.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.


Pricing




Outside Mount



Inside Mount



Modернаire (IB)



Modернаire (OB)

Product Information - Couplitaire

Product Features

- Fits rectangular window openings
- Clutch operated with beaded loop chain on Allure shade.
- Cordless standard on Privacy shade
- Includes a 4 5/8" Board Mounted Fabric Wrapped Valance in Allure shade material
- Color coordinated beaded chain, bottom rail and end caps for Allure shade. [View Color Coordination](#)
- Fabric wrapped bottom rail on Privacy shade

Size Standards

- [Couplitaire](#)
- [Accu-Rise](#)

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 4" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- To price, add the Allure fabric base price to the Couplitaire privacy fabric surcharge.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution


- Fabric Covered Valance - Will have sheer and solid fabric layered to create a unique appearance - [Fabric Information](#)
- Maximum Width of Allure shade will be dependent on maximum width of [Privacy fabric](#) selected. Maximum width will be the smaller width of the two selected.
- 2-On-1 Headrail applies to Allure Transitional shade only. Will have a single privacy shade so max width will still apply.
- For 2-On-1 headrail, controls must be on left and right side.
- Vane positioning from front of shade to rear may vary up to 1/8" from one end of the shade to the other. For wider shades, this variance could increase slightly.

Pricing

- To price, add [Couplitaire Surcharge](#) to base price charts.
- If both Allure Transitional Shade and Privacy Shade are to be motorized, motorization surcharge is to be doubled.

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view. The Cordless system is lowered by pulling shade or giving a slight tug to lift.



Product Information - Sidelight

Product Features

- Fits rectangular window openings
- Cannot be raised or lowered but allows rotating the vanes to open or closed position
- Color coordinated bottom rail and end caps
[View Color Coordination](#)

Size Standards

- Sidelight

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)


Caution

Place the fabric preserving tab on the edge of a solid fabric vane at the optimal operation level of the shade. Always avoid direct contact with the fabric. Natural oils found in our skin can cause even clean hands to leave permanent stains on some fabrics.

Shade Operation

Transitional Shade sidelights are operated by gently pulling up or down on the fabric preserving tab placed on a solid fabric vane. Moving this tab up or down will cause the fabric to begin rotating around stationary rails mounted directly to the top and bottom of the sidelight. (See image below) Operation of the Sidelight Transitional Shade allows changes to the vane openness but will not change the overall width or height of the shade.


Pricing



Product Information - Specialty

Product Features - Allure Arches

- Standard Allure Arch
 - Allure fabric in the fixed open or fixed closed position
 - Wood Frame
 - Gimp Trim and Staples
 - Painted or stained frame to color coordinate
- Framed Allure Arch
 - Finished look with minimized light gap in arch opening
 - Available in the current [Heartland Woods colors](#).
- Routed Framed Allure Arch
 - Provides a notched edge on backside so face will fit flush against window frame for easier installation and reduced light gap
 - Available for the arch portion only or full frame
 - Available in the current [Heartland Woods colors](#).



Standard Arch with gimp and wood frame

Size Standards

- [Arches](#)


Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)


Ordering Notes

- To price Standard Allure Arch, add surcharge price to the Allure shade base price
- To price Framed Allure Arch and Routed Framed Arch, add width based surcharge to the Allure shade base price

Pricing



Routed Framed Arch (Back View)
Rout on Arch or All Sides



Framed Arch
Available in 14 colors


Online Template Service

- Lafayette produced - Flat fee.
- To order a factory-made template visit the Lafayette web site at www.lafvb.com, www.lafayetteinteriorfashions.com
 - Print and complete template order form to be submitted via fax
 - Complete and submit web-based order form online

Design Options - Valances and Metal Accents

Fabric Wrapped Valances


- Available on board mounted Allure shades.
- A board wrapped in shade material, attached with velcro to a painted or stained color coordinated dust cover.
- 4 5/8" or 7" valance has velcro attachment to the board.
- Maximum width of valance is fabric width. Valances over 95" will have a splice. A fabric keystone is included to cover 2" splice.
- On certain fabrics, ([Fabric Information](#)) Fabric Wrapped Valance will have sheer and solid fabric layered to create a unique appearance.



Valance with Splice

Mixed Metal Designer Accents


- The face of the cassette can be covered with one of five Designer Accent materials.
- The front and back of the bottom rail is also wrapped in the same selection.
- Available for Small and Large Cassette, Accu-Rise and motorized systems.
- Maximum width 120".
- For 2-on-1 Headrail use overall width to price.
- Hardware is color-coordinated to Allure material unless specified.
- Colors available: Brushed Sterling, Brushed Titanium, Brushed Graphite, Bronze Shimmer, and Bronze Pearl. Samples are available using [MySwatch](#)



Cassette with Mixed Metal Accents

Fabric Wrapped Valance Returns

- For inside mounts, no returns will be sent unless specified (see undersize return).
- **Standard Return** - The standard return is 3 1/4" (measured from the back of valance) with a 3" mounting board.
- **Oversize Return** - required for an outside mount on trim or when using extension brackets. The size you specify is equal to the depth of the trim (wall to the high point of the trim) or the depth of the extension brackets. We will add that measure to the standard return.
- **Undersize Return** - required for an inside mount protruding into the room. The size you specify is equal to the recessed mounting depth.
- **Exact Size Return** - The size you specify is equal to the measurement from the back of the return to the back of the valance face (inside miter).
- **Minimum Return:** 1"
- **Maximum Return:** 7"
- Valances wider than 95" will be spliced with a fabric keystone



Majesty and Noble Wood Valances

- Available with board mounted Allure shades.
- Valances are available in the current [Heartland Woods colors](#). Sample chips are available using MySwatch.
- Standard return is 2 7/8" from back of valance to wall.
- Valance is velcro attached to the board

Majesty Valance
4 1/2" height
5/8" thick



Noble Valance
4 5/8" height
1/2" thick



Product Information - Design Options Information

Bead Chain Options

- Available on Cassettes, Board Mounted and Couplitaire
- Plastic bead chain colors are White, Vanilla, Black, Brown, Sierra Tan, and Gray.
Bead chain is color coordinated to the shade color.
- Bead chain lengths are 12", 18", 24", 36", 48", 60", 72", 84" and 96".
- Bead chain lengths must be at least 6" shorter than window length for inside mounts to properly install tensioner.

Metal Bead Chains

- Available with a clutch lifting system as a surcharge option
- Finishes available: Stainless Steel or Burnished Copper.



Stainless Steel Burnished Copper

2-on-1 Headrail

- Two shades share a common headrail
- Overall max width is maximum single shade width with a [fabric wrapped valance](#), with wood valances: 96"



Vane Alignment

- Alignment of the semi-opaque or opaque fabric vanes can be guaranteed within 1/4" if shades are ordered at the **same time**, in the **identical style, color and height, and room number specified**. We can not guarantee vane alignment for more than 4 shades together. Only applies when shades are in the fully lowered open or closed position. Must be same headrail type.
[View Fabric Information](#)



Exposed Roller

- Allure transitional shades will come set to stop in the closed position at ordered length. The exposed roller option has the stop set to come past order length and allow for minor adjustments.

Fabric Wrapped Bottom Rail


- Bottom Rail is wrapped in shade material
- Fabric does not cover the entire back side of the bottom rail in order to comply with the CPSC child safety label requirements
- Not available with fabric Covert



Fabric Wrapped Front



Fabric Wrapped Back



Standard Bottom Rail

Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Gray, Vanilla and White




Measuring & Installation Information

Small, Large, Modern Cassette & Accu-Rise Brackets


Small Cassette, Accu-Rise - Item # 80-30053-XX

Colors: 03 Black, 09 Vanilla, 11 White, 38 Bronze, 53 Sierra Tan, 90 Bright Zinc.

Large Cassette - Item # 100-37000-82



Small Cassette





Large Cassette

Magnetic Hold Downs


- Magnets are applied to bottom rail and hold down magnets are attached to the window frame to hold the bottom rail in place when the shade is lowered.

Item # 15-9108




Modernaire Bracket

Item # 80-20053-11



Couplitaire Bracket

Item # PT-SV32




Optional Hold Downs

- Metal is inserted at the ends of the bottom rail and hold down brackets are attached to the window frame to hold the bottom rail in place when the shade is lowered.

Item # 80-37053-xx

03-Black, 09-Vanilla, 11-White, 38-Bronze



Sidelight Bracket

Item # 15-2009



Bottom Rail


- The shape is designed to keep the two fabric layers closer together as they move through the bottom rail.



Optional Extension Bracket

Item # PT-SV32

Item # PT-SV30



2 3/4\"/>

Cord Tension Lock


- Standard on all Allure shades with Clutch system.
- Must be secured to the wall to provide the necessary tension for the shade to operate.
- Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.



Optional Spacer Block

Item # SP-31

1\"/>



Button Catch for Arch

Receiver - Item # B0-07000-034

Catch - Item #702664


Screw - Item TFP-04051-034



Measuring & Installation Information

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.



Measuring for Allure Shades

- All shade pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, measure the exact width between the jambs (inside) where the shade is to be mounted. If the end caps are not tightly secured it is possible the shade will not fit in the opening.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.

General Advisories

Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included **before** sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and **we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.**

Allure Care & Cleaning

The operating system of the Allure Transitional Shade dusts the fabric when the panel is rotated thereby reducing the care necessary for the shade. The shade can be feather dusted or vacuumed at a low setting. Allure fabrics are primarily Polyester. Spots can be cleaned with a damp sponge and mild soap. To avoid discoloration, do not use chemical cleaners. Ultrasonic cleaning is not recommended.

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from blind or shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Oeko-Tex™ Rating for Mirage Fabric

The Oeko-Tex Standard 100 provides the textile and clothing industry with a globally uniform standard for the objective assessment of harmful substances. Raw materials, intermediate and end products at all stages of processing throughout the manufacturing chain, including accessories, are tested and certified. Certification is obtained by application in writing from the manufacturer to one of the authorized test institutes or official offices around the globe. The samples submitted are tested exclusively in the member institutes in Europe and Japan in order to ensure a consistently high level of testing. The mark "Confidence in Textiles - Test for harmful substances according to Oeko-Tex Standard 100" states that the marked product fulfills the conditions specified in this standard, are under the supervision of an institute belonging to the International Association for Research and Testing in the field of Textile Ecology (Oeko-Tex). The mark is not a quality label. The mark relates only to the as-produced state of the textile and says nothing about other properties of the product such as e.g. fitness for use, reaction to cleaning processes, physiological behaviour in respect to clothing, properties relating to use in buildings, burning behaviour etc.

Flame Retardant (FR) Coating

- A flame retardant is available for Allure fabrics without these inherent properties. The shade is fabricated then sent to an external facility for the flame coating process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant.

LAFAYETTE INTERIOR FASHIONS™

LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.

NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- Shipping, removal, re-measuring, or reinstallation costs

TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

Note: In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.