



ALTA
WINDOW FASHIONS
design simplified

HONEYCOMB SHADES

Pricing effective September 16, 2024 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

[Table of Contents](#)

[Product Component Guide](#)

[General Info & Ordering](#)

[Dealer Sales Guide](#)

[Automation Price Guide](#)

[Installation & Programming](#)

[Color Swatches](#)

[Dealer Resource Center](#)

[Hardware Color Card](#)

SUMMARY OF REVISIONS

TABLE OF CONTENTS

Product Overview

• Pattern Information	2
• Fabric and Rail Color Charts	3-8
• Stack chart and Privacy Light Block	9

Pricing for Standard Rectangular, Options, Automation Surcharges

• Price Groups 1-20 Honeycomb Fabrics	10-29
• Price Group 21 – 2" Allure Hybrid Pleats	30
• TriLight Shades	31
• Vertical Application	32-34
• Skylight	35
• Arches	36

Product Configuration Specifications

• Cordless Lift	37-38
• Cordless Lift & Lock	39
• Continuous Cord Loop	40-41

TriLight Shades®

• Features & Benefits	42
• Selecting a TriLight Shade	42
• Sheer Pleated Color Chart	43
• Configuration Specifications	44-47

Product Configuration Specifications

• Automation and PowerWand™	48-55
• Vertical Application	56-57
• Classic Skylight & Skylight with Automation	58-59
• Arches	60
• Specialty Shapes	61-62

Dealer Sales Guide – With our brand new Dealer Sales Guides, you can gain a comprehensive understanding of our products, including product characteristics and performance expectations. [Click here to explore.](#)

Automation Price Guide – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Hardware Color Card – If you select a Premium, Deluxe or Large rail system with a painted finish, your fabric selection will be coordinated to one of the colors featured on this card. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name	# of Cells	Price Group (Standard)	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions	Hardware Options
3/8" Bella Vista	H52	Single	Group 2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Bella Vista Blackout	H55	Single	Group 10	1, 2 & 3	Yes	D	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Opulence	H40	Single	Group 2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/8" Opulence Blackout	H41	Single	Group 10	1, 2 & 3	Yes	D	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight
3/4" Bella Vista	H72	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Bella Vista Blackout	H75	Single	Group 11	1, 2 & 3	Yes	D	-
3/4" Cardiff	H91	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Fiesta	H80	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Fiesta Blackout	H81	Single	Group 11	1, 2 & 3	Yes	D	-
3/4" Linen	H27	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Linen Blackout	H327	Single	Group 11	1, 2 & 3	Yes	D	-
3/4" Marcella	H45	Single	Group 3	1, 2 & 3	Yes	C	-
3/4" Marcella Blackout	H46	Single	Group 9	1, 2 & 3	Yes	D	-
3/4" Mirada	H92	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Opulence	H28	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Opulence Blackout	H29	Single	Group 11	1, 2 & 3	Yes	D	-
3/4" Peaceful Allure	H96	Single	Group 12	1, 2 & 3	Yes	C	Arches
3/4" Peaceful Allure Room Darkening	H96R	Single	Group 13	1, 2 & 3	Yes	D	Vertical App, Arches, Angles, Specialty Shapes, TriLight, Skylight, Multi-Panel, Two-Fabric-Combo
3/4" Coastal Allure	H98	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric-Comb
3/4" Enchanting Allure	H99	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric-Comb
3/4" Lanai Allure	H97	Single	Group 12	1, 2 & 3	Yes	C	Arches, Angles, Specialty Shapes, TriLight, Skylight, Two-Fabric-Comb
3/4" Radiance	HF6	Single	Group 1	1, 2 & 3	Yes	C	-
3/4" Radiance Blackout	HF7	Single	Group 7	1, 2 & 3	Yes	D	-
3/4" Serene FR*	H62	Single	Group 6	1, 2 & 3	Yes	C	-
3/4" Serene FR Blackout*	H60	Single	Group 11	1, 2 & 3	Yes	D	-
3/4" Tiffany Sheer	H25	Single	Group 12	1, 2 & 3	Yes	A	TriLight
3/4" Tranquility Semi-Sheer	H24	Single	Group 12	1, 2 & 3	Yes	B	TriLight, Vertical App, Arches, Angles, Specialty Shapes
1/2" Marcella Double Cell	H47	Double	Group 5	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1/2" Opulence Double Cell	H39	Double	Group 8	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1/2" Radiance Double Cell	HF5	Double	Group 4	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App
1-1/4" Coastal Allure	H198	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Vertical App, Two-Fabric-Combo
1-1/4" Enchanting Allure	H199	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Vertical App, Two-Fabric-Combo
1-1/4" Lanai Allure	H197	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Vertical App, Two-Fabric-Combo
1-1/4" Fiesta	H280	Single	Group 16	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Fiesta Blackout	H281	Single	Group 19	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Radiance	HF8	Single	Group 14	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Radiance Blackout	HF9	Single	Group 17	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Marcella	H145	Single	Group 15	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Marcella Blackout	H146	Single	Group 18	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Peaceful Allure	H196	Single	Group 20	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Bella Vista	H77	Single	Group 16	1, 2 & 3	Yes	C	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
1-1/4" Bella Vista Blackout	H78	Single	Group 19	1, 2 & 3	Yes	D	Cordless Lift & Lock, Continuous Cord Loop, TriLight, Bliss TD/BU, Arches, Angles, Specialty Shapes, Two-Fabric-Combo
Peaceful Allure - 2" Hybrid Pleat - Light Filtering	HP96	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel
Coastal Allure - 2" Hybrid Pleat - Light Filtering	HP98	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel
Enchanting Allure - 2" Hybrid Pleat - Light Filtering	HP99	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel
Lanai Allure - 2" Hybrid Pleat - Light Filtering	HP97	Single	Group 21	1, 2 & 3	Yes	C	Skylight, Arches, Angles, Specialty Shapes, PowerWand, Vertical App, Multi-Panel

* Flame Resistant - Passes Flame Test NFPA 701 (Horizontal Configuration Only)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.

LIGHT CONTROL DEFINITIONS

A	Sheer - Filtered light for an open, softened view, UV protection and glare reduction, when privacy is not a concern.
B	Semi-Sheer - Softly diffuses light while offering minimal privacy. Images, shapes and people can be seen with some clarity.
C	Light Filtering - Diffuses sunlight and helps to reduce glare. Provides a moderate degree of privacy as only shadows will be discernible.
D	Room Darkening / Blackout - Room Darkening dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible. Blackout fabrics provide the ultimate in light control and privacy; perfect for bedrooms, nurseries, or media rooms. Pair with side channels or privacy light block for additional light control.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Light Filtering & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Light Filtering				
H52	3522	Wispy Keys	785	N/A
H52	3502	Farina	785	
H52	3503	Cashew Nut	862	
H52	3505	Parmesan	862	
H52	3523	Sandbox	862	
H52	3524	Gray Mist	018	
H52	3520	Stone Paver	401	
H52	3521	Mountain Shadows	405	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Blackout				
H55	3522	Wispy Keys	785	N/A
H55	3502	Farina	785	
H55	3503	Cashew Nut	862	
H55	3505	Parmesan	862	
H55	3523	Sandbox	862	
H55	3524	Gray Mist	018	
H55	3520	Stone Paver	401	
H55	3521	Mountain Shadows	405	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Light Filtering				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	5060	Tuxedo	048	
H40	603	Doe	206	
H40	604	Fallen Snow	862	
H40	612	Gentle White	661	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	810	
H40	618	White Azalea	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout				
H41	703	Doe	206	N/A
H41	702	Soft White	862	
H41	632	Tranquil Tea	954	
H41	701	White Azalea	661	
H41	5060	Tuxedo	048	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL
STD = Cordless Lift, Continuous Cord Loop, and Motorized shades with coordinated rail.
VA = Vertical Application shades

Hardware Colors

		STD	1-1/4"	VA	Cord Tensioner
018	Satin Silver	X	X	N/A	White
048	Black	X	X	X	black
748	Shadow Gray	X	X	X	White
083	Cocoa	X	X	X	Light Brown
206	Fawn HG	X	X	N/A	Vanilla
135	Whisper Heather	X	X	N/A	White
187	Ginger	X	X	N/A	White
276	Silverado	X	X	X	White
689	Ash	X	X	N/A	Dark Brown
878	Frosted Ice	X	X	N/A	Vanilla
405	Gray Flannel	X	X	N/A	Dark Brown
450	Skyline	X	X	N/A	White
661	White Tiara	X	X	X	White
401	Silver Sand	X	X	X	White
785	Aspen White	X	X	X	Vanilla
810	Mushroom	X	X	X	Dark Brown

		STD	1-1/4"	VA	Cord Tensioner
685	Blue Sky	X	X	N/A	White
841	Dark Blonde	X	X	X	Light Brown
849	Mocha	X	X	N/A	Dark Brown
862	Gardenia White	X	X	X	Vanilla
882	Honey Bisque	X	X	X	Vanilla
954	Tranquil Tea	X	X	X	Light Brown
180	Dove Gray	X	X	X	Dark Brown

* For Continuous Cord Loop shades ordered after 5/14/24

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Light Filtering, Semi-Sheer & Sheer)

Code	Color #	FABRIC Color Name	HARDWARE	
			STD	VA
BELLA VISTA Light Filtering				
H72	3522	Wispy Keys	785	785
H72	3502	Farina	785	785
H72	3503	Cashew Nut	862	862
H72	3505	Parmesan	862	862
H72	3523	Sandbox	862	862
H72	3524	Gray Mist	018	661
H72	3520	Stone Paver	401	401
H72	3521	Mountain Shadows	405	276
CARDIFF Light Filtering				
H91	3002	Distant Range	785	785
H91	3211	Fair Lady	862	862
H91	3006	Riverfront	180	180
H91	3005	Skipping Stones	401	401
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	810	810
H91	3212	Anchor	450	276
H91	3210	Lilac Gray	048	048
FIESTA Light Filtering				
H80	3706	Agua Dulce	685	661
H80	3702*	Aioli	862	862
H80	3701*	Arrowroot	661	661
H80	3721	Vienna	180	180
H80	3703	Linen Breeze	862	862
H80	3723	Pear	180	180
H80	3722	Stone Manor	276	276
H80	3720	Rattan	401	401
LINEN Light Filtering				
H27	454*	Dried Sage	180	180
H27	451*	French Vanilla	882	882
H27	452*	Harvest	841	841
H27	453*	Khaki	841	841
H27	1460	Cape	048	048
MARCELLA Light Filtering				
H45	8720	Rowan	405	276
H45	8722	Tofu	862	862
H45	822	Grey Linen	401	401
H45	8721	Marble	018	661
H45	802*	Mountain Mist	862	862
H45	821	Pearly Beige	785	785
H45	8703	Serious Gray	276	276
H45	801*	Sugar Cane	661	661
MIRADA Light Filtering				
H92	3021	Bungalow Brown	849	810
H92	3022	Lazy Day	862	862
H92	3025	Marina Gray	276	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	180	180
H92	3231	Neptune	748	748
H92	3230	Ebony	048	048
COASTAL ALLURE Light Filtering				
H98	4838	Cold Waters	276	276
H98	4830	Snowy Beach	661	661
H98	4831	Fresh Butter	862	862
H98	4832	Waves of Grain	841	841
H98	4833	Brown Bread	083	083
H98	4834	Polished Silver	018	661
H98	4835	Silver Lining	401	401
H98	4836	Fresh Eucalyptus	748	748
H98	4837	Spring Leaves	135	661
H98	4839	Storm Clouds	276	276
H98	4840	Weathered Fence	810	810
H98	4841	Beach Bungalow	048	048

Code	Color #	FABRIC Color Name	HARDWARE	
			STD	VA
OPULENCE Light Filtering				
H28	651	Accent Grey	748	748
H28	5043	Basalt Basin	405	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	5063	Piccadilly	748	748
H28	5062	Lily Green	135	661
H28	5061	Blue Lake	450	661
H28	603	Doe	206	862
H28	604	Fallen Snow	862	862
H28	621	Gentle White	661	661
H28	5060	Tuxedo	048	048
H28	652	Grey Stone	276	276
H28	5021	Nantucket Gray	405	276
H28	5020	Regal Taupe	180	180
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	632	Tranquil Tea	954	954
H28	637	Warm Cocoa	810	810
H28	618	White Azalea	661	661
PEACEFUL ALLURE Light Filtering				
H96	2243	Banana Bread	810	810
H96	2222	Barely Beige	785	785
H96	2270	Pelican	018	661
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	401	401
H96	2227	Fallen Leaves	180	180
H96	2271	Gray Wolf	276	276
H96	2272	Modest Gray	405	276
H96	2276	Raven	048	048
H96	2274	Lapis	450	661
H96	2240	Warm Sun	862	862
H96	2220	Zephyr	661	661
RADIANCE Light Filtering				
HF6	445	Aged Brass	180	180
HF6	444	Aged Leather	810	810
HF6	921	Sandy Toes	206	862
HF6	458	Pewter	748	748
HF6	922	Weathered	206	862
HF6	920	Charcoal	276	276
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785
SERENE FR Light Filtering				
H62	263	Blanched Almond	862	862
H62	262	Pearl Shell	862	862
H62	260	Snow White	661	661

CODE KEY: HEADRAIL	
STD	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA	= Vertical Application shades

Code	Color #	FABRIC Color Name	HARDWARE	
			STD	VA
TIFFANY Sheer				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer				
H24	273	Desert Sand	882	N/A
H24	272	Pale Rose	785	
H24	271	White Linen	661	
ENCHANTING ALLURE Light Filtering				
H99	5270	Northern Lights	661	661
H99	5271	Sunshine	785	785
H99	5272	April Showers	206	862
H99	5273	Natural Pumice	180	180
H99	5274	Bunny Gray	401	401
H99	5275	Elegant Gray	276	276
H99	5276	Spa Day	018	661
H99	5277	Ocean	450	661
H99	5278	Honey Bun	882	882
H99	5279	Autumn Leaves	083	083
H99	5280	Rock Garden	689	810
H99	5281	Cozy Cabin	849	810
LANAI ALLURE Light Filtering				
H97	6550	Bright Lights	018	661
H97	6551	Hint of Blue	018	661
H97	6552	Fade to Green	135	661
H97	6553	Ice Blue	685	661
H97	6554	Pale Khaki	180	180
H97	6555	Weathered Wood	810	810
H97	6556	Rainy Day	018	661
H97	6557	Gray Suit	276	276
H97	6558	Vintage Veil	878	661
H97	6559	Cocoa with Cream	083	083
H97	6560	Moon Landing	206	661
H97	6561	Park Bench	810	810

****IMPORTANT NOTE:****

3/4" Serene FR Light Filtering (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Blackout				
H75	3522	Wispy Keys	785	785
H75	3502	Farina	785	785
H75	3503	Cashew Nut	862	862
H75	3505	Parmesan	862	862
H75	3523	Sandbox	862	862
H75	3524	Gray Mist	018	661
H75	3520	Stone Paver	401	401
H75	3521	Mountain Shadows	405	276
FIESTA Blackout				
H81	3706	Agua Dulce	685	661
H81	3702*	Aioli	862	862
H81	3701*	Arrowroot	661	661
H81	3721	Vienna	180	180
H81	3703	Linen Breeze	862	862
H81	3723	Pear	180	180
H81	3722	Stone Manor	276	276
H81	3720	Rattan	401	401
OPULENCE Blackout				
H29	5043	Basalt Basin	405	276
H29	606	Biscuit	882	882
H29	603	Doe	206	862
H29	690	Grey Stone	276	276
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	661	661
H29	617	Sunbeam	862	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	810	810
H29	618	White Azalea	661	661
H29	5060	Tuxedo	048	048
H29	5061	Blue Lake	450	661
H29	5062	Lily Green	135	661
H29	5063	Piccadilly	748	748

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Blackout				
H46	8720	Rowan	405	276
H46	8722	Tofu	862	862
H46	822	Grey Linen	401	401
H46	8721	Marble	018	661
H46	802*	Mountain Mist	862	862
H46	821	Pearly Beige	785	785
H46	8703	Serious Gray	276	276
H46	801*	Sugar Cane	661	661
RADIANCE Blackout				
HF7	445	Aged Brass	180	180
HF7	444	Aged Leather	810	810
HF7	921	Sandy Toes	206	862
HF7	458	Pewter	748	748
HF7	922	Weathered	206	862
HF7	920	Charcoal	276	276
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout				
H60	263	Blanched Almond	862	862
H60	262	Pearl Shell	862	862
H60	260	Snow White	661	661
LINEN Blackout				
H327	454*	Dried Sage	180	180
H327	451*	French Vanilla	882	882
H327	452*	Harvest	841	841
H327	453*	Khaki	841	841
H327	1460	Cape	048	048
PEACEFUL ALLURE Room Darkening				
H96R	2243	Banana Bread	810	810
H96R	2222	Barely Beige	785	785
H96R	2270	Pelican	018	661
H96R	2221	Drop of Sun	785	785
H96R	2226	Fair Oaks	401	401
H96R	2227	Fallen Leaves	180	180
H96R	2271	Gray Wolf	276	276
H96R	2272	Modest Gray	405	276
H96R	2276	Raven	048	048
H96R	2274	Lapis	450	661
H96R	2240	Warm Sun	862	862
H96R	2220	Zephyr	661	661

****IMPORTANT NOTE:****

3/4" Serene FR Light Filtering (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL	
STD	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell				
H47	8720	Rowan	405	N/A
H47	8722	Tofu	862	
H47	822	Grey Linen	401	
H47	8721	Marble	018	
H47	802*	Mountain Mist	862	
H47	821	Pearly Beige	785	
H47	8703	Serious Gray	276	
H47	801*	Sugar Cane	661	
RADIANCE Double Cell				
HF5	445	Aged Brass	180	N/A
HF5	444	Aged Leather	810	
HF5	921	Sandy Toes	206	
HF5	458	Pewter	748	
HF5	922	Weathered	206	
HF5	920	Charcoal	276	
HF5	454	Twilight	450	
HF5	400	Vintage Lace	785	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell				
H39	651	Accent Grey	748	N/A
H39	606	Biscuit	885	
H39	636	Chocolate Bliss	083	
H39	5063	Piccadilly	748	
H39	603	Doe	206	
H39	604	Fallen Snow	862	
H39	621	Gentle White	661	
H39	652	Grey Stone	276	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	810	
H39	618	White Azalea	661	
H39	5062	Lily Green	135	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL	
STD	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat Light Filtering

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" PEACEFUL ALLURE HYBRID PLEAT - Light Filtering				
HP96	2243	Banana Bread	810	810
HP96	2222	Barely Beige	785	785
HP96	2270	Pelican	018	661
HP96	2221	Drop of Sun	785	785
HP96	2226	Fair Oaks	401	401
HP96	2227	Fallen Leaves	180	180
HP96	2271	Gray Wolf	276	276
HP96	2272	Modest Gray	405	276
HP96	2276	Raven	048	048
HP96	2274	Lapis	450	661
HP96	2240	Warm Sun	862	862
HP96	2220	Zephyr	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" ENCHANTING ALLURE HYBRID PLEAT - Light Filtering				
HP99	5270	Northern Lights	661	661
HP99	5271	Sunshine	785	785
HP99	5272	April Showers	206	862
HP99	5273	Natural Pumice	180	180
HP99	5274	Bunny Gray	401	401
HP99	5275	Elegant Gray	276	276
HP99	5276	Spa Day	018	661
HP99	5277	Ocean	450	661
HP99	5278	Honey Bun	882	882
HP99	5279	Autumn Leaves	083	083
HP99	5280	Rock Garden	689	810
HP99	5281	Cozy Cabin	849	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" COASTAL ALLURE HYBRID PLEAT - Light Filtering				
HP98	4838	Cold Waters	276	276
HP98	4830	Snowy Beach	661	661
HP98	4831	Fresh Butter	862	862
HP98	4832	Waves of Grain	841	841
HP98	4833	Brown Bread	083	083
HP98	4834	Polished Silver	018	661
HP98	4835	Silver Lining	401	401
HP98	4836	Fresh Eucalyptus	748	748
HP98	4837	Spring Leaves	135	661
HP98	4839	Storm Clouds	276	276
HP98	4840	Weathered Fence	810	810
HP98	4841	Beach Bungalow	048	048

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" LANAI ALLURE HYBRID PLEAT - Light Filtering				
HP97	6550	Bright Lights	018	661
HP97	6551	Hint of Blue	018	661
HP97	6552	Fade to Green	135	661
HP97	6553	Ice Blue	685	661
HP97	6554	Pale Khaki	180	180
HP97	6555	Weathered Wood	810	810
HP97	6556	Rainy Day	018	661
HP97	6557	Gray Suit	276	276
HP97	6558	Vintage Veil	878	661
HP97	6559	Cocoa with Cream	083	083
HP97	6560	Moon Landing	206	661
HP97	6561	Park Bench	810	810

CODE KEY: HEADRAIL	
OPTION	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

1-1/4" Pleat (Light Filtering & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Light Filtering				
H77	3522	Wispy Keys	785	785
H77	3502	Farina	785	785
H77	3503	Cashew Nut	862	862
H77	3505	Parmesan	862	862
H77	3523	Sandbox	862	862
H77	3524	Gray Mist	018	661
H77	3520	Stone Paver	401	401
H77	3521	Mountain Shadows	405	276

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Blackout				
H78	3522	Wispy Keys	785	785
H78	3502	Farina	785	785
H78	3503	Cashew Nut	862	862
H78	3505	Parmesan	862	862
H78	3523	Sandbox	862	862
H78	3524	Gray Mist	018	661
H78	3520	Stone Paver	401	401
H78	3521	Mountain Shadows	405	276

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" FIESTA Light Filtering				
H280	3706	Agua Dulce	685	661
H280	3702*	Aioli	862	862
H280	3701*	Arrowroot	661	661
H280	3721	Vienna	180	180
H280	3703	Linen Breeze	862	862
H280	3723	Pear	180	180
H280	3722	Stone Manor	276	276
H280	3720	Rattan	401	401

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" FIESTA- Blackout				
H281	3706	Agua Dulce	685	661
H281	3702*	Aioli	862	862
H281	3701*	Arrowroot	661	661
H281	3721	Vienna	180	180
H281	3703	Linen Breeze	862	862
H281	3723	Pear	180	180
H281	3722	Stone Manor	276	276
H281	3720	Rattan	401	401

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" MARCELLA Light Filtering				
H145	8720	Rowan	405	276
H145	8722	Tofu	862	862
H145	822	Grey Linen	401	401
H145	8721	Marble	018	661
H145	802*	Mountain Mist	862	862
H145	821	Pearly Beige	785	785
H145	8703	Serious Gray	276	276
H145	801*	Sugar Cane	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" MARCELLA Blackout				
H146	8720	Rowan	405	276
H146	8722	Tofu	862	862
H146	822	Grey Linen	401	401
H146	8721	Marble	018	661
H146	802*	Mountain Mist	862	862
H146	821	Pearly Beige	785	785
H146	8703	Serious Gray	276	276
H146	801*	Sugar Cane	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" RADIANCE Light Filtering				
HF8	445	Aged Brass	180	180
HF8	444	Aged Leather	810	810
HF8	921	Sandy Toes	206	862
HF8	458	Pewter	748	748
HF8	922	Weathered	206	862
HF8	920	Charcoal	276	276
HF8	454	Twilight	450	661
HF8	400	Vintage Lace	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" RADIANCE Blackout				
HF9	445	Aged Brass	180	180
HF9	444	Aged Leather	810	810
HF9	921	Sandy Toes	206	862
HF9	458	Pewter	748	748
HF9	922	Weathered	206	862
HF9	920	Charcoal	276	276
HF9	454	Twilight	450	661
HF9	400	Vintage Lace	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" COASTAL ALLURE- Light Filtering				
H198	3706	Agua Dulce	685	661
H198	3702*	Aioli	862	862
H198	3701*	Arrowroot	661	661
H198	3721	Vienna	180	180
H198	3703	Linen Breeze	862	862
H198	3723	Pear	180	180
H198	3722	Stone Manor	276	276
H198	3720	Rattan	401	401
H198	4837	Spring Leaves	135	661
H198	4839	Storm Clouds	276	276
H198	4840	Weathered Fence	810	810
H198	4841	Beach Bungalow	048	048

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" ENCHANTING ALLURE- Light Filtering				
H199	5270	Northern Lights	661	661
H199	5271	Sunshine	785	785
H199	5272	April Showers	206	862
H199	5273	Natural Pumice	180	180
H199	5274	Bunny Gray	401	401
H199	5275	Elegant Gray	276	276
H199	5276	Spa Day	018	661
H199	5277	Ocean	450	661
H199	5278	Honey Bun	882	882
H199	5279	Autumn Leaves	083	083
H199	5280	Rock Garden	689	810
H199	5281	Cozy Cabin	849	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" LANAI ALLURE- Light Filtering				
H197	6550	Bright Lights	018	661
H197	6551	Hint of Blue	018	661
H197	6552	Fade to Green	135	661
H197	6553	Ice Blue	685	661
H197	6554	Pale Khaki	180	180
H197	6555	Weathered Wood	810	810
H197	6556	Rainy Day	018	661
H197	6557	Gray Suit	276	276
H197	6558	Vintage Veil	878	661
H197	6559	Cocoa with Cream	083	083
H197	6560	Moon Landing	206	661
H197	6561	Park Bench	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" PEACEFUL ALLURE- Light Filtering				
H196	2243	Banana Bread	810	810
H196	2222	Barely Beige	785	785
H196	2270	Pelican	018	661
H196	2221	Drop of Sun	785	785
H196	2226	Fair Oaks	401	401
H196	2227	Fallen Leaves	180	180
H196	2271	Gray Wolf	276	276
H196	2272	Modest Gray	405	276
H196	2276	Raven	048	048
H196	2274	Lapis	450	661
H196	2240	Warm Sun	862	862
H196	2220	Zephyr	661	661

CODE KEY: HEADRAIL

OPTION = Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.
VA = Vertical Application shades

STACKING CHART

Pattern Name		48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop	144" Shade Drop
3/8" Bella Vista	H52	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Bella Vista Blackout	H55	3/4"	1-1/4"	1-3/8"	1-5/8"	N/A
3/8" Opulence	H40	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Opulence Blackout	H41	3/4"	1-1/4"	1-1/2"	1-3/4"	N/A
1/2" Marcella Double Cell	H47	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Opulence Double Cell	H39	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Radiance Double Cell	HF5	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
3/4" Bella Vista	H72	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Bella Vista Blackout	H75	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Cardiff	H91	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Fiesta	H80	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Fiesta Blackout	H81	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Linen	H27	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Linen Blackout	H327	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Marcella	H45	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Marcella Blackout	H46	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Mirada	H92	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Opulence	H28	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Opulence Blackout	H29	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Peaceful	H96	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Peaceful Allure Room Darkening	H96R	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Radiance	HF6	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Radiance Blackout	HF7	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR*	H62	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR Blackout*	H60	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Tiffany Sheer	H25	1-1/4"	1-1/4"	1-1/2"	1-3/4"	2-7/8"
3/4" Tranquility Semi-Sheer	H24	1-1/4"	1-3/4"	2-1/8"	2-5/8"	3-1/4"
3/4" Coastal Allure	H98	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Enchanting Allure	H99	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Lanai Allure	H97	1/2"	7/8"	1"	1-1/2"	1-3/4"
1-1/4" Bella Vista (max drop 108")	H77	5/8"	1"	1-1/8"	1-1/4"	N/A
1-1/4" Bella Vista Blackout (max drop 108")	H78	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
1-1/4" Fiesta (max drop 108")	H280	5/8"	1"	1-1/8"	1-1/4"	N/A
1-1/4" Fiesta Blackout (max drop 108")	H281	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Marcella	H145	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Marcella Blackout	H146	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Radiance	HF8	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Radiance Blackout	HF9	3/4"	1-1/8"	1-1/4"	1-3/4"	N/A
1-1/4" Coastal Allure	H198	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Enchanting Allure	H199	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Lanai Allure	H197	5/8"	1"	1-1/8"	1-5/8"	N/A
1-1/4" Peaceful Allure	H196	5/8"	1"	1-1/8"	1-5/8"	N/A
Coastal Allure - 2" Hybrid Pleat - Light Filtering	HP98	3/4"	1"	1-1/4"	1-1/2"	N/A
Enchanting Allure-2" Hybrid Pleat- Light Filtering	HP99	3/4"	1"	1-1/4"	1-1/2"	N/A
Lanai Allure-2" Hybrid Pleat- Light Filtering	HP97	3/4"	1"	1-1/4"	1-1/2"	N/A
Peaceful Allure - 2" Hybrid Pleat - Light Filtering	HP96	3/4"	1"	1-1/4"	1-1/2"	N/A

NOTE: Measurements listed are provided for reference, actual stack height may vary.


Hardware System	to be added
Lift & Lock - Deluxe Headrail	1-1/2"
Lift & Lock - Premium Headrail	2-1/2"
Cordless, Motorized	2"
1-1/4" Cordless, Motorized	2"

PRIVACY LIGHT BLOCK

Privacy Light Block

- Available in 5 colors: White, Gray, Vanilla, Bronze and Black
- Inside Mount Only

Surcharge applies; refer to price grids section.



GROUP 1
• 3/4" Radiance (HF6)

		WIDTH												
HEIGHT	GROUP 1	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
		36"	\$203	228	254	288	317	344	373	397	429	490	552	612
	42"	213	243	281	317	344	373	411	442	470	538	607	679	751
	48"	231	267	301	337	373	411	442	478	516	588	667	739	820
	54"	243	281	320	361	397	439	478	519	557	636	721	806	888
	60"	259	295	344	384	425	470	506	557	604	691	778	874	962
	66"	275	317	364	411	455	503	548	597	639	739	841	933	1034
	72"	288	332	384	436	487	534	584	636	686	791	894	999	1109
	78"	301	348	400	455	516	564	622	672	731	838	950	1063	1176
	84"	312	368	425	478	538	588	644	707	762	880	1002	1116	1242
	90"	324	381	442	503	564	625	683	747	806	933	1059	1179	1309
	96"	337	397	463	523	588	649	718	778	841	974	1109	1242	1377
	108"	368	429	499	568	644	712	778	856	930	1067	1214	1357	1508
	120"	389	467	548	622	697	772	852	930	1007	1157	1324	1483	1626

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 2
• 3/8" Bella Vista (H52) • 3/8" Opulence (H40)

		WIDTH															
HEIGHT	GROUP 2	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	
	36"	\$213	238	270	305	337	361	393	425	455	519	584	654	718	783	844	
	42"	228	259	295	332	361	397	436	467	499	572	644	718	794	865	937	
	48"	243	281	317	352	393	436	467	506	548	625	707	786	869	954	1031	
	54"	254	295	341	384	425	463	506	548	592	679	765	856	946	1034	1125	
	60"	270	312	361	400	450	499	544	588	636	734	823	924	1017	1120	1209	
	66"	292	337	384	436	482	534	581	628	679	783	894	987	1099	1201	1306	
	72"	305	348	400	458	516	564	622	672	726	841	954	1059	1176	1286	1395	
	78"	317	368	429	482	544	597	657	715	775	888	1010	1133	1246	1367	1487	
	84"	329	389	445	506	568	625	686	751	806	930	1063	1185	1320	1441	1571	
	90"	344	400	470	534	597	660	726	791	856	987	1120	1254	1391	1526	1660	
	96"	352	422	490	561	625	691	758	823	898	1034	1176	1314	1457	1593		
	108"	389	455	530	604	683	755	832	904	981							
	120"	411	490	576	657	743	820	901	987								

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.
CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**.....\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**.....\$50
 - **Angle Cut**add \$148
 - **Privacy Light Block**.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

GROUP 3

• 3/4" Marcella (H45)

WIDTH

HEIGHT

GROUP 3	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
36"	\$213	234	270	301	329	352	384	419	442	506	572	633	694	755	816	974
42"	228	259	292	329	361	397	429	467	499	568	636	707	778	852	924	1092
48"	238	275	317	352	389	425	463	499	538	612	694	765	848	930	1002	1196
54"	251	288	332	373	419	455	499	534	581	657	747	832	920	999	1085	1295
60"	270	312	361	400	445	490	534	581	628	718	813	901	1002	1092	1185	1408
66"	288	332	381	429	482	530	581	628	679	778	880	981	1085	1185	1286	1539
72"	305	344	400	455	506	557	612	664	718	823	933	1047	1148	1257	1361	1637
78"	320	373	436	490	548	604	657	718	778	894	1013	1133	1254	1371	1487	1778
84"	337	393	455	516	581	636	697	758	823	946	1070	1196	1330	1449	1579	1892
90"	348	414	478	548	612	679	739	806	877	1007	1140	1274	1408	1544	1677	2012
96"	364	429	499	568	639	707	775	848	920	1059	1201	1342	1487	1626	1766	2037
108"	393	467	548	622	697	772	848	930	1007	1157	1309	1468	1626	1778	1937	2326
120"	429	506	597	683	772	856	937	1023	1109	1277	1453	1626	1803	1973	2146	2578
132"	463	557	644	747	841	933	1023	1120	1214	1404	1593	1786	1983	2163	2363	
144"	487	588	694	794	894	994	1092	1196	1303	1508	1708	1913	2118	2323	2520	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 4

• Double Cell Radiance (HF5)

WIDTH

HEIGHT	GROUP 4	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	\$211	234	270	302	332	360	390	421	447	510	574	636	701
42"	229	257	293	332	362	398	428	467	501	570	644	715	789	
48"	238	284	317	357	394	424	467	501	544	617	697	776	852	
54"	254	289	334	378	421	460	498	541	583	664	752	839	926	
60"	274	312	362	406	452	495	537	587	633	720	818	911	1007	
66"	289	334	382	435	482	533	583	636	684	784	885	988	1092	
72"	306	350	406	460	510	563	614	666	720	828	942	1053	1162	
78"	324	378	437	495	552	605	664	720	784	900	1020	1138	1261	
84"	339	398	460	522	583	644	707	765	828	952	1085	1212	1338	
90"	350	413	482	552	617	680	744	815	882	1013	1146	1282	1425	
96"	365	435	501	574	649	715	784	852	921	1066	1212	1353	1496	
108"	398	467	552	622	707	779	852	935	1010	1166	1325	1479	1640	
120"	435	510	602	688	776	856	944	1034	1124	1288	1462	1640	1817	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Cordless Lift System* <ul style="list-style-type: none"> - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination) - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination) • Cordless Lift & Lock <ul style="list-style-type: none"> - Cordless Lift & Lock Two-On-One Headrail - Cordless Lift & Lock Three-On-One Headrail 	<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks <ul style="list-style-type: none"> - maximum of 3 spacer blocks per bracket • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$36 • Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$66 <ul style="list-style-type: none"> - Top-Down/Bottom-Up*add \$162 • Cordless Lift & Lock Premium Headrail Upgrade*add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) 	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$29 • 5' to 10' Cordless Extension Pole #400036-81511\$50 • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$148 • Privacy Light Block\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

GROUP 5

• Double Cell Marcella (H47)

		WIDTH														
HEIGHT	GROUP 5	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
	36"	\$223	247	285	317	348	377	411	442	470	538	604	667	739	797	865
42"	238	270	308	348	381	419	450	490	527	601	679	751	826	901	978	
48"	251	295	332	373	414	445	490	527	572	649	734	816	898	981	1059	
54"	267	305	352	397	442	482	523	568	612	697	791	880	974	1054	1148	
60"	288	329	381	425	475	519	564	617	664	758	859	958	1059	1153	1254	
66"	305	352	400	455	506	561	612	667	718	823	933	1037	1148	1254	1367	
72"	320	368	425	482	538	592	644	701	758	874	990	1109	1222	1330	1441	
78"	341	397	458	519	581	636	697	758	823	946	1073	1196	1327	1453	1575	
84"	358	419	482	548	612	679	743	806	874	1002	1140	1274	1408	1539	1677	
90"	368	436	506	581	649	715	783	856	930	1067	1204	1348	1497	1637		
96"	384	455	527	604	683	751	823	898	971	1120	1274	1425	1575			
108"	419	490	581	654	743	820	898	981	1063	1226	1391	1553				
120"	455	538	633	721	816	901	994	1089	1179	1357	1539					
132"	490	588	686	791	888	987	1089	1190	1286	1490						
144"	516	625	734	841	946	1054	1157	1271	1381	1593						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Cordless Lift System <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination) • Cordless Lift & Lock <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrail – Cordless Lift & Lock Three-On-One Headrail 	<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks <ul style="list-style-type: none"> – maximum of 3 spacer blocks per bracket • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
• Fabric-Wrapped Rail Option	add \$36
• Top-Down/Bottom-Up	add \$96
• Continuous Cord Loop*	add \$66
– Top-Down/Bottom-Up*	add \$162
• Cordless Lift & Lock Premium Headrail Upgrade*	add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)	
• 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091	\$29
• 5' to 10' Cordless Extension Pole #400036-81511	\$50
• TriLight Shades – see pages 29 and 45-49	
• Angle Cut	add \$148
• Privacy Light Block	\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 6

• 3/4" Bella Vista (H72) • 3/4" Cardiff (H91) • 3/4" Fiesta (H80) • 3/4" Linen (H27) • 3/4" Mirada (H92) • 3/4" Opulence (H28) • 3/4" Serene FR (H62)

WIDTH

HEIGHT	GROUP 6	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
	36"	\$243	275	312	348	384	419	450	487	519	592	672	743	816	888	958	1145
42"	267	301	341	384	425	463	499	544	584	664	751	832	920	1002	1085	1283	
48"	281	324	368	414	455	496	544	584	633	721	813	901	999	1092	1176	1404	
54"	295	337	384	439	487	534	581	628	679	772	877	974	1080	1173	1274	1523	
60"	317	364	422	470	523	572	628	683	734	841	954	1059	1176	1277	1388	1656	
66"	337	389	445	503	564	625	679	739	794	912	1034	1148	1274	1391	1514	1806	
72"	358	404	470	534	597	654	718	778	841	967	1096	1226	1352	1477	1600	1916	
78"	377	439	506	572	644	707	775	841	912	1051	1193	1327	1468	1610	1743	2091	
84"	389	458	534	604	679	751	823	894	967	1112	1263	1408	1562	1704	1850	2224	
90"	411	482	561	636	718	791	869	946	1023	1185	1334	1497	1656	1814	1970	2368	
96"	425	503	584	667	751	832	912	994	1073	1242	1412	1579	1743	1909	2074	2393	
108"	458	544	636	726	823	904	994	1092	1179	1361	1539	1724	1909	2091	2280	2736	
120"	503	597	697	797	901	1002	1099	1201	1303	1500	1704	1909	2118	2317	2520	3027	
132"	544	649	758	877	990	1092	1201	1314	1425	1647	1875	2099	2329	2544	2772		
144"	572	691	813	933	1051	1169	1283	1408	1529	1766	2003	2246	2493	2731	2963		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 7

• 3/4" Radiance Blackout (HF7)

WIDTH

HEIGHT	GROUP 7	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	\$257	285	324	364	401	432	466	503	539	613	695	765	849
42"	275	313	353	401	435	479	518	559	607	685	775	859	948	
48"	288	336	379	428	476	510	559	610	656	747	838	935	1034	
54"	304	350	404	456	503	550	607	651	701	801	908	1007	1117	
60"	329	375	435	487	543	592	648	708	760	872	986	1101	1213	
66"	350	409	463	522	583	642	701	760	821	948	1070	1193	1316	
72"	368	419	487	550	618	678	740	804	872	998	1133	1267	1401	
78"	387	456	525	592	666	733	804	872	948	1085	1237	1375	1521	
84"	409	479	550	624	701	775	853	924	998	1151	1302	1462	1616	
90"	425	503	583	663	744	821	898	983	1063	1224	1383	1549	1717	
96"	440	522	610	690	778	859	944	1029	1113	1288	1462	1637	1806	
108"	479	559	663	753	853	939	1029	1125	1221	1406	1598	1788	1977	
120"	522	618	726	828	935	1034	1141	1243	1352	1555	1763	1977	2192	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 8

• 1/2" Opulence (H39)

WIDTH

HEIGHT	GROUP 8	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
	36"	\$264	292	332	373	411	442	478	516	552	628	712	783	869	940	1013
42"	281	320	361	411	445	490	530	572	622	701	794	880	971	1059	1148	
48"	295	344	389	439	487	523	572	625	672	765	859	958	1059	1153	1246	
54"	312	358	414	467	516	564	622	667	718	820	930	1031	1145	1242	1348	
60"	337	384	445	499	557	607	664	726	778	894	1010	1128	1242	1357	1472	
66"	358	419	475	534	597	657	718	778	841	971	1096	1222	1348	1472	1603	
72"	377	429	499	564	633	694	758	823	894	1023	1160	1298	1435	1568	1698	
78"	397	467	538	607	683	751	823	894	971	1112	1267	1408	1558	1704	1850	
84"	419	490	564	639	718	794	874	946	1023	1179	1334	1497	1656	1806	1964	
90"	436	516	597	679	762	841	920	1007	1089	1254	1416	1587	1759	1920		
96"	450	534	625	707	797	880	967	1054	1140	1320	1497	1677	1850			
108"	490	572	679	772	874	962	1054	1153	1251	1441	1637	1831				
120"	534	633	743	848	958	1059	1169	1274	1385	1593	1806					
132"	572	691	806	930	1051	1157	1277	1391	1514	1749						
144"	604	734	859	990	1116	1238	1364	1493	1623	1875						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 9

• 3/4" Marcella Blackout (H46)

		WIDTH															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT	36"	\$260	294	329	364	404	440	476	510	550	624	708	787	867	948	1026	1224
	42"	281	317	359	401	440	487	522	567	610	701	787	876	971	1059	1148	1370
	48"	304	343	395	444	487	539	583	633	681	784	887	989	1101	1197	1299	1555
	54"	324	368	425	479	531	583	628	690	740	856	967	1082	1197	1306	1419	1698
	60"	353	391	452	510	567	621	678	740	804	924	1044	1167	1296	1419	1538	1851
	66"	368	415	479	543	610	669	729	796	859	989	1125	1261	1398	1525	1661	1994
	72"	391	444	515	586	656	722	787	862	932	1073	1224	1367	1516	1664	1806	2179
	78"	412	466	543	618	695	765	835	914	989	1148	1302	1458	1616	1771	1929	2322
	84"	428	491	570	656	733	807	879	971	1044	1217	1375	1545	1717	1881	2049	
	90"	452	522	610	690	775	862	944	1034	1120	1299	1475	1657	1839	2013	2196	
	96"	466	543	633	726	818	908	989	1085	1176	1362	1555	1744	1936	2133	2318	
	108"	503	589	695	793	898	993	1090	1197	1296	1503	1713	1923	2140	2349	2560	
	120"	543	639	747	859	998	1082	1193	1302	1415	1640	1868	2105	2336	2571		
	132"	586	695	818	939	1090	1176	1299	1423	1549	1795	2052	2306				
	144"	621	740	872	1003	1176	1272	1401	1533	1668	1936	2206	2484				

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 10

• 3/8" Bella Vista Blackout (H55) • 3/8" Opulence Blackout (H41)

WIDTH

HEIGHT

GROUP 10	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
36"	\$294	329	368	412	456	494	535	578	618	704	804	891	986	1070	1157
42"	317	353	404	452	497	547	589	639	690	787	891	989	1090	1197	1296
48"	343	391	447	503	550	607	656	716	772	883	1003	1120	1240	1352	1465
54"	364	415	476	539	598	651	713	778	835	964	1090	1224	1352	1478	1605
60"	401	440	510	578	639	704	765	835	908	1041	1185	1320	1462	1605	1735
66"	415	466	539	610	685	753	824	898	971	1120	1272	1423	1579	1724	1875
72"	440	503	583	656	737	818	891	975	1048	1217	1383	1545	1717	1878	2045
78"	463	525	610	698	778	867	948	1034	1120	1293	1475	1646	1831	2002	2179
84"	484	555	645	737	824	911	993	1090	1185	1370	1555	1744	1936	2125	2314
90"	510	589	690	778	876	971	1066	1167	1264	1465	1668	1871	2077	2279	2484
96"	525	610	716	821	924	1022	1120	1227	1331	1542	1755	1970	2186	2406	2618
108"	570	663	778	895	1010	1120	1233	1352	1462	1695	1936	2176	2414	2653	2893
120"	610	722	845	971	1125	1221	1344	1478	1598	1854	2112	2378	2642	2905	3204

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down & Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - **Top-Down/Bottom-Up***add \$162
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 11
 • 3/4" Bella Vista Blackout (H75) • 3/4" Fiesta Blackout (H81) • Linen Blackout (H327) • 3/4" Opulence Blackout (H29) • 3/4" Serene FR Blackout (H60)

		WIDTH															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT	36"	\$304	339	383	428	470	515	555	603	642	733	835	924	1026	1113	1201	1437
	42"	329	368	419	470	518	570	613	663	716	821	924	1029	1133	1243	1348	1611
	48"	356	409	463	522	574	628	681	744	804	917	1041	1164	1288	1406	1525	1831
	54"	375	432	494	559	621	681	740	812	867	1003	1133	1272	1406	1538	1668	2002
	60"	415	459	531	603	666	733	796	872	944	1085	1233	1375	1516	1668	1806	2176
	66"	432	487	559	633	713	784	856	935	1010	1164	1324	1482	1640	1791	1950	2346
	72"	459	522	607	685	765	849	924	1013	1090	1264	1437	1608	1788	1953	2125	2560
	78"	484	547	633	726	812	898	983	1073	1164	1344	1533	1713	1900	2080	2267	2731
	84"	503	574	669	765	859	948	1034	1133	1233	1426	1621	1815	2016	2206	2406	
	90"	531	613	716	812	911	1010	1109	1217	1316	1525	1732	1945	2161	2366	2583	
	96"	547	633	744	853	957	1063	1164	1278	1383	1602	1826	2049	2273	2502	2721	
	108"	589	690	812	932	1048	1167	1278	1406	1521	1763	2013	2262	2508	2759	3007	
	120"	633	747	879	1010	1167	1267	1398	1533	1661	1929	2196	2472	2749	3020		
	132"	685	812	957	1106	1278	1387	1530	1671	1818	2112	2410	2706				
144"	729	867	1026	1176	1387	1492	1646	1802	1956	2273	2596	2921					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, AND SEMI-SHEER FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 12

• 3/4" Coastal Allure (H98) • 3/4" Enchanting Allure (H99) • 3/4" Lanai Allure (H97)
 • 3/4" Peaceful Allure (H96) • 3/4" Tiffany (H25) • 3/4" Tranquility (H24)

		WIDTH															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT	GROUP 12																
	36"	\$373	419	467	523	576	628	679	734	786	898	1017	1133	1254	1364	1472	1766
	42"	400	450	516	572	636	694	751	813	877	1002	1133	1263	1391	1523	1647	1973
	48"	436	496	568	636	701	772	838	908	981	1128	1274	1425	1579	1721	1866	2240
	54"	463	527	604	683	758	838	908	990	1063	1226	1388	1553	1721	1878	2042	2452
	60"	506	561	649	734	813	898	974	1067	1153	1327	1508	1683	1860	2042	2213	2666
	66"	527	592	686	775	877	962	1047	1140	1234	1425	1620	1814	2009	2196	2386	2869
	72"	561	636	743	841	937	1042	1133	1242	1334	1550	1766	1970	2188	2390	2602	3134
	78"	588	667	775	883	994	1099	1201	1314	1425	1644	1875	2099	2329	2547	2776	3343
	84"	612	707	823	937	1051	1157	1271	1391	1508	1743	1983	2220	2469	2704	2949	3555
	90"	649	751	877	990	1116	1238	1361	1490	1610	1866	2123	2382	2643	2902	3163	3820
	96"	667	775	908	1042	1173	1298	1425	1568	1694	1960	2237	2508	2788	3064	3336	4033
	108"	721	844	994	1140	1286	1428	1571	1721	1863	2160	2464	2769	3073	3382	3687	4446
	120"	775	920	1073	1234	1432	1553	1708	1878	2034	2363	2692	3027	3369	3697	4085	4931
132"	841	994	1176	1352	1571	1701	1875	2051	2229	2586	2949	3316	3694	4060	4487		
144"	894	1063	1254	1441	1701	1831	2021	2205	2399	2785	3178	3576	3953	4361	4803		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 36 for details)
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Top-Down/Bottom-Up**add \$96
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22
 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Angle Cut**add \$148
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES.
 COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 13

• 3/4" Peaceful Allure Room Darkening (H96R)

WIDTH

HEIGHT

GROUP 13	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"
36"	\$466	524	584	654	721	785	849	917	983	1122	1272	1416
42"	500	563	644	715	795	868	938	1016	1096	1252	1416	1579
48"	545	620	710	795	877	965	1047	1135	1226	1410	1592	1781
54"	579	659	755	853	948	1047	1135	1238	1328	1533	1735	1941
60"	633	701	811	917	1016	1122	1218	1334	1441	1659	1885	2104
66"	659	740	857	969	1096	1202	1309	1425	1542	1781	2025	2268
72"	701	795	929	1051	1171	1302	1416	1553	1667	1937	2208	2462
78"	735	833	969	1104	1243	1374	1502	1642	1781	2055	2344	2624
84"	765	883	1029	1171	1314	1446	1588	1739	1885	2179	2479	2775
90"	811	938	1096	1238	1395	1547	1701	1862	2012	2332	2654	2978
96"	833	969	1135	1302	1466	1622	1781	1960	2117	2450	2796	3136
108"	902	1055	1243	1425	1608	1785	1964	2151	2328	2700	3080	3461
120"	969	1150	1341	1542	1790	1941	2135	2348	2542	2953	3365	3784

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override - see Hardware Color Chart on page 3 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Top-Down/Bottom-Up*add \$96
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 14
 • 1-1/4" Radiance Light Filtering (HF8)

WIDTH

HEIGHT

GROUP 14	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$233	262	292	331	365	396	429	456	494	564	635	704	781
42"	245	279	324	365	396	429	472	508	541	618	698	781	863
48"	266	307	347	388	429	472	508	549	593	676	767	850	943
54"	279	324	368	415	456	505	549	597	640	732	830	927	1022
60"	298	339	396	442	489	541	582	640	694	795	895	1005	1106
66"	316	365	419	472	523	578	630	687	735	850	967	1073	1189
72"	331	382	442	501	560	615	671	732	788	909	1028	1148	1275
78"	347	400	460	523	593	648	715	773	840	964	1093	1222	1352
84"	359	423	489	549	618	676	740	813	877	1012	1152	1284	
90"	373	438	508	578	648	718	785	859	927	1073	1218		
96"	388	456	533	601	676	746	826	895	967	1121	1275		
108"	423	494	574	653	740	819	895	984	1070	1227	1396		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
 - Two-On-One Headrail* price as 2 separate shades (not available in Top-Down/Bottom-Up)
- Color-Coordinated Rails
- 3" Extension Bracket
- Hardware Color Override - see Hardware Color Chart on page 3 for available colors
- Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Top-Down/Bottom-Up*add \$96
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

GROUP 15
 • 1-1/4" Marcella Light Filtering (H145)

WIDTH

HEIGHT	GROUP 15													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
36"	\$245	269	310	347	378	405	442	482	508	582	658	728	798	
42"	262	298	336	378	415	456	494	537	574	653	732	813	895	
48"	274	316	365	405	447	489	533	574	618	704	798	880	976	
54"	289	331	382	429	482	523	574	615	668	756	859	956	1058	
60"	310	359	415	460	512	564	615	668	722	826	935	1036	1152	
66"	331	382	438	494	554	610	668	722	781	895	1012	1128	1247	
72"	350	396	460	523	582	640	704	763	826	947	1073	1204	1320	
78"	368	429	501	564	630	694	756	826	895	1028	1165	1303	1442	
84"	388	452	523	593	668	732	802	872	947	1088	1230	1375		
90"	400	476	549	630	704	781	850	927	1008	1158	1311			
96"	419	494	574	653	735	813	891	976	1058	1218	1381			
108"	452	537	630	715	802	888	976	1070	1158	1331	1506			

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Continuous Cord Loop***add \$66
 - Top-Down/Bottom-Up*add \$162
 - **Cordless Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**.....\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**.....\$50
 - **TriLight Shades** – see pages 42 and 43-47
 - **Privacy Light Block**.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

NOTE: A control option must be selected.

GROUP 16
 • 1-1/4" Bella Vista Light Filtering (H77) • 1-1/4" Fiesta Light Filtering (H280)

		WIDTH												
GROUP 16		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT	36"	\$279	316	359	400	442	482	518	560	597	681	773	855	938
	42"	307	347	392	442	489	533	574	625	671	763	863	956	1058
	48"	324	373	423	476	523	570	625	671	728	830	935	1036	1148
	54"	339	388	442	505	560	615	668	722	781	888	1008	1121	1243
	60"	365	419	485	541	601	658	722	785	844	967	1098	1218	1352
	66"	388	447	512	578	648	718	781	850	913	1049	1189	1320	1465
	72"	412	465	541	615	687	752	826	895	967	1112	1261	1410	1555
	78"	433	505	582	658	740	813	891	967	1049	1209	1372	1526	1688
	84"	447	526	615	694	781	863	947	1028	1112	1279	1453	1619	
	90"	472	554	645	732	826	909	1000	1088	1176	1363	1534		
	96"	489	578	671	767	863	956	1049	1144	1234	1428	1624		
	108"	526	625	732	834	947	1040	1144	1256	1356	1565	1770		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Continuous Cord Loop***add \$66
 - **Top-Down/Bottom-Up***add \$162
 - **Cordless Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 29 and 45-49
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 17

• 1-1/4" Radiance Blackout (HF9)

WIDTH

HEIGHT

GROUP 17	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$291	328	365	414	456	495	536	571	617	705	794	880	977
42"	306	349	405	456	495	536	590	635	676	773	872	977	1079
48"	332	383	433	485	536	590	635	687	741	845	958	1063	1179
54"	349	405	460	519	571	631	687	746	800	915	1037	1159	1277
60"	373	424	495	552	611	676	728	800	868	993	1118	1256	1383
66"	395	456	524	590	654	723	788	859	919	1063	1209	1342	1487
72"	414	477	552	626	700	768	839	915	986	1137	1284	1435	1594
78"	433	500	575	654	741	811	894	966	1051	1204	1366	1527	1691
84"	448	528	611	687	773	845	925	1016	1096	1265	1440	1604	
90"	466	548	635	723	811	898	981	1073	1159	1342	1523		
96"	485	571	666	752	845	933	1032	1118	1209	1401	1594		
108"	528	617	717	817	925	1023	1118	1230	1337	1534	1745		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- Cordless Lift System*
- Cordless Lift & Lock
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks
 - maximum of 3 spacer blocks per bracket
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Cordless Lift & Lock Premium Headrail Upgrade*add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511.....\$50
 - Privacy Light Block.....\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 18

• 1-1/4" Marcella Blackout (H146)

WIDTH

HEIGHT

GROUP 18	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$306	337	388	433	472	506	552	602	635	728	823	910	998
42"	328	373	420	472	519	571	617	672	717	817	915	1016	1118
48"	343	395	456	506	558	611	666	717	773	880	998	1100	1220
54"	361	414	477	536	602	654	717	768	835	945	1073	1195	1322
60"	388	448	519	575	640	705	768	835	903	1032	1168	1295	1440
66"	414	477	548	617	693	762	835	903	977	1118	1265	1410	1559
72"	438	495	575	654	728	800	880	954	1032	1183	1342	1505	1650
78"	460	536	626	705	788	868	945	1032	1118	1284	1457	1629	1802
84"	485	565	654	741	835	915	1002	1090	1183	1360	1538	1719	
90"	500	595	687	788	880	977	1063	1159	1260	1447	1639		
96"	524	617	717	817	919	1016	1114	1220	1322	1523	1727		
108"	565	672	788	894	1002	1109	1220	1337	1447	1663	1882		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Continuous Cord Loop***add \$66
 - **Top-Down/Bottom-Up***add \$162
 - **Cordless Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
 - **Premium Headrail Upgrade***add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**.....\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 42 and 43-47
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 19

• 1-1/4" Bella Vista Blackout (H78) • 1-1/4" Fiesta Blackout (H281)

WIDTH

HEIGHT

GROUP 19	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$349	395	448	500	552	602	648	700	746	851	966	1069	1173
42"	383	433	491	552	611	666	717	782	839	954	1079	1195	1322
48"	405	466	528	595	654	712	782	839	910	1037	1168	1295	1435
54"	424	485	552	631	700	768	835	903	977	1109	1260	1401	1553
60"	456	524	607	676	752	823	903	981	1055	1209	1372	1523	1691
66"	485	558	640	723	811	898	977	1063	1141	1312	1487	1650	1831
72"	515	581	676	768	859	940	1032	1118	1209	1390	1576	1763	1944
78"	542	631	728	823	925	1016	1114	1209	1312	1511	1715	1908	2110
84"	558	658	768	868	977	1079	1183	1284	1390	1598	1816	2024	
90"	590	693	806	915	1032	1137	1250	1360	1470	1704	1917		
96"	611	723	839	958	1079	1195	1312	1429	1543	1786	2030		
108"	658	782	915	1043	1183	1300	1429	1570	1695	1956	2213		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - **Cordless Lift & Lock Two-On-One Headrail**
 - **Cordless Lift & Lock Three-On-One Headrail**
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Continuous Cord Loop***add \$66
 - **Top-Down/Bottom-Up***add \$162
 - **Cordless Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
 - **Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**.....\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 42 and 43-47
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 20

• 1-1/4" Coastal Allure (H198) • 1-1/4" Enchanting Allure (H199) • 1-1/4" Lanai Allure (H197) • 1-1/4" Peaceful Allure (H196)

WIDTH

HEIGHT

GROUP 20	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$429	482	537	601	663	722	781	844	904	1032	1170	1303	1442
42"	460	518	593	658	732	798	863	935	1008	1152	1303	1453	1600
48"	501	570	653	732	807	888	964	1044	1128	1297	1465	1639	1816
54"	533	606	694	785	872	964	1044	1139	1222	1410	1596	1786	1979
60"	582	645	746	844	935	1032	1121	1227	1326	1526	1734	1936	2138
66"	606	681	788	891	1008	1106	1204	1311	1419	1639	1863	2087	2310
72"	645	732	855	967	1077	1198	1303	1428	1534	1782	2031	2265	2516
78"	676	767	891	1016	1144	1264	1381	1511	1639	1891	2157	2414	2678
84"	704	813	947	1077	1209	1331	1461	1600	1734	2004	2281	2553	2839
90"	746	863	1008	1139	1284	1424	1565	1713	1851	2146	2442	2740	
96"	767	891	1044	1198	1349	1492	1639	1803	1948	2254	2572	2885	
108"	830	971	1144	1311	1479	1642	1806	1979	2142	2484	2834		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$36
 - **Continuous Cord Loop***add \$66
 - **Top-Down/Bottom-Up***add \$162
 - **Cordless Top-Down/Bottom-Up***add \$96
 - **Cordless Lift & Lock Top-Down/Bottom-Up***add \$96
 - **Premium Headrail Upgrade***add \$22
(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213_TEP-2L13091**.....\$29
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **TriLight Shades** – see pages 42 and 43-47
 - **Privacy Light Block**\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 21

• Coastal Allure - Hybrid Pleat (HP98) • Enchanting Allure - Hybrid Pleat (HP99) • Lanai Allure - Hybrid Pleat (HP97) • Peaceful Allure - Hybrid Pleat (HP96)

WIDTH

HEIGHT	GROUP 21	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	\$400	456	490	544	584	628	664	794	841	930	1017	1214	1412
42"	436	475	516	568	612	660	697	844	894	987	1085	1295	1508	
48"	445	490	534	597	683	694	739	888	946	1047	1145	1377	1593	
54"	467	509	557	622	694	721	775	937	990	1105	1214	1445	1680	
60"	482	536	581	654	739	765	806	987	1042	1179	1292	1529	1783	
66"	516	574	622	679	743	791	848	1034	1089	1222	1352	1607	1863	
72"	530	590	636	701	758	832	894	1085	1145	1295	1421	1686	1863	
78"	612	684	758	823	894	978	1047	1120	1190	1338	1487	1762		
84"	628	704	775	848	930	1017	1089	1164	1242	1401	1553			
90"	654	728	797	883	962	1051	1133	1214	1295	1461	1617			
96"	667	747	832	908	994	1092	1173	1263	1342	1514				
108"	739	831	930	1031	1133	1242	1342	1441	1547					
120"	797	917	1034	1145	1267	1391	1511	1626	1743					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Cordless Lift System***
 - **Two-On-One Headrail*** price as 2 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
- **Cordless Lift & Lock**
 - Cordless Lift & Lock Two-On-One Headrail
 - Cordless Lift & Lock Three-On-One Headrail
- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks**
 - maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$36
 - Continuous Cord Loop*add \$66
 - Top-Down/Bottom-Up*add \$162
 - Cordless Top-Down/Bottom-Up*add \$96
 - Cordless Lift & Lock Top-Down/Bottom-Up*add \$96
 - Premium Headrail Upgrade*add \$22 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$29
 - 5' to 10' Cordless Extension Pole #400036-81511\$50
 - TriLight Shades – see pages 42 and 43-47
 - Privacy Light Block\$50

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

TRILIGHT SHEER

• Carousel Sheer (P32) • Lyssa Sheer (P04) • Nova Sheer (P33) • Willa Sheer (P05) (83")

WIDTH

HEIGHT

Trilight Sheer	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
36"	\$91	101	118	126	143	154	166	177	193	215	243
42"	96	111	126	143	154	166	181	197	208	239	270
48"	104	118	136	151	166	181	197	212	228	264	299
54"	111	126	143	162	177	197	212	231	243	283	321
60"	118	136	154	174	189	208	228	243	267	305	344
66"	122	143	166	181	204	223	243	264	283	325	369
72"	126	151	174	193	215	235	258	283	305	350	398
78"	136	154	177	201	228	250	273	299	321	369	422
84"	140	166	189	212	235	264	286	312	334	385	440
90"	146	174	197	223	250	278	302	328	355	410	464
96"	151	177	204	235	264	286	318	344	369	429	487

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color-Coordinated Rails

CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System
- Cordless Lift System
- Continuous Cord Loopadd \$60
- Bliss Automation - see Automation price grid for surcharge and additional options

OPTIONS: EXTRA CHARGE

- Fabric wrapped rail option.....add \$36
- Privacy Light Block.....\$50

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

VERTICAL APPLICATION A

• 3/4" Marcella (H45) • 3/4" Radiance (HF6)

• 1-1/4" Marcella (H145) • 1-1/4" Radiance HF8

		WIDTH																
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT	36"	\$581	625	680	726	775	824	877	924	975	1067	1161	1247	1331	1409	1490	1575	1669
	42"	613	672	731	791	842	898	962	1011	1063	1173	1264	1353	1449	1529	1637	1730	1842
	48"	655	719	784	849	905	968	1028	1100	1148	1268	1364	1458	1587	1661	1770	1851	1977
	54"	686	766	838	905	972	1028	1092	1153	1214	1331	1436	1550	1665	1775	1876	1993	2114
	60"	726	807	889	968	1028	1092	1158	1227	1292	1417	1540	1661	1787	1897	2022	2147	2287
	66"	772	852	934	1023	1097	1158	1231	1307	1368	1511	1645	1775	1909	2026	2171	2302	2469
	72"	813	901	991	1085	1158	1223	1292	1389	1454	1604	1750	1884	2031	2163	2318	2465	2634
	78"	856	947	1047	1133	1209	1274	1357	1449	1519	1677	1839	1977	2131	2277	2433	2594	2777
	84"	898	995	1100	1190	1274	1353	1433	1529	1604	1775	1941	2099	2253	2404	2578	2744	2943
	90"	934	1042	1145	1238	1331	1417	1501	1607	1687	1866	2051	2214	2383	2545	2721	2903	3106
	96"	975	1089	1190	1287	1381	1468	1563	1677	1759	1944	2135	2302	2489	2663	2838	3033	3233
108"	1055	1176	1287	1396	1498	1601	1716	1835	1932	2131	2344	2536	2737	2927	3125	3349	3585	
120"	1133	1268	1433	1550	1661	1775	1903	2034	2142	2347	2594	2805	3020	3230	3439	3683	3919	

VERTICAL APPLICATION B

• 3/4" Bella Vista (H72) • 3/4" Cardiff (H91) • 3/4" Fiesta (H80) • 3/4" Linen (H27) • 3/4" Mirada (H92) • 3/4" Opulence (H28) • 3/4" Serene FR (H62)

• 3/4" Marcella Blackout (H46) • 3/4" Radiance Blackout (HF7)

• 1-1/4" Bella Vista (H77) • 1-1/4" Fiesta (H280)

• 1-1/4" Marcella Blackout (H146) • 1-1/4" Radiance Blackout (HF9)

		WIDTH																
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT	36"	\$680	731	797	856	909	972	1028	1089	1148	1254	1364	1468	1563	1651	1750	1846	1961
	42"	722	787	856	924	987	1052	1121	1190	1251	1377	1483	1587	1701	1798	1921	2031	2163
	48"	766	842	920	995	1060	1137	1205	1292	1349	1487	1604	1709	1863	1947	2079	2177	2318
	54"	807	898	978	1063	1141	1205	1277	1357	1425	1563	1684	1823	1961	2083	2205	2344	2484
	60"	856	947	1042	1133	1205	1277	1364	1436	1515	1665	1806	1953	2099	2230	2375	2520	2682
	66"	905	1002	1100	1202	1287	1364	1445	1540	1610	1775	1938	2087	2246	2383	2548	2707	2903
	72"	958	1055	1161	1274	1361	1433	1519	1627	1705	1884	2058	2214	2383	2540	2721	2894	3103
	78"	1002	1109	1227	1328	1421	1498	1593	1701	1787	1970	2157	2326	2505	2670	2860	3049	3261
	84"	1052	1165	1287	1396	1494	1587	1684	1795	1879	2083	2280	2469	2655	2827	3033	3230	3463
	90"	1100	1223	1342	1458	1563	1661	1770	1893	1984	2196	2407	2602	2801	2989	3197	3415	3650
	96"	1145	1274	1396	1511	1621	1730	1839	1964	2066	2287	2509	2713	2927	3125	3336	3565	3800
108"	1238	1381	1515	1642	1759	1879	2022	2157	2274	2505	2757	2985	3215	3439	3680	3939	4210	
120"	1328	1487	1684	1823	1947	2083	2237	2383	2520	2760	3049	3296	3549	3795	4043	4330	4609	

****IMPORTANT NOTE:****
 3/4" Serene FR Light Filtering (H62) fabric does not meet the NFPA 701 flammability requirements when used in a Vertical Application.

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening)Price as two separate shades
- Center Stack.....add \$63 each
- Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

VERTICAL APPLICATION C

• 3/4" Bella Vista Blackout (H75) • 3/4" Fiesta Blackout (H81) • 3/4" Linen Blackout (H327) • 3/4" Opulence Blackout (H29) • 3/4" Serene FR Blackout (H60)
 • 1-1/4" Bella Vista Blackout (H78) • 1-1/4" Fiesta Blackout (H281)

		WIDTH																
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT	Vertical App C																	
	36"	\$784	866	962	1042	1109	1158	1231	1298	1364	1498	1624	1792	1927	2066	2214	2354	2452
	42"	852	947	1047	1121	1196	1264	1338	1417	1494	1642	1775	1957	2111	2274	2436	2594	2713
	48"	920	1011	1109	1196	1274	1349	1433	1519	1604	1767	1921	2114	2287	2465	2639	2817	2946
	54"	981	1089	1190	1287	1372	1464	1553	1651	1740	1924	2091	2312	2502	2693	2894	3084	3237
	60"	1052	1148	1271	1372	1464	1559	1661	1770	1866	2066	2246	2481	2693	2903	3122	3330	3504
	66"	1109	1214	1349	1464	1559	1661	1762	1888	1990	2210	2407	2660	2883	3115	3349	3573	3754
	72"	1173	1277	1417	1550	1651	1762	1876	2001	2111	2350	2567	2838	3081	3326	3585	3828	4034
	78"	1231	1338	1498	1637	1743	1863	1990	2124	2240	2502	2721	3010	3276	3546	3813	4071	4296
	84"	1287	1404	1568	1712	1832	1953	2095	2233	2363	2634	2880	3182	3467	3743	4034	4316	4554
	90"	1342	1468	1645	1798	1921	2058	2210	2347	2489	2777	3037	3359	3659	3954	4267	4564	4817
	96"	1401	1540	1712	1888	2004	2160	2318	2473	2619	2923	3197	3546	3856	4173	4494	4811	5087
108"	1519	1669	1863	2043	2163	2368	2533	2707	2854	3185	3486	3860	4216	4564	4922	5270	5578	
120"	1684	1876	2074	2277	2407	2623	2805	2999	3163	3512	3856	4267	4652	5038	5428	5817	6158	

****IMPORTANT NOTE:****
 3/4" Serene FR Blackout (H60) fabric does not meet the NFPA 701 flammability requirements when used in a Vertical Application.

VERTICAL APPLICATION D

• 3/4" Coastal Allure (H98) • 3/4" Enchanting Allure (H99) • 3/4" Lanai Allure (H97) • 3/4" Peaceful Allure (H96)
 • 1-1/4" Peaceful Allure (H196)

		WIDTH																
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT	Vertical App D																	
	36"	\$889	978	1085	1176	1251	1307	1385	1464	1544	1687	1835	2022	2177	2329	2502	2660	2769
	42"	968	1067	1180	1268	1353	1425	1515	1601	1687	1857	2004	2210	2383	2567	2753	2930	3060
	48"	1042	1141	1254	1353	1441	1523	1621	1716	1810	1993	2168	2386	2587	2785	2985	3179	3330
	54"	1109	1231	1349	1458	1550	1651	1759	1863	1964	2171	2363	2607	2827	3041	3272	3483	3654
	60"	1186	1298	1433	1550	1656	1762	1871	1998	2111	2335	2536	2801	3041	3280	3528	3761	3958
	66"	1254	1368	1519	1656	1762	1879	1990	2128	2246	2497	2718	3003	3257	3517	3780	4037	4247
	72"	1325	1441	1604	1750	1866	1990	2118	2260	2383	2655	2903	3207	3483	3754	4047	4324	4554
	78"	1392	1515	1694	1846	1973	2107	2250	2400	2533	2827	3074	3398	3703	4003	4308	4599	4851
	84"	1454	1587	1770	1938	2066	2210	2368	2520	2666	2976	3252	3597	3919	4230	4557	4875	5144
	90"	1519	1661	1860	2031	2168	2326	2497	2650	2812	3139	3430	3795	4133	4470	4817	5152	5445
	96"	1583	1734	1938	2128	2265	2441	2619	2798	2957	3305	3609	4003	4356	4714	5079	5437	5745
108"	1712	1884	2107	2307	2448	2675	2863	3056	3224	3602	3942	4364	4759	5157	5562	5957	6300	
120"	1903	2114	2344	2573	2718	2964	3171	3391	3573	3966	4356	4817	5259	5693	6134	6575	6962	

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening)Price as two separate shades
- Center Stack.....add \$63 each
- Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

VERTICAL APPLICATION E

• Peaceful Allure - Hybrid Pleat (HP96)

WIDTH

HEIGHT

Vertical App E	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	\$874	1038	1042	1100	1141	1218	1264	1473	1529	1642	1716	2001	2253
42"	987	1060	1081	1133	1190	1247	1307	1523	1583	1705	1783	2051	2318
48"	1032	1092	1109	1196	1307	1325	1368	1624	1665	1795	1888	2163	2481
54"	1070	1158	1165	1247	1357	1364	1417	1677	1734	1857	1944	2246	2533
60"	1074	1190	1193	1307	1409	1413	1464	1730	1787	1927	2034	2344	2646
66"	1158	1264	1268	1338	1409	1441	1494	1787	1832	1970	2099	2414	2727
72"	1186	1320	1320	1396	1433	1515	1568	1879	1921	2099	2220	2533	2869
78"	1368	1494	1519	1583	1645	1721	1787	1876	1927	2087	2233	2564	2887
84"	1404	1535	1563	1637	1705	1787	1851	1944	2009	2171	2329	2670	2999
90"	1458	1590	1593	1669	1737	1835	1917	2009	2079	2246	2414	2769	3115
96"	1487	1637	1645	1712	1783	1897	1964	2058	2142	2315	2481	2847	3211
108"	1645	1832	1835	1924	2019	2131	2260	2368	2469	2682	2903	3312	3726
120"	1762	1980	2058	2163	2270	2407	2536	2679	2801	3037	3293	3754	4202

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening)Price as two separate shades
- Center Stack.....add \$63 each
- Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

3/4" Fabrics			Double Cell Fabrics	3/8" Fabrics
Light Filtering	Blackout	Sheer / Semi-Sheer		
- 3/4" Bella Vista (H72)	- 3/4" Bella Vista Blackout (H75)	- 3/4" Tiffany Sheer (H25)	- Marcella (H47)	- 3/8" Bella Vista (H52)
- 3/4" Cardiff (H91)		- 3/4" Tranquility Semi-Sheer (H24)	- Opulence (H39)	- 3/8" Bella Vista Blackout (H55)
- 3/4" Fiesta (H80)	- 3/4" Fiesta Blackout (H81)		- Radiance (HF5)	- 3/8" Opulence (H40)
- 3/4" Linen (H27)	- 3/4" Linen Blackout (H327)			- 3/8" Opulence Blackout (H41)
- 3/4" Marcella (H45)	- 3/4" Marcella Blackout (H46)			
- 3/4" Mirada (H92)				
- 3/4" Opulence (H28)	- 3/4" Opulence Blackout (H29)			
- 3/4" Peaceful (H96)				
- 3/4" Radiance (HF6)	- 3/4" Radiance Blackout (HF7)			
- 3/4" Serene FR (H62)	- 3/4" Serene FR Blackout (H60)			

SKYLIGHTS

		WIDTH								
		24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT	36"	\$413	468	522	583	628	699	750	812	857
	42"	433	495	564	625	692	753	815	866	919
	48"	456	530	596	664	750	809	884	951	1000
	54"	490	564	640	712	809	853	951	1012	1079
	60"	501	599	677	760	870	928	1016	1098	
	66"	534	628	719	812	916	980	1067		
	72"	557	661	760	850	958	1033	1131		

↖ Skylight with Automation Maximum Width: 48"

OPTIONS: EXTRA CHARGE	
• Classic Skylight Extension Pole (extends 5' to 10') (Part #400036-81511)	\$50

To price Skylight with Bliss Automation or SOMFY Automation, add the price of the Skylight from the appropriate grid to the applicable Automation pricing

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

3/4" Fabrics			Double Cell Fabrics	3/8" Fabrics
Light Filtering	Blackout	Sheer / Semi-Sheer		
- 3/4" Bella Vista (H72)	- 3/4" Bella Vista Blackout (H75)	- 3/4" Tiffany Sheer (H25)	- Marcella (H47)	- 3/8" Bella Vista (H52)
- 3/4" Cardiff (H91)			- Opulence (H39)	- 3/8" Bella Vista Blackout (H55)
- 3/4" Fiesta (H80)	- 3/4" Fiesta Blackout (H81)		- Radiance (HF5)	- 3/8" Opulence (H40)
- 3/4" Linen (H27)	- 3/4" Linen Blackout (H327)			- 3/8" Opulence Blackout (H41)
- 3/4" Marcella (H45)	- 3/4" Marcella Blackout (H46)			
- 3/4" Mirada (H92)				
- 3/4" Opulence (H28)	- 3/4" Opulence Blackout (H29)			
- 3/4" Radiance (HF6)	- 3/4" Radiance Blackout (HF7)			
- 3/4" Serene FR (H62)	- 3/4" Serene FR Blackout (H60)			

ARCHES

ARCHES										
WIDTH										
ARCHES	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"
Stationary	\$174	197	223	264	302	344	398	452	509	649
Movable*	250	286	325	369	425	490	553	622	699	916

*Specify Fan-Fold or Top-Down Movable Arch when ordering

3/8", Double Cell and 3/4" Blackout N/A in these sizes

NOTE: 2" HYBRID PLEAT, 3/4" SEMI-SHEER, AND 3/4" PEACEFUL ARE NOT AVAILABLE AS ARCHES

OPTIONS: EXTRA CHARGE


- **Movable Arch Extension Pole** (extends 18"-36")
Part #24-213_TEP-2L13091.....\$29
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles. Single handle available*, must be selected during order entry.
*Single handle option over 42" in width is not available with 3/8" fabric
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Honeycomb Fabrics	1-1/4" Fabrics	
Min. Width (net)	16"	16"	16"
Max. Width	120"	120"	120"
Max. Width – End Mount	48"	N/A	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	70	60	60

**H81 3/4" Fiesta BO Max Width 84"; Max square footage is 40

NOTE: Cordless Lift not available with 3/8" blackout fabric

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Honeycomb Fabrics	1-1/4" Fabrics	
Min. Width (net)	16"	18"	16"
Max. Width	120"	96"	120"
Max. Width – End Mount	48"	N/A	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	70	56	60

* Cordless Lift Top-Down/Bottom-Up is not available with 3/8" blackout

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS	
	Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 1/2" double cell, 1-1/4", 2" Hybrid Pleat

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS TWO-ON-ONE – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Honeycomb Fabrics	1-1/4" Fabrics	
Min Width (per panel)	16"	16"	16"
Min Width (overall)	32"	32"	32"
Max Width (per panel)	120"	96"	100"
Max Width (overall)	174"	120"	120"
Min Height	12"	12"	12"
Max Height	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout

Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout, 1-1/4"

Note: End mount not available.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary ± 1/8"

Adjustments are taken from ordered dimensions.

Cordless Lift (N/A as 2 Fabric Combo)

	1-1/4" Fabrics
Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
End (EB) Mounts	
Headrail unit	- 1/2"
Shade height	ordered height
Fabric width	- 5/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"
2-on-1 & 3-on-1 Headrail	
Gap between panels	- 1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mount		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

Adjustments are taken from ordered dimensions.

Cordless Lift (N/A as 2 Fabric Combo)


	1-1/4" Fabrics
Inside (IB) & End (EB) Mounts	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mou	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

NOTE: To accommodate the larger pleat of 1-1/4" fabrics, use a larger rail system that requires more mounting depth.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail for a **surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

Cordless Lift & Lock shades can be ordered with the Premium headrail for a **surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK - SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Sheer, Semi-Sheer & Light Filtering Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	10"	10"	10"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP - SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	All Sheer, Semi-Sheer & Light Filtering Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE - SIZE STANDARDS			
	All Sheer, Semi-Sheer & Light Filtering Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	2" Hybrid Pleat
	Two-on-One		
Min. Width (net - per panel)	10"	10"	10"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	10"	10"	10"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

Note: End mount not available with 2-on-1 or 3-on-1

FINISHED DIMENSIONS - STANDARD

Adjustments are taken from ordered dimensions.

Honeycomb and 2" Hybrid Pleat*

Inside (IB) Mounts	
Headrail unit (includes end caps)	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
End (EB) Mounts	
Headrail unit (includes end caps)	- 1/2"
Shade height	ordered height
Fabric width	- 5/8"
Outside (OB) Mount	
Headrail unit (includes end caps)	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Standard Rail

Honeycomb and 2" Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"
End (EB) Mount	
Minimum flat vertical surface	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

Premium Rail


Honeycomb and 2" Hybrid Pleat

Inside (IB) & End (EB) Mounts	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at **no additional charge. Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

For orders placed after 5/14/24, the tensioner has been pre-selected in one of five colors, White, Vanilla, Light Brown, Dark Brown & Black. The tensioner color may be overridden during order entry.

CONTINUOUS CORD LOOP – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Light Filtering Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Light Filtering Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	60

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* Continuous Cord Loop is not available with 1-1/4"

* 3/4" Fiesta Blackout MAX 60 Sq Feet

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Light Filtering Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Light Filtering Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	120"
Min. Height	6"	6"	6"	6"	6"	6"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	60

Note: End mount not available.

* Continuous Cord Loop is not available with 1-1/4"

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* 3/4" Fiesta Blackout MAX 60 Sq Feet

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Light Filtering Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Light Filtering Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	60

* Continuous Cord Loop is not available with 1-1/4"

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* 3/4" Fiesta Blackout MAX 60 Sq Feet

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid Pleat

Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2-on-1 Headrail		
Gap between panels	- 1/4"	- 1/4"

MOUNTING REQUIREMENTS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid Pleat

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock and continuous cord loop bottom-up shades only.

Not available on 1-1/4", 2" Hybrid Pleat

CUT -OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Light Filtering and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.
- The Bliss Automation option provides safe, simple operation by raising and lowering the shade with the touch of a button or via the Bliss App (Bliss Bridge required). Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer, or 1-1/4".
2. Choose a sheer pleated fabric for the top shade.
See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 9-24 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 31 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price. Bliss Automation option and options prices can be found in the Bliss Automation pricing section.
 - TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer Pleated		
Style Name	Color #	Color Name
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-825	Tea

Carousel Sheer Pleated		
Style Name	Color #	Color Name
Carousel Sheer	P32-800	Bridal White


Willa Sheer Pleated		
Style Name	Color #	Color Name
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-551	Dusty Gray
Willa Sheer	P05-501	Ice
Willa Sheer	P05-552	Maritime
Willa Sheer	P05-550	Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer Pleated		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

The tensioner has been pre-selected in one of five colors, White, Vanilla, Light Brown, Dark Brown & Black. The tensioner color may be overridden during order entry

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, 1-1/4"

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Light Filtering Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64"	50"	50"	60"

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

NOTE: Measurements may vary ± 1/8"

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.
- Cordless TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SIZE STANDARDS

	Honeycomb	2" Hybrid Pleat
	All Fabrics*	All Fabrics
Min. Width (net)	16"	16"
Max. Width*	83" - 96"	83" - 96"
Max. Width-End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max. Area (sq. ft.)	70	60

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

NOTE: Measurements may vary ± 1/8"

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mount		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Light Filtering Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"
Max. Width*	84"	84"	84"	84"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49

* 3/8" single, 3/4" sheer/semi-sheer 1-1/4" fabrics are not available with TriLight.

** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

NOTE: Measurements may vary $\pm 1/8"$

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

Note: Inside mount with hold down brackets deductions:


Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – BLISS AUTOMATION



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- TriLight with Bliss Automation is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer or 1-1/4" fabrics.

Cut-outs are not available on TriLight Shades.

BLISS AUTOMATION - SIZE STANDARDS				
	Honeycomb		2" Hybrid Pleat	
	All Available Fabrics*			
	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Min. Width (net)	30-1/8"	35-1/8"	30-1/8"	35-1/8"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Min. Height	18"	18"	18"	18"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	n/a *	n/a	n/a	n/a

NOTE: H62 Serene FR Light Filtering, 65 MAX Sq Ft

End Mount not available

*Not available with 1-1/4" and 3/8" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SIZE STANDARDS			
	Bottom-Up		
	All Honeycomb Fabrics	2" Hybrid Pleat	1-1/4"
Minimum NET Width	18"	18"	24"
Maximum Width	120"	120"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50

End Mount not available

Minimum Panel Width for 1-1/4" Pleat is 24"

The minimum inside mount width is 19" when ordered with hold-down brackets

Note: Bliss Bottom-Up with external power source has a right side motor position only

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	All Honeycomb Fabrics	2" Hybrid Pleat	1-1/4"
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40" / 48" ***	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50

Minimum Panel Width for 1-1/4" Pleat is 24"

FINISHED DIMENSIONS

	Honeycomb	Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mounts			
Headrail unit	- 1/4"	- 1/4"	- 3/8"
Shade height	ordered height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"	- 3/8"
Outside (OB) Mount			
Headrail unit	ordered width	ordered width	ordered width
Shade height	ordered height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"	- 1/8"

NOTE: Measurements may vary \pm 1/8"

MOUNTING REQUIREMENTS

	Honeycomb & Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

External Battery - Mounted to the back of the Headrail

	Honeycomb & Hybrid Pleat	1-1/4" Pleat
Inside (IB) Mount		
Minimum mounting depth	2-5/8"	3"
Minimum mounting depth, flush mount	3-1/4"	4-1/4"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-ion = Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



SIZE STANDARDS					
	Bottom-Up			Top-Down/Bottom-Up	
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Hybrid Pleat	1-1/4" Fabrics	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18-1/8"	24"	30"	35"
Maximum Width	120"	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"	18"
Maximum Height	108"	108"	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50-51

End Mount not available

*The minimum inside mount width is 19" when ordered with hold-down brackets, and 25" for 1-1/4"

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40"	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 50

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Internal Battery - Top-Down/Bottom-Up

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the **back** of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
HF6 3/4" Radiance						
					65 Sq Ft Max - Up to 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
Double Cell						
					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
1-1/4" Light Filtering & Blackout						
					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73"	66"
H78	1-1/4" Bella Vista Blackout	108"	108"	108"	67"	60"
H280	1-1/4" Fiesta	108"	108"	108"	73"	66"
H281	1-1/4" Fiesta Blackout	108"	108"	108"	67"	60"
H145	1-1/4" Marcella	108"	108"	108"	73"	66"
H146	1-1/4" Marcella Blackout	108"	108"	108"	67"	60"
HF8	1-1/4" Radiance	108"	108"	108"	73"	66"
HF9	1-1/4" Radiance Blackout	108"	108"	108"	67"	60"
H196	1-1/4" Peaceful Allure	108"	108"	108"	67"	60"
H197	1-1/4" Lanai Allure	108"	108"	108"	67"	60"
H198	1-1/4" Coastal Allure	108"	108"	108"	67"	60"
H199	1-1/4" Enchanting Allure	108"	108"	108"	67"	60"
2" Hybrid Pleat Light Filtering						
					45 Sq Ft Max - Up to 96"	
					30 Sq Ft Max - Over 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"

NOTES:

DC = Requires External source of power

Li-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top- Down / Bottom-Up						
CODE	SHADE NET WIDTH TO:	30" – 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
65 Sq Ft Max - Up to 96"					50 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
1-1/4" Light Filtering						
					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73	66
H196	1-1/4" Peaceful Allure	108"	108"	108"	73	66
H197	1-1/4" Lanai Allure	108"	108"	108"	73	66
H198	1-1/4" Coastal Allure	108"	108"	108"	73	66
H199	1-1/4" Enchanting Allure	108"	108"	108"	73	66
H280	1-1/4" Fiesta	108"	108"	108"	73	66
H145	1-1/4" Marcella	108"	108"	108"	73	66
HF8	1-1/4" Radiance	108"	108"	108"	73	66
1-1/4" Blackout					50 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista	108"	108"	108"	66	60
H281	1-1/4" Fiesta	108"	108"	108"	66	60
H146	1-1/4" Marcella	108"	108"	108"	66	60
HF9	1-1/4" Radiance	108"	108"	108"	66	60
Double Cell					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
2" Hybrid Pleat Light Filtering						
					45 Sq Ft Max - Up to 96"	
					30 Sq Ft Max - Over 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	90"	77"	67"	40"	36"

NOTES:

- 1) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 2) Minimum Width for Top-Down/Bottom-Up is **30" Right Side Control** & **35" Left Side Control**
Control Side indicates where the Charging Port and Reset/Programming button are located

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

SOMFY AUTOMATION



- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SOMFY AUTOMATION - SIZE STANDARDS			
	Bottom-Up		
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Hybrid Pleat	1-1/4" Fabrics
Minimum NET Width*	18"	18"	24"
Maximum Width	120"	120"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 53

End Mount not available

*The minimum inside mount width is 19" when ordered with hold-down brackets, and 25" for 1-1/4"

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS		
	Bottom-Up	
	Honeycomb Fabrics 3/8", 3/4", Double Cell	2" Hybrid Pleat
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 53

End Mount not available

Note: not Available with 1-1/4' Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

External Battery - Mounted away from the Headrail

Honeycomb & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Honeycomb & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Power source Not Mounted on Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

1-1/4" Fabrics

Inside (IB)	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" - 72" *	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					80 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	106"	96"
H41	3/8" Opulence Blackout	108"	108"	108"	106"	96"
3/4" Light Filtering						
H72	3/4" Bella Vista	108"	108"	108"	108"	108"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	106"	96"
H98	3/4" Coastal Allure	108"	108"	108"	106"	96"
H99	3/4" Enchanting Allure	108"	108"	108"	106"	96"
H97	3/4" Lanai Allure	108"	108"	108"	106"	96"
					65 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	108"	86"	78"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	106"	96"
3/4" Blackout						
					85 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	108"	102"
					70 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	93"	84"
H327	3/4" Linen Blackout	108"	108"	108"	93"	84"
					80 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	108"	102"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					70 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	93"	84"
1-1/4" Light Filtering						
					60 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	80"	72"
H198	1-1/4" Coastal Allure	108"	108"	108"	80"	72"
H199	1-1/4" Enchanting Allure	108"	108"	108"	80"	72"
H197	1-1/4" Lanai Allure	108"	108"	108"	80"	72"
H145	1-1/4" Marcella	108"	108"	108"	80"	72"
H280	1-1/4" Fiesta	108"	108"	108"	80"	72"
HF8	1-1/4" Radiance	108"	108"	108"	80"	72"
H77	1-1/4" Bella Vista	108"	108"	108"	80"	72"
					55 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista	108"	108"	108"	73"	66"
H146	1-1/4" Marcella	108"	108"	108"	73"	66"
H281	1-1/4" Fiesta	108"	108"	108"	73"	66"
HF9	1-1/4" Radiance	108"	108"	108"	73"	66"
Double Cell						
					85 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	108"	102"
					80 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	108"	102"
2" Hybrid Pleat Light Filtering & Blackout						
					65 Sq Ft Max - Up to 96"	
					45 Sq Ft Max - Over 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP98	2" Coastal Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP99	2" Enchanting Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"
HP97	2" Lanai Allure Hybrid Pleat - Light Filtering	108"	108"	86"	40"	36"

NOTES:

- 1) 2-on-1 Minimum Panel Width 18"
- 2) 2-on-1 Maximum Width (overall) is 144"
- 3) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND



Powerwand - SIZE STANDARDS		
Single Panel		
	Honeycomb Fabrics	1-1/4" Fabrics
Minimum NET Width - Bottom-Up	21"	24"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

The minimum inside mount width is 22" for 3/8", 3/4" and double cell, and 25" for 1-1/4" fabrics when ordered with hold-down bracket

Powerwand is not available with Hybrid pleat

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand - SIZE STANDARDS		
Two-on-One Headrail		
	Honeycomb Fabrics	1-1/4" Fabrics
Minimum NET Width - Per Panel	24-1/4"	24"
Minimum NET Width - Overall	48-1/2"	48"
Maximum Width - Per Panel	120"	120"
Maximum Width - Overall	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

Powerwand is not available with Hybrid pleat

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

3/8", Double Cell, 3/4", 1-1/4"

Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

3/8", Double Cell, 3/4" 1-1/4"

Inside (IB) Mount	3/8", Double Cell, 3/4"	1-1/4"
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

POWERAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	21" - 72"	84"	96"	108"	120"
3/8" Light Filtering						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Light Filtering					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful Allure	108"	108"	108"	80"	72"
H98	3/4" Coastal Allure	108"	108"	108"	80"	72"
H99	3/4" Enchanting Allure	108"	108"	108"	80"	72"
H97	3/4" Lanai Allure	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
65 Sq Ft Max - Up to 96"					50 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
H327	3/4" Linen Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
1-1/4" Light Filtering					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73"	66"
H198	1-1/4" Coastal Allure	108"	108"	108"	73"	66"
H199	1-1/4" Enchanting Allure	108"	108"	108"	73"	66"
H197	1-1/4" Lanai Allure	108"	108"	108"	73"	66"
H280	1-1/4" Fiesta	108"	108"	108"	73"	66"
H145	1-1/4" Marcella	108"	108"	108"	73"	66"
HF8	1-1/4" Radiance	108"	108"	108"	73"	66"
1-1/4" Blackout					50 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista	108"	108"	108"	66"	60"
H281	1-1/4" Fiesta	108"	108"	108"	66"	60"
H146	1-1/4" Marcella	108"	108"	108"	66"	60"
HF9	1-1/4" Radiance	108"	108"	108"	66"	60"
Double Cell					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"

NOTES:


- 1) PowerWand is not available with Hybrid Pleat
- 2) PowerWand minimum width is 21"
- 3) 2-on-1 Minimum Panel Width (overall) 48-1/2"
- 4) 2-on-1 Maximum Width (overall) is 144"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) left stack
 - 2) right stack
 - 3) split stack (center opening)
 - 4) center stack
 - 5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS

	Honeycomb				2" Hybrid Pleat	1-1/4" pleat
	Sheer Fabric	3/4" Fabrics	3/4" Serene Fabric	All 3/4" Blackout Fabrics	Peaceful Allure	Light Filtering & Blackout Fabrics
Min. Width	12"	12"	12"	12"	12"	12"
Max. Width Side & Center	120"	168"	168"	168"	120"	120"
Max. Width Split Stack	240"	336"	336"	336"	240"	240"
Max. Width Two Fabric Combo	120"	168"	168"	168"		120"
Min. Height	24"	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center	100" / panel	140" / panel	120" / panel	120" / panel	100"	100" / panel
Max Sq. ft. Split Stack	100" / panel	140" / panel	120" / panel	120" / panel	100" / panel	100" / panel
Max Sq. ft. Two Fabric	100" / panel	140" / panel	120" / panel	120" / panel	N/A	100" / panel

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, 1/2" double cell

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White (785)

- Split stack up to 336"
- TFC not available for Hybrid Pleat
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different pleat sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns	
3/4" Pleat	3-1/4"
1-1/4" Pleat	4"
Hybrid Fabric	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid Pleat

Inside (IB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	-1/2"	-1/2"
Valance width (non-flush)	+1"	+1-1/4"
Valance width (flush)	-1/8"	-1/8"
Outside (OB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Valance width	+1.25"	+1.25"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb 1-1/4" 2" Hybrid Pleat

Inside (IB) Mount			
Minimum mounting depth	1/2"	1/2"	1/2"
Minimum mounting depth, flush mount:	3-7/8"	4-5/8"	4-3/4"
Outside (OB) Mount			
Minimum flat vertical surface	5/8"	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.
- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS

- All 3/8", 3/4" Semi-Sheer, Double Cell


VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
 - Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
 - Inside non flush mount valance returns are 1-1/2" if returns are selected*
 - Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
*Override height location will be the center of the handle.
 - Standard installation hardware (brackets) provided.
 - 2" Hybrid Pleat handles will be clear.
 - Also refer to vertical application measuring in "General Information" section.
- NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.
- Cut-outs are not available on 2" Hybrid Pleat.
- For OB Mounting the recommended overlap is 3" - 6"

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.



- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'



Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 1-1/4", 2" Hybrid Pleat

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Valance width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts	3/8" Single
Minimum mounting depth IB:	1"
Minimum mounting depth, flush mount:	1-11/16"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mounts	3/4" Single and 1/2" Double
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	3/4" Single and 1/2" Double
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Skylights with Automation are different than Classic Skylight.

Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



SKYLIGHT with AUTOMATION - SIZE STANDARDS

	All Honeycomb Fabrics*
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight with Automation not available with 1-1/4", 2" Hybrid Pleat

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Automation is **not available** with 2" Hybrid Pleat, or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss Automation or Somfy motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding 48" Extension Cable (Part #62207000) to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all.
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the top or highest point in the window.

Bliss Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.
Width: Measure exact width(s)
Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.
Width: Measure desired width(s)
Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)



SIZE STANDARDS

	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"


Not available with 2" Hybrid Pleat, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here - Fan Fold Left



Width (Diameter)



SIZE STANDARDS

	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 2" Hybrid Pleat, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch
Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



SIZE STANDARDS

	Honeycomb		
	3/4" Light Filtering & Sheer	All 3/4" Blackout	3/8" Light Filtering, 3/8" Blackout, and
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2" width	1/2" width	1/2" width

Not available with 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information


INSIDE MOUNT

Locate shape of window.
 Width: Measure exact width(s)
 Height: Measure exact height(s)
 Diagonal: Measure height of diagonal(s) (for Angle Cuts)


OUTSIDE MOUNT

Locate shape of window.
 Width: Measure desired width(s)
 Height: Measure desired height(s)
 Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



	All Available
Min. Width	12"
Max. Width	42"
NON-OPERABLE	




	All Available
Min. Width	12"
Max. Width	42"
NON-OPERABLE	

• Not Available with: 1-1/4", 2" Hybrid Pleat, 3/4" Semi-Sheer

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





ANGLED TOP - Non-Operable

	All 3/8" Light Filtering	All 3/4" Sheer and Light Filtering	All 3/8" & 3/4" Blackout	All Available Double Cell
Minimum Height (L/R)	3"	3"	3"	3"
Maximum Height	84"	84"	72"	84"
Maximum Area (sq ft)	35	35	35	35
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12"	12"	12"	12"
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	60"	60"	60"	60"


Angle Top n/a with: 3/4" Semi-Sheer, all 1-1/4" fabrics, 2" Hybrid Pleat

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



• Not Available with: 1-1/4", 2" Hybrid Pleat, 3/4" Semi-Sheer
 • Maximum width and maximum height – 30"
 • Non-Operable ONLY

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Non-Operable ONLY

OPTIONS: EXTRA CHARGE

- Angle Cut**add \$135
 (includes Hexagon, Octagon & Trapezoid)
- Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.
 (Template required.)
- Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	3/8" Single
Minimum mounting depth:	
Standard installation bracket	1"
Minimum mounting depth, flush mount:	
Standard installation bracket	1-1/2"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	3/8" Single
Minimum mounting depth	1-1/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth	1-7/8"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mounts	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES



1-888-523-2611

customer.service@midwestdesignersupply.com