



ALTA
WINDOW FASHIONS
design simplified

SOFTSTYLE

SHADES

Pricing effective April 17, 2023 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

SUMMARY OF REVISIONS

TABLE OF CONTENTS

- Pattern Information 2
- Color Charts 3-6
- Stack Chart 6

Pricing for Standard Rectangular, Options, Automation Surcharges

- Pricing and Options – Standard Rectangular 7-16
- 2" Hybrid Pleat 17-18
- TriLight Shades Pricing 19
- Automation Surcharges and Options 20-21
- Arches Pricing 22
- Skylight Pricing 23
- Vertical Application Pricing 24-26

Rectangular Configuration Specifications

- Standard Cordlock Top-Down or Top-Down/Bottom-Up 27
- Cordless Lift 28
- Cordless Lift & Lock™ 29
- Continuous Cord Loop 30
- Cut-Outs 31

TriLight Shades®

- Smart Facts 32
- Selecting a TriLight Shade 32
- Sheer Pleated Color Chart 33
- Configuration Specifications 34-36

Product Configuration Specifications

- Bliss Automation 37-40
- Somfy Automation 41-42
- Powerwand 43-44
- Vertical Application 45-46
- Classic Skylight and Skylight with Automation 47-48
- Arches 49
- Specialty Shapes 50-51
- Size Standards Summary 52-55

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

Pattern Name	# of Cells	Price Group (Standard)	Care Code	Light Control	Hardware Restrictions	Hardware Options	
Semi Opaque - Single Cell							
SoftStyle Beginnings Semi-Opaque – Large Single Cell	S50	Single	2-SS	1, 2 & 3	C	<ul style="list-style-type: none"> • Standard Cordlock • Continuous Cord Loop System 	
SoftStyle Semi-Opaque – Small Single Cell	S11	Single	1-SS	1, 2 & 3	C		Vertical Application
SoftStyle Semi-Opaque – Large Single Cell	S21	Single	4-SS	1, 2 & 3	C		
Semi Opaque - Double Cell							
SoftStyle Beginnings Semi-Opaque – Double Cell	S51	Double	3-SS	1, 2 & 3	C	Vertical Application, Arches	
SoftStyle Semi-Opaque – Double Cell	S31	Double	5-SS	1, 2 & 3	C	Vertical Application	
Blackout - Single Cell							
SoftStyle Blackout – Small Single Cell	S13	Single	6-SS	1 & 3	D	Vertical Application	
SoftStyle Blackout – Large Single Cell	S23	Single	7-SS	1 & 3	D		
SoftStyle Subdue Blackout - Large Single Cell	S61	Single	8-SS	1 & 3	D	Vertical Application	
Blackout - Double Cell							
SoftStyle Blackout – Double Cell	S32	Double	8-SS	1 & 3	D	Vertical Application	
1-1/4" Cell							
SoftStyle Semi-Opaque – 1-1/4" Single Cell	S41	Single	9-SS	1, 2 & 3	C	Standard Cordlock, Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, Powerwand, TriLight, Somfy	
SoftStyle Blackout – 1-1/4" Single Cell	S43	Single	10-SS	1, 2 & 3	D	Standard Cordlock, Continous Cordloop, Cordless Lift & Lock, Skylight, Arches, Angles, Specialty Shapes, Powerwand, TriLight, Somfy	
Hybrid Pleat							
2" Hybrid Pleat – Semi-Opaque	HPF	Single	Hybrid Pleat Semi- Opaque	1, 2 & 3	C	Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Single	Hybrid Pleat Blackout	1, 2 & 3	D	Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand	

- Standard Cordlock
- Continuous Cord Loop System
- Continuous Cord Loop Top-Down/Bottom-Up
- Cordless Lift System
- Cordless Lift System Top-Down/Bottom-Up
- Cordless Lift & Lock
- Cordless Lift & Lock Top-Down/Bottom-Up
- Top-Down
- Top-Down/Bottom-Up
- Two-On-One Rail
- TriLight
- Vertical Application
- Classic Skylight
- Arches
- Angles
- Specialty Shapes
- Powerwand
- Bliss Automation - Bottom Up - TDBU
- Somfy Automation - Bottom Up

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.




A. Sheer

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Semi-Sheer

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Semi-Opaque

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Opaque

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE		FABRIC			HARDWARE		FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA	Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Semi-Opaque					LARGE SINGLE CELL - Semi-Opaque					DOUBLE CELL - Semi-Opaque				
S11	589	Afternoon Light	862	N/A	S21	589	Afternoon Light	862	862	S31	589	Afternoon Light	862	N/A
S11	1553	Birdbath	810		S21	1553	Birdbath	810	810	S31	1553	Birdbath	810	
S11	1556	Caribbean Sky	135		S21	1556	Caribbean Sky	135	661	S31	1556	Caribbean Sky	135	
S11	515	Cavern	361		S21	515	Cavern	361	862	S31	515	Cavern	361	
S11	510	Celadon	958		S21	510	Celadon	958	862	S31	510	Celadon	958	
S11	1655	Cloud Cover	885		S21	1655	Cloud Cover	885	661	S31	1655	Cloud Cover	885	
S11	581	Coastal Eddy	018		S21	581	Coastal Eddy	018	276	S31	581	Coastal Eddy	018	
S11	528	Daisy White	320		S21	528	Daisy White	320	785	S31	528	Daisy White	320	
S11	1567	Espresso Bean	849		S21	1567	Espresso Bean	849	810	S31	1567	Espresso Bean	849	
S11	1559	Fly Fishing	810		S21	1559	Fly Fishing	810	810	S31	1559	Fly Fishing	810	
S11	1658	Foggy Night	405		S21	1658	Foggy Night	405	276	S31	1658	Foggy Night	405	
S11	524	Gold Treasure	952		S21	524	Gold Treasure	952	082	S31	524	Gold Treasure	952	
S11	513	Graystone	810		S21	513	Graystone	810	810	S31	513	Graystone	810	
S11	1656	Gray Wisp	765		S21	1656	Gray Wisp	765	276	S31	1656	Gray Wisp	765	
S11	1565	Ground Cloves	960		S21	1565	Ground Cloves	960	785	S31	1565	Ground Cloves	960	
S11	1552	Gunnysack	862		S21	1552	Gunnysack	862	862	S31	1552	Gunnysack	862	
S11	526	Ice Age	862		S21	526	Ice Age	862	862	S31	526	Ice Age	862	
S11	1659	Ice Princess	661		S21	1659	Ice Princess	661	661	S31	1659	Ice Princess	661	
S11	1550	Ice Rink	885		S21	1550	Ice Rink	885	661	S31	1550	Ice Rink	885	
S11	1654	Imagine	018		S21	1654	Imagine	018	276	S31	1654	Imagine	018	
S11	1560	Lava Rock	405		S21	1560	Lava Rock	405	276	S31	1560	Lava Rock	405	
S11	529	Lemon Frost	674		S21	529	Lemon Frost	674	882	S31	529	Lemon Frost	674	
S11	500	Marshmallow	661		S21	500	Marshmallow	661	661	S31	500	Marshmallow	661	
S11	1557	Night Blue	450		S21	1557	Night Blue	450	661	S31	1557	Night Blue	450	
S11	1566	Oak Branch	849		S21	1566	Oak Branch	849	810	S31	1566	Oak Branch	849	
S11	584	Ocean Blue	450		S21	584	Ocean Blue	450	661	S31	584	Ocean Blue	450	
S11	527	Pale White *	785		S21	527	Pale White *	785	785	S31	527	Pale White *	785	
S11	1652	Parchment	885		S21	1652	Parchment	885	661	S31	1652	Parchment	885	
S11	1651	Pressed Petals	205		S21	1651	Pressed Petals	205	862	S31	1651	Pressed Petals	205	
S11	1564	Redwood	956		S21	1564	Redwood	956	083	S31	1564	Redwood	956	
S11	1561	Rock Garden	765		S21	1561	Rock Garden	765	276	S31	1561	Rock Garden	765	
S11	588	Rocking Chair	083		S21	588	Rocking Chair	083	083	S31	588	Rocking Chair	083	
S11	517	Rye	630		S21	517	Rye	630	841	S31	517	Rye	630	
S11	1650	Sandcastle	205		S21	1650	Sandcastle	205	862	S31	1650	Sandcastle	205	
S11	503	Scone	862		S21	503	Scone	862	862	S31	503	Scone	862	
S11	509	Silver Dollar	405	S21	509	Silver Dollar	405	276	S31	509	Silver Dollar	405		
S11	1653	Snowbank	785	S21	1653	Snowbank	785	785	S31	1653	Snowbank	785		
S11	582	Steel	018	S21	582	Steel	018	276	S31	582	Steel	018		
S11	1657	Stillness	276	S21	1657	Stillness	276	276	S31	1657	Stillness	276		
S11	1555	Summer Storm	765	S21	1555	Summer Storm	765	276	S31	1555	Summer Storm	765		
S11	521	Trail	810	S21	521	Trail	810	810	S31	521	Trail	810		
S11	501	Veil	862	S21	501	Veil	862	862	S31	501	Veil	862		

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)

VA = Vertical application shades

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Blackout				
S13	1743	Birdbath	810	
S13	1855	Cloud Cover	885	
S13	1856	Cookie Dough	862	
S13	1747	Espresso Bean	849	
S13	706	Goose Down	661	
S13	1748	Gray Gust	018	
S13	1744	Ground Pepper	765	
S13	710	Ice Princess	661	
S13	1854	Imagine	018	
S13	702	Irish Coffee	862	
S13	1750	Night Blue	450	
S13	1784	Ocean Blue	450	
S13	1851	Parchment	885	
S13	700	Pebble	361	
S13	701	Pitch Black	048	
S13	707	Pristine Palace	862	
S13	1745	Red Sand	956	
S13	704	Richwood	849	
S13	1853	Rocky Beach	785	
S13	708	Sand Sculpture	882	
S13	1746	Sandstone Gray	810	
S13	763	Silver Dollar	405	
S13	1852	Snowbank	785	
S13	740	Thunder Cloud	405	
S13	1850	Vanilla Ice Cream	785	
S13	1857	Weathered Brick	954	
S13	1858	Woods	405	
S13	1742	Yucca Cactus	135	

N/A

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout				
S23	1743	Birdbath	810	810
S23	1855	Cloud Cover	885	661
S23	1856	Cookie Dough	862	862
S23	1747	Espresso Bean	849	862
S23	706	Goose Down	661	661
S23	1748	Gray Gust	018	276
S23	1744	Ground Pepper	765	276
S23	710	Ice Princess	661	661
S23	1854	Imagine	018	276
S23	702	Irish Coffee	862	862
S23	1750	Night Blue	450	661
S23	1784	Ocean Blue	450	661
S23	1851	Parchment	885	661
S23	700	Pebble	361	841
S23	701	Pitch Black	048	048
S23	707	Pristine Palace	862	862
S23	1745	Red Sand	956	083
S23	704	Richwood	849	810
S23	1853	Rocky Beach	785	785
S23	708	Sand Sculpture	882	882
S23	1746	Sandstone Gray	810	810
S23	763	Silver Dollar	405	276
S23	1852	Snowbank	785	785
S23	740	Thunder Cloud	405	276
S23	1850	Vanilla Ice Cream	785	785
S23	1857	Weathered Brick	954	082
S23	1858	Woods	405	276
S23	1742	Yucca Cactus	135	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Blackout				
S32	1743	Birdbath	810	
S32	1855	Cloud Cover	885	
S32	1856	Cookie Dough	862	
S32	1747	Espresso Bean	849	
S32	706	Goose Down	661	
S32	1748	Gray Gust	018	
S32	1744	Ground Pepper	765	
S32	710	Ice Princess	661	
S32	1854	Imagine	018	
S32	702	Irish Coffee	862	
S32	1750	Night Blue	450	
S32	1784	Ocean Blue	450	
S32	1851	Parchment	885	
S32	700	Pebble	361	
S32	701	Pitch Black	048	
S32	707	Pristine Palace	862	
S32	1745	Red Sand	956	
S32	704	Richwood	849	
S32	1853	Rocky Beach	785	
S32	708	Sand Sculpture	882	
S32	1746	Sandstone Gray	810	
S32	763	Silver Dollar	405	
S32	1852	Snowbank	785	
S32	740	Thunder Cloud	405	
S32	1850	Vanilla Ice Cream	785	
S32	1857	Weathered Brick	954	
S32	1858	Woods	405	
S32	1742	Yucca Cactus	135	

N/A

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)

VA = Vertical application shades

Hardware Colors

		STD	1-1/4"	VA
018	Satin Silver	X	X	N/A
048	Black	X	X	X
082	Camel	X	X	X
083	Cocoa	X	X	X
127	Cameo	X	X	N/A
135	Whisper Heather	X	X	N/A
205	Fawn	X	X	N/A
276	Silverado	X	X	X
320	Rich Cream	X	N/A	N/A
361	Tender Taupe	X	X	N/A
405	Gray Flannel	X	X	N/A
450	Skyline	X	X	N/A
621	Putty	X	X	N/A
630	Gold Leaf	X	N/A	N/A
661	White Tiara	X	X	X

		STD	1-1/4"	VA
674	Bamboo Stalk	X	N/A	N/A
685	Blue Sky	X	N/A	N/A
765	Silver Maple	X	X	N/A
785	Aspen White	X	X	X
810	Mushroom	X	X	X
841	Dark Blonde	X	X	X
849	Mocha	X	N/A	N/A
862	Gardenia White	X	X	X
882	Honey Bisque	X	X	X
885	Flex White	X	X	N/A
952	Pristine Beach	X	N/A	N/A
954	Tranquil Tea	X	N/A	N/A
956	Renaissance Clay	X	N/A	N/A
958	Velvet Fern	X	N/A	N/A
960	Terra Cotta Urn	X	N/A	N/A

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque				

Where applicable, coordinates with cellular color of the same name

HPF	2753	Caribbean Sky	135	661
HPF	715	Cavern	361	862
HPF	2750	Coastal Eddy	018	276
HPF	2852	Foggy Night	405	276
HPF	735	Ice Age	862	862
HPF	2851	Imagine	018	276
HPF	2752	Lava Rock	405	276
HPF	700	Marshmallow	661	661
HPF	727	Pale White *	785	785
HPF	2850	Stillness	276	276
HPF	2751	Summer Storm	765	276
HPF	739	Trail	810	810

NOTE: Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout				

Where applicable, coordinates with cellular color of the same name

HPR	2950	Birdbath	810	810
HPR	2978	Cloud Cover	885	661
HPR	2951	Gray Gust	018	276
HPR	910	Ice Princess	661	661
HPR	2974	Imagine	018	276
HPR	919	Sandstone Gray	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Semi-Opaque (Price Group 2-SS)				

S50	537	Boulder	765	276
S50	8501	Whiteboard	661	661
S50	8503	Banana Cream	320	785
S50	531	Merino	661	661
S50	8506	Soapstone	018	276
S50	532	Wafer	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 3-SS)				

S51	537	Boulder	765	N/A
S51	8501	Whiteboard	661	
S51	8503	Banana Cream	320	
S51	531	Merino	661	
S51	8506	Soapstone	018	
S51	532	Wafer	810	

Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout (Price Group 8-SS)				

S61	3744	Birdbath	810	N/A
S61	3741	Goose Down	885	
S61	3745	Gray Gust	018	
S61	3742	Ice Princess	885	
S61	3743	Pristine Palace	661	

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)

VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Semi-Opaque				
<i>Where applicable, coordinates with cellular color of the same name</i>				
S41	500	Marshmallow	661	661
S41	1553	Birdbath	810	810
S41	513	Graystone	810	810
S41	581	Coastal Eddy	018	276
S41	582	Steel	018	276
S41	509	Silver Dollar	405	276
S41	527	Pale White (Yellow)	785	785
S41	589	Afternoon Light	862	862
S41	1552	Gunnysack	862	862
S41	1555	Summer Storm	765	276
S41	515	Cavern	361	862
S41	521	Trail	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" SINGLE CELL - Blackout				
<i>Where applicable, coordinates with cellular color of the same name</i>				
S43	7500	Goose Down	661	661
S43	7553	Birdbath	810	810
S43	7610	Ice Princess	661	661
S43	7648	Gray Gust	018	276
S43	7509	Silver Dollar	405	276
S43	7640	Thunder Cloud	405	276

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:
STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, and Motorized with coordinated rails)
VA = Vertical application shades

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

STACK CHART

Family	48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop
Softstyle Semi-Opaque - Large Single Cell	1"	1-1/2"	1-3/4"	2-1/2"
Softstyle Semi-Opaque - Small Single Cell	1-1/8"	2"	2-1/4"	2-7/8"
Softstyle Semi-Opaque - Double Cell	1-5/8"	2-1/2"	2-5/8"	3-5/8"
Softstyle Semi-Opaque - 1-1/4" Single Cell (Max Drop 108")	1/2"	3/4"	1"	1-3/8"
Softstyle Blackout - Large Single Cell	7/8"	1-1/4"	1-1/2"	1-1/2"
Softstyle Blackout - Small Single Cell	7/8"	1-1/2"	1-3/4"	2"
Softstyle Blackout - Double Cell	3/4"	1-1/4"	1-1/2"	3"
Softstyle Blackout - 1-1/4" Single Cell (Max Drop 108")	3/4"	1-1/8"	1-1/4"	1-5/8"
Softstyle Subdue Blackout - Large Single Cell	1-1/2"	2"	2-1/8"	2-1/2"
Softstyle Beginnings Semi-Opaque - Large Single Cell	1"	1"	1-1/4"	1-3/4"
Softstyle Beginnings Semi-Opaque - Double Cell	1-1/8"	1-7/8"	2"	2-1/2"
2" Hybrid Pleat - Semi Opaque	3/4"	1-1/8"	1-1/2"	1-3/4"
2" Hybrid Pleat - Blackout	1"	1-1/4"	1-3/4"	2-1/8"

GROUP 1-SS (Standard Rectangular)

• SOFTSTYLE 9/16" SEMI-OPAQUE (S11)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$159	176	203	223	247	271	293	313	335	381	433	479	530
42"	169	190	220	247	271	293	321	344	366	421	475	530	583
48"	181	212	235	262	293	321	347	378	405	459	522	578	640
54"	190	220	251	281	313	344	374	409	436	502	569	629	699
60"	203	231	271	302	335	366	399	436	472	545	609	684	749
66"	220	247	287	321	355	394	429	467	505	578	658	729	808
72"	223	257	302	341	381	418	459	498	534	618	704	781	865
78"	235	274	316	355	405	445	485	526	572	658	741	832	921
84"	247	287	331	378	421	459	505	553	598	687	781	873	969
90"	254	302	347	394	445	491	534	583	629	729	828	925	1022
96"	262	309	363	415	459	509	560	609	661	765	869	969	1074
108"	287	341	391	448	505	556	609	668	726	838	951	1063	1179
120"	305	363	429	485	549	606	668	729	787	909	1037	1160	1270

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see page 19 and pages 32-36
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 2-SS (Standard Rectangular)

• SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (\$50)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$173	197	223	247	274	293	316	344	366	418	472	522	575
42"	190	212	242	274	302	325	355	381	415	467	526	583	647
48"	197	227	257	290	321	350	381	415	445	505	572	632	699
54"	203	239	274	309	344	374	409	441	475	545	613	684	759
60"	223	257	297	328	366	405	441	479	518	595	668	746	824
66"	239	278	313	355	399	436	479	518	560	647	726	808	892
72"	251	287	328	374	421	459	502	549	595	681	768	858	947
78"	268	309	355	405	452	494	545	595	647	738	835	931	1033
84"	278	325	374	424	479	526	578	629	681	781	886	988	1098
90"	290	341	394	452	505	556	609	664	722	832	940	1047	1164
96"	302	355	415	472	530	583	640	699	756	873	992	1105	1225
108"	325	381	452	512	578	635	699	765	828	954	1079	1210	1341
120"	355	421	491	560	635	704	774	846	912	1056	1197	1341	1484

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 26 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
<p>See "SIZE STANDARDS" for complete option details.</p> <ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see page 19 and pages 32-36 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 3-SS (Standard Rectangular)

• SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$166	186	212	235	257	278	305	328	350	399	448	494	549
42"	176	203	227	257	281	313	335	363	391	445	502	556	613
48"	190	220	251	278	309	335	363	391	424	482	545	606	664
54"	200	227	257	293	328	359	391	421	452	522	588	653	722
60"	217	247	281	316	350	385	421	459	494	569	635	711	784
66"	223	262	302	335	378	418	455	494	534	613	696	768	855
72"	239	274	316	359	402	441	479	522	569	650	738	818	905
78"	251	293	341	385	433	475	522	569	613	704	801	889	985
84"	262	309	359	409	455	502	553	598	650	741	846	943	1047
90"	278	325	378	429	482	530	583	632	687	792	895	1001	1109
96"	287	335	391	448	505	556	609	664	722	835	947	1056	1172
108"	309	363	429	485	553	606	664	729	792	909	1033	1156	1278
120"	335	402	472	537	606	668	738	804	873	1004	1139	1278	1419

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see page 19 and pages 32-36
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 4-SS (Standard Rectangular)

• SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$200	223	254	281	313	335	363	394	421	479	545	598	661
42"	217	242	278	313	344	374	405	441	472	537	603	668	738
48"	223	262	297	335	370	402	441	472	509	583	658	729	804
54"	239	274	316	350	394	429	472	505	549	623	708	784	873
60"	257	297	341	378	421	464	505	553	595	684	768	858	943
66"	274	316	359	409	455	502	549	595	640	738	835	931	1022
72"	287	328	378	429	482	530	575	629	684	781	886	985	1086
78"	305	350	409	464	522	569	626	684	738	846	959	1071	1183
84"	316	370	429	491	549	603	664	722	781	895	1016	1136	1261
90"	331	391	452	518	583	635	699	759	828	954	1079	1207	1337
96"	344	409	472	541	609	668	738	801	869	1004	1139	1270	1407
108"	370	441	518	588	664	735	801	876	954	1098	1241	1391	1543
120"	409	482	564	650	729	808	889	969	1047	1213	1376	1543	1706

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 26 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
<p>See "SIZE STANDARDS" for complete option details.</p> <ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see page 19 and pages 32-36 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 5-SS (Standard Rectangular)

• SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$212	235	271	302	331	355	385	418	445	505	575	632	699
42"	227	257	290	331	359	399	424	464	498	569	635	708	784
48"	239	278	316	350	391	424	464	498	545	613	691	774	851
54"	251	287	335	374	418	459	498	537	575	661	749	832	925
60"	274	313	359	405	448	494	537	583	629	722	811	905	1001
66"	287	335	381	429	482	530	583	629	684	781	886	982	1086
72"	305	350	405	459	509	560	613	664	722	828	940	1047	1156
78"	321	374	433	491	553	603	664	722	781	895	1016	1136	1257
84"	335	394	459	522	583	635	704	759	828	951	1079	1207	1337
90"	350	415	479	549	613	681	741	808	876	1012	1144	1274	1419
96"	363	429	498	572	647	708	781	851	925	1063	1210	1349	1493
108"	394	464	549	623	704	774	851	931	1009	1164	1315	1473	1630
120"	429	509	598	684	774	858	940	1033	1113	1284	1456	1630	1809

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see page 19 and pages 32-36
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 6-SS (Standard Rectangular)

• SOFTSTYLE 9/16" BLACKOUT (S13)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$212	235	268	293	325	350	381	415	445	505	569	629	699
42"	223	251	287	321	350	391	418	452	491	560	629	704	777
48"	247	278	316	355	391	433	467	509	549	629	715	792	880
54"	257	293	341	381	424	467	505	553	598	687	777	869	962
60"	281	313	363	415	452	502	545	598	647	741	838	940	1037
66"	293	335	381	436	491	534	583	635	691	792	905	1012	1120
72"	313	355	415	472	526	578	629	691	746	861	982	1098	1216
78"	328	378	436	494	556	613	673	738	792	916	1047	1172	1299
84"	344	394	459	526	583	650	708	777	838	974	1105	1236	1372
90"	363	418	491	553	623	691	756	832	901	1040	1183	1325	1473
96"	378	436	509	578	658	726	792	869	943	1093	1247	1398	1554
108"	405	475	556	635	719	801	873	962	1040	1203	1372	1543	1717
120"	436	512	603	691	801	865	954	1047	1133	1315	1500	1690	1867

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 26 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see page 19 and pages 32-36
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 7-SS (Standard Rectangular)

SOFT STYLE 3/4" BLACKOUT (S23)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$247	274	313	344	381	418	452	485	522	595	668	741	824
42"	268	297	341	378	418	459	491	534	578	661	741	828	916
48"	290	328	374	418	459	505	553	598	650	738	838	934	1040
54"	309	344	399	452	502	549	598	653	704	808	916	1019	1133
60"	335	366	424	485	534	592	640	704	759	873	988	1105	1222
66"	344	391	452	512	575	629	687	753	811	934	1063	1194	1319
72"	366	421	485	553	618	684	741	818	876	1016	1160	1292	1436
78"	391	445	512	583	653	722	792	869	934	1079	1233	1376	1527
84"	405	464	541	618	691	759	835	916	988	1147	1302	1456	1620
90"	424	491	578	653	735	815	892	979	1063	1230	1391	1566	1736
96"	445	512	598	684	774	855	934	1022	1113	1288	1473	1651	1832
108"	475	556	653	749	846	940	1029	1133	1225	1419	1617	1818	2022
120"	512	603	711	811	943	1016	1123	1236	1337	1549	1768	1987	2201

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 26 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see page 19 and pages 32-36 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 8-SS (Standard Rectangular)

- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$254	281	321	350	391	424	464	498	534	609	687	759	846
42"	274	305	347	391	424	472	505	549	595	681	759	851	940
48"	297	335	385	429	475	522	564	613	664	759	861	959	1067
54"	316	355	409	464	518	560	613	668	722	832	940	1047	1164
60"	344	378	441	498	549	606	661	722	781	895	1016	1136	1257
66"	355	405	464	526	592	650	708	774	835	959	1093	1225	1353
72"	378	429	498	569	632	699	759	838	901	1044	1187	1325	1473
78"	399	452	526	598	673	741	811	889	959	1109	1267	1416	1569
84"	415	475	556	632	708	784	858	940	1016	1179	1337	1496	1660
90"	441	505	595	668	753	835	916	1004	1086	1261	1429	1606	1781
96"	452	526	613	704	792	876	959	1052	1144	1322	1511	1693	1879
108"	491	572	673	768	869	965	1056	1164	1257	1456	1657	1863	2077
120"	526	623	729	835	969	1047	1156	1267	1372	1589	1812	2036	2261

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • 3" Extension Bracket 	<ul style="list-style-type: none"> • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$24 • 5' to 10' Cordless Extension Pole #400036-81511.....\$42
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) - Top-Down/Bottom-Up*add \$192 	

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 9-SS (Standard Rectangular)

• 1-1/4" SOFTSTYLE SEMI-OPAQUE

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$251	286	322	360	396	430	464	502	535	609	691	766	840
42"	275	310	351	396	439	476	514	560	603	684	773	857	948
48"	289	333	380	427	468	510	560	603	651	745	836	927	1028
54"	306	346	396	450	502	551	597	648	698	794	903	1002	1111
60"	327	375	435	483	538	590	648	702	756	865	982	1090	1211
66"	346	401	461	517	582	643	698	758	818	940	1064	1182	1311
72"	366	417	483	551	614	671	740	801	865	995	1129	1262	1391
78"	387	450	522	590	663	726	799	865	940	1081	1227	1365	
84"	401	473	551	623	698	773	847	920	995	1145	1299	1448	
90"	422	497	576	656	740	814	894	974	1052	1219	1373		
96"	439	517	603	688	773	857	940	1022	1105	1278			
108"	463	552	649	735	832	917	1001	1095					

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • 3" Extension Bracket 	<ul style="list-style-type: none"> • Hardware Color Override- see Hardware Color Chart on page 4 for available colors • Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
• Fabric-Wrapped Rail Optionadd \$24	• 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$24
• Cordless Lift System*.....add \$96	• 5' to 10' Cordless Extension Pole #400036-81511.....\$42
- Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up)	
- Top-Down/Bottom-Up*.....add \$192	

*NOTE: FABRIC-WAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT, AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

GROUP 10-SS (Standard Rectangular)

• 1-1/4" SOFTSTYLE BLACKOUT

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$309	344	387	433	476	520	561	608	649	741	843	932	1037
42"	332	373	424	476	524	576	622	668	723	829	932	1041	1145
48"	361	414	468	527	582	635	688	753	812	928	1052	1177	1301
54"	380	437	501	565	628	688	748	821	876	1012	1145	1284	1420
60"	421	465	538	608	675	741	805	880	953	1098	1245	1390	1533
66"	437	493	565	640	721	792	865	944	1020	1177	1337	1498	1656
72"	465	527	613	693	773	857	932	1023	1101	1277	1453	1625	1806
78"	490	553	640	734	821	909	993	1085	1177	1357	1548	1730	
84"	508	582	679	773	869	958	1045	1145	1245	1441	1637	1832	
90"	538	622	723	821	922	1020	1120	1230	1329	1541	1751		
96"	553	640	753	861	969	1074	1177	1293	1397				
108"	570	667	784	898	1016	1128	1234	1358					

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • 3" Extension Bracket 	<ul style="list-style-type: none"> • Hardware Color Override- see Hardware Color Chart on page 4 for available colors • Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Cordless Lift System*add \$96 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) 	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091.....\$24 • 5' to 10' Cordless Extension Pole #400036-81511.....\$42

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 20-21 for automation surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - SEMI-OPAQUE

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$252	261	288	298	311	346	365	392	415	500	522	555	583	606	632	755	882
36"	261	269	298	311	327	362	388	418	445	533	559	594	618	649	679	808	942
42"	269	291	311	323	343	378	405	441	468	564	594	629	659	688	720	863	1003
48"	275	298	318	340	359	399	453	464	492	591	626	665	697	728	758	920	1059
54"	279	311	330	349	369	415	464	480	515	623	659	700	737	775	808	961	1119
61"	288	318	346	365	388	434	492	511	539	659	693	744	782	824	859	1016	1182
66"	311	343	369	392	415	453	496	529	564	688	723	775	811	859	897	1068	1241
73"	311	353	381	405	424	468	508	555	594	720	758	818	863	909	946	1122	
78"	362	409	441	473	503	547	594	649	697	744	792	842	890	942	984	1173	
84"	369	421	453	483	515	568	618	679	723	775	828	882	929	981	1032		
90"	381	434	468	503	533	588	636	700	752	808	863	923	973	1028	1075		
96"	388	445	480	515	555	606	662	723	779	839	893	953	1009	1064	1107		
108"	421	487	533	574	618	685	752	828	893	958	1028	1100					
120"	453	533	588	632	685	758	839	926	1003	1084	1158						

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • TriLight Shades – see page 19 and pages 32-36

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE. NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

See page 20-21 for automation surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - BLACKOUT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$318	340	359	373	388	434	456	500	522	623	659	697	734	764	792	949	1107
36"	327	349	369	388	415	453	483	522	555	665	700	740	775	815	846	1016	1186
42"	333	365	385	409	429	476	508	555	588	705	740	792	824	867	901	1084	1257
48"	343	373	405	421	445	500	533	583	618	740	782	835	873	923	958	1146	1335
54"	349	388	418	437	468	515	559	606	649	779	824	882	926	973	1016	1209	1407
61"	359	405	429	456	480	543	588	636	675	824	870	933	981	1035	1075	1280	1484
66"	388	429	468	496	515	564	606	665	710	859	920	973	1022	1075	1126	1344	1557
73"	399	441	476	508	533	588	632	693	740	901	958	1028	1084	1142	1186	1413	
78"	453	511	555	591	632	688	748	818	873	933	992	1064	1122	1182	1241	1474	
84"	483	555	598	649	693	764	832	920	981	1052	1122	1203	1264	1338	1407		
90"	533	609	662	710	764	835	920	1003	1079	1153	1236	1316	1393	1474	1547		
96"	571	665	734	797	859	958	1056	1165	1257	1359	1457	1563	1658	1760			
108"	662	792	873	958	1052	1173	1307	1446	1571	1699	1835	1970					
120"	728	887	988	1094	1203	1359	1515	1685	1840	1994	2159						

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • TriLight Shades – see page 19 and pages 32-36

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE. NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND AUTOMATION.

See page 20-21 for automation surcharges

Determine the top shade price by using the charts below.
Add the sheer pleated, bottom shade and control option prices together to determine your final price.

- Carousel Sheer (96")
- Lyssa Sheer (96")
- Nova Sheer (96")
- Willa Sheer (83")

GROUP A (Sheer Pleated)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$86	96	112	120	136	146	158	168	183	204	231
42"	91	105	120	136	146	158	172	187	198	227	257
48"	99	112	129	143	158	172	187	201	217	251	284
54"	105	120	136	154	168	187	201	220	231	269	305
60"	112	129	146	165	180	198	217	231	254	290	327
66"	116	136	158	172	194	212	231	251	269	309	351
72"	120	143	165	183	204	223	245	269	290	333	379
78"	129	146	168	191	217	238	260	284	305	351	401
84"	133	158	180	201	223	251	272	297	318	366	419
90"	139	165	187	212	238	264	287	312	338	390	441
96"	143	168	194	223	251	272	302	327	351	408	463

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails

CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$48
- Cordless Lift System.....add \$96
- Continuous Cord Loopadd \$60

OPTIONS: EXTRA CHARGE

- Fabric wrapped rail optionadd \$24

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide.

BLISS AUTOMATION OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER
USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

Bliss™ Lift 0.6 DC - Bottom-Up (Power Source Must be Selected and is Priced Separately)	add \$250 per shade
• 2-on-1 Headrail	price as 2 separate shades
Control Options	
• Bliss™ 15 Channel Remote	Part #62101C00 add \$50 each
• Bliss™ Wall Switch	Part #62109C00 add \$50 each
Source Options	
• Bliss™ External Battery Pack	Part #62203300 add \$90 each
• 15v DC Distribution Power Panel - 18 Motor	Part #1037300 add \$500 each
• 12v DC Plug In Transformer	Part #62209000 add \$40 each
Power Accessories	
• 8" Charger Extension	Part #62206700 add \$6 each
• 48" Charger Extension	Part #62206800 add \$10 each
• 48" Battery Pack Extension	Part #62207000 add \$6 each
• Magnetic Charging Kit	Part #1026665 add \$40 each
• Magnetic Charging Tips	Part #62206200 add \$6 each
• Bliss™ Lift BU 0.6 Li-Ion - Bottom-Up (Includes Power source)	add \$340 per shade
• 2-on-1 Headrail	price as 2 separate shades
• Bliss™ 15 Channel Remote	Part #621012C0 add \$50 each
• Bliss™ Wall Switch	Part #621012C0 add \$50 each
• 8" Charger Extension	Part #62206700 add \$6 each
• 48" Charger Extension	Part #62206800 add \$10 each
• Magnetic Charging Kit - 90 Degree	Part #1027769 add \$40 each
• Magnetic Charging Tips	Part #62206200 add \$6 each
Note: 1-1/4" Pleat and Dimensions fabrics are Not Available with BLISS Bottom-Up Internal Battery	
• Bliss™ Lift TDBU 0.6 Li-Ion - Top-Down/Bottom-Up (Includes Power source)	add \$360 per shade
• Bliss™ 16 Channel Remote - Top-Down/Bottom-Up	Part #621012C0 add \$50 each
• 8" Charger Extension	Part #62206700 add \$6 each
• 48" Charger Extension	Part #62206800 add \$10 each
• Magnetic Charging Kit - 90 Degree	Part #1027769 add \$40 each
• Magnetic Charging Tips	Part #62206200 add \$6 each
Note: 1-1/4" Pleat and Dimensions fabrics are Not Available with BLISS Top-Down/Bottom-Up	
• BLISS Accessories (for both Bottom-Up and Top-Down/Bottom-Up)	
• Plug In Charger Kit	Part #1027720 add \$30 each
• Solar Panel	Part #62201000 add \$120 each
• Bliss™ Bridge	Part #1026654 add \$100 each

SOMFY AUTOMATION OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER (POWER SOURCE MUST BE SPECIFIED AND IS A SEPARATE CHARGE)
USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

Somfy Automation Bottom Up (Cord Lift WireFree™ TL25)	add \$260 per shade
• 2-on-1 Headrail	price as 2 separate shades
Control Options & Accessories	
• Situo® 1 RTS	Part #1019536 add \$60 each
• Situo® 5 RTS	Part #1019537 add \$84 each
• Telis 16 Remote	Part #1811081 add \$300 each
• Decoflex WireFree™ RTS - 1 Channel	Part #1810897 add \$100 each
• Decoflex WireFree™ RTS - 5 Channel	Part #1810813 add \$100 each
• Smooove® 1 RTS Wall Switch, Pure	Part #1811533 add \$120 each
• Smooove® 4 RTS Wall Switch	Part #1019538 add \$120 each
• Telis 1 Chronis Remote	Part #1805237A add \$330 each
• Black Wall Switch Frame	Part #9015023 add \$24 each
• Silver Wall Switch Frame	Part #9015025 add \$24 each
• Tahoma Ethernet Adaptor	Part #1031856 add \$300 each
• Tahoma Wi-Fi Interface and App	Part #1031853 add \$40 each
• RTS Repeater	Part #1810791 add \$300 each
Power Options	
• Rechargeable Battery Pack	Part #1019535 add \$100 each
• WireFree™ Li-ion Solar Panel Kit	Part #1026827 add \$160 each
• Reloadable Single Battery Wand (empty tube) **	Part #RC445268 add \$36 each
• Reloadable Dual Battery Wand (empty tube) **	Part #KITRDWR add \$86 each
• 12v DC Power Supply	Part #1822445 add \$140 each
Power Accessories	
• Lithium-Ion Charger	Part #9025166 add \$30 each
• 8" Charger Extension	Part #9021131 add \$12 each
• 95" Charger Extension	Part #9021016 add \$12 each
• 10" Battery Pack Extension	Part #9018623 add \$12 each
• 48" Battery Pack Extension	Part #9016736 add \$12 each
• 96" Battery Pack Extension	Part #9018624 add \$18 each

Notes: ** Batteries not included. Requires 8 AA Lithium-Ion batteries per wand.
When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.
Somfy Automation is not available with 1-1/4" fabrics

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide.

POWERWAND SURCHARGE AND OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER
USE APPROPRIATE CELLULAR GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

PowerWand	add \$100 per shade
• 2-on-1 Headrail.....	price as 2 separate shades
PowerWand™ Options (must be specified):	No Charge
1) Control Side (Left or Right)	
2) Wand Color (Black, White, Bronze, Vanilla, or Gray)	
3) Wand Length: 1 foot (12"), 2 feet (24"), 3 feet (36"), 4 feet (48"), 5 feet (60")	
• Plug In Charger Kit.....	Part #1027720 add \$30 each
Note: 2" Hybrid Pleat, Dimensions and 1-1/4" fabrics are Not Available with PowerWand™	

- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

ARCH A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
Stationary	\$129	143	165	191	220	251	287	327	366
Movable	183	209	238	272	309	351	397	452	508

9/16", Double Cell and 3/4" Blackout
N/A in these sizes

ARCH B-SS

- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"
Stationary	\$146	165	191	223	254	293	333
Movable	209	241	275	315	360	416	466

ARCH C-SS

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
Stationary	\$172	194	223	260	302	345	393	448	508
Movable	245	284	318	371	422	484	547	623	691

9/16", Double Cell and 3/4" Blackout
N/A in these sizes

OPTIONS: EXTRA CHARGE	
<ul style="list-style-type: none"> • Top-Down Movable Arch Extension Pole (extends 5' to 10') (Part #400037-0007)\$42 • Movable Arch Extension Pole (extends 18"-36") Part #24-213 TEP-2L13091.....\$24 	<ul style="list-style-type: none"> • Arch and Elliptical Arch – price using width on Arch price charts for fabric desired. • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular.

OPTIONS: EXTRA CHARGE	
<ul style="list-style-type: none"> • Angle Cutadd \$135 (includes Angle Top, Hexagon, Octagon & Trapezoid) 	<ul style="list-style-type: none"> • Circle – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.) • Quarter Circle – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

NOTE: Arches are not available with 1-1/4" Pleat and Beginnings Double Cell fabrics.

- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

CLASSIC SKYLIGHT A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$297	338	379	422	459	508	540	585	623
42"	312	360	408	452	501	543	589	626	665
48"	330	386	430	481	540	585	640	687	720
54"	351	412	463	515	585	618	687	730	776
60"	363	430	487	547	632	673	737		
66"	386	459	518	585	665	710	773		
72"	401	477	547	614	691	747	816		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

CLASSIC SKYLIGHT B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$348	397	441	497	537	589	635	687	723
42"	363	419	477	534	585	640	691	737	780
48"	386	448	508	567	635	687	747	805	848
54"	416	477	540	603	684	723	805	861	912
60"	426	508	576	644	740	786	865		
66"	452	537	609	687	776	835	909		
72"	474	562	644	723	812	875	960		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

CLASSIC SKYLIGHT C-SS

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$363	419	466	518	570	626	678	720	761
42"	390	445	504	562	623	681	730	783	832
48"	408	474	537	598	673	723	790	845	894
54"	441	508	576	640	730	766	848	912	967
60"	455	540	609	681	776	835	916		
66"	477	567	644	723	819	883	974		
72"	508	598	681	766	872	933	1022		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

To price a Skylight with either Bliss or Somfy Automation, add the Arch price from the grids on this page to the applicable motorization surcharge on Page 20.

NOTE: PowerWand is not available in the Skylight configuration

- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

GROUP A-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	
HEIGHT TO:																			
36"	\$491	530	575	618	658	699	746	784	828	869	909	985	1059	1133	1194	1264	1364	1466	
42"	522	572	618	673	715	759	815	858	905	954	992	1071	1144	1230	1299	1388	1496	1606	
48"	556	606	664	719	768	818	873	931	974	1022	1074	1160	1233	1345	1412	1500	1620	1740	
54"	583	650	708	768	818	869	925	979	1029	1079	1133	1216	1315	1416	1504	1594	1720	1848	
60"	618	684	753	818	869	925	985	1040	1093	1147	1203	1306	1412	1517	1603	1712	1851	1987	
66"	653	722	792	869	931	985	1044	1109	1164	1225	1284	1394	1504	1620	1720	1845	1991	2139	
72"	691	759	841	921	982	1040	1098	1179	1233	1296	1360	1488	1600	1723	1835	1964	2123	2279	
78"	722	804	889	962	1022	1082	1147	1230	1288	1360	1422	1559	1682	1809	1929	2064	2232	2392	
84"	759	846	931	1009	1079	1144	1216	1296	1360	1439	1504	1651	1781	1916	2036	2187	2362	2539	
90"	792	886	969	1056	1129	1203	1278	1364	1436	1514	1585	1736	1882	2022	2161	2308	2494	2674	
96"	828	925	1009	1093	1172	1247	1325	1419	1493	1577	1651	1812	1953	2111	2261	2409	2597	2795	
102"	861	959	1056	1136	1216	1302	1394	1484	1569	1651	1728	1898	2057	2212	2365	2528	2732	2934	
108"	895	997	1093	1183	1270	1357	1456	1559	1639	1728	1809	1991	2152	2320	2482	2655	2870	3082	
114"	931	1033	1133	1233	1322	1412	1517	1617	1712	1806	1885	2084	2255	2426	2606	2771	2993	3217	
120"	962	1074	1216	1319	1412	1504	1617	1728	1818	1922	1991	2201	2378	2564	2742	2918	3151	3386	

Note: See "Configuration Specifications" charts for any size restrictions.

- SOFTSTYLE 3/4" BLACKOUT (S23)
- S61 NA WITH VA

GROUP B-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	
HEIGHT TO:																			
36"	\$575	618	681	726	774	818	876	925	974	1022	1067	1156	1247	1325	1398	1488	1603	1723	
42"	609	668	726	784	838	892	954	1009	1063	1120	1168	1257	1345	1446	1527	1627	1758	1889	
48"	650	711	781	846	895	962	1022	1093	1144	1203	1261	1360	1450	1581	1654	1762	1902	2044	
54"	684	759	828	901	962	1022	1086	1147	1210	1264	1325	1429	1546	1660	1768	1870	2022	2171	
60"	722	804	886	962	1022	1086	1156	1216	1288	1349	1412	1533	1657	1781	1889	2013	2178	2338	
66"	768	851	931	1019	1090	1156	1225	1302	1364	1442	1504	1642	1771	1905	2022	2165	2335	2508	
72"	811	895	985	1079	1151	1216	1288	1384	1446	1524	1600	1747	1879	2022	2157	2308	2494	2674	
78"	851	943	1040	1123	1207	1270	1349	1446	1514	1600	1671	1829	1972	2130	2265	2423	2618	2816	
84"	892	992	1093	1187	1267	1345	1426	1524	1597	1690	1768	1937	2094	2255	2395	2571	2776	2985	
90"	931	1040	1139	1233	1325	1412	1500	1603	1685	1774	1860	2040	2207	2378	2536	2711	2927	3147	
96"	969	1082	1183	1284	1376	1466	1563	1666	1754	1854	1937	2130	2299	2486	2655	2831	3054	3282	
102"	1009	1123	1233	1334	1426	1530	1634	1740	1845	1940	2026	2232	2415	2601	2780	2973	3212	3454	
108"	1056	1172	1284	1388	1493	1597	1712	1825	1925	2029	2130	2338	2533	2729	2918	3120	3370	3623	
114"	1093	1216	1329	1446	1549	1657	1781	1902	2010	2123	2215	2447	2652	2853	3064	3259	3521	3786	
120"	1123	1261	1426	1546	1654	1768	1898	2026	2139	2255	2344	2588	2799	3012	3221	3430	3699	3982	

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Spacer blocks • Extension brackets 	<ul style="list-style-type: none"> • Shims (OB)

STACKING DESIGN OPTIONS	
<ul style="list-style-type: none"> • Left Stack • Right Stack • Split stack (center opening) Price as two separate shades 	<ul style="list-style-type: none"> • Center Stack add \$63 each • Two Fabric Combo. Price as two separate shades

GROUP C-SS (Vertical Application)

• SOFTSTYLE 1-1/4" SEMI-OPAQUE (S41)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$541	583	633	681	723	769	821	862	912	956	1000	1084	1165	1246	1314	1391	1500	1614
42"	575	629	681	740	787	836	896	944	996	1050	1091	1178	1259	1353	1429	1527	1647	1768
48"	612	667	731	791	845	900	961	1024	1071	1125	1182	1277	1357	1479	1554	1651	1782	1915
54"	642	716	779	845	900	956	1018	1077	1132	1187	1246	1338	1446	1558	1654	1754	1893	2034
60"	681	753	828	900	956	1018	1084	1145	1204	1263	1323	1438	1554	1670	1764	1884	2037	2186
66"	719	795	872	956	1024	1084	1148	1221	1281	1348	1413	1534	1654	1782	1893	2029	2190	2353
72"	761	836	926	1013	1081	1145	1208	1298	1357	1426	1497	1637	1760	1896	2020	2161	2336	2507
78"	795	885	978	1058	1125	1190	1263	1353	1418	1497	1565	1715	1850	1990	2122	2271	2455	2631
84"	836	931	1024	1110	1187	1259	1338	1426	1497	1583	1654	1816	1959	2108	2239	2407	2599	2794
90"	872	975	1067	1162	1243	1323	1406	1500	1580	1666	1744	1910	2071	2224	2377	2539	2744	2942
96"	912	1018	1110	1204	1289	1372	1458	1561	1642	1735	1816	1993	2149	2323	2488	2650	2857	3074
102"	948	1055	1162	1250	1338	1433	1534	1633	1726	1816	1901	2088	2263	2433	2603	2781	3006	3227
108"	985	1097	1204	1302	1398	1493	1602	1715	1804	1901	1990	2190	2367	2552	2731	2921	3157	3390
114"	1024	1137	1246	1357	1455	1554	1670	1779	1884	1987	2074	2293	2481	2669	2867	3049	3293	3539
120"	1058	1182	1338	1452	1554	1654	1779	1901	2001	2115	2190	2422	2617	2820	3016	3210	3467	3725

GROUP D-SS (Vertical Application)

• SOFTSTYLE 1-1/4" BLACKOUT (S43)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$633	681	750	799	852	900	964	1018	1071	1125	1174	1271	1372	1458	1537	1637	1764	1896
42"	670	735	799	862	922	982	1050	1110	1170	1232	1285	1383	1479	1592	1680	1790	1934	2079
48"	716	782	859	931	985	1058	1125	1204	1259	1323	1387	1497	1595	1740	1819	1939	2093	2249
54"	753	836	912	992	1058	1125	1195	1263	1332	1391	1458	1572	1701	1827	1945	2058	2224	2389
60"	795	885	975	1058	1125	1195	1271	1338	1418	1484	1554	1687	1824	1959	2079	2215	2396	2572
66"	845	936	1024	1122	1199	1271	1348	1433	1500	1586	1654	1807	1948	2096	2224	2382	2569	2760
72"	893	985	1084	1187	1266	1338	1418	1523	1592	1676	1760	1922	2067	2224	2373	2539	2744	2942
78"	936	1037	1145	1235	1328	1398	1484	1592	1666	1760	1839	2012	2169	2343	2491	2665	2879	3098
84"	982	1091	1204	1305	1394	1479	1569	1676	1757	1860	1945	2131	2304	2481	2635	2829	3053	3284
90"	1024	1145	1253	1357	1458	1554	1651	1764	1853	1952	2046	2245	2429	2617	2790	2982	3221	3461
96"	1067	1190	1302	1413	1514	1614	1720	1833	1930	2040	2131	2343	2529	2735	2921	3114	3361	3611
102"	1110	1235	1357	1468	1569	1684	1798	1915	2029	2134	2230	2455	2657	2861	3059	3271	3533	3800
108"	1162	1289	1413	1527	1642	1757	1884	2008	2118	2233	2343	2572	2786	3002	3210	3433	3707	3985
114"	1204	1338	1462	1592	1705	1824	1959	2093	2212	2336	2436	2692	2918	3139	3370	3585	3874	4165
120"	1235	1387	1569	1701	1819	1945	2088	2230	2353	2481	2579	2848	3079	3314	3543	3773	4069	4380

Note: See "Configuration Specifications" charts for any size restrictions.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Spacer blocks • Extension brackets 	<ul style="list-style-type: none"> • Shims (OB)

STACKING DESIGN OPTIONS	
<ul style="list-style-type: none"> • Left Stack • Right Stack • Split stack (center opening) Price as two separate shades 	<ul style="list-style-type: none"> • Center Stack add \$63 each • Two Fabric Combo. Price as two separate shades

2" HYBRID PLEAT SEMI-OPAQUE (Vertical Application)

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$578	693	693	734	758	811	839	981	1019	1088	1142	1328	1497	1647	1796	1958	2100
42"	652	705	720	752	792	832	870	1012	1052	1134	1186	1363	1540	1692	1848	2013	2163
48"	688	728	737	797	870	877	909	1079	1107	1194	1252	1439	1647	1811	1974	2150	2313
54"	714	768	775	832	901	905	942	1115	1153	1233	1288	1489	1682	1851	2021	2202	2364
60"	717	792	792	870	939	942	973	1146	1186	1280	1352	1557	1760	1934	2109	2296	2469
66"	768	839	842	890	939	958	992	1186	1216	1307	1393	1603	1811	1994	2170	2367	2544
72"	787	873	873	929	953	1003	1042	1249	1276	1393	1477	1682	1906	2095	2285	2489	2674
78"	909	992	1012	1052	1091	1142	1186	1244	1280	1386	1481	1702	1919	2112	2300	2505	2694
84"	933	1019	1039	1084	1134	1186	1230	1288	1335	1442	1547	1776	1994	2188	2388	2603	2797
90"	964	1059	1059	1107	1153	1222	1271	1335	1383	1489	1603	1840	2067	2273	2479	2699	2905
96"	988	1084	1091	1138	1186	1257	1307	1366	1421	1535	1651	1890	2135	2349	2557	2789	2993
108"	1091	1216	1222	1280	1344	1418	1505	1571	1639	1779	1925	2202	2472	2723	2966	3230	3474
120"	1169	1316	1366	1439	1509	1599	1685	1779	1860	2017	2185	2496	2789	3068	3344	3643	3916

Note: Two Fabric combo NOT available with Hybrid Pleat

2" HYBRID PLEAT BLACKOUT (Vertical Application)

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$659	700	710	748	775	828	855	1000	1035	1115	1161	1359	1529	1678	1832	1994	2144
42"	675	720	734	768	808	851	882	1039	1075	1153	1206	1390	1576	1734	1887	2056	2208
48"	697	744	752	808	901	909	926	1103	1130	1216	1280	1461	1682	1848	2013	2195	2356
54"	723	787	787	851	929	926	958	1138	1173	1257	1320	1525	1721	1890	2059	2245	2414
60"	734	808	808	882	984	964	992	1169	1213	1307	1371	1588	1789	1966	2144	2335	2508
66"	779	859	859	905	988	984	1016	1216	1241	1338	1418	1634	1848	2029	2208	2408	2589
72"	808	893	893	942	1003	1022	1059	1276	1299	1421	1501	1718	1941	2135	2324	2534	2723
78"	929	1012	1028	1072	1115	1169	1209	1271	1307	1413	1509	1734	1950	2147	2338	2550	2740
84"	1009	1107	1126	1182	1233	1299	1355	1421	1474	1599	1718	1966	2205	2426	2639	2879	3093
90"	1107	1216	1230	1283	1344	1413	1477	1551	1606	1741	1876	2147	2414	2659	2896	3155	3394
96"	1216	1363	1386	1461	1532	1634	1715	1808	1887	2056	2218	2534	2852	3137	3419	3726	4006
108"	1320	1509	1540	1639	1734	1848	1974	2079	2179	2391	2603	2966	3321	3657	3984	4341	4663
120"	1402	1627	1721	1845	1953	2092	2226	2359	2486	2713	2970	3377	3761	4137	4511	4917	5284

Note: Two Fabric combo NOT available with Hybrid Pleat


OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Spacer blocks • Extension brackets 	<ul style="list-style-type: none"> • Shims (OB)

STACKING DESIGN OPTIONS	
<ul style="list-style-type: none"> • Left Stack • Right Stack • Split stack (center opening) Price as two separate shades 	<ul style="list-style-type: none"> • Center Stack add \$63 each • Two Fabric Combo. Price as two separate shades

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



All Cordlock shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

- Headrail Color – color coordinated with fabric
- Installs with standard snap-in brackets
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat and 1-1/4" Pleat fabrics are not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (S61)	All other Blackout Fabrics
Min. Width (net)*	8"	8"	8"	8"
Max. Width	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	50	50	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 3/16"
End (EB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/8"
2 on 1 Headrail	
Gap between panels	- 1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

NOTE: Cordlock is N/A with 2" Hybrid Pleat and 1-1/4" Fabrics

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

2 ON 1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

STANDARD CORDLOCK TWO-ON-ONE – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (S61)	All other Blackout Fabrics
Min. Width (per panel)	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"
Max. Width (per panel)	72"	72"	72"	72"
Max. Width (overall)	144"	144"	144"	144"
Max. Width (end mount)	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height	120"	120"	120"	120"
Max. Area (sq. ft.)	50	50	40	60


* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

TOP-DOWN OR TOP-DOWN/BOTTOM-UP – STANDARD CORDLOCK



Conveniently open shades from the top down or from both top and bottom.

Installs with standard snap-in brackets

Top-Down/Bottom-Up features one cord connector tassel per pull cord.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$

NOTES:

- The standard TD/BU control positions are: **RIGHT** operates the top-middle moving rail and **LEFT** operates the bottom rail. **REVERSE CONTROLS** also are available (operate opposite as described above). Specify **REVERSE CONTROLS** when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.

STANDARD CORDLOCK TOP-DOWN – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (S61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	50	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

STANDARD CORDLOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS


	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (S61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	50	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 1-1/4" or 2" Hybrid Pleat Fabrics

On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on continuous cord loop bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Uses steel snap-in brackets. Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.



CORDLESS LIFT – SIZE STANDARDS


	Cellular			2" Hybrid Pleat	1-1/4"	1-1/4"
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout	Semi-Opaque	Blackout
Min. Width (net)	16"	16"	16"	16"	16"	16"
Max. Width	120"	84"	96"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"	N/A	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	70	49	56	60	60	60

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat	1-1/4"	1-1/4"
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout	Semi-Opaque	Blackout
Min. Width (net)	16"	16"	16"	16"	18"	18"
Max. Width	96"	84"	96"	120"	96"	96"
Max. Width – End Mount	48"	48"	48"	42"	N/A	N/A
Min. Height	12"	12"	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"	84"	84"
Max Area (sq. ft.)	56	49	56	60	56	56

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails.

Striker plate & magnet placement:

Shades under 42" Wide – one magnet on each end of the shade

Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat	1-1/4"	1-1/4"
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout	Semi-Opaque	Blackout
Min Width (per panel)	16"	16"	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"	96"	96"
Max Width (overall)	120"	120"	120"	120"	120"	120"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min Width (per panel)	16"	16"	16"	16"
Min Width (overall)	48"	48"	48"	48"
Max Width (per panel)	100"	84"	96"	120"
Max Width (overall)	174"	174"	174"	174"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

Note: 1-1/4" Pleat Fabrics are not available in the 3-on-1 Configuration

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail for a surcharge. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

Cordless Lift & Lock not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	10"	10"	10"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"

Two-on-One

Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"

Three-on-One

Min. Width (net - per panel)	10"	10"	10"
Min Width (overall)	30"	30"	30"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

NOTE: 2-on-1 or 3-on-1 Headrail is not available in Top-Down/Bottom-Up or TriLight or End Mount

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Cordless Lift & Lock is NOT available with 1-1/4" Pleat fabrics

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Standard Headrail	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount			
Minimum mounting depth		1-1/4"	1-1/4"
Minimum mounting depth, flush mount:		2-1/4"	2-1/4"
End (EB) Mount			
Minimum flat vertical surface		2"	2"
Outside (OB) Mount			
Minimum flat vertical surface		1"	1"

	Premium Headrail	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts			
Minimum mounting depth		3/4"	3/4"
Minimum mounting depth, flush mount:		2-1/8"	2-1/8"
Outside (OB) Mount			
Minimum flat vertical surface		1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM





Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. **Must be specified** when order is placed.

Continuous Cord Loop not available on 1-1/4" Pleat Fabrics.



SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

SoftStyle 2" Hybrid Pleat*

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/ Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

SoftStyle 2" Hybrid Pleat

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary ± 1/8"

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi- Opaque & Blackout
Min. Width (net)*	18"	18"	18"	18"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Semi- Opaque Fabrics	All Blackout Fabrics	Semi- Opaque & Blackout
Min. Width (per panel)	18"	18"	18"
Min. Width (overall)	36"	36"	36"
Max. Width (per panel)	100"	96"	102"
Max. Width (overall)	120"	120"	120"
Min. Height	12"	12"	12"
Max. Height	120"	120"	120"
Max. Area (sq. ft.)	83	80	60

Note: End mount not available.

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi- Opaque & Blackout
Min. Width (net)*	24"	24"	24"	24"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

Continuous Cord Loop is NOT available with 1-1/4" Pleat fabrics

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SoftStyle 2" Hybrid Pleat

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

SMART FACTS



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
 3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 7-18 to determine your bottom shade price.
 4. Refer to the sheer pleated grids on page 19 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
- TriLight Shades are available as standard rectangle only.
 - Continuous Cord Loop – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer Pleated		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Carousel Sheer Pleated		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon


Willa Sheer Pleated		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer Pleated		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Nova Sheer	96"	60
Carousel Sheer	96"	60
Willa Sheer	83"	50
Lyssa Sheer	96"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
 - rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric
 - surcharge applies
 - bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	96"	96"	96"
Max. Area (sq. ft.)	64	50	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

NOTE: Inside mount with hold down brackets

deductions: Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"


MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

TriLight option not available on 1-1/4" Pleat Fabrics.

CORDLESS LIFT SYSTEM – SIZE STANDARDS			
	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	16"	16"	16"
Max. Width**	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	56	49	60

*See sheer pleated maximum width limitations.

TriLight **not available** with 1-1/4" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:



Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK – SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat Fabrics
Min. Width (net)	12"	12"	12"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	49	49	49

*Maximum width on Whisper Sheer is 83", all other patterns 84".

TriLight **not available** with 1-1/4" fabrics

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

TriLight option not available on 1-1/4" Pleat Fabrics.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:

- Headrail -1/2"
- Fabric -5/8"
- Bottomrail -1/2"

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.

SIZE STANDARDS				
	Bottom-Up		Top-Down/Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat	Right Side Control	Left Side Control
Minimum NET Width*	18" / 24"	18"	30"	35"
Maximum Width	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"
Maximum Height	108"	108"	108"	108"

NOTES:

- 1) Minimum width for 1-1/4" Pleat is 24"
- 2) End Mount not available
- 3) 1-1/4" Pleat is **not available** with Top-Down/Bottom-Up
- 4) Max height varies by width and fabric type. Refer to chart on page 39
- 5) Top-Down/Bottom-Up control side + charging port location
The minimum inside mount width is 19" when ordered with hold-down brackets

2-on-1 HEADRAIL - SIZE STANDARDS		
	Bottom-Up	
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20" / 24"	20"
Minimum NET Width (overall)	40" / 48"	40"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144" / 120"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 50
- 2) Minimum panel width for 1-1/4" Pleat is 24" (per panel) and 48" (overall)
- 3) End Mount is **not available**
- 4) TDBU is not available on 2-on1

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

Adjustments are taken from ordered dimensions.

1-1/4" Fabrics	
Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: 1-1/4" Fabrics are not available with Bliss Top-Down/Bottom-Up

MOUNTING REQUIREMENTS

Powersource Not Mounted to Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular and Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

Use a metal tape measure for all measurements.

External Battery - Mounted away from the Headrail

1-1/4" Fabrics

Inside (IB) Mount	
Minimum mounting depth	1-5/8"
Minimum mounting depth, flush mount:	3"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for External Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)

- Li-Ion= Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.



SIZE STANDARDS				
	Bottom-Up		Top-Down/Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18-1/8"	30"	35"
Maximum Width	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"
Maximum Height	108"	108"	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) End Mount not available
- 3) Bottom-up & TDBU is not available with 1-1/4"
The minimum inside mount width is 19" when ordered with hold-down brackets

2-on-1 HEADRAIL - SIZE STANDARDS		
	Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 39
- 2) 2-on-1 Bottom-up not available with 1-1/4"
- 3) TDBU is not available on 2-on-1

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular Fabrics	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular Fabrics & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Cellular Fabrics & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Semi-Opaque	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Semi-Opaque - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Semi-Opaque - Large Single Cell	108"	108"	108"	87"	78"
50 Sq Ft Max - Up to 96"					45 Sq Ft Max - Over 96"	
S31	Softstyle Semi-Opaque - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
55 Sq Ft Max - Up to 96"					45 Sq Ft Max - Over 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
45 Sq Ft Max - Up to 96"					35 Sq Ft Max - Over 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
S41	Softstyle Semi-Opaque - 1-1/4" Single Cell (min width 24")	108"	108"	108"	67"	60"
					65 Sq Ft Max - Over 96"	
S43	Softstyle Blackout - 1-1/4" Single Cell (min width 24")	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	67"	60"
55 Sq Ft Max - Up to 96"					40 Sq Ft Max - Over 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

DC = Requires External source of power

Li-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4")

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top-Down/Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Semi-Opaque	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Semi-Opaque - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Semi-Opaque - Large Single Cell	108"	108"	108"	87"	78"
					50 Sq Ft Max - Up to 96"	
S31	Softstyle Semi-Opaque - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
					55 Sq Ft Max - Up to 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
					45 Sq Ft Max - Up to 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	67"	60"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

- 1) Top-Down / Bottom-Up is **not available** with 1-1/4"
- 2) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 3) Minimum Width for Top-Down/Bottom-Up is **30" Right Side Control** & **35" Left Side Control**
Control Side ⇒ Location of Charging Port & Reset Button

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SOMFY AUTOMATION

- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a surcharge. Color-coordinated rails are available at no additional charge. Must be specified when ordering.



SOMFY AUTOMATION - SIZE STANDARDS		
	Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width	18"	18"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 42
 - 2) End Mount not available
 - 3) Not Available with 1-1/4"
- **The minimum inside mount width is 19" when ordered with hold-down brackets

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS		
	Bottom-Up	
	Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTES:

- 1) Max height varies by width and fabric type. Refer to chart on page 42
- 2) End Mount not available
- 3) Not Available with 1-1/4"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powerwand Not Mounted to Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the back of the Headrail

Cellular & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Semi-Opaque	108"	108"	108"	108"	108"
					75 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	100"	90"
					70 Sq Ft Max - Over 96"	
S11	Softstyle Semi-Opaque - Small Single Cell	108"	108"	108"	93"	84"
					85 Sq Ft Max - Over 96"	
S21	Softstyle Semi-Opaque - Large Single Cell	108"	108"	108"	108"	102"
					60 Sq Ft Max - Over 96"	
S31	Softstyle Semi-Opaque - Double Cell	108"	108"	108"	80"	72"
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	108"	108"
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	108"	108"	73"	66"
70 Sq Ft Max - Up to 96"					50 Sq Ft Max - Over 96"	
S61	Softstyle Subdue Blackout	108"	108"	105"	67"	60"
					70 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	93"	84"
					55 Sq Ft Max - Over 96"	
HPR	2" Hybrid Pleat - Blackout	108"	108"	108"	73"	66"

NOTES:

- 1) Somfy Automation **not available** with 1-1/4" Fabrics
- 2) 2-on-1 **Minimum Panel Width 18"**
- 3) 2-on-1 **Maximum Width (overall)** is 144"
- 4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND



POWERWAND - SIZE STANDARDS	
	Cellular Fabrics
Minimum NET Width - Bottom-Up	21"
Maximum Width	120"
Minimum Height	12"
Maximum Height	108"

NOTES:

- 1) PowerWand **not available** with 1-1/4" & 2" Hybrid Pleat
 - 2) Max height varies by width and fabric type. Refer to chart on page 47
- The minimum inside mount width is 22" when ordered with hold-down brackets

PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand – 2-on-1- SIZE STANDARDS	
Two-on-One Headrail	
	Cellular Fabrics
Minimum NET Width - Per Panel	24-1/4"
Minimum NET Width - Overall	48-1/2"
Maximum Width - Per Panel	120"
Maximum Width - Overall	144"
Minimum Height	12"
Maximum Height	108"

Powerwand is not available with 1-1/4" or Hybrid pleat

NOTE: Max height varies by width and fabric type. Refer to chart on page 39

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Cellular Fabrics

Inside (IB) Mounts	
Headrail unit	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

NOTE: PowerWand is **not available** with Hybrid Pleat or 1-1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Cellular Fabrics

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

POWERAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS						
CODE	SHADE NET WIDTH TO:	21" – 72" *	84"	96"	108"	120"
S50	SoftStyle Beginnings - Semi-Opaque	108"	108"	108"	108"	108"
					55 Sq Ft Max - Over 96"	
S51	SoftStyle Beginnings - Double Cell	108"	108"	108"	73"	66"
					55 Sq Ft Max - Over 96"	
S11	Softstyle Semi-Opaque - Small Single Cell	108"	108"	108"	73"	66"
					65 Sq Ft Max - Over 96"	
S21	Softstyle Semi-Opaque - Large Single Cell	108"	108"	108"	87"	78"
50 Sq Ft Max - Up to 96"					45 Sq Ft Max - Over 96"	
S31	Softstyle Semi-Opaque - Double Cell	100"	85"	75"	60"	54"
					80 Sq Ft Max - Over 96"	
S13	Softstyle Blackout - Small Single Cell	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
S23	Softstyle Blackout - Large Single Cell	108"	108"	108"	106"	96"
55 Sq Ft Max - Up to 96"					45 Sq Ft Max - Over 96"	
S32	SoftStyle 1/2" Double Cell Double Cell Blackout	108"	94"	82"	60"	54"
45 Sq Ft Max - Up to 96"					35 Sq Ft Max - Over 96"	
S61	Softstyle Subdue Blackout	90"	77"	67"	46"	42"


NOTES:

- 1) PowerWand is **not available** with 1-1/4" and Hybrid Pleat
- 2) PowerWand **minimum panel width is 21"**
- 3) PowerWand 2-on-1 Minimum Panel Width 24-1/4"
- 4) PowerWand 2-on-1 Maximum Width (overall) is 144"
- 5) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted


VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) left stack
 - 2) right stack
 - 3) split stack (center opening)
 - 4) center stack
 - 5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS					
	Cellular		Beginnings	2" Hybrid Pleat	1-1/4" Single Cell
	Large Single Cell Semi-Opaque	Large Single Cell Blackout	Large Single Cell Semi-Opaque	Semi-Opaque & Blackout	Semi-Opaque & Blackout
Min. Width	12"	12"	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	120"	120"	120"
Max. Width Split Stack	336"	336"	240"	240"	240"
Max. Width Two Fabric Combo	168"	168"	120"	N/A	120"
Min. Height	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Split Stack	120/panel	120/panel	100/ panel	100/ panel	100/ panel
Max Sq. ft. Two Fabric Combo	120/panel	120/panel	100/ panel	100/ panel	100/ panel

NOTE: Vertical Application **not available** with Small Single or Double Cell Cellular fabrics or Subdue Blackout

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

- Split stack up to 336"
- Two Fabric Combo Shade:
 - Not available for Hybrid Pleat
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different pleat sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns	
3/4" Pleat	3-1/4"
1-1/4" Pleat	4"
Hybrid Fabric	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Cellular	Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Valance width	+ 1-1/4"	+ 1-1/4"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount*	1-1/2"	1-1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Cellular	Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.

EXCLUSIONS

- All 9/16" Single, Double Cell, and Large Single Subdue Blackout


VERTICAL APPLICATION ORDERING NOTES

- | | |
|--|---|
| <ul style="list-style-type: none"> • Specify inside (IB), outside (OB), inside non flush mount, or flush mount. • Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option. • Inside non flush mount valance returns are 1-1/2" if returns are selected* • Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard. | <ul style="list-style-type: none"> • Standard installation hardware (brackets) provided. • Also refer to vertical application measuring in "General Information" section. NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location. <p>Cut-outs are not available on 2" Hybrid Pleat.</p> |
|--|---|

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT



This easy to operate system holds shades in place.
Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'


CLASSIC SKYLIGHT – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	18"
Max. Width	60"
Min. Height	12"
Max. Height	72"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics


NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.



Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS	
	Cellular
	All Fabrics
Min. Width	12"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

NOTE: Classic Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary ± 1/8"

NOTE: All finished dimensions include side tracks.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Motorized Skylights are different than Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss or Somfy Automation motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding a Battery Extension Cable to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

SKYLIGHT with Automation – SIZE STANDARDS	
	All Cellular Fabrics
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight Automation not available with 2" Hybrid Pleat or 1-1/4" Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight is **not available** with 2" Hybrid Pleat or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- For Skylight Automation the shade must be mounted with the fabric at the top or the highest point in the window.

Bliss Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.
Width: Measure exact width(s)
Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.
Width: Measure desired width(s)
Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle	SoftStyle
	Large Semi-Opaque	Double Cell - Semi-Opaque & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"


Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat
Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch




MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here - Fan Fold Left



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle	SoftStyle
	Large Semi-Opaque	Double Cell - Semi-Opaque & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat
Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch



Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle	SoftStyle
	Large & Small Semi-Opaque	Double Cell - Semi-Opaque & All Blackout
Min. Width	12"	12"
Max. Width	72"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2 width	1/2 width


Not available with Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat
Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch




TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.




Width (Diameter)

	SIZE STANDARDS	
	SoftStyle	SoftStyle
	Large Semi-Opaque	Double Cell - Semi-Opaque & All Blackout
Min. Width	18"	12"
Max. Width	72"	60"
Min. Height	6"	6"
Max. Height	36"	30"


Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS	
	SoftStyle	SoftStyle
	Large Semi-Opaque	Double Cell - Semi-Opaque & All Blackout
Min. Width	18"	18"
Max. Width	72"	60"
Min. Arch Height	1/4 width	1/4 width
Max. Height	60"	60"

Not available with Small Single, Beginnings Double Cell, 1-1/4" Pleat or 2" Hybrid Pleat



Optional Top-Down Movable Arch Extension Pole
Extends 5' to 10' (Part #400037-0007)

Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:
661 Tiara White
320 Rich Cream

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.
Arch trim kit included with Top-Down arches - available in White Tiara (661) & Rich Cream (320) - See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information


INSIDE MOUNT

Locate shape of window.
 Width: Measure exact width(s)
 Height: Measure exact height(s)
 Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.
 Width: Measure desired width(s)
 Height: Measure desired height(s)
 Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat




SIZE STANDARDS	
	All Fabrics
Min. Width	12"
Max. Width	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat

Non-operable ONLY

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





- Shaded area represents the non-movable area of the shade. The fabric will stack below the dotted line.
- Cordlock must always be at the lower end of the headrail

Operable Angle Top	SoftStyle Semi-Opaque Fabrics	SoftStyle Blackout Fabrics	SoftStyle Double Cell Fabrics
Minimum Height (L/R)	12"	12"	12"
Maximum Height	84"	72"	84"
Maximum Area (sq ft)	60	60	30
MINIMUM SLOPE WIDTH			
0 - 30 Angle	12	12	12
MAXIMUM SLOPE WIDTH			
0 - 30 Angle	60"	60"	60"

Non-Operable Angle Top	SoftStyle Semi-Opaque Fabrics	SoftStyle Blackout Fabrics	SoftStyle Double Cell Fabrics
Minimum Height (L/R)	3"	3"	3"
Maximum Height	84"	72"	84"
Maximum Area (sq ft)	60	60	30
MINIMUM SLOPE WIDTH			
0 - 30 Angle	12	12	12
MAXIMUM SLOPE WIDTH			
0 - 30 Angle	60"	60"	60"

NOTE: Angle Top is **not available** with 2" Hybrid Pleate or 1-1/4" Fabrics

HEXAGON & OCTAGON (TEMPLATE REQUIRED)




SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	30"
Min. Height	8"
Max. Height	30"

*Not available with 2" Hybrid Pleat

- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"

Non-operable ONLY

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	72"
Min. Height	9"
Max. Height	96"

*Not available with 2" Hybrid Pleat

Non-operable ONLY

- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth	1-7/8"
Outside (OB) Mount	
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT	1-1/4"	
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics	Semi- Opaque	Blackout

Standard Cordlock

Min Width (net) *	8"	8"	8"	N/A
Max Width	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	50	40	60	

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	50	40	60	

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	50	40	60	

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	
Max Width (per panel)	72"	72"	72"	
Max Width (overall)	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	50	40	60	

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	N/A
Max Width	120"	120"	120"	120"	
Max Width – End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	120"	120"	120"	120"	
Max Area (Sq/Ft)	100	90	100	60	

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	N/A
Max Width	120"	120"	120"	120"	
Max Width – End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	120"	120"	120"	120"	
Max Area (Sq/Ft)	100	90	100	60	

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	N/A
Min Width (overall)	36"	36"	36"	36"	
Max Width (per panel)	100"	96"	96"	102"	
Max Width (overall)	120"	120"	120"	120"	
Min Height	12"	12"	12"	12"	
Max Height	120"	120"	120"	120"	
Max Area (Sq/Ft)	83	80	80	60	

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT	1-1/4"	
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics	Semi- Opaque	Blackout

Cordless Lift System

Min Width (net)	16"	16"	16"	16"	16"	16"
Max Width	120"	84"	96"	120"	120"	120"
Max Width - End Mount	48"	48"	48"	42"	N/A	N/A
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70	49	56	60	60	60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"	18"	18"
Max Width	96"	84"	96"	120"	96"	96"
Max Width - End Mount	48"	48"	48"	42"	N/A	N/A
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	56	49	56	60	56	56

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"	96"	96"
Max Width (overall)	120"	120"	120"	120"	120"	120"
Min Height	12"	12"	12"	12"	12"	12"
Max Height	84"	84"	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60	60	60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"	N/A
Min Width (overall)	48"	48"	48"	48"	
Max Width (per panel)	120"	84"	96"	120"	
Max Width (overall)	174"	174"	174"	174"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (per panel) (Sq/Ft)	70	49	56	60	

Cordless Lift & Lock

Min Width (net)	10"	10"	10"	10"	N/A
Max Width	84"	84"	84"	84"	
Max Width - End Mount	48"	48"	48"	48"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (Sq/Ft)	49	49	49	49	

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"	N/A
Max Width	84"	84"	84"	84"	
Max Width - End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (Sq/Ft)	49	49	49	49	

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	10"	10"	10"	10"	N/A
Min Width (overall)	20"	20"	20"	20"	
Max Width (per panel)	84"	84"	84"	84"	
Max Width (overall)	168"	168"	168"	168"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (per panel) (Sq/Ft)	49	49	49	49	

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	10"	10"	10"	10"	N/A
Min Width (overall)	30"	30"	30"	30"	
Max Width (per panel)	84"	84"	84"	84"	
Max Width (overall)	168"	168"	168"	168"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (per panel) (Sq/Ft)	49	49	49	49	

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT	1-1/4"	
All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics	Semi-Opaque	Blackout

TriLight Shades - Continuous Cord Loop

Min Width (net)	24"	24"	24"	24"	N/A
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"	
Max Width - End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	96"	96"	96"	96"	
Max Area (Sq/Ft)	64	50	50	60	

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	16"	16"	16"	16"	N/A
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"	
Max Width - End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (Sq/Ft)	56	49	49	60	

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	12"	12"	12"	12"	N/A
Max Width	84"	84"	84"	84"	
Max Width - End Mount	48"	48"	48"	42"	
Min Height	12"	12"	12"	12"	
Max Height	84"	84"	84"	84"	
Max Area (Sq/Ft)	49	49	49	49	

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	12"	N/A	12"	12"	12"	12"
Max Width Side & Center Stack	168"		168"	120"	120"	120"
Max Width Split Stack	336"		336"	240"	240"	240"
Max Width Two Fabric Combo	168"		168"	N/A	120"	120"
Min Height	24"		24"	24"	24"	24"
Max Height	120"		120"	120"	120"	120"
Max Area Side & Center Stack	120/Panel		120/Panel	100/Panel	100/Panel	100/Panel
Max Area Split Stack	120/Panel		120/Panel	100/Panel	100/Panel	100/Panel
Max Area Two Fabric Combo	120/Panel		120/Panel	N/A	100/Panel	100/Panel

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT	1-1/4"	
Large & Small Semi-Opaque	Large & Small Blackout	Double Cell - Semi-Opaque & Blackout	All Fabrics	Semi-Opaque	Blackout

Classic Skylight

Min Width	18"	18"	18"	N/A
Max Width	60"	60"	60"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	25	25	25	

Classic Skylight – Side Stack

Min Width	12"	12"	12"	N/A
Max Width	72"	72"	72"	
Min Height	18"	18"	18"	
Max Height	60"	60"	60"	
Max Area (Sq/Ft)	25	25	25	

Skylight with Bliss or SOMFY Automation

Min Width	18"	18"	18"	N/A
Max Width	48"	48"	48"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	N/A	N/A	N/A	

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	72"	60"	60"	
Min Height	6"	6"	6"	
Max Height	36"	30	30	

*Beginnings Double Cell N/A

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	72"	60"	60"	
Min Height	6"	6"	6"	
Max Height	36"	30	30	

*Small Single and Beginnings Double Cell N/A

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	72"	60"	60"	
Min Height	1/4 width (6" minimum)			
Max Height	1/2 width			

*Beginnings Double Cell N/A

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	N/A
Max Width	72"	60"	60"	
Min Height	6"	6"	6"	
Max Height	36"	30	30	

*Small Single and Beginnings Double Cell N/A

Top-Down Movable Elliptical Arch

Min Width	18"	18"	18"	N/A
Max Width	72"	60"	60"	
Min Height	1/4 width	1/4 width	1/4 width	
Max Height	60"	60"	60"	

If width more than 66", Max Length 60", Width more than 72", max Length 48", MAX Height - 60" FOR ALL FABRICS

*Small Single and Beginnings Double Cell N/A