



**ALTA**  
WINDOW FASHIONS

*design simplified*

# WINDOW SHADINGS

Pricing effective April 17, 2023 and supersedes all previous pricing.  
Subject to change by Alta Window Fashions.

---

## SUMMARY OF REVISIONS

---

### 3/13/23 Revisions:

Pages 8-9 .....Renamed DC Motors  
Page 10 ..... Added Distribution Panel and Plug in Transformer; Renamed DC motors and rearranged order of components  
Page 12 .....Updated Features and Options  
Page 13.....Renamed DC motors

### 12/1/22 Revisions:

Page 4 .....Updated maximum ordered height information to Translucent from Light Dimming  
Page 5 .....Updated maximum ordered height information to Translucent from Light Dimming

### 11/15/22 Revisions:

Page 4 .....Added note to review Collection Information pages for Coordinating Hardware Color  
Page 5 .....Added note to review Collection Information pages for Coordinating Hardware Color  
Page 6 .....Added note to review Collection Information pages for Coordinating Hardware Color  
Page 7 .....Added note to review Collection Information pages for Coordinating Hardware Color  
Page 13 .....Updated Shading Height Deduction and Standard Deduction wording  
Page 15 .....Updated Dust Cover Picture  
Page 15 .....Updated Back Cover Bracket Picture

### 9/19/22 Revisions:

Pages 4-7 .....Updated availability of the 2 on 1 Headrail option to reflect Cordless Lift as the only exclusion  
Pages 8-9 .....Added Somfy Sonesse 28 Zigbee Specs and PowerWand 2 on 1 Headrail Specs for Translucent and Light Dimming  
Pages 8-9 .....Updated PowerWand minimum width and maximum heights  
Pages 8-9 .....Dropped Simplicity Specs for Translucent and Light Dimming  
Page 10-11 .....Updated Bliss and PowerWand information, added Somfy Zigbee pricing, and added Somfy Smart Plug pricing  
Page 12 .....Updated Features and Options chart  
Page 13 .....Updated Finished Dimensions charts

---

# TABLE OF CONTENTS

---

## Product Overview

- Collection Information (includes Light Control) ..... 2-3

## Pricing Groups

- Pricing Group 1A (Standard and Options) ..... 4
- Pricing Group 1 (Standard and Options) ..... 5
- Pricing Group 2A (Standard and Options) ..... 6
- Pricing Group 2 (Standard and Options) ..... 7
- Automation Size Standards ..... 8-9
- Automation Surcharges ..... 10-11

## Product Specifications

- Features & Options, Cord Loop Drop Chart & Mounting Requirements ..... 12
- Finished Dimensions ..... 13
- Options and Additional Notes ..... 14-16
- Standard Shading Operation ..... 17
- Retractable Cord and Cordless Shading Operation ..... 18

[Product Components Guide](#) – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

### **Oversize Common Carrier Delivery**

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

# COLLECTION INFORMATION

Family Name	Color Name	Family Code	Color #	Coordinating Hardware Color Number	Coordinating Hardware Color Name	Light Control	Price Group
<b>Classic</b> 2-1/2" Translucent N8	Applesauce	N8	226	551	Wom Leather	B	1
	Beige Glow	N8	203	320	Rich Cream	B	1
	Cashmere	N8	206	320	Rich Cream	B	1
	Cityscape	N8	238	426	Squirrel Gray	B	1
	Comfy Khakis	N8	199	180	Dove Gray	B	1
	Dried Basil	N8	065	426	Squirrel Gray	B	1
	Dusky View	N8	208	320	Rich Cream	B	1
	French Bread	N8	222	679	Buff Beige	B	1
	Mariner Blue	N8	224	469	Blue Creek	B	1
	Snow Cap	N8	201	661	White Tiara	B	1
Sun Dream	N8	202	320	Rich Cream	B	1	
<b>Coastal</b> 2" Translucent SL2	Foam	SL2	700	885	Flex White	B	1
	Mystery	SL2	761	426	Squirrel Gray	B	1
	Sand	SL2	701	320	Rich Cream	B	1
	Sculpting Clay	SL2	760	180	Dove Gray	B	1
	Seashell	SL2	703	679	Buff Beige	B	1
Sunrise	SL2	702	320	Rich Cream	B	1	
<b>Coastal</b> 3" Translucent SA3	Foam	SA3	700	885	Flex White	B	1
	Mystery	SA3	761	426	Squirrel Gray	B	1
	Sand	SA3	701	320	Rich Cream	B	1
	Sculpting Clay	SA3	760	180	Dove Gray	B	1
	Seashell	SA3	703	679	Buff Beige	B	1
Sunrise	SA3	702	320	Rich Cream	B	1	
<b>Dynamic</b> 2-1/2" Translucent DYSS	Aspen	DYSS	335	661	White Tiara	B	1A
	Confection	DYSS	333	661	White Tiara	B	1A
	Mystic	DYSS	331	661	White Tiara	B	1A
	Pencil Sketch	DYSS	330	661	White Tiara	B	1A
	Poppyfield	DYSS	334	661	White Tiara	B	1A
	Tailwind	DYSS	332	661	White Tiara	B	1A
<b>Mistral</b> 2-1/2" Translucent MTSS	Bay Leaf	MTSS	300	451	Lichen	B	1A
	Casual White	MTSS	304	661	White Tiara	B	1A
	December Gray	MTSS	305	426	Squirrel Gray	B	1A
	Praline	MTSS	303	350	Vanilla	B	1A
	Sailcloth	MTSS	302	350	Vanilla	B	1A
Wildflower	MTSS	301	350	Vanilla	B	1A	
<b>Passion</b> 2-1/2" Translucent P9	Classic Cream	P9	254	350	Vanilla	B	1
	Destiny's Dream	P9	253	661	White Tiara	B	1
	Heather White	P9	250	661	White Tiara	B	1
	Hint of Spice	P9	255	319	Earthen Beige	B	1
	Spiced Vinegar	P9	251	320	Rich Cream	B	1
	Touch of Beige	P9	252	320	Rich Cream	B	1
<b>Pergola</b> 2-1/2" Translucent PGSS	Butter Cream	PGSS	315	350	Vanilla	B	1A
	Canvas	PGSS	313	350	Vanilla	B	1A
	Cobblestone	PGSS	310	426	Squirrel Gray	B	1A
	Cotton Field	PGSS	311	661	White Tiara	B	1A
	Honey Beige	PGSS	314	350	Vanilla	B	1A
Spring Snow	PGSS	312	885	Flex White	B	1A	
<b>Repose</b> 2-1/2" Light Dimming * RPSS	Cloud White	RPSS	325	661	White Tiara	C	2A
	Peaceful	RPSS	322	329	Summer Linen	C	2A
	Sandrift	RPSS	323	320	Rich Cream	C	2A
	Sesame	RPSS	324	320	Rich Cream	C	2A
	Shadow	RPSS	320	426	Squirrel Gray	C	2A
	Twilight	RPSS	321	661	White Tiara	C	2A
<b>Retreat</b> 2" Light Dimming SR2	Alpine	SR2	300	885	Flex White	C	2
	Antique	SR2	302	329	Summer Linen	C	2
	Faded Gray	SR2	331	551	Wom Leather	C	2
	Nickel	SR2	332	426	Squirrel Gray	C	2
	Sunset	SR2	301	320	Rich Cream	C	2
	Swiss Coffee	SR2	330	656	Golden Straw	C	2
<b>Retreat</b> 3" Light Dimming SR3	Alpine	SR3	300	885	Flex White	C	2
	Antique	SR3	302	329	Summer Linen	C	2
	Ash Gray	SR3	351	426	Squirrel Gray	C	2
	Cloud	SR3	309	320	Rich Cream	C	2
	Coffee Bean	SR3	308	849	Mocha	C	2
	Faded Gray	SR3	331	551	Wom Leather	C	2
	Nickel	SR3	332	426	Squirrel Gray	C	2
	Pebble	SR3	311	810	Mushroom	C	2
	Rock Garden	SR3	350	002	Alabaster	C	2
	Stone	SR3	310	656	Golden Straw	C	2
Sunset	SR3	301	320	Rich Cream	C	2	
Swiss Coffee	SR3	330	656	Golden Straw	C	2	



### A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



### B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



### C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



### D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



### E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

# COLLECTION INFORMATION

Family Name	Color Name	Family Code	Color #	Coordinating Hardware Color Number	Coordinating Hardware Color Name	Light Control	Price Group
<b>Slub Style</b> 2-1/2" Translucent N10	Aloe Vera	N10	065	451	Lichen	B	1
	Chiffon	N10	213	320	Rich Cream	B	1
	Honey Roast	N10	222	679	Buff Beige	B	1
	Misty Seas	N10	238	426	Squirrel Gray	B	1
	Seashell	N10	204	320	Rich Cream	B	1
	Sugar Cane	N10	201	661	White Tiara	B	1
	Tea Time	N10	220	319	Earthen Beige	B	1
	Willow Herb	N10	226	551	Worn Leather	B	1
<b>Soft Stripe</b> 2-1/2" Translucent N14	Banana Split	N14	205	350	Vanilla	B	1
	Crème Brulee	N14	203	320	Rich Cream	B	1
	Ground Ginger	N14	226	551	Worn Leather	B	1
	Honey Butter	N14	222	679	Buff Beige	B	1
	Swan Song	N14	201	661	White Tiara	B	1
	Vanilla Milk Shake	N14	204	320	Rich Cream	B	1
<b>Solitude</b> 2-1/2" Light Dimming M16	Citron	M16	205	350	Vanilla	C	2
	Jute	M16	203	679	Buff Beige	C	2
	Parchment	M16	201	320	Rich Cream	C	2
	Soft Souffle	M16	204	551	Worn Leather	C	2
	Sunlit Crème	M16	202	320	Rich Cream	C	2
	Swan White	M16	200	661	White Tiara	C	2
<b>Sophisticate</b> 2" Translucent SS2	Applesauce	SS2	607	350	Vanilla	B	1
	Blue Wave	SS2	630	469	Blue Creek	B	1
	City Sidewalk	SS2	631	810	Mushroom	B	1
	Eggnog	SS2	605	320	Rich Cream	B	1
	Glacier	SS2	616	661	White Tiara	B	1
	Lily	SS2	601	885	Flex White	B	1
	Mist	SS2	602	661	White Tiara	B	1
	Moonlight	SS2	603	320	Rich Cream	B	1
	Natural Linen	SS2	619	002	Alabaster	B	1
	Opal	SS2	604	320	Rich Cream	B	1
	Pearl Grey	SS2	617	320	Rich Cream	B	1
	Pencil Sketch	SS2	632	426	Squirrel Gray	B	1
	Praline	SS2	609	350	Vanilla	B	1
	Sandstone	SS2	606	319	Earthen Beige	B	1
Treasure Map	SS2	633	002	Alabaster	B	1	
<b>Sophisticate</b> 3" Translucent SS3	Applesauce	SS3	607	350	Vanilla	B	1
	Blue Wave	SS3	630	469	Blue Creek	B	1
	City Sidewalk	SS3	631	810	Mushroom	B	1
	Eggnog	SS3	605	320	Rich Cream	B	1
	Glacier	SS3	616	661	White Tiara	B	1
	Lily	SS3	601	885	Flex White	B	1
	Mist	SS2	602	661	White Tiara	B	1
	Moonlight	SS3	603	320	Rich Cream	B	1
	Natural Linen	SS3	619	002	Alabaster	B	1
	Opal	SS3	604	320	Rich Cream	B	1
	Pearl Grey	SS3	617	320	Rich Cream	B	1
	Pencil Sketch	SS3	632	426	Squirrel Gray	B	1
	Praline	SS3	609	350	Vanilla	B	1
	Sandstone	SS3	606	319	Earthen Beige	B	1
Treasure Map	SS3	633	002	Alabaster	B	1	
<b>Villa</b> 2-1/2" Light Dimming N6	Castle Stone	N6	226	551	Worn Leather	C	2
	Coral	N6	202	320	Rich Cream	C	2
	Cotton	N6	201	885	Flex White	C	2
	Fawn	N6	203	320	Rich Cream	C	2
	Graphite	N6	238	426	Squirrel Gray	C	2
	Island Blue	N6	224	469	Blue Creek	C	2
	Spanish Olive	N6	065	451	Lichen	C	2
	White Sand	N6	213	885	Flex White	C	2

\* Light Dimming fabrics provide category C, opaque light control because even when the vanes are completely closed they DO NOT completely seal off all incoming light. See vane closure diagram on page 14 for a visual reference.

Note: Collections are presented alphabetically. Within each collection colors are also arranged alphabetically



### A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



### B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



### C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



### D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



### E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

2 1/2" Translucent  
Dynamic (DYSS)  
Mistral (MTSS)  
Pergola (PGSS)

**GROUP 1A**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"	109"	120"
<b>HEIGHT TO:</b>																
36"	\$467	528	583	646	700	763	817	880	1031	1093	1151	1214	1268	1348	1509	1647
42"	489	560	621	683	749	814	880	945	1096	1165	1231	1299	1361	1449	1616	1764
48"	522	587	659	725	796	866	941	1011	1172	1241	1310	1378	1452	1537	1723	1879
54"	542	618	694	769	845	924	1001	1086	1238	1317	1389	1468	1551	1647	1847	2016
60"	569	653	728	807	891	982	1066	1151	1306	1392	1475	1565	1654	1764	1984	2168
66"	593	683	769	852	945	1034	1134	1228	1375	1471	1569	1665	1757	1882	2127	2319
72"	621	713	804	897	998	1096	1200	1299	1452	1556	1654	1757	1864	1993	2253	2460
78"	635	735	834	937	1038	1145	1247	1361	1520	1634	1736	1850	1950	2094	2370	2587
84"	662	769	869	982	1093	1206	1320	1433	1599	1717	1830	1944	2058	2205	2501	2728
90"	690	796	907	1028	1145	1268	1386	1506	1676	1796	1922	2039	2160	2315	2625	2865
96"	716	831	945	1072	1200	1320	1449	1575	1750	1882	2013	2136	2264	2436	2755	3007
102"	817	948	1079	1222	1348	1468	1640	1799	1926	2058	2187	2311	2443	2595	2929	3196
108"	862	998	1134	1279	1413	1548	1723	1900	2026	2165	2301	2436	2570	2732	3083	3365
114"	914	1058	1203	1361	1506	1643	1830	2013	2154	2301	2443	2584	2725	2897	3267	3568
120"	982	1134	1289	1455	1607	1757	1957	2154	2301	2460	2614	2763	2918	3100	3497	3820

STANDARD FEATURES
<ul style="list-style-type: none"> <li>• Headrail Size: 3-1/4" x 3-1/16"</li> <li>• Snap-in Bracket Style</li> <li>• Cord Tilt &amp; Lift</li> <li>• Color-Coordinated Hardware</li> </ul>

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> <li>• Hardware Color Substitution Surcharge ..... <b>add \$30 per shading</b></li> <li>• Cordless Lift Surcharge..... <b>add \$90 per shading</b></li> <li>• Retractable Cord Control Surcharge ..... <b>add \$90 per shading</b></li> <li>• Retractable Cord Two-on-One Headrail ..... <b>add \$180</b></li> <li>• Automation ..... <b>see page 9</b></li> </ul>

OPTIONS: NO CHARGE – SPECIFY ON ORDER
<ul style="list-style-type: none"> <li>• Fabric-Covered Headrail</li> <li>• Tilt Only Shadings 6" to 11-7/8" (standard only)</li> <li>• Two-On-One Headrail – price as 2 separate shades (standard)</li> <li>• Control Positions (R or L)</li> <li>• Spacer Blocks</li> <li>• Extension Brackets</li> <li>• Hold-Down Brackets</li> <li>• Back Cover for Inside or End Mounts</li> <li>• Dust Cover for Outside Mounts</li> </ul>

**Note:** Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color

**Note:** When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width – tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height – translucent	102" or 120**	102" or 120**

**NOTE:**  
SA3 maximum ordered height is 102"

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – Translucent	84"

**NOTE:**  
• Two-On-One Headrail option not available with Cordless Lift  
• End mount not available with cordless lift

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord
Minimum ordered width	24"	24"
Maximum ordered width	144"	144"
Maximum height	120"	120"
Center gap	3/8"	3/8"

**NOTE:**  
• Two-On-One Headrail option not available for end mount applications  
• Two-On-One Headrail option not available with Cordless Lift

Automation charts on page 10-11

**GROUP 1**

	<b>2" Translucent</b>				<b>2 1/2" Translucent</b>				<b>2 1/2" Translucent</b>				<b>3" Translucent</b>			
	<b>Coastal (SL2)</b>				<b>Classic (N8)</b>				<b>Slub Style (N10)</b>				<b>Coastal (SA3)</b>			
	<b>Sophisticate (SS2)</b>				<b>Passion (P9)</b>				<b>Soft Stripe (N14)</b>				<b>Sophisticate (SS3)</b>			
<b>WIDTH TO:</b>	<b>24"</b>	<b>30"</b>	<b>36"</b>	<b>42"</b>	<b>48"</b>	<b>54"</b>	<b>60"</b>	<b>66"</b>	<b>72"</b>	<b>76"</b>	<b>84"</b>	<b>90"</b>	<b>96"</b>	<b>102"</b>	<b>109"</b>	<b>120"</b>
<b>HEIGHT TO:</b>																
<b>36"</b>	\$552	621	690	755	824	900	962	1034	1218	1285	1358	1427	1496	1588	1778	1941
<b>42"</b>	580	656	728	807	880	959	1034	1111	1293	1375	1452	1526	1603	1702	1903	2080
<b>48"</b>	615	694	777	856	937	1020	1108	1192	1378	1462	1544	1626	1714	1812	2029	2212
<b>54"</b>	639	728	814	907	998	1086	1179	1279	1462	1548	1640	1733	1827	1941	2174	2374
<b>60"</b>	670	766	859	952	1044	1154	1255	1361	1537	1640	1736	1843	1947	2080	2340	2553
<b>66"</b>	700	804	904	1004	1111	1222	1335	1449	1620	1733	1847	1963	2074	2220	2505	2736
<b>72"</b>	728	842	948	1055	1172	1293	1413	1530	1714	1830	1950	2074	2191	2351	2657	2901
<b>78"</b>	749	866	982	1104	1225	1348	1471	1603	1789	1922	2047	2178	2298	2467	2794	3049
<b>84"</b>	784	904	1024	1158	1285	1419	1559	1689	1886	2026	2160	2291	2421	2602	2949	3214
<b>90"</b>	811	937	1072	1214	1348	1496	1634	1775	1974	2119	2264	2405	2546	2728	3094	3377
<b>96"</b>	845	979	1114	1265	1413	1559	1705	1853	2067	2220	2370	2518	2670	2865	3248	3545
<b>102"</b>	962	1121	1272	1433	1588	1730	1929	2123	2267	2421	2581	2725	2876	3059	3452	3765
<b>108"</b>	1014	1175	1335	1509	1669	1824	2029	2237	2387	2550	2715	2873	3028	3217	3633	3967
<b>114"</b>	1076	1244	1419	1603	1778	1937	2157	2374	2534	2712	2876	3046	3210	3414	3851	4202
<b>120"</b>	1158	1335	1520	1717	1892	2074	2307	2538	2715	2897	3083	3260	3438	3655	4119	4498

STANDARD FEATURES
<ul style="list-style-type: none"> <li>• Headrail Size: 3-1/4" x 3-1/16"</li> <li>• Snap-in Bracket Style</li> <li>• Cord Tilt &amp; Lift</li> <li>• Color-Coordinated Hardware</li> </ul>

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> <li>• Hardware Color Substitution Surcharge . . . . . <b>add \$30 per shading</b></li> <li>• Cordless Lift Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Control Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Two-on-One Headrail . . . . . <b>add \$180</b></li> <li>• Automation . . . . . <b>see page 9</b></li> </ul>

OPTIONS: NO CHARGE – SPECIFY ON ORDER
<ul style="list-style-type: none"> <li>• Fabric-Covered Headrail</li> <li>• Tilt Only Shadings 6" to 11-7/8" (standard only)</li> <li>• Two-On-One Headrail – price as 2 separate shades (standard)</li> <li>• Control Positions (R or L)</li> <li>• Spacer Blocks</li> <li>• Extension Brackets</li> <li>• Hold-Down Brackets</li> <li>• Back Cover for Inside or End Mounts</li> <li>• Dust Cover for Outside Mounts</li> </ul>

**Note:** Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color

**Note:** When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width – tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height – translucent	102" or 120"	102" or 120"

**NOTE:**  
SA3 maximum ordered height is 102"

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord
Minimum ordered width	24"	24"
Maximum ordered width	144"	144"
Maximum height	120"	120"
Center gap	3/8"	3/8"

**NOTE:**

- Two-On-One Headrail option not available for end mount applications
- Two-On-One Headrail option not available with Cordless Lift

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – Translucent	84"

**NOTE:**

- Two-On-One Headrail option not available with Cordless Lift
- End mount not available with cordless lift

Automation charts on page 10-11

2 1/2" Light Dimming  
Repose (RPSS)

**GROUP 2A**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"	109"	120"
<b>HEIGHT TO:</b>																
36"	\$519	580	646	710	773	842	900	965	1131	1200	1268	1335	1396	1482	1665	1815
42"	542	618	683	752	824	897	965	1034	1214	1282	1355	1427	1496	1588	1775	1937
48"	574	646	725	796	877	952	1034	1111	1282	1361	1442	1516	1596	1692	1896	2070
54"	596	680	763	848	924	1011	1096	1189	1361	1449	1526	1616	1709	1809	2036	2226
60"	625	713	804	891	982	1076	1175	1268	1433	1526	1623	1723	1824	1941	2181	2381
66"	653	746	845	941	1034	1141	1244	1355	1512	1620	1727	1830	1933	2070	2340	2553
72"	683	784	887	982	1096	1214	1317	1427	1596	1709	1824	1933	2043	2191	2508	2739
78"	700	804	918	1031	1141	1265	1375	1499	1672	1793	1916	2033	2149	2304	2691	2939
84"	728	845	952	1076	1203	1323	1455	1575	1757	1889	2013	2257	2357	2453	2887	3153
90"	763	877	998	1127	1265	1392	1523	1654	1837	1974	2220	2357	2457	2608	3028	3307
96"	869	998	1127	1268	1392	1520	1669	1824	2047	2174	2304	2436	2564	2739	3176	3469
102"	998	1137	1282	1442	1565	1685	1892	2080	2247	2374	2508	2632	2758	2926	3377	3685

STANDARD FEATURES
<ul style="list-style-type: none"> <li>• Headrail Size: 3-1/4" x 3-1/16"</li> <li>• Snap-in Bracket Style</li> <li>• Cord Tilt &amp; Lift</li> <li>• Color-Coordinated Hardware</li> </ul>

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> <li>• Hardware Color Substitution Surcharge . . . . . <b>add \$30 per shading</b></li> <li>• Cordless Lift Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Control Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Two-on-One Headrail . . . . . <b>add \$180</b></li> <li>• Automation . . . . . <b>see page 9</b></li> </ul>

OPTIONS: NO CHARGE – SPECIFY ON ORDER
<ul style="list-style-type: none"> <li>• Fabric-Covered Headrail</li> <li>• Tilt Only Shadings 6" to 11-7/8" (standard only)</li> <li>• Two-On-One Headrail – price as 2 separate shades (standard)</li> <li>• Control Positions (R or L)</li> <li>• Spacer Blocks</li> <li>• Extension Brackets</li> <li>• Hold-Down Brackets</li> <li>• Back Cover for Inside or End Mounts</li> <li>• Dust Cover for Outside Mounts</li> </ul>

**Note:** Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color

**Note:** When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width – tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height – light dimming	102"	102"

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – light dimming	84"

**NOTE:**

- Two-On-One Headrail option not available with Cordless Lift
- End mount not available with cordless lift

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord
Minimum ordered width	24"	24"
Maximum ordered width	144"	144"
Maximum height	102"	102"
Center gap	3/8"	3/8"

**NOTE:**

- Two-On-One Headrail option not available for end mount applications
- Two-On-One Headrail option not available with Cordless Lift

Automation charts on page 10-11



2" Light Dimming  
Retreat (SR2)

2 1/2" Light Dimming  
Solitude (M16)  
Villa (N6)

3" Light Dimming  
Retreat (SR3)

**GROUP 2**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"	109"	120"
HEIGHT TO:																
36"	\$606	683	760	834	910	990	1058	1137	1332	1416	1496	1575	1647	1747	1960	2140
42"	639	725	804	887	973	1055	1137	1222	1427	1512	1596	1682	1764	1870	2088	2281
48"	673	763	856	937	1031	1124	1222	1310	1512	1603	1695	1789	1882	1993	2233	2439
54"	703	801	900	998	1090	1192	1293	1399	1603	1705	1799	1906	2020	2136	2401	2622
60"	735	842	945	1047	1154	1268	1386	1496	1689	1799	1916	2029	2146	2288	2570	2808
66"	769	877	998	1108	1222	1345	1468	1591	1783	1909	2033	2157	2281	2443	2755	3010
72"	804	924	1041	1158	1289	1427	1551	1682	1882	2020	2149	2281	2408	2584	2959	3228
78"	824	948	1083	1214	1345	1489	1623	1764	1970	2113	2257	2395	2531	2718	3173	3461
84"	859	998	1124	1268	1419	1562	1714	1853	2074	2226	2374	2660	2780	2890	3403	3714
90"	897	1031	1172	1329	1489	1640	1796	1947	2168	2329	2614	2777	2897	3076	3568	3895
96"	1024	1172	1329	1493	1643	1789	1970	2146	2411	2564	2718	2869	3018	3228	3747	4089
102"	1172	1342	1512	1695	1843	1984	2229	2453	2645	2800	2955	3100	3255	3447	3975	4343

STANDARD FEATURES
<ul style="list-style-type: none"> <li>• Headrail Size: 3-1/4" x 3-1/16"</li> <li>• Snap-in Bracket Style</li> <li>• Cord Tilt &amp; Lift</li> <li>• Color-Coordinated Hardware</li> </ul>

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> <li>• Hardware Color Substitution Surcharge . . . . . <b>add \$30 per shading</b></li> <li>• Cordless Lift Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Control Surcharge . . . . . <b>add \$90 per shading</b></li> <li>• Retractable Cord Two-on-One Headrail . . . . . <b>add \$180</b></li> <li>• Automation . . . . . <b>see page 9</b></li> </ul>

OPTIONS: NO CHARGE – SPECIFY ON ORDER
<ul style="list-style-type: none"> <li>• Fabric-Covered Headrail</li> <li>• Tilt Only Shadings 6" to 11-7/8" (standard only)</li> <li>• Two-On-One Headrail – price as 2 separate shades (standard)</li> <li>• Control Positions (R or L)</li> <li>• Spacer Blocks</li> <li>• Extension Brackets</li> <li>• Hold-Down Brackets</li> <li>• Back Cover for Inside or End Mounts</li> <li>• Dust Cover for Outside Mounts</li> </ul>

**Note:** Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color

**Note:** When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width – tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height – light dimming	102"	102"

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – light dimming	84"

**NOTE:**

- Two-On-One Headrail option not available with Cordless Lift
- End mount not available with cordless lift

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord
Minimum ordered width	24"	24"
Maximum ordered width	144"	144"
Maximum height	102"	102"
Center gap	3/8"	3/8"

**NOTE:**

- Two-On-One Headrail option not available for end mount applications
- Two-On-One Headrail option not available with Cordless Lift

Automation charts on page 10-11

# AUTOMATION SIZE STANDARDS

## TRANSLUCENT

<b>BLISS 1.1 LHON (INTERNAL BATTERY) SINGLE PANEL AUTOMATION</b>	<b>Translucent</b>
Minimum Width	24"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	120"
<b>Maximum Square Feet - Translucent</b>	60

<b>BLISS 1.1 LHON (INTERNAL BATTERY) 2 ON 1 HEADRAIL</b>	<b>Translucent</b>
Minimum Width (overall)	48"
Maximum Width (overall)	144"
Maximum ordered width end mount	N/A
Minimum ordered height	12"
Maximum ordered height - Translucent	120"
<b>Maximum Square Feet - Translucent</b>	60

<b>BLISS 1.1 DC SINGLE PANEL AUTOMATION</b>	<b>Translucent</b>
Minimum Width	19"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	120"
Sqft Limited	60

<b>BLISS 1.1 DC 2 ON 1 HEADRAIL</b>	<b>Translucent</b>
Minimum Width (overall)	38"
Maximum Width (overall)	144"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	120"
Sqft Limited	60

<b>SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE LHON (1.1 Nm) (INTERNAL BATTERY) SINGLE PANEL AUTOMATION</b>	<b>Translucent</b>
Minimum Width	26"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	120"
Sqft Limited	60

<b>SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE LHON (1.1 Nm) (INTERNAL BATTERY) 2 ON 1 HEADRAIL</b>	<b>Translucent</b>
Minimum Width (overall)	52"
Minimum Width (per panel)	26"
Maximum Width (overall)	144"
Maximum Width (per panel)	118"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	120"
Sqft Limited (per panel)	60

<b>SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE (1.1 Nm) DC SINGLE PANEL AUTOMATION</b>	<b>Translucent</b>
Minimum Width	19"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	120"
Sqft Limited	60

<b>SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE (1.1 Nm) DC 2 ON 1 HEADRAIL</b>	<b>Translucent</b>
Minimum Width (overall)	38"
Minimum Width (per panel)	19"
Maximum Width (overall)	144"
Maximum Width (per panel)	120"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	120"
Sqft Limited (per panel)	60

<b>POWERWAND™</b>	<b>Translucent</b>
Minimum Width	22"
Maximum Width	120"
Maximum Width End Mount	48"
Minimum Height	12"
Maximum Height - Translucent	120"
<b>Maximum Square Feet - Translucent</b>	60

<b>POWERWAND™ 2 on 1 HEADRAIL</b>	<b>Translucent</b>
Minimum Width	44"
Minimum Width (per panel)	22"
Maximum Width (overall)	144"
Maximum Width (per panel)	120"
Maximum Width End Mount	48"
Minimum Height	12"
Maximum Height - Translucent	120"
<b>Maximum Square Feet - Translucent (per panel)</b>	60

# AUTOMATION SIZE STANDARDS

## LIGHT DIMMING

BLISS 1.1 LH-ION (INTERNAL BATTERY) SINGLE PANEL AUTOMATION	Light Dimming
Minimum Width	24"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	102"
<b>Maximum Square Feet - light dimming</b>	50

BLISS 1.1 LH-ION (INTERNAL BATTERY) 2 ON 1 HEADRAIL	Light Dimming
Minimum Width (overall)	48"
Maximum Width (overall)	144"
Maximum ordered width end mount	N/A
Minimum ordered height	12"
Maximum ordered height - light dimming	102"
<b>Maximum Square Feet - light dimming</b>	50

BLISS 1.1 DC SINGLE PANEL AUTOMATION	Light Dimming
Minimum Width	19"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	102"
Sqft Limited	50

BLISS 1.1 DC 2 ON 1 HEADRAIL	Light Dimming
Minimum Width (overall)	38"
Maximum Width (overall)	144"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	102"
Sqft Limited	50

SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE Li-Ion (1.1 Nm) (INTERNAL BATTERY) SINGLE PANEL AUTOMATION	Light Dimming
Minimum Width	26"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	102"
Sqft Limited	50

SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE Li-Ion (1.1 Nm) (INTERNAL BATTERY) 2 ON 1 HEADRAIL	Light Dimming
Minimum Width (overall)	52"
Minimum Width (per panel)	26"
Maximum Width (overall)	144"
Maximum Width (per panel)	118"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	102"
Sqft Limited(per panel)	50

SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE (1.1 Nm) DC SINGLE PANEL AUTOMATION	Light Dimming
Minimum Width	19"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height	102"
Sqft Limited	50

SOMFY SONESSE 28 WIRE FREE RTS / ZIGBEE (1.1 Nm) DC 2 ON 1 HEADRAIL	Light Dimming
Minimum Width (overall)	38"
Minimum Width (per panel)	19"
Maximum Width (overall)	144"
Maximum Width (per panel)	120"
Maximum Width - End Mount	N/A
Minimum Height	12"
Maximum Height	102"
Sqft Limited(per panel)	50

POWERWAND™	Light Dimming
Minimum ordered width	22"
Maximum ordered width	120"
Maximum ordered width end mount	48"
Minimum ordered height	12"
Maximum ordered height - light dimming	102"
<b>Maximum Square Feet - light dimming</b>	50

POWERWAND™ 2 on 1 HEADRAIL	Light Dimming
Minimum Width	44"
Minimum Width (per panel)	22"
Maximum Width (overall)	144"
Maximum Width (per panel)	120"
Maximum Width End Mount	48"
Minimum Height	12"
Maximum Height - Light Dimming	102"
<b>Maximum Square Feet - Light Dimming (per panel)</b>	50

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide. Automation consists of a motor, power source, and controller. Be sure all of these elements are included when determining final price.

**BLISS AUTOMATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**  
USE APPROPRIATE WINDOW SHADINGS PRICE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW

**Motor Systems**

- Bliss™ 1.1 Li-Ion ..... Part #62004000 ..... add \$300 per shade
- Bliss™ 1.1 DC ..... Part #62004100 ..... add \$210 per shade

**Control Options & Accessories**

- Bliss™ 15 Channel Remote..... Part #1026655 ..... add \$50 each
- Bliss™ Wall Switch..... Part #1026657 ..... add \$50 each
- Bliss™ Bridge..... Part #1026654 ..... add \$100 each

**Power Sources & Accessories**

- Plug In Charger Kit..... Part #1027720 ..... add \$30 each
- Charging Block 5V/2A for Bliss Bridge..... Part #62200000 ..... add \$10 each
- 8" Charger Extension (Battery to wall charger) ..... Part #62206700 ..... add \$6 each
- 48" Charger Extension (Battery to wall charger) ..... Part #62206800 ..... add \$10 each
- 48" Battery Pack Extension..... Part #62207000 ..... add \$6 each
- Magnetic Charging Kit (2 foot cord & 1 Magnetic tip)..... Part #1026665 ..... add \$40 each
- Additional Magnetic Tips (if needed)..... Part #62206200 ..... add \$6 each
- Bliss™ External Battery Pack..... Part #62203300 ..... add \$90 each
- Solar Panel..... Part #62201000 ..... add \$120 each
- 15v DC Distribution Power Panel - 18 Motor..... Part #1037300 ..... add \$500 each
- 12v DC Plug In Transformer..... Part #62209000 ..... add \$40 each

**SOMFY AUTOMATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (MUST SELECT SOMFY POWER SOURCE\* WHEN ORDERING)**  
USE APPROPRIATE WINDOW SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW

**Motor Systems**

- Sonesse® 28 WireFree™ RTS DC ..... Part #1026826 ..... add \$260 per shade
- Sonesse® 28 WireFree™ RTS Li-Ion ..... Part #1026825 ..... add \$360 per shade
- Sonesse® 28 WireFree™ Zigbee DC ..... Part #1035012 ..... add \$320 per shade
- Sonesse® 28 WireFree™ Zigbee Li-Ion..... Part #1035013 ..... add \$420 per shade

**Control Options & Accessories**

- Situo® 1 RTS ..... Part #1019536 ..... add \$60 each
- Situo® 5 RTS ..... Part #1019537 ..... add \$84 each
- Situo® 5 Variation RTS ..... Part #1021802 ..... add \$140 each
- Situo® 1 ZigBee ..... Part #1035016 ..... add \$100 each
- Situo® 4 ZigBee ..... Part #1035017 ..... add \$140 each
- Telis 1 Chronis Remote ..... Part #1805237A ..... add \$330 each
- Telis 16 Remote ..... Part #1811081 ..... add \$300 each
- Decoflex WireFree™ RTS - 1 Channel..... Part #1810897 ..... add \$100 each
- Decoflex WireFree™ RTS - 5 Channel..... Part #1810813 ..... add \$100 each
- Smoove® 1 RTS Wall Switch, Pure ..... Part #1811533 ..... add \$120 each
- Smoove® 4 RTS Wall Switch ..... Part #1019538 ..... add \$120 each
- Black Wall Switch Frame ..... Part #9015023 ..... add \$24 each
- Silver Wall Switch Frame ..... Part #9015025 ..... add \$24 each
- Smart Plug ZigBee..... Part #1025018 ..... add \$100 each
- Tahoma Wi-Fi Interface and App ..... Part #1031856 ..... add \$300 each
- Tahoma Ethernet Adaptor ..... Part #1031853 ..... add \$40 each

**Power Sources**

- Lithium-Ion Charger \* ..... Part #9025166 ..... add \$30 each
- Rechargeable Battery Pack \*\*..... Part #1019535 ..... add \$100 each
- Reloadable Dual Battery Wand (empty tube)\*\* ..... Part #RC445268 ..... add \$36 each
- Reloadable Single Battery Wand (empty tube)\*\* ..... Part #KITRDWR..... add \$86 each
- WireFree™ Li-Ion Solar Panel Kit \* ..... Part #1026827 ..... add \$160 each
- 12v DC Power Supply ..... Part #1822445 ..... add \$140 each

**Power Accessories**

- 8" Charger Extension (Battery to Charger) ..... Part #9021131 ..... add \$12 each
- 95" Charger Extension (Battery to Charger) ..... Part #9021016 ..... add \$12 each
- 10" Battery Pack Extension (Motor to Battery) ..... Part #9018623 ..... add \$12 each
- 48" Battery Pack Extension (Motor to Battery) ..... Part #9016736 ..... add \$12 each
- 96" Battery Pack Extension (Motor to Battery) ..... Part #9018624 ..... add \$18 each

\* Compatible with Rechargeable Battery Pack & Sonesse® 28 WireFree™ Li-Ion

\*\* Compatible with Sonesse® 28 WireFree™ DC. Batteries not included in Battery Wands. Requires 8 AA Lithium-Ion batteries per wand.

When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote.

The Automation cost factor is different from blinds/shades. If you need to access your cost factor, refer to page 4 in the General Information Guide. Automation consists of a motor, power source, and controller. Be sure all of these elements are included when determining final price.

**SIMPLICITY RECHARGEABLE AND POWERWAND OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**  
 USE APPROPRIATE WINDOW SHADINGS PRICE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW

**Motor Systems**

- PowerWand ..... Part #1034419 .....add \$100 per shade

**Power Accessories**

- Plug-in Charger Kit ..... Part #1027720 .....add \$30 each
- Charging Block 5V/2A..... Part #62200000 .....add \$10 each

Notes: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

## FEATURES & OPTIONS

FEATURES	
# of fabric styles	16
# of Colors	129
Headrail size	3-1/4" X 3-1/16"
Bracket style	Snap-in
Cord loop tilt and lift	Yes, Standard
Raise, lower and tilt with one cord	Yes
Safety cord tensioner	Color Coordinated
Warranty	Lifetime Limited

OPTIONS - EXTRA CHARGE	
Hardware Color Substitution	Yes
Retractable Cord Control*	Yes
Cordless Lift <small>Not available as Two-on-One headrail</small>	Yes
PowerWand	Yes
Bliss Automation	Yes
Somfy Automation	Yes
OPTIONS - NO CHARGE	
Fabric Covered Headrail	Yes
Tilt Only (available on standard loop control only)	Yes
Two-On-One Headrail Option <small>Not available with Cordless Lift</small>	Yes
Control positions	Right or Left
<b>Motor Positions</b> - Bliss, Somfy	Right or Left * (see note below)
<b>Control Positions</b> PowerWand	Right or Left
<b>Wand Color</b> - PowerWand	White, Black, Brown, Vanilla, Gray
<b>Wand Length</b> - PowerWand	1 ft, 2 ft, 3ft, 4 ft, 5 ft
Spacer blocks	Yes
Extension brackets	Yes
Hold-down brackets	Yes
Back cover (Inside or End Mounts)	Yes
Dust cover (Outside Mounts)	Yes
Cord length (See Cord Loop Drop Chart)	Yes
Specialty shapes	No
Tile cut-out	No

\* Retractable cord length will be 40% of shading height.

Note: For 2 on 1 shades, motors must be placed at the edges (far-left and far-right) of the shades.

## CORD LOOP DROP CHART

SHADING HEIGHT	CORD LOOP DROP
16" to 26-7/8"	1 ft. (white-only)
27" to 39-7/8"	2 ft.
40" to 59-7/8"	3 ft.
60" to 83-7/8"	4 ft.
84" to 107-7/8"	5 ft.
108" to 120"	6 ft. (white-only)

OPTIONAL CORD DROPS (White Cord Only)	
CORD DROP	INCREMENTS
6' - 12'	6" increments
12' - 16'	12" increments

NOTE: 18" white only cords available upon request

## MOUNTING REQUIREMENTS

INSIDE MOUNT	
Standard, Cordless, Retractable Cord, Bliss Automation, Somfy Automation & PowerWand	
Minimum casement depth*	1"
Minimum casement depth*, fully recessed	3-3/8"
Minimum rear fabric clearance	1/8"

OUTSIDE MOUNT	
Standard, Cordless, Retractable Cord, Bliss Automation, Somfy Automation & PowerWand	
Minimum mounting surface height	1"
Recommended width overlap per side	3"
Minimum rear fabric clearance	1/8"

END MOUNT	
Standard, Retractable Cord, Bliss Automation, Somfy Automation & PowerWand	
Minimum mounting surface depth*	1-1/4"

### NOTE:

- Add 1/4" to minimum depth dimensions if optional back cover is used for inside or end mounts
- End mount not available on Cordless Lift and 2-on-1 applications

The external battery pack available for Bliss 1.1 DC or for Sonesse 28 WireFree RTS / ZIGBEE DC are approximately 10" in length and 1" x 1". Consider ordering one of the Battery Pack Extensions below for mounting flexibility.

### BLISS

48" Battery Pack Extension (Motor to Battery) Part #62207000

### SOMFY

10" Battery Pack Extension (Motor to Battery) Part #9018623

48" Battery Pack Extension (Motor to Battery) Part #9016736

96" Battery Pack Extension (Motor to Battery) Part #9018624

## FINISHED DIMENSIONS

Dimensions apply to standard loop control, cordless lift, retractable cord and PowerWand. (PW single panel and PW 2 on1)	
INSIDE MOUNT-Standard Deductions	
Headrail	3/16" less than ordered width
Fabric width--Std Loop, RC	1" less than ordered width
Fabric width-PowerWand	1-1/16" less than ordered width
Fabric width - Cordless Lift	13/16" less than ordered width
Shading height-All	1/8" less than ordered height
OUTSIDE MOUNT-Standard Deductions	
Headrail	ordered width
Fabric width--Std Loop, RC	3/4" less than ordered width
Fabric width-PowerWand	9/16" less than ordered width
Fabric width - Cordless Lift	1/2" less than ordered width
Shading height-All	1/8" less than ordered height
(not available with Cordless Lift and 2 on 1 applications)	
Headrail	11/16" less than ordered width
Fabric width-PowerWand	1-9/16" less than ordered width
Fabric width-Std loop, RC	1-1/2" less than ordered width
Shading height-All	1/8" less than ordered height

Bliss 1.1 Li-Ion		Bliss 1.1 DC	
INSIDE MOUNT - Standard Deductions		INSIDE MOUNT - Standard Deductions	
Headrail	3/16" less than ordered width	Headrail	3/16" less than ordered width
Fabric width	1" less than ordered width	Fabric width	1" less than ordered width
Shading height	1/8" less than ordered height	Shading height	1/8" less than ordered height
OUTSIDE MOUNT - Standard Deductions		OUTSIDE MOUNT - Standard Deductions	
Headrail	ordered width	Headrail	ordered width
Fabric width	3/4" less than ordered width	Fabric width	3/4" less than ordered width
Shading height	1/8" less than ordered height	Shading height	1/8" less than ordered height
END MOUNT - Standard Deductions		END MOUNT - Standard Deductions	
Headrail	11/16" less than ordered width	Headrail	11/16" less than ordered width
Fabric width	1-1/2" less than ordered width	Fabric width	1-1/2" less than ordered width
Shading height	1/8" less than ordered height	Shading height	1/8" less than ordered height

Bliss 1.1 Li-Ion 2 ON 1 AUTOMATION		Bliss 1.1 DC 2 ON 1 AUTOMATION	
INSIDE MOUNT - Standard Deductions		INSIDE MOUNT - Standard Deductions	
Headrail	3/16" less than ordered width	Headrail	3/16" less than ordered width
Fabric width	1" less than ordered width	Fabric width	1" less than ordered width
Shading height	1/8" less than ordered height	Shading height	1/8" less than ordered height
OUTSIDE MOUNT - Standard Deductions		OUTSIDE MOUNT - Standard Deductions	
Headrail	ordered width	Headrail	ordered width
Fabric width	3/4" less than ordered width	Fabric width	3/4" less than ordered width
Shading height	1/8" less than ordered height	Shading height	1/8" less than ordered height

SOMFY Sonesse 28 Wire Free Li-Ion (Internal Battery) and Sonesse 28 Wire Free RTS / ZIGBEE DC	
INSIDE MOUNT - Standard Deductions (Single Panel & 2 on 1 Headrail)	
Headrail	3/16" less than ordered width
Fabric width	1" less than ordered width
Shading height	1/8" less than ordered height

SOMFY Sonesse 28 Wire Free Li-Ion (Internal Battery) and Sonesse 28 Wire Free RTS / ZIGBEE DC	
OUTSIDE MOUNT - Standard Deductions (Single Panel & 2 on 1 Headrail)	
Headrail	ordered width
Fabric width	3/4" less than ordered width
Shading height	1/8" less than ordered height


SOMFY Sonesse 28 Wire Free Li-Ion (Internal Battery) and Sonesse 28 Wire Free RTS / ZIGBEE DC	
END MOUNT - Standard Deductions (Not Available on 2 on 1 Headrail)	
Headrail	11/16" less than ordered width
Fabric width	1-1/2" less than ordered width
Shading height	1/8" less than ordered height

STANDARD CORD LOOP & RETRACTABLE CORD TWO-ON-ONE HEADRAIL	
(not available with Cordless Lift)	
Fabric width	1-1/4"
Gap between fabric panels	3/8"
FABRIC GAP – End Gap to Fabric (Gaps On Each Side)	
Control Side	5/8"
Idle Side	3/8"
Both Sides - Cordless Lift	1/2"

## OPTIONS


### RETRACTABLE CORD

Raise, lower and tilt shadings with one retractable cord. The cord length remains constant when shading is raised or lowered, making it ideal in homes with children or pets. Cord length will be 40% of the shading height and may be shortened for enhanced child safety.



### TWO-ON-ONE HEADRAIL

Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note there will be a 3/8" light gap between the two shades, see minimum/maximum requirements under product specification section.




### CORDLESS LIFT

Raise, lower, and tilt shadings with cordless lift. A great choice for homes with children and pets, the lift, lower, and tilt mechanism are all controlled by the clear plastic handle attached to the bottomrail.



With your thumb on the front of the handle and fingers on the back, gently pull down to lower the shading. The hinged handle elegantly retracts when released. Continue pulling on the handle to lower the shadings and open the vanes.



To close the vanes and raise the shades, gently pull down on the handle (about 1") and release. The vanes will close and then the shading will retract into the headrail.


### TILT ONLY SHADING

Ideal for sidelights or narrow windows.

- Shading cannot be raised, it can only be tilted open or closed.
- Hold down brackets are used to secure the bottomrail.

### FABRIC-COVERED HEADRAIL

Features a coordinating fabric wrapped onto the headrail to provide a soft fabric look from top to bottom. (See surcharge on pricing pages)



Note: Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected


Note: When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.



## OPTIONS


### OPTIONAL BACK COVER (INSIDE MOUNT)

Used with inside mounts to conceal the open rear side of the headrail for a more pleasing exterior look. Use of the back cover adds 1/4" to minimum inside mounting depths.



WITHOUT BACK COVER      WITH BACK COVER


The back cover is secured in place by a back cover bracket attached to the installation bracket.



BACK COVER      INSTALLATION BRACKET  
BACK COVER BRACKET

### OPTIONAL DUST COVER (OUTSIDE MOUNT)

Shields the fabric and internal headrail components from dirt, dust, and other contaminants.



### SIDE-BY-SIDE VANE ALIGNMENT


When window shadings are installed side by side, vane alignment can be guaranteed within 1/4" only if:

- Shadings are ordered at the same time and in the identical style, color and height.
- Shadings that need to be aligned are specified on the order form (a note must be included in Special Instructions).
- Shadings exceeding combined width of 120" cannot be guaranteed

Note: Vane alignment cannot be guaranteed for Two-On-One Headrail and motorized shadings combined on the same order.

### BACK COVER BRACKET

When a back cover is used, attach back cover brackets to the installation brackets before mounting them. Remove the tab from the top of the back cover brackets and both tabs at the rear of the installation brackets.



After mounting the installation brackets, install the back cover.

### ADJACENT SHADINGS

To span wide window openings, window shadings may be installed adjacently, so their headrails abut. The gap between the fabric panels of the adjacent shadings varies according to the control placement, as shown in the table below.

CONTROL PLACEMENT	
Adjacent (Abutting) Window Shadings	
Left/Right Shadings	Center Gap
Right/Right Controls	3/4"
Left/Left Controls	3/4"
Right/Left Controls	1-1/16"
Left/Right Controls	1/2"
Window shadings are not recommended for bay windows or butt-and-pass applications.	


## ADDITIONAL NOTES

### SHADING ADJUSTMENT

Shadings should wind evenly and not skew to one side.

A balance weight on the bottomrail can easily be adjusted if the fabric winds unevenly on the roll when the window shading is raised. Uneven winding can cause damage to the edge of the fabric.


- If skewing does occur:
  - Ensure headrail was installed level; shim if necessary.
  - To release, insert a flat blade screwdriver into the weight lock and turn clockwise.
  - Adjust placement of weight in bottomrail, 1" at a time, toward side where fabric is gathering.
  - Secure the weight locks in position by turning them counter clockwise, after making the adjustment.
  - Raise shade, then lower, if necessary, adjust again.



### SHADING INSTALLATION


To mount the shading, insert the top of the headrail into the brackets between the locking tab and the bracket flange. Push the headrail into the brackets until the locking tab clicks in place.

To remove the shading, lift the locking tab to release the headrail, rotate the headrail forward, and pull it straight out.



### MAGNETIC HOLD-DOWN BRACKETS

Magnetic hold-down brackets secure the bottom of the shading to prevent swaying. Available upon request. Standard on tilt-only shadings.



# STANDARD SHADING OPERATION

## STANDARD SHADING OPERATION

Shadings are operated using a continuous cord loop. As shown in the illustration below, from the fully raised position [1] pulling down on the rear half of the cord loop lowers the shading [2, 3]. After it is fully lowered, continuing to pull down on the cord pivots the bottomrail and opens the fabric vanes [4]. When the vanes are fully open [5], limit stops in the headrail prevent further movement in that direction.

With the fabric vanes fully open, pulling down on the front half of the cord loop first closes the vanes [6, 7] and then raises the window shading [8]. When it is fully raised [1], limit stops again halt shading movement, preventing the bottomrail from being retracted too far into the headrail.


## Light Control

With the shading in the fully lowered position, the continuous cord loop is used to adjust the fabric vanes from open to closed, and anywhere in between. Light control is at your customer's fingertips. (Note: The degree of maximum vane closure varies slightly from the top to the bottom of the shading.)

## Vane Opening


Vane opening is the amount of unobstructed visibility between fully open vanes when looking through the shading at eye level. Vane opening for shadings is 1" to 1-1/2" depending on vane size and opacity.

- 2" Light Dimming = 1"
- 2" and 2-1/2" Translucent, 2-1/2" Light Dimming = 1-1/4"
- 3" Translucent and Light Dimming = 1-1/2"



## Vane Closure

When the vanes of a window shading are closed, they overlap each other, blocking the view. However, the vanes do not contact each other along the full length of the shading – they do not form a perfect seal against light leakage. This is most visible toward the bottom of the shading.



Vane closure is measured as the distance between the front and rear fabric facings 6" up from the lowest point of the bottomrail, with the shading fully lowered and the vanes closed, as illustrated here. Vane closure for all fabrics is 1".


**Note:** The degree of maximum vane closure varies slightly from top to bottom of the shading.

- Over-rotation can occur when the shading is completely lowered and vanes are opened. The bottom rail turns up to the inside of the opening when the vanes are in the horizontal position.


**Note:** Over-rotation is an inherent characteristic of Window Shadings. The amount of over-rotation may vary from shade to shade.

## PLEASE NOTE:

- Cord tensioner **MUST** be mounted to window casement or wall in order for the shade to operate.
- As with all textiles, Window Shading fabrics are subject to some variations. Slight wrinkles, puckering or bowing is inherent to textile products and should be considered normal, acceptable quality.




## OPERATION



### RETRACTABLE CORD


#### To Lower the Shading

To lower shading and open vanes, pull cord toward the center and down in long even strokes. Note: Allow cord to fully retract between each stroke.



#### To Close and Raise the Shading

To close vanes and raise shading, pull cord straight down or down and slightly out using long even strokes.



### CORDLESS LIFT

Raise, lower, and tilt shadings with cordless lift. A great choice for homes with children and pets, the lift, lower, and tilt mechanism are all controlled by the clear plastic handle attached to the bottomrail.

With your thumb on the front of the handle and fingers on the back, gently pull down to lower the shading. The hinged handle elegantly retracts when released. Continue pulling on the handle to lower the shadings and open the vanes.

To close the vanes and raise the shades, gently pull down on the handle (about 1") and release. The vanes will close and then the shading will retract into the headrail.



Midwest  
Designer  
Supply

[www.midwestdesignersupply.com](http://www.midwestdesignersupply.com)

888-523-2611  
262-524-1007 (fax)