

Genuine Value
Retail Sales Guide

classic collection™

Aluminum Blinds



August 7, 2018

Prices subject to change without notice



Customer assumes all responsibilities for phone orders.
Due to custom nature of our business,
orders cannot be cancelled after materials have been cut.



Midwest
Designer
Supply

Table of Contents

Lafayette Classic Collection™ Aluminum Blinds

Classic Collection Size Standards	3
Classic Collection Design Options Cross Reference	4
Price Charts 1 through 13	5-11
Classic Collection Surcharges & Auto-Tilt™ Surcharges	11
Classics Collection Product Information	
Echelon™ Headrail	12
Integra™ Headrail	13
Traditions™ Headrail	14
Accu-Rise for Echelon 820 1" Blinds	15
Metro™ Headrail	16
Metro™ 2" Lift & Lock	17
Metro™ 2" Accu-Rise	18
Auto-Tilt Motorization	19
Design Options	20
Measuring & Brackets, Cleaning, General Advisories.	21
Classic Collection Color Listings.	22

Classic Collection Product and Price Chart Matrix

Product Name	Slat Size	Slat Gauge	Slat Spacing	Price Chart
Echelon 820	1"	.008	20 mm	Price Chart 3 or 4 *
Echelon 822	1"	.008	22 mm	Price Chart 3 or 4 *
Echelon 820 with Light-Ban	1"	.008	20 mm	Price Chart 4 or 5 *
Echelon 820 with Accu-Rise	1"	.008	20 mm	Price Chart 8 or 9 *
Echelon Micro	1/2"	.008	12 mm	Price Chart 6 or 7 *
Traditions 820	1"	.008	20 mm	Price Chart 3 or 4 *
Traditions 822	1"	.008	22 mm	Price Chart 3 or 4 *
Traditions 620	1"	.006	20 mm	Price Chart 2
Traditions 622	1"	.006	22 mm	Price Chart 1
Traditions 820 with Light-Ban	1"	.008	20 mm	Price Chart 4 or 5 *
Traditions Micro	1/2"	.008	12 mm	Price Chart 6 or 7 *
Integra 620	1"	.006	20 mm	Price Chart 2
Integra 622	1"	.006	22 mm	Price Chart 1
Metro 2"	2"	.008	42 mm	Price Chart 3 or 5 *
Metro 2" with Light-Ban	2"	.008	42 mm	Price Chart 3 or 5 *
Metro 2" with Cloth Tapes	2"	.008	42 mm	Price Chart 10 or 11 *
Metro 2" with Accu-Rise	2"	.008	42mm	Price Chart 12 or 13*

* This product type has more than one price chart due to the color selection.
Special colors are priced on a higher price chart.

Each headrail system is available in a defined color section.
See page 21 for Classic Collection Color Listing.

Size Standards

Classic Collection Aluminum Blinds

Minimum and Maximum Sizes

	Echelon Light-Ban OR Traditions Light-Ban Mini Blinds	Echelon 820 OR Traditions 820 Mini Blinds	Echelon 820 1" OR Accu- Rise Cordless	Echelon 822 OR Traditions 822 Mini Blinds	Integra 620 OR Traditions 620 Mini Blinds	Integra 622 OR Traditions 622 Mini Blinds	Echelon 1/2" OR Traditions 1/2" Micro Blinds
SINGLE BLIND: <i>Minimum Ordered Width</i>	8 3/8"	8 3/8"	18"	8 3/8"	8 3/8"	8 3/8"	8 3/8"
<i>CenterTilt (No Lift) Blind Minimum FINISHED Width</i>	8 3/8"-10 1/2"	8 3/8"-10 1/2"	N/A	8 3/8"-10 1/2"	8 3/8"-10 1/2"	8 3/8"-10 1/2"	8 3/8"-10 1/2"
<i>Split Control Blind Minimum FINISHED Width</i>	10 9/16"-18 1/8"	10 9/16"-18 1/8"	N/A	10 9/16"-18 1/8"	10 9/16"-18 1/8"	10 9/16"-18 1/8"	10 9/16"-18 1/8"
<i>RR or LL Control Blind Minimum FINISHED Width</i>	18 1/4"	18 1/4"	N/A	18 1/4"	18 1/4"	18 1/4"	18 1/4"
<i>Maximum Ordered Width</i>	144"	144"	100"	144"	144"	144"	120"
<i>Minimum Ordered Height</i>	6"	6"	6"	6"	6"	6"	6"
<i>Maximum Ordered Height</i>	126"	126"	84"	126"	126"	126"	108"
<i>Maximum Area (sq.ft.)</i>	95	124	50	124	124	124	25
2 ON 1 BLIND: <i>Minimum Ordered Width</i>	17"	17"	N/A	17"	17"	17"	17"
<i>Maximum Ordered Width</i>	144"	144"	N/A	144"	144"	144"	144"
3 ON 1 BLIND: <i>Minimum Ordered Width</i>	25 5/8"	25 5/8"	N/A	25 5/8"	25 5/8"	25 5/8"	25 5/8"
<i>Maximum Ordered Width</i>	144"	144"	N/A	144"	144"	144"	144"
CUT-OUTS: <i>Minimum Ordered Width</i>	18 5/8"	18 5/8"	N/A	18 5/8"	18 5/8"	18 5/8"	18 5/8"
<i>Maximum Ordered Width</i>	144"	144"	N/A	144"	144"	144"	82"
<i>Maximum Ordered Height</i>	100"	100"	N/A	100"	100"	100"	100"

	Metro 2" Rout Holes	Metro 2" Light-Ban	Metro 2" Cloth Tapes	Metro 2" Lift & Lock	Metro 2" Accu-Rise	Auto-Tilt 1" .008 and 2"
SINGLE BLIND: <i>Minimum Ordered Width</i>	7 3/4"	7 3/4"	12"	12"	18"	18"
<i>Center Tilt (No Lift) Blind Minimum FINISHED Width</i>	7 3/4" - 10 7/16"	7 3/4" - 10 7/16"	-	N/A	N/A	-
<i>Split Control Blind Minimum FINISHED Width</i>	10 1/2" - 22 1/2"	10 1/2" - 22 1/2"	12" - 22 1/2"	N/A	N/A	-
<i>RR or LL Control Blind Minimum FINISHED Width</i>	22 9/16"	22 9/16"	22 9/16"	N/A	N/A	N/A
<i>Maximum Ordered Width</i>	144"	144"	144"	96"	90"	120"
<i>Minimum Ordered Height</i>	12"	12"	12"	12"	12"	12"
<i>Maximum Ordered Height</i>	126"	126"	126"	72"	84"	120"
<i>Maximum Area (sq.ft.)</i>	126	95	126	48	52	64
2 ON 1 BLIND: <i>Minimum Ordered Width</i>	15 3/4"	15 3/4"	24 1/4"	N/A	N/A	N/A
<i>Maximum Ordered Width</i>	192"	192"	192"	N/A	N/A	N/A
<i>Minimum Ordered Height</i>	12"	12"	12"	N/A	N/A	N/A
<i>Maximum Ordered Height</i>	126"	126"	126"	N/A	N/A	N/A
<i>Maximum Area (Sq Ft)</i>	126	126	126	N/A	N/A	N/A
3 ON 1 BLIND: <i>Minimum Ordered Width</i>	23 3/4"	23 3/4"	36 1/2"	N/A	N/A	N/A
<i>Maximum Ordered Width</i>	192"	192"	192"	N/A	N/A	N/A
<i>Minimum Ordered Height</i>	12"	12"	12"	N/A	N/A	N/A
<i>Maximum Ordered Height</i>	126"	126"	126"	N/A	N/A	N/A
<i>Maximum Area (Sq Ft)</i>	126	126	126	N/A	N/A	N/A
CUT-OUTS: <i>Minimum Ordered Width</i>	18 5/8"	18 5/8"	18 5/8"	N/A	N/A	N/A
<i>Maximum Ordered Width</i>	144"	144"	144"	N/A	N/A	N/A
<i>Maximum Ordered Height</i>	126"	126"	126"	N/A	N/A	N/A

Design Options Quick Reference

Classic Collection Aluminum Blinds

1" Mini and 1/2" Micro Blinds	1" Echelon Page 12	1/2" Echelon Page 12	1" Integra Page 13	1" Traditions Page 14	1/2 Traditions Page 14	1" Echelon 820 Accu-Rise Page 15	1" .008 Auto-Tilt Page 19
No Charge Options							
Extension Bracket	Y	Y	Y	Y	Y	Y	Y
Hold Down Bracket	Y	Y	Y	Y	Y	Y	Y
Spacer Blocks	Y	Y	Y	Y	Y	Y	Y
Valance - Regal	N/A	N/A	N/A	Y 820 or Light Ban	Y	Y	Y Traditions
Valance - Two Slat Clip On	N/A	N/A	N/A	Y 822, 620, 622	N/A	N/A	N/A
Wand Tilt	Std	Std	Std	Std	Std	Std	N/A
Surcharge Options							
Accu-Rise	Page 15	N/A	N/A	N/A	N/A	Page 15	N/A
Cloth Tapes	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cut Outs	Y	Y	Y	Y	Y	N/A	N/A
Lift & Lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Light Ban	Chart 4 or 5	N/A	N/A	Chart 4 or 5	N/A	N/A	N/A
Motorization - Auto-Tilt	Page 19	N/A	N/A	Page 19	N/A	N/A	Page 19
Multi Color Blinds	Y	Y	Y	Y	Y	Y	Y
Multiple Blinds on One Headrail	Y	Y	Y	Y	Y	N/A	N/A

2" Metro Blinds	2" Metro Page 16	2" Metro Lift & Lock Page 17	2" Metro Accu-Rise Page 18	2" Metro Auto-Tilt Page 19	Notes
No Charge Options					
Cord Tilt	Y	N/A	Y	N/A	
Extension Bracket	Y	Y	Y	Y	
Hold Down Bracket	Y	Y	Y	Y	
Spacer Blocks	Y	Y	Y	Y	
Valance - Single Slat Clip On	Y	Y	Y	Y	
Wand Tilt	Std	Std	Std	N/A	
Surcharge Options					
Accu-Rise	Page 18	N/A	Page 18	N/A	Charts 8,9,12,13
Cloth Tapes	Y	Y	N/A	Y	Charts 10 and 11
Cut Outs	Y	N/A	N/A	N/A	
Lift & Lock	Page 17	Page 17	N/A	N/A	
Light Ban	Y	N/A	N/A	N/A	Chart 4 and 5
Motorization - Auto-Tilt	Page 19	N/A	N/A	Page 19	
Multi Color Blinds	Y	Y	Y	Y	
Multiple Blinds on One Headrail	Y	N/A	N/A	Y	

Pricing

Classic Collection Aluminum Blinds

Price Chart		<ul style="list-style-type: none"> ▶ Integra 622 1" slat; .006 gauge with 22 mm tape ▶ Traditions 622 1" slat; .006 gauge with 22 mm tape 																			
1																					
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
42"	HEIGHT TO:	116	82	96	102	113	122	131	140	151	162	176	182	187	209	227	247	269	293	313	340
48"		122	91	100	111	118	129	140	151	162	176	184	196	202	231	251	271	300	322	347	382
54"		127	96	107	116	129	140	151	164	180	191	200	213	220	247	271	300	327	358	387	424
60"		131	109	118	129	140	151	167	180	191	200	213	224	236	269	296	327	358	389	424	469
66"		136	113	124	133	149	162	178	187	200	213	227	242	253	289	320	353	391	431	467	502
72"		144	118	131	144	160	176	184	198	213	224	238	260	271	311	344	382	424	467	491	531
78"		149	124	133	149	167	182	196	209	227	242	256	276	289	333	371	416	460	491	522	562
84"		158	129	147	162	180	193	209	224	242	256	271	293	311	356	400	447	482	518	549	596
90"		162	136	158	176	187	202	220	238	253	269	287	307	329	382	431	469	507	544	582	633
96"		167	144	162	180	198	216	233	251	269	287	302	327	351	402	453	489	531	571	611	664
102"		178	149	173	187	204	224	244	262	282	298	318	347	369	436	473	511	558	600	642	704
108"		184	158	178	196	216	236	260	278	298	318	338	367	391	451	491	536	582	629	676	742
114"		193	162	184	202	227	251	269	293	316	336	358	387	413	469	511	558	609	660	711	782
120"		200	173	193	216	238	262	284	307	329	353	373	402	438	484	531	582	638	691	744	824
126"		209	178	200	224	251	271	298	320	347	369	396	429	451	504	553	604	662	722	787	867

• Blinds longer than 96" may not close tightly.

Price Chart		<ul style="list-style-type: none"> ▶ Integra 620 1"slat; .006 gauge with 20 mm tape ▶ Traditions 620 1" slat; .006 gauge with 20 mm tape 																			
2																					
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
42"	HEIGHT TO:	118	98	113	118	127	131	147	151	164	178	187	196	202	227	247	269	293	318	340	369
48"		124	111	118	124	131	149	158	164	178	187	198	209	218	247	269	293	322	353	378	416
54"		129	116	124	129	149	160	173	180	193	202	216	227	236	267	296	322	353	387	422	460
60"		133	118	127	147	160	173	182	191	202	216	227	238	253	287	318	351	384	422	458	507
66"		140	124	140	151	167	182	193	200	216	231	242	256	271	307	344	378	422	460	507	540
72"		147	131	147	160	176	187	200	216	231	244	256	271	289	327	367	404	451	502	531	571
78"		151	136	158	173	184	198	213	227	247	262	271	293	311	353	396	442	491	527	562	604
84"		160	144	162	178	193	209	224	242	262	276	289	311	329	373	424	476	518	558	591	642
90"		164	149	167	182	200	218	238	253	276	289	302	322	347	402	453	502	540	584	622	676
96"		173	158	176	193	209	231	251	267	289	307	320	344	369	429	482	520	567	611	653	713
102"		180	162	180	198	220	242	264	282	307	322	338	367	389	458	504	544	593	642	691	753
108"		187	167	187	202	231	251	271	296	320	338	356	387	413	476	520	569	618	671	722	793
114"		196	176	196	216	242	264	287	313	344	362	378	407	436	498	542	591	644	704	764	840
120"		202	180	200	224	247	276	300	327	362	378	391	424	460	516	562	613	673	731	796	878
126"		213	184	209	231	262	287	316	344	378	398	416	449	476	531	587	642	704	771	840	927

• Blinds longer than 96" may not close tightly.

Pricing

Classic Collection Aluminum Blinds

Price Chart 5

- ▶ **Metro 2" Special Colors** 2" slat with cable tape
- ▶ **Metro 2" Special Colors with Light Ban** 2" slat with cable tape and Light Ban
- ▶ **Traditions 820 Special Colors with Light Ban** 1" slat; .008 gauge with Light Ban
- ▶ **Echelon 820 Special Colors with Light Ban** 1" slat; .008 gauge with Light Ban

.008 SLAT SPECIAL COLORS

Breeze	Fawn Matte
Bronze Matte	Fools Gold
Brushed Alum Metallic	Gondola
Chalk Matte	Natural Nickel
Copper Pot	Snowy White Matte
Cornsilk Matte	Sussex Pearl
Creme De La Creme Matte	Woven White
Creme De La Creme Pearl	Woven Woolens

2" SPECIAL COLORS -

Glaze
Manatee

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
42"	158	140	151	162	176	184	200	216	227	242	264	276	289	327	362	396	436	473	516	562
48"	167	147	162	173	182	202	218	233	247	262	284	300	318	362	398	438	484	527	573	636
54"	180	158	176	184	204	224	244	256	267	287	311	329	347	396	440	489	538	591	647	716
60"	187	164	180	202	218	242	262	271	284	307	329	353	373	433	482	536	593	653	716	800
66"	196	176	196	216	236	260	282	293	302	336	358	384	404	467	527	587	658	724	798	860
72"	202	180	202	227	247	271	296	311	322	356	382	413	438	504	569	638	713	793	847	916
78"	213	196	220	242	267	293	318	336	353	378	407	442	471	549	618	704	787	847	896	969
84"	220	202	231	253	278	313	338	356	371	404	438	473	507	587	669	760	824	884	947	1022
90"	231	213	242	267	296	327	362	378	396	433	467	504	540	636	724	800	867	936	1002	1087
96"	238	220	253	284	311	347	384	400	420	458	498	536	578	676	776	840	913	987	1051	1144
102"	247	233	264	296	329	369	407	429	442	489	522	571	618	729	807	878	953	1031	1111	1204
108"	256	242	271	307	344	384	429	447	467	516	558	609	658	771	842	918	998	1082	1162	1267
114"	264	253	289	327	364	404	449	473	500	549	591	644	698	796	873	951	1042	1129	1218	1329
120"	271	262	300	340	378	433	476	502	522	582	620	678	740	831	913	998	1089	1184	1273	1400
126"	278	271	313	353	400	449	504	524	549	609	658	720	771	860	947	1038	1131	1233	1336	1460

• Blinds longer than 96" may not close tightly.

Pricing

Classic Collection Aluminum Blinds

Price Chart		<ul style="list-style-type: none"> ▶ Echelon Micro - 1/2" slat; .008 gauge ▶ Traditions Micro - 1/2" slat; .008 gauge 																	
6																			
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
	42"	\$182	162	176	189	202	211	238	249	267	280	298	313	327	362	400	440	473	504
	48"	193	171	187	198	218	242	256	269	289	302	320	342	358	402	442	484	533	569
	54"	204	189	204	218	251	264	282	298	309	329	349	373	389	438	487	544	593	638
	60"	218	193	211	242	264	282	302	320	329	351	373	396	422	480	538	600	656	709
HEIGHT TO:	66"	227	202	236	256	280	302	327	344	351	382	404	433	456	520	591	656	731	789
	72"	240	209	244	269	296	318	344	367	376	407	433	462	489	560	638	718	802	871
	78"	251	229	264	287	316	342	367	393	404	436	462	500	529	611	693	793	880	929
	84"	260	242	273	298	329	362	391	420	433	469	498	533	569	656	756	864	931	978
	90"	269	251	287	313	349	378	416	449	456	493	527	569	607	716	818	907	976	1038
	96"	278	264	298	331	367	402	442	473	482	524	560	604	651	762	878	956	1036	1100
	102"	287	271	309	344	389	431	469	509	524	560	593	647	693	822	920	1007	1093	1158
	108"	298	282	324	360	404	447	487	533	549	593	631	687	740	869	958	1051	1142	1220

• Blinds longer than 96" may not close tightly.

Price Chart		<ul style="list-style-type: none"> ▶ Echelon Micro Special Colors - 1/2" slat; .008 gauge ▶ Traditions Micro Special Colors - 1/2" slat; .008 gauge 														1/2" SLAT SPECIAL COLORS -			
7																Brushed Aluminum Metallic Sussex Pearl			
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
	42"	\$189	167	180	191	211	224	251	267	287	300	324	340	358	393	438	478	520	553
	48"	198	176	191	202	224	258	271	287	309	324	347	371	389	438	482	529	580	620
	54"	209	193	207	220	264	278	298	316	329	358	378	402	422	473	529	591	640	687
	60"	222	198	220	256	273	298	320	340	351	378	402	431	453	518	578	642	709	760
HEIGHT TO:	66"	236	207	244	269	296	318	342	362	376	409	436	462	489	560	633	702	784	840
	72"	244	218	258	280	309	333	360	382	402	438	462	498	529	602	680	762	853	929
	78"	258	242	273	298	329	358	382	409	433	462	498	533	569	653	740	838	931	982
	84"	267	251	287	313	344	378	407	438	456	498	529	571	607	700	800	907	976	1036
	90"	273	264	298	327	364	396	433	462	482	527	560	604	649	756	867	956	1029	1093
	96"	282	273	309	344	380	420	456	489	513	556	600	647	691	807	922	1004	1084	1147
	102"	293	282	324	360	402	442	482	520	538	593	627	684	733	869	960	1047	1131	1204
	108"	302	296	333	373	420	458	504	549	569	624	669	729	784	909	1004	1098	1184	1262

• Blinds longer than 96" may not close tightly.

Pricing

Classic Collection Aluminum Blinds

Price Chart		▶ Metro 2" with Cloth Tapes - 2" slat; .008 gauge with Cloth Tape																			
10																					
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:	42"	\$176	167	173	178	182	187	198	233	276	307	316	324	336	404	431	460	489	567	596	684
	48"	184	171	178	182	187	200	207	240	296	322	331	344	356	433	462	493	531	616	649	753
	54"	198	176	182	187	202	213	284	309	324	340	351	362	378	460	496	533	569	664	713	824
	60"	207	180	187	196	213	284	300	322	342	356	364	384	398	491	531	573	618	722	776	911
	66"	218	184	196	200	280	298	320	340	360	378	389	404	424	520	569	616	671	784	849	951
	72"	229	191	211	220	291	311	331	351	369	393	402	427	442	547	600	658	720	844	878	989
	78"	240	198	224	242	309	331	351	369	393	409	427	449	471	584	642	716	778	878	920	1031
	84"	249	204	242	262	320	349	369	393	411	433	449	476	498	618	687	769	807	916	956	1073
	90"	260	211	258	284	338	358	391	409	431	453	467	496	524	660	733	789	836	949	993	1111
	96"	284	271	280	304	351	380	409	431	453	473	493	522	551	698	776	816	867	984	1031	1156
	102"	296	284	289	324	364	398	433	456	476	496	511	549	584	740	798	849	902	1016	1067	1200
	108"	309	291	304	344	380	411	449	471	491	520	540	582	618	773	824	873	927	1053	1104	1240
	114"	318	300	320	364	400	436	473	493	513	547	569	613	651	793	851	909	960	1089	1149	1287
120"	327	309	336	389	411	458	498	520	540	573	591	638	684	816	873	931	993	1124	1182	1329	
126"	338	320	351	407	433	473	524	544	567	593	622	671	709	844	904	962	1022	1158	1227	1373	

• Blinds longer than 96" may not close tightly. Blinds with cloth tape will not close tightly.

Price Chart		▶ Metro 2" Special Colors with Cloth Tapes - 2" slat; .008 gauge with Cloth Tape																			
11																					
		2" SPECIAL COLORS -																			
		Glaze Manatee																			
WIDTH TO:		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:	42"	\$200	191	198	202	209	216	224	287	347	362	373	387	400	482	518	551	591	680	724	827
	48"	213	196	202	209	216	227	236	300	367	382	396	416	431	522	560	600	647	747	796	920
	54"	224	200	209	216	231	242	318	353	387	404	422	440	453	553	602	653	702	811	876	1013
	60"	236	204	216	220	242	318	338	371	404	429	442	464	484	596	651	709	771	891	962	1124
	66"	247	213	220	227	316	336	358	391	429	458	471	498	520	638	704	767	844	978	1060	1187
	72"	260	218	238	251	327	351	369	407	447	476	491	522	551	673	744	822	907	1053	1107	1240
	78"	269	224	256	271	347	369	391	436	473	504	522	558	587	724	800	896	982	1111	1167	1302
	84"	284	233	271	296	358	389	416	458	502	536	558	593	627	773	864	969	1029	1162	1220	1367
	90"	298	238	289	318	378	400	436	480	522	560	584	620	660	824	929	1004	1069	1204	1271	1420
	96"	313	307	316	340	391	424	458	504	549	587	618	660	704	876	982	1047	1118	1260	1327	1487
	102"	327	318	322	364	407	442	482	527	571	620	642	696	742	940	1016	1087	1158	1304	1376	1542
	108"	340	327	340	387	424	460	502	551	600	651	680	736	789	982	1051	1129	1202	1356	1431	1609
	114"	356	338	358	407	447	484	524	582	636	691	722	782	840	1013	1093	1171	1256	1411	1496	1676
120"	369	347	373	433	460	509	553	609	662	722	753	813	880	1047	1124	1207	1298	1460	1544	1731	
126"	384	358	391	453	482	524	584	640	696	756	796	864	916	1080	1167	1258	1342	1511	1609	1800	

• Blinds longer than 96" may not close tightly. Blinds with cloth tape will not close tightly.

Pricing

Classic Collection Aluminum Blinds

Price Chart 12		▶ Metro 2" with Accu-Rise - 2" slat, .008 gauge with Accu-Rise													
WIDTH TO:		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	90"
HEIGHT TO:	42"	\$200	207	218	244	264	289	311	336	344	364	378	391	447	478
	48"	211	218	229	253	276	300	327	351	360	384	400	411	478	509
	54"	220	229	240	264	298	324	344	364	387	404	424	436	504	538
	60"	231	240	249	273	311	340	360	384	400	424	440	462	544	578
	66"	242	251	262	289	327	358	380	400	427	447	467	491	578	607
	72"	251	264	273	300	338	367	393	413	442	464	493	518	611	642
	78"	262	280	291	313	353	389	413	440	464	493	524	549	658	687
	84"	269	293	311	327	364	404	433	460	493	522	556	582	698	727

Price Chart 13		▶ Metro 2" Special Finishes with Accu-Rise - 2" slat, .008 gauge with Accu-Rise													
		2" SPECIAL COLORS - Glaze Manatee													
WIDTH TO:		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	90"
HEIGHT TO:	42"	\$227	236	247	276	302	329	356	384	398	424	438	451	516	549
	48"	238	247	260	287	318	344	371	404	422	442	467	480	558	591
	54"	251	260	269	298	340	369	391	424	447	471	491	509	591	627
	60"	262	269	282	311	362	391	416	447	469	498	518	542	638	671
	66"	271	282	293	320	378	413	436	467	502	524	551	578	676	711
	72"	284	293	302	333	398	433	453	489	520	549	584	611	716	749
	78"	296	316	331	371	420	451	482	518	549	582	620	651	773	804
	84"	313	340	367	389	436	480	511	542	584	618	658	691	818	856

Aluminum Blind Options and Surcharges

Cut-Outs: Side Cut-Out 6" or less	Add \$27 per side
Cut-Outs: Side Cut-Out 6 1/8" or more	Add \$33 per side
Cut-Outs: Center Cut-Out	Add \$33
Lift & Lock Cordless Lift System (2" Metro Only)	Add \$64
Multi Color Blinds: First Added Color	Add \$33
Multi Color Blinds: Each Additional Color	Add \$22
Multiple Blinds on One Headrail	Price each blind individually. Add together for total unit price.
Palladian Shelf	Ordered separately; \$25.60 per ft Finished or \$21.20 per ft. Unfinished

Auto-Tilt™ Motorization Surcharges for 1" .008 Slat and 2" Metro Aluminum Blinds

Auto-Tilt (motor only)	\$232 per blind
Auto-Tilt (Reloadable Battery Wand, Lithium Batteries, Mounting Clips)	\$360 per blind
Auto-Tilt (RF Receiver, Mounting Clips, Solar Pack)	\$529 per blind
Auto-Tilt (12V DC Transformer, 10' cord, Mounting Clips)	\$425 per blind
Single Channel Modulis RF Transmitter (White), per transmitter	\$213
Five Channel Modulis RF Transmitter (White), per transmitter	\$280
Single Channel Decoflex Wall Switch (White, Ivory)	\$247
Five Channel Decoflex Wall Switch (White, Ivory)	\$256
RTS Repeater	\$389
4' Extension Wire for Battery Pack	\$23
8' Extension wire for Battery Pack	\$25
myLink	\$405


Notes: One remote or wireless wall switch is required per order to operate all functions (Not included in price).

Product Information

Echelon Headrail

Product Features

- Fits rectangular window openings
- .008 premium slat
- Choose 1" blind or 1/2" slat size
- Choose 20 mm or 22 mm tape spacing for 1" blinds
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Wand Tilt



Mounting Requirements

- Inside Mount (IB)
 - Minimum Required Depth: 7/8"
 - Minimum Required Depth, flush mount: 1 3/4"
- Outside Mount (OB)
 - Minimum required mounting surface: 1 3/8"
 - Recommended width overlap per side: 1 1/2"

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -1/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
- Outside Mount (OB)
 - Headrail width: +1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height

Installation Brackets

Blind Width	# of Brackets	
	Under 60 sq ft.	60 Sq Ft. and Over
Up to 60"	2	3
60 1/16" to 120"	3	4
Over 120"	4	5

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36" wide
3 each	36 1/16" to 54" wide
4 each	54 1/16" to 78" wide
5 each	78 1/16" to 96" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.

Window Length	1" Blinds	1/2" Blinds
36"	3"	3 1/2"
48"	3 1/2"	4"
60"	4"	4 1/2"
72"	4 1/2"	5"
84"	5"	5 1/2"
96"	5 1/2"	6"
108"	6"	6 1/2"
120"	6 1/2"	
126"	6 3/4"	

Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets
- Cord Cleat

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
 - Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
 - Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 5/8" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 18 1/4" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Unless otherwise specified, lift cord length will match wand length. Minimum lift cord and wand length is 12".

Wand Lengths


Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.
Wands are clear.

Options

- No Charge
 - Extension Brackets
 - Hold Down Brackets
 - Spacer Blocks
- Surcharge
 - Accu-Rise (Price Chart 8 or 9, Echelon 820) - [Page 15](#)
 - Cut-Outs
 - Light-Ban (Price Chart 4 or 5, Echelon 820) (1" blinds only, Echelon 820)
 - Motorization for 1" .008 slat - Auto-Tilt Battery Operated - [Page 19](#)
 - Multi-Color Blinds
 - Multiple Blinds on One Headrail
- Exclusions
 - Cloth Tapes
 - Lift & Lock Cordless Lift System

Headrail

The Echelon headrail is 1 7/16" high x 1 9/16" deep.




Product Information

Integra Headrail

Product Features

- Fits rectangular window openings
- .006 Economy Slat
- Beveled Headrail
- Chose 20 mm or 22 mm tape spacing
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Wand Tilt



Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets
- Cord Cleat

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
 - Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 5/8" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 18 1/4" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Unless otherwise specified, lift cord length will match wand length. Minimum lift cord and wand length is 12".

Mounting Requirements

- Inside Mount (IB)
 - Minimum Required Depth: 7/8"
 - Minimum Required Depth, flush mount: 1 3/4"
- Outside Mount (IB)
 - Minimum required mounting surface: 1 3/8"
 - Recommended width overlap per side: 1 1/2"

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -1/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
- Outside Mount (OB)
 - Headrail width: +1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height

Installation Brackets

Blind Width	# of Brackets	
	Under 60 sq ft.	60 Sq Ft. and Over
Up to 60"	2	3
60 1/16" to 120"	3	4
Over 120"	4	5

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36" wide
3 each	36 1/16" to 54" wide
4 each	54 1/16" to 78" wide
5 each	78 1/16" to 96" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.

Window Length	Stacking Height
36"	3"
48"	3 1/2"
60"	4"
72"	4 1/2"
84"	5"
96"	5 1/2"
108"	6"
120"	6 1/2"
126"	6 3/4"

Wand Lengths


Wands for 620: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.
 Wands for 622: 12", 20", 30", 40", 50", 60".
 Wands are clear.

Options

- No Charge
 - Extension Brackets
 - Hold Down Brackets
 - Spacer Blocks
- Surcharge
 - Cut-Outs
 - Multi-Color Blinds
 - Multiple Blinds on One Headrail
- Exclusions
 - Accu-Rise Cordless Lift System
 - Cloth Tapes
 - Lift & Lock Cordless Lift System
 - Light Ban
 - Motorization

Headrail

The Integra beveled headrail is 1 3/8" x 1 3/8". This headrail requires slightly more depth for an inside installation but has a beveled edge therefore a valance is not available.




Product Information

Traditions Headrail

Product Features

- Fits rectangular window openings
- Choose 1" or 1/2" slat size
- Choose .008 premium slat or .006 economy slat
- Choose 20 mm or 22 mm tape spacing
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Regal Valance - Traditions 820, Light-Ban and Micro
- Two Slat Valance - Traditions 822, 620 and 622
- Wand Tilt



Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets
- Cord Cleat

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
 - Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 5/8" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 18 1/4" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Unless otherwise specified, lift cord length will match wand length. Minimum lift cord and wand length is 12".

Wand Lengths

Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.
Wands are clear.

Options

- No Charge
 - Commercial Rail - 1" x 1 9/16" rail in 3 colors
This rail uses metal components
For use with both .006 and .008 slat sizes
Not available with cord tilt
 - Extension Brackets, Hold Down Brackets, Spacer Blocks
- Surcharge
 - Cut-Outs
 - Light-Ban (1" blinds only; Traditions 820 only)
 - Motorization for 1" .008 slat - Auto-Tilt Battery Operated - [Page 19](#)
 - Multi-Color Blinds
 - Multiple Blinds on One Headrail
- Exclusions
 - Accu-Rise Cordless Lift System
 - Cloth Tapes
 - Lift & Lock Cordless Lift System

Mounting Requirements

- Inside Mount (IB) - Minimum Required Depth
 - Shades less than 60" wide:
 - Traditions: 7/8"
 - Optional Commercial: 1 3/8"
 - Shades greater than 60" wide *
 - Traditions: 15/16"
 - Optional Commercial: 1 1/2"
 - Inside Mount (IB) - Minimum Required Depth, Flush Mount
 - Shades less than 60" wide:
 - Traditions: 1 5/16"
 - Optional Commercial: 1 3/4"
 - Shades greater than 60" wide *
 - Traditions: 1 3/8"
 - Optional Commercial: 1 7/8"
 - Outside Mount (IB)
 - Minimum required mounting surface: 1 1/4"
 - Recommended width overlap per side: 1 1/2"
- * Shades greater than 60" require a center support

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -1/2"
 - Slat width: -1/2"
 - Blind height: Ordered height
- Outside Mount (OB)
 - Headrail width: -1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height

Installation Brackets

Blind Width	# of Brackets Under 60 sq ft.	# of Brackets 60 Sq Ft. and Over
Up to 60"	2	3
60 1/16" to 120"	3	4
Over 120"	4	5

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36" wide
3 each	36 1/16" to 54" wide
4 each	54 1/16" to 78" wide
5 each	78 1/16" to 96" wide


Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.


Window Length	1" Blinds	1/2" Blinds
36"	3"	3 1/2"
48"	3 1/2"	4"
60"	4"	4 1/2"
72"	4 1/2"	5"
84"	5"	5 1/2"
96"	5 1/2"	6"
108"	6"	6 1/2"
120"	6 1/2"	
126"	6 3/4"	

Headrail

The Traditions headrail is 1" high x 1" deep.
The optional commercial headrail is 1" high x 1 9/16" deep.



Traditions Headrail



Optional Commercial Headrail

Product Information

Accu-Rise for Echelon 820 1" Blinds




Product Features

- Fits rectangular window openings
- Accu-Rise Cordless Lift System (required surcharge)
- Wand Tilt

Mounting Requirements

- Inside Mount (IB)
 - Minimum Required Depth: 7/8"
 - Minimum Required Depth, flush mount: 1 3/4"
- Outside Mount (IB)
 - Minimum required mounting surface: 1 3/8"
 - Recommended width overlap per side: 1 1/2"



Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -1/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
- Outside Mount (OB)
 - Headrail width: +1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height

Installation Brackets

Blind Width	# of Brackets	
	Under 60 sq ft.	60 Sq Ft. and Over
Up to 60"	2	3
60 1/16" to 90"	3	4

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36" wide
3 each	36 1/16" to 54" wide
4 each	54 1/16" to 78" wide
5 each	78 1/16" to 90" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.

Window Length	Blinds
36"	3"
48"	3 1/2"
60"	4"
72"	4 1/2"
84"	5"

Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets

Control Options

- Standard: Wand tilt left (L)
- No other control position is available.

Wand Lengths


Wands are available in 12", 20", 30", 48" and 60" lengths. Wands are finished to coordinate with the slat color.

Options

- No Charge
 - Extension Brackets
 - Hold Down Brackets
 - Spacer Blocks
 - Valance - Regal
- Surcharge
 - Accu-Rise Cordless Lift (required)
 - Multi-Color Blinds
- Exclusions
 - Cloth Tapes
 - Cut-Outs
 - Light-Ban
 - Lift & Lock Cordless Lift System
 - Motorization - Auto-Tilt Battery Operated
 - Multiple Blinds on One Headrail

Headrail

The Echelon headrail is 1 7/16" high x 1 9/16" deep.




Product Information

Metro 2" Aluminum Blinds

Product Features

- Fits rectangular window openings
- Rout holes
- Signature Tassel
- Double Lock Seam Bottom Rail
- Wand Tilt



Mounting Requirements

- Inside Mount (IB)
 - Minimum Required Depth: 1 1/8"
 - Minimum Required Depth, flush mount: 3 3/8"
- Outside Mount (IB)
 - Minimum required mounting surface: 1 3/4"
 - Recommended width overlap per side: 1 1/2"

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -3/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
- Outside Mount (OB)
 - Headrail width: -1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height

Support Brackets

Blind Width	Quantity
72 1/16" to 96"	1
96 1/16" to 144"	2

Ladder and Cloth Tape Chart

Number of Ladders	Finished Width
2 each	Up to 46 1/2" wide
3 each	46 9/16" to 80 1/2" wide
4 each	80 9/16" to 114 1/2" wide
5 each	114 9/16" to 144" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements. If decorative tapes are used, the stacking height shown below will increase 20-30% based on the stiffness of the ladder.

Window Length	2" Metro Cable Tape	2" Metro Cloth Tape
36"	4 1/2"	5"
48"	4 3/4"	5 3/8"
60"	5"	5 3/4"
72"	5 1/4"	6"
84"	5 1/2"	6 3/8"
96"	5 3/4"	6 7/8"
108"	6"	7 3/8"
120"	6 1/4"	7 1/2"
126"	6 1/2"	8"

Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets
- Cord Cleat

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand or cord tilt right (R), lift cord left (L)
 - Wand or cord tilt right (R), lift cord right (R)
 - Wand or cord tilt left (L), lift cord left (L)
 - Blinds less than 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 1/2" to 22 1/2" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 22 5/8" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.
- Accu-Rise:
 - Standard-Wand tilt left (L); Optional-Cord tilt left (L)

Note: Unless otherwise specified, all cord lengths will be approx. 1/2 blind height; minimum tilt cord length is 20". Lift cord will match wand length for wand tilt. Minimum lift cord and wand length is 12".

Wand Lengths


Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths. Wands are clear.

Options

- No Charge
 - Cord Tilt
 - Hold Down Brackets
 - Extension Brackets
 - Spacer Blocks
 - Valance - Single Slat Clip On
- Surcharge
 - Accu-Rise (Price Chart 12 or 13 - color dependent) - [Page 18](#)
 - Cloth Tapes (Price Chart 10 or 11 - color dependent)
 - Cut-Outs
 - Lift & Lock Cordless Lift System
 - Light-Ban (Price Chart 3 or 5 - color dependent)
 - Motorization - Auto-Tilt Battery Operated - [Page 19](#)
 - Multi-Color Blinds
 - Multiple Blinds on One Headrail

Headrail

The low profile headrail (1 1/2" high x 2 1/4" deep) is used with all 2" Metro blinds.




Product Information

2" Metro Blinds with Lift & Lock

Product Features

- Fits rectangular window openings
- Lift & Lock Cordless Lift System (required surcharge)
- Color coordinated aluminum bottom rail with button
- Wand Tilt



Mounting Requirements

- Inside Mount (IB)
 - Minimum Casement Depth, bracket attachment: 1 1/8"
 - Minimum Mounting Depth, fully recessed with valance: 3 3/8"
- Outside Mount (OB)
 - Minimum flat mounting surface height: 1 3/4"
 - Recommended width overlap per side: 1 1/2"

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -3/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
 - Valance width: -1/8"
- Outside Mount (OB)
 - Headrail width: -1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height
 - Valance width: +1"

Support Brackets

Blind Width	Quantity
72 1/16" to 96"	1

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 31" wide
3 each	31 1/16" to 59" wide
4 each	59 1/16" to 86" wide
5 each	86 1/16" to 96" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.

Window Length	2" Metro Cable Tape	2" Metro Cloth Tape
36"	4 7/8"	5 3/8"
48"	5 1/8"	5 3/4"
60"	5 3/8"	6 1/8"
72"	5 5/8"	6 3/8"

Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets

Control Options

- Standard: Wand tilt left (L)
- Option: Wand tilt right (R)

Wand Lengths

- Wands are available in 12", 20", 30", 48" and 60" lengths.
- Wands are finished to coordinate with the slat color.

Options

- No Charge
 - Extension Brackets, Hold Down Brackets, Spacer Blocks
 - Valance - Single Slat Clip On
- Surcharge
 - Cloth Tapes (Chart 10 or 11)
 - Lift & Lock System (required)
 - Multi-Color Blinds
- Exclusions
 - Accu-Rise
 - Cut-Outs
 - Light-Ban
 - Motorization - Auto-Tilt Battery Operated
 - Multiple Blinds on One Headrail

Lift & Lock Operation


To raise the blind: Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.

To lower the blind: Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.

CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Headrail and Bottom Rail

The low profile headrail is used with all cordless lift system blinds. Motors are enclosed in the bottom rail.



Low Profile Headrail



Lift & Lock Bottom Rail End



Button on Bottom Rail

Product Information

Accu-Rise for 2" Metro Aluminum Blinds




Product Features

- Fits rectangular window openings
- Accu-Rise Cordless Lift System (required surcharge)
- Double Lock Seam Bottom Rail
- Wand Tilt

Mounting Requirements

- Inside Mount (IB)
 - Minimum Casement Depth, bracket attachment: 1 1/8"
 - Minimum Mounting Depth, fully recessed with valance: 3 1/4"
- Outside Mount (OB)
 - Minimum flat mounting surface height: 1 3/4"
 - Recommended width overlap per side: 1 1/2"



Size Standards

See Size Standards on [page 3](#).

Hardware Included

- Installation Brackets

Control Options

- Standard: Wand tilt left (L)
 - Optional: Cord tilt left (L)
- No other control position is available.

Wand Lengths

Wands are available in 12", 20", 30", 48" and 60" lengths. Wands are finished to coordinate with the slat color.

Finished Dimensions

- Inside Mount (IB)
 - Headrail width: -3/4"
 - Slat width: -1/2"
 - Blind height: Ordered height
 - Valance width: -1/8"
- Outside Mount (OB)
 - Headrail width: -1/4"
 - Slat width: Ordered width
 - Blind height: Ordered height
 - Valance width: +1"

Support Brackets

Blind Width	Quantity
72 1/16" to 90"	1

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 46 1/4" wide
3 each	46 5/16" to 80 1/4" wide
4 each	80 5/16" to 90" wide

Stacking Heights

Stacking charts are approximate and include headrail and bottom rail measurements.


Window Length	2" Blind Stacking Hgt
36"	4 1/2"
48"	4 3/4"
60"	5"
72"	5 1/4"
84"	5 1/2"

Options

- No Charge
 - Cord Tilt
 - Extension Brackets, Hold Down Brackets, Spacer Blocks
 - Valance - Single Slat Clip On
- Surcharge
 - Accu-Rise Cordless Lift System (required)
 - Multi-Color Blinds
- Exclusions
 - Cloth Tapes
 - Cut-Outs on headrail
 - Lift & Lock Cordless Lift System
 - Light-Bar
 - Motorization - Auto-Tilt Battery Operated
 - Multiple Blinds on One Headrail

Headrail

The low profile headrail is used with all Accu-Rise Cordless Lift System.



Product Information

Aluminum Blinds with Auto-Tilt



Product Features

- Available for 1" .008 slat blinds or 2" Metro Aluminum Blinds.
- Auto-Tilt 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips (required surcharge)
- Tilt control only.
- Motor can be on right or left side; lift cords are on opposite side.
- Headrail is color coordinated to blind as best possible.
- Double Lock Seam Bottom Rail
- Valance can be ordered separately.

Size Standards

- See Size Standards on [page 3](#).

Options

- Power
 - 12V DC Power Supply (Individual)
 - 12V DC Power Supply Distributed Power (Large Applications)
- Controls
 - Modulis 1 Channel or 5 Channel Remote (white)
 - ♦ Exclusive scroll wheel design for precise tilt control
 - ♦ A built-in encoder allows for precise slat position of adjacent blinds.
 - ♦ The five channel transmitter can be used for group and individual control of blinds.
- No Charge
 - Extension Brackets, Hold Down Brackets, Spacer Blocks
 - Valance - Single Slat Clip On
- Surcharge
 - Cloth Tapes
 - Multi-Color Blinds
 - Multiple Blinds on One Headrail
- Exclusions
 - 1/2" Micro Blinds
 - 1" .006 Slat Blinds
 - Accu-Rise Cordless Lift System
 - Cut-Outs
 - Lift & Lock Cordless Lift System
 - Light Ban

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- **Window length is required** so that the limits can be set

Motorization Services

- Motorization Skill Set offered in Customer Service
 - 800-342-5523
 - motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of large motorization applications
- Liason between dealers/designers, electricians and home automation integrators.



Modulis 5 Channel Remote

Power Options



12VDC Reloadable Battery Wand



Solar Pack



12VDC Transformer

Somfy myLink Overview

- WiFi to RTS bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.
- Amazon Alexa integration




Features Summary:

- Control for up to 16 RTS channels per myLink from iOS and Android devices.
- Join up to 10 myLinks together for multi-zone control.
- Manually activate RTS products.
- Automate window shades with scenes and schedules.
- Supports Up/Down/My/Stop commands and increments control (tilt/brightness)
- Multiple users
- Remote access
- Integration with third party-systems over IP
- Compatible with Somfy Synergy™ API

Headrail

- The low profile headrail is used for Auto-Tilt blinds. We advise the use of a valance over the headrail due to the limited number of colors available in the low profile headrail.



Product Information

Design Options

Valances

- The Regal valance is available by request on the Traditions 820, Traditions Light-Ban and Traditions Micro blind.
- A Two slat clip-on valance is available by request for the Traditions 822, Traditions 620 and Traditions 622 blind.
- A single slat clip on valance is used for Metro 2" blinds.
- Valances ordered with inside mount blinds will be equal to the width ordered.
- Valances ordered with outside mount blinds will be equal to the width ordered plus five inches (additional allowance made for extension brackets and returns).

Light-Ban

- Light-Ban can be requested in place of regular rout holes on 1" and 2" blinds. Not available on 1/2" micro blinds.
- The Light-Ban slat system designed with hidden rout holes and tighter closure.
- While the Light-Ban feature provides room darkening, it does NOT provide blackout.
- Exclusions: Accu-Rise, Cloth Tapes, Lift & Lock.

Cloth Tapes


- Cloth tape is available on 2" Metro blinds. See product sampling for cloth tape selection.
- Blinds with cloth tapes will need to hang in the window for a few days to allow the cloth tape to relax so the blind does not appear too short.
- Exclusions: Light-Ban Accu-Rise.

Palladian Window Shelf

- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface.
- Allows area above shelf to be covered differently or uncovered.
- Finishes available from Woodland Harvest or Heartland Woods.
- Palladian shelf has a 1/32" per foot tolerance for warpage.
- Inside Mount applications only.
- Dimensions:
 - Height: 1 1/2"
 - Depth: 4" (Can cut down to 2" minimum)
 - Maximum Length: 8'

Ordering Notes


- Must be installed below the radius of window as routed ends are square.
- Specify exact width from jamb to jamb. A 1/16" deduction is taken.
- Ordered separate from blind (Priced by lineal foot - round up to next highest lineal foot.).



Cut-Outs


- Allows for clearance around window cranks or door handles.
- Available with standard wand or cord tilt control options.
- When measuring for the cut-out, measure the blind in the flat, closed position to ensure that the cut-out is large enough.
- Top of cut-out raises to headrail.
- Blind may have three bottom rails (bottom center cut-out) or two bottom rails (bottom side cut-out).
- With headrail cut-outs, controls must be located on side opposite cut-out.
- Please send a diagram with the blind order to show the exact placement of the cut-out. (Letter A below represents the headrail).
- Exclusions: Accu-Rise Cordless, Auto-Tilt Motorized, Lift & Lock Cordless, Multiple Blinds on One Headrail.

Bottom Center Cut-Out




Measurement of C and E must be at least 7".

Bottom Side Cut-Out




Measurement of C must be 6" or more.

Headrail Cut-Out (Standard Blinds Only)



Measurement of D must be 5" or less.

Side Cut-Out (Left, Right or Both)



Measurement of F must be 5" or less.

Product Information

Measuring & Brackets


Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

Measuring

- All blind pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- For an Inside Mount, measure the exact width between the jambs (inside) where the blind is to be mounted.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width. When using a valance or cornice, the outside dimension of the valance will be greater than the outside measurement.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.


Brackets



Echelon Bracket

59-08-135


1 3/8" high x 1 1/4" deep x 1 1/2" wide
7/8" Spacer 59-07-890
1/2" Spacer 59-07-230
Hold Down 50-07-311



Integra Bracket

59-08-135


1 3/8" high x 1 1/4" deep x 1 1/2" wide
7/8" Spacer 59-07-890
1/2" Spacer 59-07-230
Hold Down 50-07-311



Traditions Bracket

50-08-037-XXX


1 1/4" high x 1 1/4" deep x 1 1/4" wide
Extension Bracket 59-08-072
Hold Down 50-07-311



Optional Commercial Headrail

50-04-037-XXX

1 1/4" high x 1 1/8" deep x 1 3/4" wide



Metro 2" Bracket

50-03-047-XXX

1 3/4" high x 2 1/2" deep x 1" wide
Extension Bracket-Short 50-03-167
Extension Bracket - Long 50-03-168

Cleaning Instructions

- Dusting - Regular dusting maintains a like new appearance of aluminum blinds.
- Vacuuming - For deeper cleaning, vacuum gently with a brush attachment of any vacuum cleaner.
- Compressed Air or Hair Dryer (non-heat setting) - Use to blow dust off blinds.
- Spot-Cleaning - Spot clean blinds with soft cloth or sponge moistened with lukewarm water. Add mild detergent if needed. Blot gently.
- Bathtub Cleaning/Water Immersion - This method may be used on all aluminum blinds (exception: motorized blinds).
 1. Immerse entire blind assembly in lukewarm water with mild detergent. Wash for five minutes by gently moving liquid around with your fingers.
 2. Rinse with clear water.
 3. Close blind before removing from rinse water.
 4. Hold rails and tilt the blind to allow excess water to drain off.
 5. Re-install damp blind into window opening.
 6. Lower blind all the way to allow it to dry completely.

General Advisories

Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included **before** sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and **we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.**

Classic Collection Aluminum Blinds Color Listing

1" Slat - .008				
Color #	Color Name	Echelon	Traditions	Special Color
0002	Alabaster	✓	✓	
0830	Almond	✓	✓	
0973	Antique White	✓	✓	
1419	Atlantis	✓		
0186	Beige	✓	✓	
0048	Black	✓	✓	
0262	Breeze	✓	✓	✓
0190	Bright Aluminum	✓	✓	
0125	Bright White	✓	✓	
0064	Bronze	✓	✓	
0254	Bronze Matte	✓	✓	✓
0065	Brushed Aluminum Metallic	✓	✓	✓
1788	Canyon	✓		
1642	Chalk Matte	✓	✓	✓
0269	Chenille	✓	✓	
1491	Copper Pot	✓		✓
1083	Cornsilk	✓		
1333	Cornsilk Matte	✓		✓
0268	Crème De La Crème	✓	✓	
0250	Crème De La Crème Matte	✓	✓	✓
0724	Crème De La Crème Pearl	✓	✓	✓
1204	Crust	✓		
0180	Dove Gray	✓	✓	
0173	Eggshell	✓	✓	
0205	Fawn	✓	✓	
0251	Fawn Matte	✓	✓	✓
0885	Flex White	✓	✓	
1532	Fools Gold	✓		✓
0001	Glacier White	✓	✓	
0110	Gloss White	✓	✓	
1432	Gondola	✓		✓
1319	Granite	✓		
1389	Graphite	✓	✓	
0405	Gray Flannel	✓		
1785	Hammered Ivory	✓	✓	
0588	Hammered Silver	✓	✓	
1809	Hazelnut	✓		
0413	Hunter Green	✓		
1685	Iceberg	✓	✓	
1719	Lagoon	✓		
1161	Limestone	✓	✓	
0270	Linen	✓	✓	
0127	Linen Flirt	✓	✓	
1383	Moccasin	✓		
1292	Mystic Pearl	✓		
1732	Natural Nickel	✓		✓
1619	Ole'	✓		
0974	Pearl	✓	✓	
1819	Picket Fence	✓		
0981	Platinum Gray	✓	✓	
1004	Saddle	✓		
1349	Sail Cloth	✓	✓	
0018	Satin Silver	✓	✓	
0748	Shadow Gray	✓	✓	
0318	Silver Cloud	✓	✓	
0276	Silverado	✓	✓	
0248	Snowy White Matte	✓	✓	✓
0795	Surf	✓	✓	
1117	Sussex Pearl	✓	✓	✓
1119	Tack	✓		
0820	Umber	✓	✓	
0350	Vanilla	✓	✓	
1919	Willow	✓		
1583	Winter	✓	✓	
1705	Woven White	✓	✓	✓
1905	Woven Woolens	✓	✓	✓

1" Slat - .006 Slat				
Color #	Color Name	Integra	Traditions	
2038	Almond	✓	✓	
4317	Aluminum	✓	✓	
2379	Antique White	✓	✓	
2419	Atlantis	✓		
3240	Blond	✓	✓	
1521	Bright White	✓	✓	
4848	Buttermilk	✓	✓	
4060	Char Brown	✓	✓	
2962	Chenille	✓	✓	
4011	Cloud	✓	✓	
5441	Cream	✓	✓	
4010	Dolphin	✓	✓	
4062	Eggnog	✓	✓	
3110	Fumee	✓	✓	
2504	Gray Flannel	✓		
4542	Hunter	✓		
4160	Latte	✓	✓	
2721	Linen Flirt	✓	✓	
2319	Manatee	✓		
3130	Mojave	✓	✓	
4850	Nickel	✓	✓	
4940	Noir	✓	✓	
4210	Parchment	✓		
5201	Porcelain	✓	✓	
3600	Raw Umber	✓	✓	
2810	Satin Silver	✓	✓	
2813	Silver Cloud	✓	✓	
3620	Smokey Gray	✓	✓	
4560	Snow	✓	✓	
3683	Snow Cap	✓	✓	
4100	Sugar	✓	✓	
4320	Tan	✓	✓	
3445	True White	✓	✓	
3500	White Gloss	✓	✓	
3502	White Satin	✓	✓	

For contract or commercial use:
Any 1" slat can be used with the optional 1" x 1 9/16" commercial rail.
There are 3 colors of rail available:
White, Antique White and Black.

2" Slat				
Color #	Color Name	Special Color	2" Lift & Lock Bottom Rail	
4582	Buff			Antique White
4060	Char Brown			Bronze
4561	Front Porch			Flex White
2292	Glaze	✓		Antique White
2319	Manatee	✓		Black
4109	Metallic Ash			Bronze
4668	Navajo			Alabaster
4850	Nickel			Gray Flannel
4940	Noir			Black
4717	Polished Slate			Bronze
4110	Sandstone			Antique White
4698	Sea Salt			Gloss White
3620	Smokey Gray			Natural
4100	Sugar			Gloss White
4672	Waterily			Antique White

Cloth Tapes for 2" Slats

830	Almond
973	Antique White
048	Black
064	Bronze
685	Indigo
932	Pewter
378	Sable
572	Spruce
302	Taupe
450	White

1/2" Slat				
Color #	Color Name	Echelon	Traditions	Special Color
0002	Alabaster	✓	✓	
0973	Antique White	✓	✓	
0190	Bright Aluminum	✓	✓	
0125	Bright White	✓	✓	
0064	Bronze	✓	✓	
0065	Br Alum Metallic	✓	✓	✓
0269	Chenille	✓	✓	
0205	Fawn	✓	✓	
0885	Flex White	✓	✓	
0110	Gloss White	✓	✓	
0974	Pearl	✓	✓	
1117	Sussex Pearl	✓	✓	✓



Midwest
Designer
Supply

www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)