

classic collection™

Genuine Value
Retail Sales Guide



May 1, 2023
updated 5/10/23



Aluminum Blinds

www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)

Custom Crafted in the U.S.A.



CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.

Window Coverings & **CHILD SAFETY** ACCIDENTS HAPPEN



BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.



For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.

All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.


For additional window treatment child safety information, please visit the Window Covering Safety Council (www.windowcoverings.org).

TABLE OF CONTENTS		
SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
Product Index Size Standards Echelon Integra Traditions Metro Design Options Echelon/Integra/Traditions Options Chart Metro Options Chart Finished Dimensions & Mounting Requirements Stacking Heights	Chart 1 Chart 2 Chart 3 Chart 4 Chart 5 Chart 6 Chart 7 Chart 8 Chart 9 Chart 10 Chart 11 Chart 12 Design Options Surcharges Motorization Surcharges	Echelon Headrail Integra Headrail Traditions Headrail Echelon w/ Accu-Rise Metro 2" Metro 2" w/ Lift & Lock Metro 2" w/ Accu-Rise Auto-Tilt Design Options Measuring & Installation Color Listing 1" - .008 Slat 1" - .006 Slat 1/2" Slat 2" Slat Cloth Tapes (2" slat) LAFAYETTE WARRANTY

- Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**

* Use the Previous button to return to your previous view (web version only)

* Use the Index button to return to the Table of Contents



Product Index

Classic Collection Product and Price Chart Matrix				
Product Name	Slat Size	Slat Gauge	Slat Spacing	Price Chart
Echelon 820	1"	Superior .008	20 mm	Price Chart 2 or 3 *
Echelon 820 with Light-Ban	1"	Superior .008	20 mm	Price Chart 3 or 4 *
Echelon 820 with Accu-Rise	1"	Superior .008	20 mm	Price Chart 7 or 8 *
Echelon Micro	1/2"	Superior .008	12 mm	Price Chart 5 or 6 *
Traditions 820	1"	Superior .008	20 mm	Price Chart 2 or 3 *
Traditions 620	1"	Economy .006	20 mm	Price Chart 1
Traditions 820 with Light-Ban	1"	Superior .008	20 mm	Price Chart 3 or 4 *
Traditions Micro	1/2"	Superior .008	12 mm	Price Chart 5 or 6 *
Integra 620	1"	Economy .006	20 mm	Price Chart 1
Metro 2"	2"	Superior .008	42 mm	Price Chart 2 or 4 *
Metro 2" with Light-Ban	2"	Superior .008	42 mm	Price Chart 2 or 4 *
Metro 2" with Cloth Tapes	2"	Superior .008	42 mm	Price Chart 9 or 10 *
Metro 2" with Accu-Rise	2"	Superior .008	42mm	Price Chart 11 or 12*

* This product type has more than one price chart due to the color selection.
Special colors are priced on a higher price chart.

Each headrail system is available in a defined color section.
[Classic Collection Color Listing](#)

Size Standards

		Echelon Light-Ban/ Traditions Light-Ban Mini Blinds	Echelon 820/ Traditions 820 Mini Blinds	Echelon 820 1" Accu-Rise Cordless	Integra 620/ Traditions 620 Mini Blinds	Echelon 1/2"/ Traditions 1/2" Micro Blinds
Single Blind	Minimum Ordered Width	8 3/8"	8 3/8"	18"	8 3/8"	8 3/8"
	CenterTilt (No Lift) Blind Minimum FINISHED Width	8 3/8"-10 1/2"	8 3/8"-10 1/2"	N/A	8 3/8"-10 1/2"	8 3/8"-10 1/2"
	Split Control Blind Minimum FINISHED Width	10 9/16"-18 1/8"	10 9/16"-18 1/8"	N/A	10 9/16"-18 1/8"	10 9/16"-18 1/8"
	RR or LL Control Blind Minimum FINISHED Width	18 1/4"	18 1/4"	N/A	18 1/4"	18 1/4"
	Maximum Ordered Width	144"	144"	100"	144"	120"
	Minimum Ordered Height	6"	6"	6"	6"	6"
	Maximum Ordered Height	126"	126"	84"	126"	108"
	Maximum Area (sq.ft.)	95	124	50	124	25
2-on-1 Blind	Minimum Ordered Width	17"	17"	N/A	17"	17"
	Maximum Ordered Width	144"	144"	N/A	144"	144"
3-on-1 Blind	Minimum Ordered Width	25 5/8"	25 5/8"	N/A	25 5/8"	25 5/8"
	Maximum Ordered Width	144"	144"	N/A	144"	144"
Cut-outs	Minimum Ordered Width	18 5/8"	18 5/8"	N/A	18 5/8"	18 5/8"
	Maximum Ordered Width	144"	144"	N/A	144"	82"
	Maximum Ordered Height	100"	100"	N/A	100"	100"

		Metro 2" Rout Holes	Metro 2" Light-Ban	Metro 2" Cloth Tapes	Metro 2" Lift & Lock	Metro 2" Accu-Rise	Auto-Tilt 1" .008 and 2"
Single Blind	Minimum Ordered Width	7 3/4"	7 3/4"	12"	12"	18"	18"
	CenterTilt (No Lift) Blind Minimum FINISHED Width	7 3/4" - 10 7/16"	7 3/4" - 10 7/16"	---	N/A	N/A	---
	Split Control Blind Minimum FINISHED Width	10 1/2" - 22 1/2"	10 1/2" - 22 1/2"	12" - 22 1/2"	N/A	N/A	---
	RR or LL Control Blind Minimum FINISHED Width	22 9/16"	22 9/16"	22 9/16"	N/A	N/A	N/A
	Maximum Ordered Width	96"	96"	96"	96"	90"	96"
	Minimum Ordered Height	12"	12"	12"	12"	12"	12"
	Maximum Ordered Height	126"	126"	126"	72"	84"	96"
	Maximum Area (sq.ft.)	84	84	84	48	52	64
2-on-1 Blind	Minimum Ordered Width	15 3/4"	15 3/4"	24 1/4"	N/A	N/A	N/A
	Maximum Ordered Width	192"	192"	192"	N/A	N/A	N/A
	Minimum Ordered Height	12"	12"	12"	N/A	N/A	N/A
	Maximum Ordered Height	126"	126"	126"	N/A	N/A	N/A
	Maximum Area (sq.ft.)	126	126	126	N/A	N/A	N/A
3-on-1 Blind	Minimum Ordered Width	23 3/4"	23 3/4"	36 1/2"	N/A	N/A	N/A
	Maximum Ordered Width	192"	192"	192"	N/A	N/A	N/A
	Minimum Ordered Height	12"	12"	12"	N/A	N/A	N/A
	Maximum Ordered Height	126"	126"	126"	N/A	N/A	N/A
	Maximum Area (sq.ft.)	126	126	126	N/A	N/A	N/A
Cut-outs	Minimum Ordered Width	18 5/8"	18 5/8"	18 5/8"	N/A	N/A	N/A
	Maximum Ordered Width	96"	96"	96"	N/A	N/A	N/A
	Maximum Ordered Height	126"	126"	126"	N/A	N/A	N/A

Design Options

1" Mini and 1/2" Micro Blinds	1" Echelon	1/2" Echelon	1" Integra	1" Traditions	1/2 Traditions	1" Echelon 820 Accu-Rise	1" .008 Auto-Tilt
No Charge Options							
Extension Bracket	Y	Y	Y	Y	Y	Y	Y
Hold Down Bracket	Y	Y	Y	Y	Y	Y	Y
Spacer Blocks	Y	Y	Y	Y	Y	Y	Y
Valance - Two Slat Clip On	N/A	N/A	N/A	Y	Y	N/A	N/A
Valance - Single Slat Clip On	N/A	N/A	N/A	N/A	N/A	N/A	Y
Wand Tilt	Std	Std	Std	Std	Std	Std	N/A
Surcharge Options							
Accu-Rise	Y	N/A	N/A	N/A	N/A	Y	N/A
Cloth Tapes	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Cut Outs	Y	Y	Y	Y	Y	N/A	N/A
Lift & Lock	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Light Ban	Chart 4 or 5	N/A	N/A	Chart 4 or 5	N/A	N/A	N/A
Motorization - Auto-Tilt	Y	N/A	N/A	Y	N/A	N/A	Y
Multi Color Blinds	Y	Y	Y	Y	Y	Y	Y
Multiple Blinds on One Headrail	Y	Y	Y	Y	Y	N/A	N/A

2" Metro Blinds	2" Metro	2" Metro Lift & Lock	2" Metro Accu-Rise	2" Metro Auto-Tilt	Notes
No Charge Options					
Cord Tilt	Y	N/A	Y	N/A	
Extension Bracket	Y	Y	Y	Y	
Hold Down Bracket	Y	Y	Y	Y	
Spacer Blocks	Y	Y	Y	Y	
Valance - Single Slat Clip On	Y	Y	Y	Y	
Wand Tilt	Std	Std	Std	N/A	
Surcharge Options					
Accu-Rise	Y	N/A	Y	N/A	Charts 8,9,12,13
Cloth Tapes	Y	Y	N/A	Y	Charts 10 and 11
Cut Outs	Y	N/A	N/A	N/A	
Lift & Lock	Y	Y	N/A	N/A	
Light Ban	Y	N/A	N/A	N/A	Charts 4 and 5
Motorization - Auto-Tilt	Y	N/A	N/A	Y	
Multi Color Blinds	Y	Y	Y	Y	
Multiple Blinds on One Headrail	Y	N/A	N/A	Y	

Finished Dimensions & Mounting Requirements

	Finished Dimensions (All finished dimensions are based on ordered height or width)						Mounting Requirements			
	Inside Mount			Outside Mount			Inside Mount		Outside Mount	
	Headrail Width	Slat Width	Blind Height	Headrail Width	Slat Width	Blind Height	Minimum Mounting Depth	Flush Mount	Minimum Flat Vertical Surface	Recommended Width Overlap Per Side
Echelon	-1/4"	-1/2"	Ordered Height	+1/4"	Ordered Width	Ordered Height	7/8"	1 3/4"	1 3/8"	1 1/2"
Integra	-1/4"	-1/2"	Ordered Height	+1/4"	Ordered Width	Ordered Height	7/8"	1 3/4"	1 3/8"	1 1/2"
Traditions	-1/2"	-1/2"	Ordered Height	-1/4"	Ordered Width	Ordered Height	See Traditions Mounting Requirements Chart			
Echelon Accu-Rise	-1/4"	-1/2"	Ordered Height	+1/4"	Ordered Width	Ordered Height	7/8"	1 3/4"	1 3/8"	1 1/2"
Metro 2"	-3/4"	-1/2"	Ordered Height	-1/4"	Ordered Width	Ordered Height	1 1/8"	3 3/8"	1 3/4"	1 1/2"
Metro 2" Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/4" *	Ordered Width	Ordered Height	See note below***		1 3/4"	1 1/2"
Metro 2" Accu-Rise	-3/4" **	-1/2"	Ordered Height	-1/4" *	Ordered Width	Ordered Height	See note below***		1 3/4"	1 1/2"
Auto-Tilt	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1 1/2"	2 1/2"	1 9/16"	1 1/2"

* Valance Width +1

** Valance Width -1/8"

*** Minimum Casement Depth, Bracket attachment: 1 1/8"

Minimum Mounting Depth, fully recessed with valance: 3 3/8" (Lift & Lock)

Minimum Mounting Depth, fully recessed with valance: 3 1/4" (Accu-Rise)

Traditions	Mounting Requirements					
	Inside Mount Minimum Required Depth		Inside Mount Minimum Required Depth, Flush Mount		Outside Mount	
	Blinds less than 60" wide	Blinds greater than 60" wide	Blinds less than 60" wide	Blinds greater than 60" wide	Minimum Required Surface	Recommended Width Overlap Per Side
Traditions	7/8"	15/16"	1 5/16"	1 3/8"	1 1/4"	1 1/2"
Optional Commercial	1 3/8"	1 1/2"	1 3/4"	1 7/8"	1 1/4"	1 1/2"

Stacking Heights

Window Length	Echelon		Integra	Traditions		Echelon Accu-Rise	Metro 2"		Metro 2" Lift & Lock		Metro 2" Accu-Rise
	1" Blinds	1/2" Blinds	Stacking Height	1" Blinds	1/2" Blinds	1" Blinds	2" Metro Cable Tape	2" Metro Cloth Tape	2" Metro Cable Tape	2" Metro Cloth Tape	Stacking Height
36"	3"	3 1/2"	3"	3"	3 1/2"	3"	4 1/2"	5"	4 7/8"	5 3/8"	4 1/2"
48"	3 1/2"	4"	3 1/2"	3 1/2"	4"	3 1/2"	4 3/4"	5 3/8"	5 1/8"	5 3/4"	4 3/4"
60"	4"	4 1/2"	4"	4"	4 1/2"	4"	5"	5 3/4"	5 3/8"	6 1/8"	5"
72"	4 1/2"	5"	4 1/2"	4 1/2"	5"	4 1/2"	5 1/4"	6"	5 5/8"	6 3/8"	5 1/4"
84"	5"	5 1/2"	5"	5"	5 1/2"	5"	5 1/2"	6 3/8"	---	---	5 1/2"
96"	5 1/2"	6"	5 1/2"	5 1/2"	6"	---	5 3/4"	6 7/8"	---	---	---
108"	6"	6 1/2"	6"	6"	6 1/2"	---	6"	7 3/8"	---	---	---
120"	6 1/2"	---	6 1/2"	6 1/2"	---	---	6 1/4"	7 1/2"	---	---	---
126"	6 3/4"	---	---	6 3/4"	---	---	6 1/2"	8"	---	---	---

* Stacking charts are approximate and include headrail and bottom rail measurements. If decorative tapes are used, the stacking height shown will increase 20-30% based on the stiffness of the ladder.

Pricing

Chart 1		Traditions 620, Integra 620																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	128	134	142	155	173	182	207	215	221	232	248	263	282	309	340	369	403	436	453	500
	48"	136	140	153	167	182	194	217	223	232	250	263	280	298	328	363	396	428	465	482	528
	54"	144	148	163	175	194	207	228	238	248	263	280	296	319	353	388	417	453	494	513	561
	60"	150	155	171	182	205	217	242	244	261	280	294	311	332	369	407	444	482	517	546	596
	66"	159	167	178	194	213	225	253	257	278	292	309	328	355	390	432	467	509	548	578	632
	72"	169	173	186	205	221	236	263	267	290	307	325	348	369	409	450	490	536	578	605	661
	78"	175	180	194	213	230	248	278	282	305	323	340	363	390	432	473	513	559	605	638	696
	84"	182	186	205	221	244	261	286	294	317	336	359	378	407	448	498	542	588	634	667	732
	90"	188	194	213	228	253	271	298	307	328	355	373	398	421	469	517	561	613	661	698	767
	96"	194	198	221	242	263	282	311	319	342	367	392	415	442	490	542	588	640	692	730	796
	102"	198	211	228	248	273	292	323	330	359	378	407	432	459	509	561	613	663	723	757	832
	108"	211	217	236	259	284	305	336	342	369	398	419	446	478	528	586	638	692	748	788	863
	114"	217	223	246	265	292	317	348	359	384	409	438	465	498	548	609	659	723	778	821	894
	120"	223	230	253	278	305	325	361	369	398	421	453	480	513	565	630	688	744	805	848	928
126"	232	242	263	286	311	336	369	384	409	442	469	500	530	590	653	707	773	836	882	963	

• Blinds longer than 96" may not close tightly.

Chart 2		Echelon 820, Traditions 820, Metro 2", Metro 2" w/ Light-Bar																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	134	138	146	159	178	188	215	219	236	253	271	286	309	342	384	417	455	498	519	569
	48"	138	142	159	175	194	213	232	242	261	282	298	319	342	378	421	465	507	550	582	638
	54"	150	155	175	188	215	228	257	263	286	307	328	353	373	417	467	509	555	605	640	698
	60"	167	171	186	211	230	250	280	286	309	332	359	378	409	455	509	555	609	657	696	763
	66"	178	182	205	223	250	267	298	309	336	363	388	411	444	494	550	598	657	709	750	823
	72"	192	194	219	242	267	290	321	332	361	390	415	444	473	530	592	646	705	769	813	886
	78"	205	213	232	259	286	309	340	359	388	415	446	473	509	565	632	692	753	819	873	948
	84"	217	223	248	273	307	328	365	378	409	444	473	507	544	605	673	738	805	875	928	1017
	90"	228	236	263	290	323	353	388	405	436	469	505	540	578	642	715	782	853	928	986	1075
	96"	244	250	280	307	340	369	407	428	459	498	530	565	609	684	753	832	909	980	1040	1140
	102"	257	263	294	323	361	390	428	450	484	521	559	598	640	721	798	875	957	1034	1105	1203
	108"	267	278	307	340	375	409	450	471	511	550	590	632	675	753	840	921	1005	1088	1163	1263
	114"	282	290	323	359	398	432	471	498	536	578	617	661	705	794	882	965	1057	1144	1217	1330
	120"	292	305	338	371	415	448	494	517	559	605	650	694	740	832	923	1011	1105	1198	1280	1394
126"	307	317	355	392	434	469	513	544	586	632	678	725	775	867	965	1059	1155	1253	1336	1453	

• Blinds longer than 96" may not close tightly.

Pricing

Chart 3		Echelon 820 w/ Light -Ban, Traditions 820 w/ Light-Ban .008 SLAT SPECIAL COLORS (Echelon 820, Traditions 820)																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	167	171	182	196	217	228	253	259	278	294	311	330	357	390	432	467	507	546	575	628
	48"	178	182	196	215	230	250	273	282	298	321	340	361	384	419	467	507	550	594	628	686
	54"	192	194	213	228	250	267	294	305	323	342	367	390	415	455	505	548	594	640	678	738
	60"	198	211	225	246	267	286	317	323	348	369	396	417	444	490	544	590	640	690	732	796
	66"	215	221	244	261	286	307	332	348	369	398	417	446	473	521	582	630	686	738	780	848
	72"	225	232	257	280	305	325	357	367	396	417	446	473	507	557	615	669	730	784	834	909
	78"	242	248	271	294	321	342	373	390	417	446	473	505	536	592	655	709	773	836	884	963
	84"	253	261	286	309	338	363	398	411	442	469	503	530	563	628	692	750	817	882	934	1019
	90"	265	273	298	325	357	378	417	434	463	498	528	559	594	659	730	794	863	965	1025	1117
	96"	280	286	317	340	371	403	436	453	484	517	553	590	628	694	769	836	944	1021	1084	1184
	102"	290	298	328	359	392	417	455	478	509	546	584	615	657	730	803	911	992	1075	1148	1250
	108"	307	317	342	373	409	438	478	500	530	569	609	642	688	763	875	959	1044	1134	1209	1313
	114"	319	328	361	392	421	455	500	519	555	594	634	673	721	796	917	1005	1098	1188	1265	1382
	120"	332	340	371	407	444	478	517	544	582	621	659	700	744	873	961	1055	1148	1246	1330	1448
126"	342	357	390	419	463	498	540	561	600	642	690	732	778	913	1005	1100	1203	1300	1392	1515	

• Blinds longer than 96" may not close tightly.

Chart 4		.008 SLAT SPECIAL COLORS / 2" SPECIAL COLORS (Echelon 820 w/ Light-Ban, Traditions 820 w/ Light-Ban, Metro 2", Metro 2" w/ Light-Ban)																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	173	178	194	211	228	246	271	278	296	317	336	359	378	417	463	505	546	590	621	678
	48"	188	194	213	225	248	265	292	298	323	342	365	390	411	455	505	548	594	640	678	740
	54"	198	207	225	246	267	286	317	325	348	369	398	417	446	494	546	592	642	696	736	800
	60"	215	221	244	263	286	307	336	353	371	400	421	450	480	530	588	640	694	748	794	863
	66"	225	232	259	280	307	328	361	371	400	428	453	482	513	565	630	686	742	803	848	925
	72"	244	250	273	296	325	353	384	398	421	453	482	513	548	609	669	732	794	853	911	988
	78"	257	263	290	317	342	369	405	417	448	482	513	546	584	642	709	775	842	913	965	1055
	84"	271	280	307	332	363	392	428	444	473	509	544	578	613	684	750	819	890	963	1023	1113
	90"	284	292	321	353	384	411	448	469	503	540	569	609	646	723	796	867	942	1019	1078	1173
	96"	296	307	336	367	403	434	471	494	528	561	600	640	684	753	836	913	990	1069	1138	1240
	102"	309	321	357	388	417	453	494	515	553	592	632	669	715	794	878	959	1038	1121	1198	1298
	108"	328	336	369	403	442	473	515	542	578	617	659	700	748	834	919	1003	1088	1175	1253	1361
	114"	338	353	388	417	459	498	542	561	600	646	692	734	782	869	961	1053	1140	1230	1309	1423
	120"	357	365	403	438	478	513	559	588	630	673	723	767	815	909	1003	1092	1186	1286	1365	1486
126"	365	375	417	455	500	536	586	613	655	700	748	798	846	944	1040	1138	1240	1336	1423	1546	

• Blinds longer than 96" may not close tightly.

Pricing

Chart 5		Echelon Micro, Traditions Micro																	
		Blind Width Up To:																	
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
Blind Height Up To:	42"	198	211	225	246	267	284	317	321	342	365	390	411	438	482	530	582	630	678
	48"	217	223	246	263	290	307	338	353	371	398	419	446	478	521	582	630	686	738
	54"	236	244	263	284	309	330	365	373	403	428	455	482	513	565	628	684	738	798
	60"	250	259	282	307	330	357	392	403	432	459	488	515	550	611	673	732	794	853
	66"	265	273	298	323	357	375	415	432	459	490	519	553	590	653	723	782	848	917
	72"	282	290	319	342	373	403	442	455	488	519	555	590	628	694	769	834	909	973
	78"	296	307	336	365	398	421	467	482	515	553	590	623	663	736	813	884	961	1034
	84"	311	323	357	384	417	448	490	511	546	586	621	659	700	778	861	932	1017	1098
	90"	330	338	371	405	442	471	515	540	575	615	655	694	740	819	909	986	1069	1155
	96"	348	359	392	421	463	498	544	561	600	646	690	732	778	863	955	1034	1128	1215
	102"	363	371	409	444	484	517	563	592	632	675	725	769	817	909	1000	1084	1180	1278
108"	375	390	428	465	507	544	592	617	659	705	750	800	850	946	1044	1138	1240	1336	

• Blinds longer than 96" may not close tightly.

Chart 6		1/2" SLAT SPECIAL COLORS (Echelon Micro, Traditions Micro)																	
		Blind Width Up To:																	
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
Blind Height Up To:	42"	211	217	236	257	280	294	328	332	361	378	405	430	455	505	555	600	655	705
	48"	223	232	257	273	305	321	355	365	388	411	438	465	500	544	600	655	709	769
	54"	246	253	273	294	323	340	378	390	417	444	473	505	530	590	653	707	769	832
	60"	261	267	292	319	340	369	407	417	448	475	509	536	573	634	700	761	823	888
	66"	278	284	311	334	369	392	432	448	475	511	542	575	615	678	750	815	884	955
	72"	292	305	330	361	390	417	459	473	509	542	578	615	653	723	798	863	944	1017
	78"	309	321	353	378	411	442	484	505	536	575	615	650	692	767	844	919	1000	1075
	84"	325	334	369	400	436	467	511	528	565	609	646	688	730	809	892	971	1057	1142
	90"	340	355	388	419	459	490	536	559	596	640	684	723	771	850	944	1025	1111	1203
	96"	363	371	407	442	478	515	563	586	628	669	715	761	809	896	990	1075	1171	1263
	102"	375	388	428	463	507	540	588	617	657	703	750	798	848	944	1038	1132	1225	1328
108"	392	405	444	480	525	563	617	640	688	734	782	834	886	984	1084	1180	1288	1392	

• Blinds longer than 96" may not close tightly.

Chart 7		Echelon 820 w/ Accu-Rise														
		Blind Width Up To:														
		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	100"
Blind Height Up To:	42"	253	267	282	307	321	332	353	371	392	407	421	453	488	536	565
	48"	263	280	294	321	336	355	367	396	411	432	448	480	517	563	605
	54"	273	292	307	332	355	367	388	411	434	453	473	507	548	598	640
	60"	284	305	321	353	367	388	403	432	453	478	500	530	578	632	675
	66"	294	311	332	363	384	403	417	450	473	500	519	557	605	663	709
	72"	307	325	348	375	400	417	438	469	498	519	548	586	634	696	748
	78"	317	336	361	392	411	436	455	490	515	546	569	611	663	732	784
	84"	325	353	371	405	428	450	473	509	540	563	594	638	694	763	819

Pricing

Chart 8		.008 SLAT SPECIAL COLORS (Echelon 820 w/ Accu-Rise)														
		Blind Width Up To:														
		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	100"
Blind Height Up To:	42"	263	278	292	317	330	342	361	388	403	417	438	467	505	550	586
	48"	273	290	307	330	348	363	375	405	421	444	465	494	530	584	621
	54"	284	298	319	342	363	375	398	421	446	467	488	517	561	615	657
	60"	294	311	330	361	375	398	415	444	467	490	513	548	592	650	694
	66"	307	323	342	371	396	415	434	465	488	513	540	575	623	686	732
	72"	317	336	359	390	409	432	450	482	509	536	559	598	653	715	769
	78"	325	348	369	403	421	448	469	505	530	557	588	628	684	748	803
	84"	336	361	384	417	442	465	488	519	553	584	611	653	709	782	840

Chart 9		Metro 2" w/ Cloth Tapes																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	196	205	217	230	257	271	284	298	323	340	361	375	409	446	490	528	575	621	638	700
	48"	232	242	248	257	273	290	307	321	348	367	390	407	438	480	528	563	615	663	688	750
	54"	246	253	261	267	292	309	325	342	369	392	415	436	469	511	561	605	659	709	736	807
	60"	257	263	271	282	309	328	348	365	396	417	442	465	500	546	598	646	700	757	784	863
	66"	263	271	280	296	328	348	367	388	417	442	467	490	528	582	638	688	744	805	836	917
	72"	273	282	288	311	342	367	390	409	442	467	494	517	557	611	673	728	786	848	884	967
	78"	284	286	307	330	363	388	409	432	465	490	517	548	588	642	707	767	832	894	932	1023
	84"	294	298	323	348	378	405	428	453	488	515	546	578	617	675	742	803	875	944	984	1073
	90"	307	311	338	365	400	421	448	473	509	542	569	600	646	707	780	842	917	988	1032	1128
	96"	317	328	357	378	417	444	469	498	530	563	598	632	678	742	817	884	961	1034	1078	1180
	102"	323	340	369	398	436	463	490	517	555	590	628	659	705	775	850	923	1003	1082	1130	1232
	108"	332	357	384	415	453	482	511	542	582	615	653	690	736	807	888	963	1044	1128	1178	1290
	114"	342	369	400	432	469	503	530	559	600	640	678	721	769	842	925	1003	1084	1173	1225	1340
	120"	357	384	415	446	488	517	553	586	628	663	703	744	796	875	963	1038	1132	1219	1280	1396
126"	365	398	432	465	507	542	569	605	650	690	732	775	823	909	1000	1082	1173	1265	1328	1446	

• Blinds longer than 96" may not close tightly. Blinds with cloth tape will not close tightly.

Pricing

Chart 10		2" SPECIAL COLORS (Metro 2" w/ Cloth Tapes)																			
		Blind Width Up To:																			
		12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
Blind Height Up To:	42"	213	217	228	246	271	288	298	319	340	363	382	400	434	473	519	559	611	659	673	742
	48"	248	257	263	271	290	307	323	338	367	390	411	432	467	511	559	598	653	703	730	798
	54"	261	267	278	284	309	330	342	365	392	415	438	465	498	542	596	640	698	750	780	855
	60"	271	280	286	296	330	348	367	388	417	442	469	490	528	578	638	688	742	803	834	915
	66"	280	286	292	317	348	367	390	409	442	469	494	519	561	615	673	730	788	853	884	971
	72"	290	294	309	332	365	390	411	434	469	494	521	550	592	646	711	771	836	898	934	1025
	78"	298	305	325	353	384	409	434	455	490	519	550	582	621	686	750	813	880	953	990	1084
	84"	311	319	340	367	403	430	450	480	517	546	578	613	655	715	786	848	925	1000	1040	1140
	90"	323	332	361	388	421	448	475	503	540	573	605	640	688	750	830	890	971	1046	1096	1194
	96"	334	348	375	403	442	471	498	525	563	598	638	667	721	786	867	934	1019	1098	1144	1253
	102"	340	363	392	419	465	488	519	550	588	623	663	698	748	821	907	978	1063	1146	1198	1309
	108"	355	375	407	438	480	513	542	573	615	653	692	732	780	855	944	1021	1107	1194	1250	1365
	114"	365	392	421	455	498	528	563	594	640	675	721	761	815	890	980	1063	1150	1244	1300	1423
	120"	375	407	438	473	517	550	586	619	663	703	744	788	842	925	1021	1103	1198	1294	1355	1480
126"	388	419	455	490	536	573	605	640	690	732	775	821	875	961	1061	1146	1244	1342	1405	1534	

• Blinds longer than 96" may not close tightly. Blinds with cloth tape will not close tightly.

Chart 11		Metro 2" w/ Accu-Rise													
		Blind Width Up To:													
		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	90"
Blind Height Up To:	42"	319	328	336	365	371	378	392	417	432	442	450	482	505	546
	48"	325	332	342	371	384	392	403	432	444	453	467	500	519	561
	54"	330	340	355	384	392	403	411	444	455	467	480	513	540	586
	60"	338	353	361	392	403	411	419	453	467	482	498	528	555	600
	66"	342	359	367	400	411	419	436	467	480	498	509	544	569	621
	72"	355	365	373	409	417	434	446	478	494	509	521	557	590	640
	78"	359	369	384	417	432	444	455	490	507	519	540	575	609	659
	84"	365	375	392	421	442	453	467	503	517	536	553	590	623	678

Chart 12		Metro 2" w/ Accu-Rise													
		2" SLAT SPECIAL COLORS													
		Blind Width Up To:													
		24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	90"
Blind Height Up To:	42"	363	371	384	411	421	436	446	473	490	505	517	548	578	623
	48"	369	384	398	421	438	448	463	490	507	519	540	569	600	650
	54"	375	396	407	436	450	465	478	509	521	544	557	592	628	675
	60"	390	403	417	448	465	478	494	521	544	559	582	613	650	703
	66"	398	411	428	463	478	494	509	542	559	582	596	634	673	732
	72"	407	419	438	471	490	507	519	555	578	596	617	657	698	753
	78"	415	434	450	484	505	517	540	569	594	615	640	678	725	782
	84"	419	444	463	498	515	536	553	590	613	638	659	698	744	807

Pricing

Options & Surcharges (add to base blind price)	
Cut-Outs: Side Cut-Out 6" or less (per side)	34
Cut-Outs: Side Cut-Out 6 1/8" or more (per side)	40
Cut-Outs: Center Cut-Out	40
Double Slats	To the base price of the blind add 75%
Lift & Lock Cordless Lift System (2" Metro Only)	78
Multi Color Blinds: First Added Color	40
Multi Color Blinds: Each Additional Color	30
Multiple Blinds on One Headrail	Price each blind individually. Add together for total unit price
Palladian Shelf - Finished (Per Ft.)	View Common Surcharges
Palladian Shelf - Unfinished (Per Ft.)	View Common Surcharges
Light Gap Stop (Per Ft.)	View Common Surcharges
Motorization	View Motorization Pricing

Product Information - Echelon Headrail

Product Features

- Fits rectangular window openings
- .008 Superior Slat
- Choose 1" or 1/2" slat size
- 20 mm tape spacing for 1" blinds
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Wand Tilt




Size Standards

Hardware Included

- Installation Brackets
- Cord Cleat

Finished Dimensions & Mounting Requirements



Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
- Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
- Blinds 10 9/16" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
- Blinds 18 3/16" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths (Color: clear)

- Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 96"

Stacking Heights

Pricing

Product Information - Integra Headrail

Product Features


- Fits rectangular window openings
- .006 Economy Slat
- Beveled Headrail
- 20 mm tape spacing
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Wand Tilt



Size Standards

Hardware Included

- Installation Brackets
- Cord Cleat



Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
- Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
- Blinds 10 9/16" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
- Blinds 18 3/16" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths (Color: clear)

- Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 96"


Stacking Heights

Pricing

Product Information - Traditions Headrail

Product Features

- Fits rectangular window openings
- Choose 1" or 1/2" slat size
- Choose .008 Superior slat or .006 Economy slat
- 20 mm tape spacing
- Signature Tassel
- Spring-tempered and heat-treated slats
- Double lock seam bottom rail
- Two Slat Valance
- Wand Tilt




Traditions
Headrail

Size Standards

Hardware Included

- Installation Brackets
- Cord Cleat

Finished Dimensions & Mounting Requirements



Optional
Commercial Headrail

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand tilt right (R), lift cord left (L)
 - Wand tilt right (R), lift cord right (R)
 - Wand tilt left (L), lift cord left (L)
 - Blinds 8 1/2" to 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 9/16" to 18 1/8" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 18 3/16" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
 - Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths (Color: clear)

- Wands for .06 gauge: 12", 20", 30", 40", 50", 60" lengths.
- Wands for .08 gauge: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 96"

Stacking Heights

Pricing

Product Information - Accu-Rise for Echelon 820 1" Blinds



Product Features

- Fits rectangular window openings
- Accu-Rise Cordless Lift System (required surcharge)
- Wand Tilt



Size Standards

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options


- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Control Options

- Standard: Wand tilt left (L)

Wand Lengths

- Wands are available in 12", 20", 30", 48" and 60" lengths.
- Wands are finished to coordinate with the slat color.



Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 90"

Stacking Heights

Pricing

Product Information - Metro 2" Aluminum Blinds

Product Features

- Fits rectangular window openings
- Rout holes
- Signature Tassel
- Double Lock Seam Bottom Rail
- Wand Tilt



Size Standards

Hardware Included

- Installation Brackets
- Cord Cleat


Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Wand or cord tilt right (R), lift cord left (L)
 - Wand or cord tilt right (R), lift cord right (R)
 - Wand or cord tilt left (L), lift cord left (L)
 - Blinds less than 10 1/2" wide (FINISHED)- center tilt or no tilt (no lift)
 - Blinds 10 9/16" to 22 1/2" wide (FINISHED) must be split (L/R or R/L)
 - Blinds 22 5/8" wide (FINISHED) or greater, controls can be L/R, R/L, L/L or R/R.
 - Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.
- Accu-Rise:
 - Standard-Wand tilt left (L); Optional-Cord tilt left (L)



Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths (Color: clear)

- Wands: 12", 20", 30", 40", 50", 60", 70", 78" and 90" lengths.

Ladder & Cloth Tape Chart

Number of Ladders	Finished Width
2 each	Up to 46 1/2"
3 each	46 9/16" to 80 1/2"
4 each	80 9/16" to 114 1/2"
5 each	114 9/16" to 144"

Stacking Heights

Pricing

Product Information - 2" Metro Blinds with Lift & Lock

Product Features

- Fits rectangular window openings
- Lift & Lock Cordless Lift System (required surcharge)
- Color coordinated aluminum bottom rail with button
- Wand Tilt

Size Standards

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Control Options

- Standard - Wand tilt left (L)
- Optional - Wand tilt right (R)

Wand Lengths

- Wands are available in 12", 20", 30", 48" and 60".
- Wands are finished to coordinate with the slat color.

Ladder & Cloth Tape Chart

Number of Ladders	Finished Width
2 each	Up to 31"
3 each	31 1/16" to 59"
4 each	59 1/16" to 86"
5 each	86 1/16" to 96"

Lift & Lock Operation


To raise the blind: Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.

To lower the blind: Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.

CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Stacking Heights

Pricing



Low Profile Headrail



Lift & Lock Bottom Rail End



Button on Bottom Rail

Headrail and Bottom Rail

The low profile headrail is used with all cordless lift system blinds. Motors are enclosed in the bottom rail.

Product Information - Accu-Rise for 2" Metro Aluminum Blinds

Product Features

- Fits rectangular window openings
- Accu-Rise Cordless Lift System (required surcharge)
- Double Lock Seam Bottom Rail
- Wand Tilt



Size Standards

Hardware Included

- Installation Brackets


Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Control Options

- Standard - Wand tilt left (L)
- Optional - Cord tilt left (R)



Low Profile Headrail

Wand Lengths

- Wands: 12", 20", 30", 48" and 60"
- Wands are finished to coordinate with the slat color.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 46 1/4"
3 each	46 5/16" to 80 1/4"
4 each	80 5/16" to 90"

Stacking Heights

Pricing

Product Information - Auto-Tilt



Product Features

- Available for 1" .008 slat blinds or 2" Metro Aluminum Blinds.
- Auto-Tilt 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips (required surcharge)
- Tilt control only.
- Motor can be on right or left side; lift cords are on opposite side.
- Headrail is color coordinated to blind as best possible.
- Double Lock Seam Bottom Rail
- Valance can be ordered separately.

Controls



Variation 5 Channel Remote



Situlo 1 Channel Remote



Situlo 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel Decoflex Wall Switch

Size Standards

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions


Stacking Heights

Ordering Notes

- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Window length is required so that the limits can be set

Headrail

- Utilize a low profile headrail .



Somfy TaHoma Overview

- 2.4Ghz WiFi connection(Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant

Pricing

- To price add [motorization surcharge](#) to base blind price.

Motorization Services

- Customer Service Motorization Skill Set
> 800-342-5523
> motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.



Design Options

Valances

- A two slat clip-on valance is available for Traditions.
- A single slat clip on valance is used for Metro 2" blinds.
- Valances ordered with inside mount blinds will be equal to the width ordered.
- Valances ordered with outside mount blinds will be equal to the width ordered plus five inches (additional allowance made for extension brackets and returns).



Single slat clip-on valance



Two slat clip-on valance

Light-Ban

- Light-Ban can be requested in place of regular rout holes on 1" and 2" blinds. Not available on 1/2" micro blinds.
- The Light-Ban slat system designed with hidden rout holes and tighter closure.
- While the Light-Ban feature provides room darkening, it does NOT provide blackout.



Cloth Tapes

- Cloth tape is available on 2" Metro blinds. See product sampling for cloth tape selection.
- Blinds with cloth tapes will need to hang in the window for a few days to allow the cloth tape to relax so the blind does not appear too short.



Light Gap Stop


- Blocks light gap for blinds inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Grey, Vanilla and White



Cut-Outs


- Allows for clearance around window cranks or door handles.
- Available with standard wand or cord tilt control options.
- When measuring for the cut-out, measure the blind in the flat, closed position to ensure that the cut-out is large enough.
- Top of cut-out raises to headrail.
- Blind may have three bottom rails (bottom center cut-out) or two bottom rails (bottom side cut-out).
- With headrail cut-outs, controls must be located on side opposite cut-out.
- Please send a diagram with the blind order to show the exact placement of the cut-out. (Letter A below represents the headrail).
- Exclusions: Accu-Rise Cordless, Auto-Tilt Motorized, Lift & Lock Cordless, Multiple Blinds on One Headrail.

Bottom Center Cut-Out




Measurement of C and E must be at least 7".

Bottom Side Cut-Out




Measurement of C must be 6" or more.

Headrail Cut-Out (Standard Blinds Only)



Measurement of D must be 5" or less.


Side Cut-Out (Left, Right or Both)




Measurement of F must be 5" or less.

Measuring & Installation Information


Brackets




Echelon/Integra Bracket
59-08-135
7/8" Spacer 59-07-890
1/2" Spacer 59-07-230
Hold Down 15-2009



Traditions Bracket
5008-037-XXXX
2" Extension Bracket 59-08-070
4" Extension Bracket 59-08-073
Hold Down 15-2009



Optional
Commercial Headrail
50-04-037-XXX



Metro 2" Bracket
50-03-047-XXX
Extension Bracket-Short 50-03-167
Extension Bracket - Long 50-03-168

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the blind.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

Measuring for Aluminum Blinds

- All blind pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- For an Inside Mount, measure the exact width between the jambs (inside) where the blind is to be mounted.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width. When using a valance, the outside dimension of the valance will be greater than the outside measurement.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.

Care and Cleaning

- Dusting - Regular dusting maintains a like new appearance of aluminum blinds.
- Vacuuming - For deeper cleaning, vacuum gently with a brush attachment of any vacuum cleaner.
- Compressed Air or Hair Dryer (non-heat setting) - Use to blow dust off blinds.
- Spot-Cleaning - Spot clean blinds with soft cloth or sponge moistened with lukewarm water. Add mild detergent if needed. Blot gently.
- Bathtub Cleaning/Water Immersion - This method may be used on all aluminum blinds (exception: motorized blinds).
 1. Immerse entire blind assembly in lukewarm water with mild detergent. Wash for five minutes by gently moving liquid around with your fingers.
 2. Rinse with clear water.
 3. Close blind before removing from rinse water.
 4. Hold rails and tilt the blind to allow excess water to drain off.
 5. Re-install damp blind into window opening.
 6. Lower blind all the way to allow it to dry completely.

	Blind Width	# of Brackets	
		Under 60 sq. ft.	60 sq. ft. and Over
Echelon Headrail	Up to 60"	2	3
	60 1/16" to 120"	3	4
	Over 120"	4	5
Integra Headrail	Up to 60"	2	3
	60 1/16" to 120"	3	4
	Over 120"	4	5
Traditions Headrail	Up to 60"	2	3
	60 1/16" to 120"	3	4
	Over 120"	4	5
Echelon Accu-Rise	Up to 60"	2	3
	60 1/16" to 120"	3	4
Support Brackets			
Metro 2"	72 1/16" to 96"	1	
	96 1/16" to 144"	2	
Metro 2" Lift & Lock	72 1/16" to 96"	1	
Metro 2" Accu-Rise	72 1/16" to 90"	1	

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Woodland Harvest or Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from shades or blinds (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Color Listing

Superior 1" - .008 Slat

Color Name	Color #	Echelon	Traditions	Special Color
Almond	0030	✘	✘	—
Beige	0186	---	Y	---
Black	0048	Y	Y	---
Breeze	0262	Y	Y	Y
Bright Aluminum	0190	Y	Y	---
Bright White	0125	Y	Y	---
Brushed Aluminum Metallic	0065	Y	Y	Y
Canyon	1788	Y	---	---
Chenille	0269	Y	Y	---
Copper Pot	1491	Y	---	Y
Cornsilk Matte	1333	Y	---	Y
Crème De La Crème	0268	Y	Y	---
Creme De La Crème Matte	0250	Y	Y	Y
Dove Gray	0180	Y	Y	---
Eggshell	0173	Y	Y	---
Fawn	0205	Y	Y	---
Flex White	0885	Y	Y	---
Glacier White	0001	---	Y	---
Gloss White	0110	Y	Y	---
Graphite	1389	Y	Y	---
Gray Flannel	405	Y	---	---
Hammered Ivory	1785	Y	Y	---
Hammered Silver	588	Y	Y	---
Hazelnut	1809	Y	---	---
Hunter Green	413	Y	---	---
Iceberg	1685	Y	Y	---
Lagoon	1719	Y	---	---
Linen	270	Y	Y	---
Linen Flirt	127	Y	Y	---
Moccasin	1383	Y	---	---
Natural Nickel	1732	Y	---	Y
Pearl	974	Y	Y	---
Picket Fence	1819	Y	---	---
Platinum Gray	981	Y	Y	---
Saddle	1004	Y	---	---
Sail Cloth	1349	Y	Y	---
Satin Silver	18	---	Y	---
Shadow Gray	748	Y	---	---
Silver Cloud	318	Y	Y	---
Surf	795	Y	Y	---
Umber	820	Y	Y	---
Vanilla	350	---	Y	---
Winter	1583	Y	Y	---
Woven White	1705	Y	---	---
Woven Woolens	1905	Y	Y	Y

Color Listing

Superior 2" Slat			
Color Name	Color #	Special Color	2" Lift & Lock Bottom Rail
Buff	4582	---	Antique White
Char Brown	4060	---	Bronze
Front Porch	4561	---	Flex White
Glaze	2292	Y	Antique White
Manatee	2319	Y	Black
Metallic Ash	4109	---	Bronze
Navajo	4668	---	Alabaster
Nickel	4850	---	Gray Flannel
Noir	4940	---	Black
Polished Slate	4717	---	Bronze
Sandstone	4110	---	Antique White
Sea Salt	4698	---	Gloss White
Smokey Gray	3620	---	Smokey Gray
Sugar	4100	---	Gloss White
Waterlily	4672	---	Antique White

Economy 1" - .006 Slat			
Color Name	Color #	Integra	Traditions
Almond	2030	✘	✘
Aluminum	4317	Y	Y
Antique White	2379	Y	Y
Blond	3240	Y	Y
Bright White	1521	Y	Y
Char Brown	4060	Y	Y
Chenille	2962	Y	Y
Cloud	4011	Y	Y
Cream	5441	Y	Y
Dolphin	4010	Y	Y
Eggnog	4062	Y	Y
Fumee	3110	Y	Y
Gray Flannel	2504	Y	---
Hunter	4542	Y	---
Latte	4160	Y	Y
Linen Flirt	2721	Y	Y
Manatee	2319	Y	---
Mojave	3130	Y	Y
Nickel	4850	Y	Y
Noir	4940	Y	Y
Porcelain	5201	Y	Y
Raw Umber	3600	Y	Y
Satin Silver	2810	Y	Y
Silver Cloud	2813	Y	Y
Smokey Gray	3620	Y	Y
Snow	4560	Y	Y
Snow Cap	3683	Y	Y
Sugar	4100	Y	Y
Tan	4320	Y	Y
White Gloss	3500	Y	Y

For contract or commercial use: Any 1" slat can be used with the optional 1" x 1 9/16" commercial rail. There are 3 colors of rail available: White, Antique White and Black.

Micro 1/2" Slat				
Color Name	Color #	Echelon	Traditions	Special Color
Alabaster	2	Y	Y	---
Antique White	973	Y	Y	---
Bright Aluminum	190	Y	Y	---
Bright White	125	Y	Y	---
Bronze	64	Y	Y	---
Br Aluminum Metallic	65	Y	Y	Y
Chenille	269	Y	Y	---
Fawn	205	Y	Y	---
Flex White	885	Y	Y	---
Gloss White	110	Y	Y	---
Pearl	974	Y	Y	---
Sussex Pearl	1117	Y	Y	Y

Cloth Tapes for 2" Slats	
Color Name	Color #
Almond	830
Antique White	973
Black	048
Bronze	064
Indigo	685
Pewter	932
Sable	378
Spruce	572
Taupe	302
White	450



LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Allure Fabrics are covered for 5 years.
- Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.
- Parasol shades are covered against fabric delamination for 7 years from the date of purchase.

NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- Shipping, removal, re-measuring, or reinstallation costs

TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

Note: In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.