

HORIZONTAL WOOD & FAUX WOOD BLINDS

Aria™ Advanced Faux Wood / Newport Woods Basswoods



Featuring
**CORDLESS
LIFT & LOCK**
Option

2018

Manufacturer's Price List and Reference Guide | Effective April 1st

**MDS** Midwest
WINDOW FASHIONS Designer
Supply

www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)



Comfortex
WINDOW FASHIONS

Comfortex Newport Woods Basswood Blinds and Aria™ Advanced Faux Wood Blinds Price List and Reference Guide Effective April 1, 2018

This price list and reference guide contains product pricing, product specifications and technical information for the complete line of Comfortex Newport Woods Basswood Blinds and Aria Advanced Faux Wood Blinds.

Newport Woods Basswood Blinds

Features At A Glance	4
Hardware Option Availability	5
Surcharges and Upgrade Options	6
Size Standards	7
Price Grids	
2" Smooth Finish	Price Group 1 9
1 3/8" & 2 3/8" Smooth Finish	Price Group 2 10
Newport Woods Basswood Blind Specifications	11
Newport Woods Blinds Hardware Options	12
Control Features	12
Newport Woods Basswood Blinds Colors and Characteristics	12
Slat Styles	12
Rounded Corners	12
Routing Types	13
Bottom Rail	13
Newport Woods Valances	13-14
Individual Decorative Valances	15
Decorative Tape Valance Option	16
Keystone Valance Option	16
Ladderbraid and Cloth Tapes	16
Ladder and Tape Placement	17
Cordless Lift & Lock™ Specifications	18
Somfy Motorization	19-20
Stack Height	21
End Cut Out Blinds	21
Cleaning and Care	36
Measuring Instructions for Newport Woods Basswood Blinds	36
Newport Woods Basswood Blinds Warranty	39

Aria Advanced Faux Wood Blinds

Features At A Glance	22
Surcharges and Upgrade Options	23
Size Standards	24
Price Grids	
2" & 2 1/2" Smooth Finish	Price Group 3 25
Hardware Options	25
Aria Advanced Faux Wood Blinds Hardware Options	26
Cordless Lift & Lock™ Specifications	27

Somfy Motorization	29-30
Aria Valances	31
Individual Decorative Valances	32
Keystone Valance Option	32
Decorative Tape Valances	32
Ladderbraid and Cloth Tapes	33
Ladder and Tape Placement	33
Stack Height	33
Bottom Rail	34
Routing Types	34
End Cut Out Blinds	34
Flame Resistance	35
GREENGUARD® Certification	35
Product Stability and Thermal Performance	35
Measuring Instructions for Aria Advanced Faux Wood Blinds	36

General Information

Measuring Instruction	36
Cleaning and Care	36
Child Safety	37
Aria Advanced Faux Wood Blinds Premium Performance Guarantee	37
Conditions of Sale	38
Policies	38
Motorized Blinds Warranty	38
Newport Woods Blinds and Aria Advanced Faux Wood Blinds Warranty Information	39

Newport Woods Basswood Blinds



Newport Woods Basswood Blinds

Newport Woods Basswood



- All Comfortex Newport Woods Basswood Blinds are expertly crafted from durable basswood with a choice of slat styles, colors and finishes.
- Add a finishing touch to Comfortex Newport Woods Basswood Blinds by selecting a decorative cloth tape or a decorative valance.
- Enjoy the ultimate in light control with the routeless feature, which stops light leakage by eliminating cord route holes.
- All Comfortex Newport Woods Basswood Blinds are built on a slimly designed head rail which supports even the largest blind while minimizing the stacking height.
- A decorative valance comes standard on all Comfortex Newport Woods Basswood Blinds. The elegant designs conceal the head rail while eliminating any light gaps between the head rail and top slats.
- Select from traditional rectangular corners on the basswood slat or the smooth, rounded corners for a softer touch.
- Comfortex Newport Woods Basswood Blinds are available with a Cordless hardware system for maximum versatility and easy operation.
- To cover large windows, multiple blinds may be mounted on one head rail.
- Comfortex Newport Woods Basswood Blinds can be customized with a tilt wand, tilt motors or tilt cord for operating convenience.
- Woodwork, fixtures and other obstructions can be accommodated with cutouts in the Newport Woods Basswood Blinds slats.

Newport Woods Basswood Blinds | Hardware Option Availability

HARDWARE OPTION AVAILABILITY	1 3/8" Smooth	2" Smooth	2" Rustic	2" Weathered	2 3/8" Smooth
Ladderbraided	•	•	•	•	•
Cloth Tapes	•	•	•	•	•
Cord Tilt	•	•	•	•	•
Wand Tilt	•	•	•	•	-
Cordless (not available with routeless or tapes)	-	•	•	•	-
Cordless Lift & Lock™	-	•	•	•	•
Cordless With Tilt Motors	-	•	•	•	-
Tilt Motors	•	•	•	•	•
Routeless (not available with cordless or tapes)	•	•	•	•	•
Rounded Corners	•	•	-	-	•
Two or Three On One Head Rail	•	•	•	•	•
3" Decorative Valance	Standard	Standard	Standard	-	Standard
3" Province Valance	•	•	-	-	•
3" Orleans Valance	•	•	-	Standard	•
4" Chatham Valance	•	•	-	-	•
Keystone Valance Accent	•	•	•	•	•
Decorative Tape Valance	•	•	•	•	-




Decorative Valance



Province Valance



Orleans Valance



Chatham Valance

See page 16 for images of the Keystone accent and Decorative Tape valance options.

Newport Woods Basswood Blinds Hardware Upgrade Options

1 3/8", 2" & 2 3/8" BLINDS LIFT SYSTEM	UPGRADES	ADD
Smooth Finish	Wand Tilt	No Extra Charge (not available on 2 3/8" blinds)
	Cord Tilt	Standard
	Cordless Lift System*	Add \$85 to price of blind
	Cordless Lift & Lock**	Add \$72

*Not available with 1 3/8" and 2 3/8" blinds.** Only available with 2" and 2 3/8" slat sizes. Available up to 96" width and 84" length. Not available with 1 3/8" slat size, Three-On-One, Routeless, Tape options or cut outs.

ADDITIONAL OPTIONS	UPGRADES	ADD
Add to Any Upgrade Above	Two-On-One Head Rail & Three-On-One Head Rail	Add the total width of the blinds combined to price.
	End Cut Outs	\$32 Per side (5 1/2" or less). All cut outs must be approved by Comfortex Technical Service
	Rustic and Weathered Finishes	2" Blinds Add 25% to grid Not available on 1 3/8" or 2 3/8" slats
	Blinds under 12" Wide	Add \$17 to price of blind (not available on 2 3/8" blinds)
	Decorative Tape Valance	Add \$16 to price of blind.
	Keystone Valance	Add \$24 to price of blind.
	Rounded Corners	No Extra Charge. Not available with Rustic or Weathered finishes.
	Routeless Option	No Extra Charge

Motorized Hardware Upgrade Options

MOTORIZED	UPGRADES	ADD
Somfy Motorization System	Radio Frequency Motor: Somfy motor surcharge includes a standard 12 volt battery wand with eight AA lithium batteries. The remotes, extension wire and transformer are sold separately and can be used in conjunction with one another.	\$430
	RTS 1 Channel Remote	\$134
	RTS 5 Channel Remote	\$171
	48" Extension Wire	\$16
	12 Volt DC Power Supply	\$148
	RTS 1 Channel Wall Switch, White	\$345
	RTS 5 Channel Wall Switch, White	\$352
	Chronis RTS Timer	\$369

For More Information
Page 19-20

Solid and Decorative Tape Upgrade

Width In Inches

	24	28	32	36	42	48	54	60	66	72	78	84	90	96	102	108	120
Solid	30	30	30	30	36	36	36	43	43	43	43	51	51	51	53	58	58
Decorative	58	58	58	58	71	71	71	86	86	86	86	101	101	101	105	114	114

Tapes are not available with the Cordless Hardware System or with the Routeless feature.

Valance Upgrade

Width In Inches

	24	28	32	36	42	48	54	60	66	72	78	84	90	96	102	108	120
Province, Orleans*	10	10	10	10	14	14	14	14	18	18	18	21	21	24	24	28	32
Chatham	21	21	21	21	26	26	26	26	32	32	32	38	38	42	42	56	59

Add to list price of blind with standard Decorative valance.

Orleans* valance is standard on Weathered finish blinds.

Some valance styles are not available with all slat finishes.

Individual Valance Pricing

Width In Inches

	24	28	32	36	42	48	54	60	66	72	78	84	90	96	102	108	120
Decorative, Province, Orleans	30	30	30	30	47	47	47	47	64	64	64	64	77	77	101	101	101
Chatham	54	54	56	56	89	89	89	89	124	124	124	124	134	134	145	145	145

Some valance styles are not available with all slat finishes.

Newport Woods Basswood Blinds Size Standards



Net Sizes		Standard Rectangular	Two-On-One	Motorized Blinds	Cordless	Cordless Lift & Lock
1 3/8" BLINDS	Net Min. Width	8"* 12" with Tapes	18"	12" 14" with Tapes	NA	NA
	Min. Length	12"	12"	12"	NA	NA
2" BLINDS	Net Min. Width	8"* 12" with Tapes	18"	12" 14" with Tapes	18"	10 1/2"
	Min. Length	12"	12"	12"	12"	12"
2 3/8" BLINDS	Net Min. Width	12"*** 14" with Tapes	25"	12" 14" with Tapes	NA	10 1/2"
	Min. Length	12"	12"	12"	NA	12"

*Center tilt is only available with 1 3/8" and 2" slat blinds. Blinds measuring 8" (net width) up to 12" (net width) are available with center tilt only, no lift cords. **Center tilt is not available with 2 3/8" blinds.

Price Group	Page	Max.	Standard Rectangular	Two-On-One	Motorized Blinds	Cordless	Cordless Lift & Lock	
1 3/8" BLINDS	5	27	Max. Width	102"	120"	96"	NA	NA
			Max. Length	126" Max Area (Sq Ft): 50	126"	96" Max Area (Sq Ft): 50	NA	NA
2" BLINDS	4	26	Max. Width	102"	120"	96"	78"	96"
			Max. Length	126" Max Area (Sq Ft): 50	126"	96" Max Area (Sq Ft): 50	84" Max Area (Sq Ft): 45	84" Max Area (Sq Ft): 45
2 3/8" BLINDS	5	27	Max. Width	102"	120"	96"	NA	96"
			Max. Length	126" Max Area (Sq Ft): 50	126"	96" Max Area (Sq Ft): 50	NA	84" Max Area (Sq Ft): 50

- The Two or Three on One blinds are not available with the Cordless hardware.
- There is a 1/2" distance between blinds on Two and Three on One blinds.
- The maximum square footage for a single Standard Rectangular or Motorized Newport Woods Basswood Blind is 50 square feet. The maximum square footage for a single Cordless blind is 45 square feet. Anything over the maximum square footage should be built as a Two and Three on One blinds.

Newport Woods Blinds Hardware Options

Standard Cord Lock

Standard blinds feature a reliable cord tilt and lift mechanism for easy positioning of the blind.

Cord lift and tilt is standard. Wand tilt is available with 1 $\frac{3}{8}$ " and 2" slat blinds.

Cordless

The Cordless option is available with 2" slats for a streamlined look and child safe applications.

The lift function is controlled from the bottom rail. The tilt cord control position is left only. Blind can be tilted open or closed with cord, wand or motors. Combine Cordless with motorized tilt to eliminate the risk of cord entanglement by small children and pets.

Cordless is not available with 1 $\frac{3}{8}$ " and 2 $\frac{3}{8}$ " slat sizes, multiple blinds on one head rail, Routeless and Tape options.

Cordless Lift & Lock™

The Cordless Lift & Lock option is available with 2" and 2 $\frac{3}{8}$ " slat sizes.

Cordless Lift & Lock Blinds can be raised or lowered by pressing the button located on the bottom rail and guiding the rail into the desired location. Blind can be tilted open or closed with cord or wand.

Cordless Lift & Lock is not available with 1 $\frac{3}{8}$ " slat sizes, Three on One blinds, Routeless, Tape options or cut outs.

Tilt Motors

Somfy radio frequency motors eliminate the need for tilt cords and allows for easy tilt control at the touch of a button. Lift function position is right or left.

Tilt motors and Cordless hardware may be combined to eliminate ALL cords for superior convenience, function and safety. See pages 19-20 for more information.



2" Smooth Finish Blinds

PRICE GROUP 1
Ladderbraid

		Width In Inches																
		24	28	32	36	42	48	54	60	66	72	78	84	90	96	102	108	120
Length In Inches	30	96	108	120	134	147	158	177	208	226	238	258	284	305	328	356	385	437
	36	112	119	135	145	164	177	199	236	254	268	292	318	335	361	394	427	485
	42	120	132	151	161	179	196	218	262	282	298	323	357	378	408	441	478	540
	48	129	141	162	175	194	217	241	285	304	324	356	388	413	446	485	526	591
	54	147	161	186	196	221	240	274	320	345	366	403	442	469	501	549	581	652
	60	157	171	197	203	234	247	295	326	375	401	436	481	503	542	596	642	715
	66	169	180	210	227	254	277	318	374	402	432	471	518	546	593	648	704	786
	73	179	195	224	233	275	300	348	393	424	456	500	550	598	627	693	765	857
	78	191	209	231	256	286	314	374	413	445	478	538	595	631	675	743	808	905
	84	205	221	248	275	309	338	393	434	470	503	569	628	675	718	792	863	948
	90	218	237	257	284	318	359	408	449	489	538	604	671	716	762	841	920	1011
	96	233	254	274	297	334	380	426	475	510	566	642	710	758	807	891	973	1078
	102	238	262	285	305	347	392	453	505	546	600	678	748	800	851	940	1034	1156
108	258	284	305	329	372	418	487	538	589	629	712	788	842	895	990	1093	1208	
114	266	292	314	338	383	434	502	558	604	659	747	828	884	939	1039	1151	1275	
120	274	311	338	363	410	465	528	574	631	689	782	866	926	984	1089	1208	1356	
126	285	328	358	401	447	494	556	604	658	719	817	905	968	1028	1139	1266	1367	

- Standard Decorative Valance included in price for Smooth and Rustic Finish Blinds.
- Orleans Valance included in price for Weathered Finish Blinds.

Due to the size and required lifting forces, it is required that blinds that fall within the shaded area be built as multiple blinds with a common valance.

Larger sizes require 2-On-1 or 3-On-1 Head Rail

Blinds in this range are built as Two or Three on One blinds.

1 3/8", 2" & 2 3/8"
BLINDS LIFT SYSTEM

UPGRADES

ADD

Smooth Finish	Wand Tilt	No Extra Charge (not available on 2 3/8" blinds)
	Cord Tilt	Standard
	Cordless Lift System*	Add \$85 to price of blind
	Cordless Lift & Lock**	Add \$72

*Not available with 1 3/8" and 2 3/8" blinds. ** Only available with 2" and 2 3/8" slat sizes. Available up to 96" width and 84" length. Not available with 1 3/8" slat size, Three-On-One, Routeless, Tape options or cut outs.

ADDITIONAL OPTIONS

UPGRADES

ADD

Add to Any Upgrade Above	Two-On-One Head Rail & Three-On-One Head Rail	Add the total width of the blinds combined to price.
	End Cut Outs	\$32 Per side (5 1/2" or less). All cut outs must be approved by Comfortex Technical Service
	Rustic and Weathered Finishes	2" Blinds Add 25% to grid Not available on 1 3/8" or 2 3/8" slats
	Blinds under 12" Wide	Add \$17 to price of blind (not available on 2 3/8" blinds)
	Decorative Tape Valance	Add \$16 to price of blind.
	Keystone Valance	Add \$24 to price of blind.
	Rounded Corners	No Extra Charge. Not available with Rustic or Weathered finishes.
	Routeless Option	No Extra Charge

MOTORIZATION	MORE INFO
Motorized Options and Surcharges	Pg 6

1 3/8" Smooth Finish Blinds
2 3/8" Smooth Finish Blinds

PRICE GROUP 2
White Slats
Ladderbraid

		Width In Inches																
		24	28	32	36	42	48	54	60	66	72	78	84	90	96	102	108	120
Length In Inches	30	108	121	137	149	167	178	200	235	254	268	292	318	345	369	402	405	457
	36	126	135	152	165	183	200	224	265	285	299	329	357	379	406	445	450	485
	42	136	147	171	180	202	220	248	296	315	335	366	403	426	457	498	502	542
	48	145	158	183	197	219	239	273	321	344	366	403	439	467	503	549	553	595
	54	167	180	208	220	248	269	309	358	387	413	453	499	529	564	619	611	659
	60	177	193	221	238	265	293	332	389	420	449	493	540	568	612	672	675	729
	66	189	204	238	256	286	314	358	420	451	484	532	584	619	670	733	740	799
	73	202	220	254	274	309	339	393	445	478	514	565	621	672	707	785	803	867
	78	214	235	260	288	321	354	419	466	500	539	608	670	711	761	841	849	917
	84	232	249	278	309	348	382	442	486	530	568	645	708	760	811	897	906	977
	90	246	266	290	318	357	405	459	506	553	608	683	756	807	862	953	965	1043
	96	261	285	308	333	377	426	482	534	578	641	726	800	854	911	1009	1023	1104
	102	268	294	320	345	389	442	512	568	619	679	765	844	901	962	1066	1087	1174
108	290	317	344	372	417	473	548	605	662	712	805	889	948	1012	1122	1148	1240	
114	299	328	354	382	433	490	566	629	683	746	844	933	996	1062	1178	1209	1305	
120	308	349	382	409	462	524	594	648	713	780	883	976	1044	1113	1235	1269	1370	
126	320	373	406	451	501	554	625	681	744	815	923	1021	1091	1161	1292	1329	1436	

- Standard Decorative Valance included in price for Smooth and Rustic Finish Blinds.
- Orleans Valance included in price for Weathered Finish Blinds.

Due to the size and required lifting forces, it is required that blinds that fall within the shaded area be built as multiple blinds with a common valance.

Blinds in this range are built as Two or Three on One blinds.

Larger sizes require 2-On-1 or 3-On-1 Head Rail

1 3/8", 2" & 2 3/8" BLINDS LIFT SYSTEM		UPGRADES	ADD
Smooth Finish	Wand Tilt		No Extra Charge (not available on 2 3/8" blinds)
	Cord Tilt		Standard
	Cordless Lift System*		Add \$85 to price of blind
	Cordless Lift & Lock**		Add \$72



*Not available with 1 3/8" and 2 3/8" blinds. ** Only available with 2" and 2 3/8" slat sizes. Available up to 96" width and 84" length. Not available with 1 3/8" slat size, Three-On-One, Routeless, Tape options or cut outs.

ADDITIONAL OPTIONS		UPGRADES	ADD
Add to Any Upgrade Above	Two-On-One Head Rail & Three-On-One Head Rail		Add the total width of the blinds combined to price.
	End Cut Outs		\$32 Per side (5 1/2" or less). All cut outs must be approved by Comfortex Technical Service
	Rustic and Weathered Finishes		2" Blinds Add 25% to grid Not available on 1 3/8" or 2 3/8" slats
	Blinds under 12" Wide		Add \$17 to price of blind (not available on 2 3/8" blinds)
	Decorative Tape Valance		Add \$16 to price of blind.
	Keystone Valance		Add \$24 to price of blind.
	Rounded Corners		No Extra Charge. Not available with Rustic or Weathered finishes.
Routeless Option		No Extra Charge	

MOTORIZATION	MORE INFO
Motorized Options and Surcharges	Pg 6

Newport Woods Basswood Blinds

STANDARD CORD LOCK BLINDS HARDWARE SYSTEM



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

Hardware Features	
Cord Lock	Cord Lock blinds feature a reliable cord tilt and lift mechanism for easy positioning of the blind. Cord lift and tilt is standard. Wand tilt is available with 1 3/8" and 2" slat blinds.
Upgrades	
Cordless	Cordless is available with 2" slats
Cordless Lift & Lock™	Cordless Lift & Lock is available with 2" and 2 3/8" slat sizes.
Tilt Motors	Somfy Motorization available with 1 3/8", 2" and 2 3/8" Slat sizes. These motors are tilt only, not for raising and lowering the blind.
Mounting Dimensions	
All Slat Sizes and Hardware Systems	
Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"
Finished Dimensions	
Inside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 3/4" • Slats will measure ordered width less: 1/2" • Length will measure ordered length • Valance will measure ordered width less: 1/8"
Outside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 1/4" • Slats will measure ordered width • Length will measure ordered length • Valance will measure ordered width plus: 1"

Newport Woods Basswood Blinds Control Features

Cord Lock Rectangular

- Cord tilt is standard on all blinds. Tilt wand is available with 1 3/8" and 2" blinds. Please specify when ordering.
- Tilt wand is not available on 2 3/8" blinds.
- Standard controls are tilt cord left and lift cord right.

Motorized Blinds

- Specify lift position when ordering. Tilt function control is controlled by remote control.

Cordless

- The Cordless option is available with 2" slats for a streamlined look and child safe applications.
- The lift function is controlled from the bottom rail. The tilt cord control position is left only.
- Tilt control available with cord, wand or motors.
- Tilt motors and Cordless hardware may be combined to eliminate ALL cords for superior convenience, function and safety.
- Cordless is not available with 1 3/8" and 2 3/8" slat sizes, multiple blinds on one head rail, Routeless and Tape options.

Control Position Options

- Tilt Cord or Wand Left
Lift Cord Right (std)
- Tilt and Lift Cords Grouped
- Tilt Cord Center, No Lift Cord

Minimum Width

12" Net
18 1/8" Net
Under 12" Net

Standard Wand Length

Blind Length	Wand Length
12" - 24"	12"
24 1/8" - 40"	20"
40 1/8" - 60"	24"
60 1/8" - 84"	36"
84 1/8" +	48"

- Wand lengths up to 48" are color coordinated wood with slats. Wand lengths greater than 48" are clear plastic and available in 60", 70", 78", 90" or 120" length. Please specify when ordering.

Newport Woods Basswood Blinds Color and Characteristics

Even though we maintain strict quality standards, Newport Woods Blinds are a true wood products and variations in color, grain, texture and warping may occur. These characteristics are inherent to wood and in no way detract from the beauty of the blinds.

Rustic wood colors feature grain variations that are inherent to wood and in no way detract from the beauty of the blind. Weathered colors feature a worn, distressed finish.

To ensure color matching, it is recommended that all blinds be ordered at the same time. This will eliminate possible variations due to paint and stain runs, although we do not guarantee exact color matches.

The ends of the slat and bottom rail on woodtone colors will be stained. Routes on standard blinds and notches on routless blinds are not stained

Slat Styles


1 3/8" slats size is perfect for small windows and doors.

2" slats size looks great on most windows and doors. The 2" slat size is the most popular size.

2 3/8" slats offer a shutter louver like look with the largest view to the outside. Choose 2 3/8" slat size for larger windows.

Rounded Corners

Newport Woods Blinds are available with a choice of either rectangular or rounded corners. Rectangular corners are standard on ALL styles and colors. Rounded corners are available on all slat sizes and colors, with the exception of the Rustic and Weathered collections.




Routing Types


Routing refers to how the holes are created in the slats and how the slats and lifting system are assembled. Standard Rectangular Newport Woods Blinds are available with two kinds of routing: Standard and Routeless. The Routeless option is not available with Cordless Blinds.

- **Standard Routing:** Route holes for the lift cord are drilled through the center of each slat. The number of route holes depends on the length of the slat. The slats then rest on rungs of the ladderbraid or the designer cloth tapes.
- **Routeless:** Notches at the back of each slat take the place of routing holes, allowing for a sleeker look and allowing for improved room darkening and privacy. The slats then rest on rungs of the ladderbraid.
- The Routeless feature may cause light “puckering” of the lift cords on the front of the blind when the slats are tilt backward (reverse tilt) due to interlacing cords. A gentle tug down on the lift cord tassel will eliminate any puckering. Slats should be tilted only to avoid slats from shifting off the ladderbraid.
- Routeless is NOT available with Cordless blinds.

Please Note: Routeless slats are not recommended for door applications.



Standard Routing



Routeless

Bottom Rail

Trapezoidal bottom rail is standard on all Newport Woods Basswood Blinds.



Cordless Lift & Lock™ Bottom Rail

Color coordinated bottom rail and button is standard on all Cordless Lift & Lock Newport Woods Basswood Blinds.



Newport Woods Valances


All Newport Woods Basswood Blinds come standard with a valance, color matched to the slats with two returns. Returns are glued at the factory and shipped assembled.

A decorative tape valance may be ordered as alternative valance. See the Valance Upgrade grids on page 6.

Decorative Valance

This 3” valance is a simple yet elegant valance that is **standard with all Smooth and Rustic finish blinds.**


This profile is available with decorative tape. See page 6 for more information.



Province Valance

The 3” Province valance provides a contemporary finish to an blind.

Province valance is an optional upgrade with all Smooth finish colors.



Orleans Valance

The ribbed detailing found on the 3” Orleans valance is **standard with all Weathered Blinds.**


Orleans valance is an optional upgrade in all Smooth finish colors.



Chatham Valance

The 4” Chatham valance provides visual balance on larger windows.

The Chatham valance is an optional upgrade with all Smooth finish colors.



Inside Mount Valances

- **Inside Mount (IB) Valances** The valance is cut to the ordered blind width minus $\frac{1}{8}$ ".
- **IB-Shallow Mount Valance:** Inside mount blinds with shallow mount valances will have $\frac{5}{8}$ " returns.

Outside Mount Valances

- **Outside Mount Valances:** The valance is cut to the ordered blind width plus 1".
- Standard returns for $1\frac{3}{8}$ " and 2" slat blinds: 3"
- Standard returns for $2\frac{3}{8}$ " slat blinds: $3\frac{3}{8}$ "




Please Note: Outside Mount Valances will be adjusted larger by the factory when short or long ($1\frac{3}{8}$ " or $3\frac{1}{2}$ ") extension brackets or when small or large ($\frac{3}{8}$ " or $\frac{3}{4}$ ") spacer blocks are ordered.

Only the **first** set of ordered spacer blocks will affect the return length. Please specify longer **custom return lengths** when ordering if additional spacer blocks will be used.

- Short Extension Brackets: $4\frac{1}{4}$ " return length
- Long Extension Brackets: $6\frac{1}{4}$ " return length
- Small Spacer Blocks (First Set): $3\frac{3}{8}$ " return length
- Large Spacer Blocks (First Set): $3\frac{3}{4}$ " return length

Valance Attachment

Magnetic valance clips securely attach the valance to the head rail. The clip accommodates height and projection adjustments.



Wide and Common Valances

- The maximum width for a continuous valance is 102". Valances over 102" will be mitered in the middle. Due to the inherent characteristics of wood, the grain will not line up at the miter and will be visible.
- Valances over 102" that are spliced will include a keystone provided at no charge. The keystone will match the valance and cover the splice. The valance will require assembly. A keystone will not affect the width of the overall width of the valance.
- A Common Valance is made to cover more than one blind to create a unified look. The maximum width for a common valance is 120". Exact measurements must be supplied.

Custom Valances and Returns

Custom valances and returns are available upon request. Valances and returns are cut at the inside measurement. The inside measurement refers to the inside wall of the valance or the returns. See Figures 5 and 6 on how to measure for a custom valance and returns.

- Minimum return length is $\frac{1}{2}$ ".
- Maximum return length is 6".


Always make sure the width ordered is large enough to clear the width of the head rail and brackets.

Shallow Mount Valances

A Shallow Mount Valance allows you to mount a blind inside the window casing while attaching the valance to the outside with $\frac{5}{8}$ " standard returns. The Shallow Mount Valance completely conceals the mounting brackets while creating a look with a lower profile.

Inside Mount Blinds with a Shallow Mount Valance: Inside measurement of the valance equals ordered blind width plus $\frac{3}{4}$ ". (Still $1\frac{1}{4}$ " wider than actual cut head rail size.)
 (Ordered width) - ($\frac{1}{2}$ " IB deduction) + ($1\frac{1}{4}$ " added for clearance) = ($\frac{3}{4}$ " greater than ordered width)

Shallow Mount Valance Top View



Individual Decorative Valances

- Decorative valances may be ordered individually to upgrade or retrofit existing blinds. Please use the list below when ordering individual valances.
- Refer to the Individual Valance Price Grids on page 6 for pricing.
- Valances and returns are cut from the inside to insure the most accurate fit when installed over the head rail or window frame. See Figure 5 and 6 on page 14 on how to measure for a custom valance and returns.
- Maximum continuous valance is 102". Lengths over 102" will be spliced in the middle and feature a keystone valance piece. Maximum spliced valance length is 120".

SMOOTH FINISH	COLOR NUMBER	COLOR NAME
3" Decorative 3" Orleans 3" Province 4" Chatham Valances	6308	Aged Cherry
	6301	Antique
	6309	Antique Oak
	6304	Birch
	7282	Block Island White
	6302	Boardwalk
	6312	Boathouse
	6299	Cafe
	6288	Canyon
	6300	Cape Jasmine
	6117	Cape Oak
	7283	Castle Hill White
	6289	Cinnamon Spice
	6292	Clove
	6372	Colonial Oak
	6311	Dark Ash
	6293	Dark Cherry
	6295	Dark Coffee
	6306	English Chestnut
	5022	Hampton Harbor
	6287	Honey
	7285	Ipswich Pince
	6125	Mahogany
	5012	Nantucket Cottage
	5502	Newport White
	6305	Oyster
	6290	Pecan
	6114	Port Oak
	5028	Pristine Beach
	6298	Red Oak
6307	Rosewood	
7284	Sand Dollar	
5030	Sand Dune	

SMOOTH FINISH	COLOR NUMBER	COLOR NAME
3" Decorative 3" Orleans 3" Province 4" Chatham Valances	6310	Shaker Maple
	6134	Spice Point
	6297	Tobacco
	6118	Traditional Oak
	6303	Victorian
	6133	Walnut
	6291	Warm Brown
	6296	Warm White

RUSTIC FINISH	COLOR NUMBER	COLOR NAME
3" Decorative	6511	Hickory

WEATHERED FINISH	COLOR NUMBER	COLOR NAME
3" Orleans	6800	Coastal
	6801	Weathered Cedar
	6802	Cape Cod Gray
	6803	Whitewash
	6804	Driftwood
	6805	Barnwood

Decorative Tape Valance Option

With this option, selected colors of 1" or 1 1/8" cloth tape collection is glued across the flat section of the 3" Decorative valance.



- Refer to the **2015 Newport Woods Basswood Blinds Sample Deck to coordinate the wood and tape colors.** The tape names available for this option are listed below. The tape pattern orientation flows left to right.
- The maximum width for a valance with decorative tape option is 102".
- Decorative keystone can be ordered with a tape valance, the tape will not be placed on the keystone. The tape will butt up to it on each side.

SOLID COLOR TAPES	
Color Number	Color Name
1005	White
1112	Natural
1036	Almond
1093	Buckskin
3136	Spicy
1062	Light Cocoa
1055	Black

DECORATIVE TAPES	
Color Number	Color Name
6000	Weave
5006	Cream/Gray/Yellow Stripe
5007	Cream/Gray Stripe
2101	White Flux
2301	Ivory/Brown Stripe

Keystone Valance Option

Keystones conceal the splices on oversized valances or add a decorative accent.




- For a valances under 102" width, a keystone can be added as decorative accent for an upcharge. The valance will come assembled with the keystone placed in the center. The keystone will match the valance.
- Valances over 102" that are spliced will include a keystone provided at no charge. The keystone will match the valance and cover the splice. The valance will require assembly. A keystone will not affect the width of the overall width of the valance.
- Decorative keystone can be ordered with a tape valance, the tape will not be placed on the keystone. The tape will butt up to it on each side.

Valance Sizes and Valance Returns

See page 14 for more information.

Ladderbraid and Cloth Tapes

- Ladderbraid is standard on all Newport Woods Basswood Blinds.
- Cloth tapes are optional on all Newport Woods Blinds and are available in three sizes. Cloth tapes are available with motorized tilt option.
- Cloth tapes are made from a polyester and cotton blend which resist fading and shrinking. **Consult the 2015 Newport Woods Basswood Blinds Sample Deck for color and pattern selections.**
- An antique brass finish tape clamp is used on the bottom rail of wood tone blinds when cloth tapes are ordered. A white tape clamp is used on white and neutral tone blinds when cloth tapes are ordered.



1" SOLID COLOR TAPES	COLOR NUMBER	COLOR NAME
1 3/8" Slats 2" Slats 2 3/8" Slats	1005	White
	1036	Almond
	1055	Black
	1062	Light Cocoa
	1093	Buckskin
	1112	Natural
	3136	Spicy

1 1/2" SOLID COLOR TAPES	COLOR NUMBER	COLOR NAME
1 3/8" Slats 2" Slats 2 3/8" Slats	0341	Malted Milk
	0480	Curr
	0155	Taupe
	0292	Paprika
	0751	Purple Haze
	7212	Pure White
	7200	Cream
	7201	Onyx
	7203	Nutmeg
	7204	Espresso
	7205	Toast
	7206	Beach

1 1/8" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
1 3/8" Slats 2" Slats 2 3/8" Slats	2301	Ivory/ Brown Stripe	Almond
	5006	Cream/Gray/ Yellow Stripe	Cream
	5007	Cream/ Gray Stripe	Cream
	2101	White Flux	Pure White
	6000	Weave	Cream

1 1/4" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
1 3/8" Slats 2" Slats 2 3/8" Slats	5000	Ivory	Cream
	5001	Beige	Cream
	5002	Light Gray	Cream
	5003	Saddle	Light Cocoa
	5004	Denim	Pure White
	5005	Coffee Bean	Light Cocoa

1 1/2" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
1 3/8" Slats 2" Slats 2 3/8" Slats	6100	Aztec	Malted Milk
	6200	Dublin	Natural
	0910	White Accent	Pure White
	0911	Ivory Accent	Natural
	0901	White Elegance	Pure White
	4300	Camel Knit	Natural

Ladder and Tape Placement

The following tables show the number of ladderbraids or cloth tapes needed based on the width of the blind.

1 3/8" SLATS STANDARD RECTANGULAR BLINDS	
Blind Width	Ladders/Tapes Per Blind
8" - 36"	2
36 3/8" - 56 1/4"	3
56 3/8" - 78 1/4"	4
78 3/8" - 100 1/4"	5
100 3/8" - 102"	6


2" SLATS STANDARD RECTANGULAR BLINDS	
Blind Width	Ladders/Tapes Per Blind
8" - 36"	2
36 1/8" - 56"	3
56 1/8" - 78"	4
78 1/8" - 100"	5
100 1/8" - 102"	6

2 3/8" SLATS STANDARD RECTANGULAR BLINDS	
Blind Width	Ladders/Tapes Per Blind
8" - 36"	2
36 1/8" - 52"	3
52 1/8" - 72"	4
72 1/8" - 92"	5
92 1/8" - 102"	6

2" SLATS CORDLESS BLINDS	
Blind Width	Ladders/Tapes Per Blind
8" - 36"	2
36 1/8" - 56 1/4"	3
56 1/8" - 78 1/4"	4
78 1/8" - 100 1/4"	5
100 1/8" - 102"	6

Newport Woods Basswood Blinds

CORDLESS LIFT & LOCK HARDWARE SYSTEM



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

The Cordless Lift & Lock option is available with 2" & 2 3/8" Flat slat sizes only.

Cordless Lift & Lock Blinds can be raised or lowered by pressing the button located on the bottom rail and guiding the rail into the desired location. Blind can be tilted open or closed with cord or wand.

Cordless Lift & Lock is not available with Three-on-One blinds, Routeless, Tape options or cut outs.

Hardware Features	
Cordless Lift & Lock	Color coordinated bottom rail with color coordinated push button in the middle of the bottom rails.
Mounting Dimensions	
2" & 2 3/8" Blinds	
Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"
Finished Dimensions	
Inside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 3/4" • Slats will measure ordered width less: 1/2" • Length will measure ordered length • Valance will measure ordered width less: 1/8"
Outside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 1/4" • Slats will measure ordered width • Length will measure ordered length • Valance will measure ordered width plus: 1"

Important Operating Note

- To operate Cordless Lift & Lock Blinds, the bottom rails must be accessible. An extension pole is not available for Cordless Lift & Lock Blinds.

Cordless Lift & Lock™ Hardware Features

- Children and pets have safer surroundings in homes that have window blinds without operating cords, reducing the risk of strangulation.
- Cordless Lift & Lock Blinds can be raised or lowered by pressing the button located on the bottom rail and guiding the rail into the desired location.

Cordless Lift & Lock™ Blind Operation

Cordless Lift & Lock Blinds are operated using the push button handle located in the center of the bottom rail.


To raise or lower the blind; press the button on the blind handle, and guide the rail to desired position. Release the button to lock the blind into place.

The blind will hold any position when the button is released. Raise the blind slowly and steadily to allow the blind to stack evenly.

Things to Consider

- Is the top of your window out of reach? To operate a Cordless Lift & Lock Blind, the bottom rail must be accessible. If the bottom rail is not accessible, you may want to consider Cord Lock or Motorized hardware. An extension pole is NOT available for Cordless Lift & Lock Blinds.
- When ordering specify IB or OB mount.

Newport Woods Basswood Blinds SOMFY MOTORIZED BLINDS



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

Hardware Features

Tilt Motors	Comfortex offers the Radio Technology Somfy (RTS) battery powered tilt motors with Newport Woods Blinds. These motors are tilt only, not for raising and lowering the blind. Specify lift position when ordering.
-------------	---

Mounting Dimensions

Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"

All Slat Sizes and Hardware Systems

Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"

Finished Dimensions

Inside Mount

- Head rail will measure ordered width less: 3/4"
- Slats will measure ordered width less: 1/2"
- Length will measure ordered length
- Valance will measure ordered width less: 1/8"

Outside Mount

- Head rail will measure ordered width less: 1/4"
- Slats will measure ordered width
- Length will measure ordered length
- Valance will measure ordered width plus: 1 1/4"

Battery Wand Mounting Options

The battery wand comes with two mounting options:

- Head rail mount: Battery wand clips are mounted on the back of the head rail using a high temperature, pressure sensitive adhesive.
- Wall mount: Battery wand clips are mounted to the wall.

The battery wand measures 17" and comes with eight AA lithium batteries and is white in color. Extension wires are available for installation away from head rail.



Battery Life

The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis. Batteries are not covered by the warranty.

For example, a 36" x 60" wood blind operated twice daily will have a battery life which lasts up to 18 months.

Battery Replacement

Eight lithium batteries are included with the wand. Recommended replacement batteries are Energizer® AA lithium. These batteries are commonly found in home improvement centers, grocery and hardware stores.

Chronis RTS Timer

The Telis 1 Chronis RTS combines the functionality of a single channel hand-held control with the convenience of a programmable timer.

- Telis 1 Chronis RTS has allows for different scheduled actions each day of the week.
- "My" button provides easy access to a preferred position.
- Manual function disables the timer and the remote then operates as a 1-channel hand held remote.
- Wall mounting bracket included.

Wireless Timers use three 1.5V DC (AAA) batteries. Batteries are included. Comfortex will warranty batteries for up to 3 months from date of purchase.



DC Power Supply

12 Volt DC power supply is available and requires a standard power outlet to power the motor. The power supply must plug in to the motor.

The DC power supply is white and comes with a 25' splice-able wire. The dimensions are 2 1/8" wide x 3 1/4" length x 2" deep.



Wall Switch Option

The RTS System has a wall switch option upgrade. The wall switch works just like a light switch to operate your shadings. The switch is easy to install with a standard single gang electrical box and does not require any wiring.

There are two wall switch options:

- 1 Channel • 5 Channel

Please specify when ordering.

The 1 Channel RTS Wall Switch will operate all of the shadings simultaneously. The 5 Channel RTS Wall Switch can operate up to five blinds or groups of blinds individually. The wall switch is white.



RTS 1 Channel Wall Switch



RTS 5 Channel Wall Switch

Overall Dimensions:

- Length: 4 1/2" • Width: 2 3/4" • Depth: 1 1/4"

RTS Wall Switches use one 3V lithium battery (CR2430). Batteries are included. Comfortex will warranty batteries for up to 3 months from date of purchase.

Remote Options

There are two remote options, please specify when ordering.

Hand-Held Remote Options

The 1 Channel Somfy RTS Remote will operate all of the blinds simultaneously. The fully open and fully closed position of the slats are programmed at the factory.

The 5 Channel Somfy RTS Remote can operate up to five blinds simultaneously, individually or in groups.



RTS 1 Channel Remote



RTS 5 Channel Remote

WHEN ORDERING PLEASE SPECIFY WHICH CHANNELS ARE ASSIGNED TO EACH BLIND OR GROUP OF BLINDS.

For example; program line 1 to channel 1, line 2 and 3 to channel 2, etc. If no channels are assigned at time of order, all blinds will be programmed to Channel 1.

To reprogram channel assignments, please refer to the installation instructions and/or view the video at www.comfortex.com/comfortex-dealers/motorization-technical-support/.

Functions include: Tilt up, tilt down and stop, as well as, a "my" position. The "my" button acts as a stop button when the blind is in motion. When the blind is stopped, the "my" button brings it to the programmed favorite position.

To stop the tilt feature, anywhere between fully tilted open or closed, the "my" button acts as a stop button when the blind is in motion for both the 1 and 5 Channel remotes. When the shade is stopped, the "my" button brings it to the favorite position. See install instructions to set favorite positions and/or view video at comfortexdealers.com/products/motortechsupport.html.

The remote control utilizes one 3V lithium battery (CR2430). Batteries are included. Comfortex will warranty batteries for up to 3 months from date of purchase. Batteries are not covered by the warranty.

Somfy Surcharges and Options

See page 6 for information.

Somfy Wireless Motorization Warranty

See page 38 for information.

End Cut Out Blinds

Comfortex Newport Woods Basswood Blinds are available with cut outs. There is a maximum cut out of 5½" per side.

- Cut out blinds have surcharge for each side added to the price of the blind. See price grids on page 6 for pricing.
- Be sure to take exact measurements for your blind with cut outs and to include a diagram of the window to the order form.
- The blind's cut out dimensions are made with the slats in the closed position. Always measure your cut out blind with the slats in the closed position.
- Bottom cut out blinds (Figure 7) will have three bottom rails. Blinds will raise from "G" (shown in Figure 7) to head rail.
- Edge cut out blinds (Figure 8) will have two bottom rails.
- Head rail cut out blinds (Figure 9) are controlled on the opposite side of cut out. Inside mount blinds will raise to the widest width. Outside mount blinds will raise to the head rail.
- A cloth tape option is available. See price grids on page 6 for pricing.




Figure 7 Bottom Cut Out




Figure 8 Edge Cut Out




Figure 9 Head Rail Cut Out

Stack Height

Stack height refers to the thickness of the slat stack when the blind is fully raised. The following measurements include head and bottom rails.

1 3/8" SLATS STANDARD RECTANGULAR BLINDS	
Height	Stack Height
48"	8 1/4"
60"	9 7/8"
72"	11 1/4"
84"	12 3/4"
96"	14 1/4"

2" SLATS STANDARD RECTANGULAR BLINDS	
Height	Stack Height
48"	6 1/2"
60"	7 1/2"
72"	8 1/2"
84"	9 1/2"
96"	10 1/2"

2 3/8" SLATS STANDARD RECTANGULAR BLINDS	
Height	Stack Height
48"	5 5/8"
60"	6 3/8"
72"	7 1/8"
84"	7 7/8"
96"	8 3/4"

2" SLATS CORDLESS BLINDS	
Height	Stack Height
48"	6 1/2"
60"	7 1/2"
72"	8 1/2"
84"	9 1/2"
96"	10 1/2"

Cleaning & Care Instructions For Newport Woods Basswood Blinds

See page 36 for information.

Measuring Instructions For Newport Woods Basswood Blinds

See page 36 for information.

Newport Woods Basswood Blinds Warranty

See page 39 for information.

Aria Advanced Faux Wood Blinds

Aria Advanced Faux Wood



- All Aria Advanced Faux Wood Blinds are expertly crafted from durable polymer wood that is easy to clean and maintain.
- Select from 2" or 2½" slat widths made from durable polymers of the highest quality.
- A decorative valance comes standard on all Comfortex Aria Advanced Faux Wood Blinds. The elegant design conceals the head rail while eliminating any light gaps between the head rail and top slats.
- The decorative valance on Aria Advanced Faux Wood Blinds come utilizes an adjustable valance attachment clip which allows for height and projection adjustments.
- Add a finishing touch to Comfortex Aria Advanced Faux Wood Blinds by adding decorative cloth tapes.
- Enjoy the ultimate in light control with the routeless feature, which stops light leakage by eliminating cord route holes.
- To cover large windows, multiple blinds may be mounted on one head rail.
- Aria Advanced Faux Wood Blind slat materials are manufactured using a manufacturing process that provides reliable strength, heat, humidity and UV resistance over PVC.
- **UV Stability:** Aria slats performed 40% better than PVC or wood in industry tests. The proprietary material will not discolor with prolonged exposure to direct sunlight.
- **Thermal Performance:** Aria material stands up to higher temperatures better than PVC. Aria slats will not "melt" or bow in the window. Aria is guaranteed not to warp in temperatures up to 148 degrees.
- **Product Stability:** Aria material resists cracking, chipping and humidity. Aria Advanced Faux Wood Blinds are perfect window covering for bathrooms, kitchens or any other high humidity environments.
- Woodwork, fixtures and other obstructions can be accommodated with cutouts in the Aria Advanced Faux Wood Blinds slats.
- All Aria Advanced Faux Wood Blinds are covered by Comfortex's Premium Performance guarantee and lifetime limited warranty.

Aria Advanced Faux Wood Blinds Hardware Upgrade Options

2" & 2½" BLINDS LIFT SYSTEM	UPGRADES	ADD
Smooth Finish	Wand Tilt	No Extra Charge. (Not available on 2½" slat blinds.)
	Cord Tilt	Standard
	2½" Slat Size/Colors	Add 30% to grid.
	Cordless Lift & Lock*	Add \$72

* Available up to 96" width and 84" Length. Not available with Three-On-One, Routeless, Tape options or cut outs.

ADDITIONAL OPTIONS	UPGRADES	ADD
Add to Any Upgrade Above	Two-On-One Head Rail & Three-On-One Head Rail	Add the total width of the blinds combined to price.
	End Cut Outs	\$32 Per side (3" or less). All cut outs must be approved by Comfortex Technical Service
	Textured Slats	Add 5% to grid
	Woodtone Colors	Add 10% to grid.
	Decorative Tape Valance	Add \$16 for each valance.
	Keystone Valance	Add \$24 to the price of blind.
	Blinds under 12" Wide	Add \$17 to price of blind (not available on 2½" blinds)
	Routeless Option	No Extra Charge, Specify when ordering.

Aria Advanced Faux Wood Blinds **Motorized** Hardware Upgrade Options

MOTORIZED	UPGRADES	ADD	
Somfy Motorization System	Radio Frequency Motor: Somfy motor surcharge includes a standard 12 volt battery wand with eight AA lithium batteries. The remotes, extension wire and transformer are sold separately and can be used in conjunction with one another.	\$430	For More Information Page 29-30
	RTS 1 Channel Remote	\$134	
	RTS 5 Channel Remote	\$171	
	48" Extension Wire	\$16	
	12 Volt DC Power Supply	\$148	
	RTS 1 Channel Wall Switch, White	\$345	
	RTS 5 Channel Wall Switch, White	\$352	
	Chronis RTS Timer	\$369	

Individual Valance Pricing

Width In Inches														
24	28	32	36	42	48	54	60	66	72	78	84	96	108	120
30	30	30	30	47	47	47	47	64	64	64	64	77	100	100

2" Blinds Solid and Decorative Tape Upgrade (not available on 2½")

Width In Inches															
	24	28	32	36	42	48	54	60	66	72	78	84	96	108	120
Solid	30	30	30	30	36	36	36	43	43	43	43	51	51	58	58
Decorative	58	58	58	58	71	71	71	86	86	86	86	100	100	114	114

Tapes are not available with the Routeless Option.

Aria Advanced Faux Wood Blinds Size Standards




	Minimum	Cord Lock Rectangular	Two-On-One Three-On-One	Motorized Blinds	Cordless Lift & Lock
2" BLINDS	Net Min. Width	8"* 12" with Tapes	18"	12" 14" with Tapes	10½"
	Min. Length	12"	12"	12"	12"
2½" BLINDS	Net Min. Width	8"* 12" with Tapes	18"	12" 14" with Tapes	10½"
	Min. Length	12"	12"	12"	12"

*Center tilt is only available with 2" slot blinds. Blinds measuring 8" (net width) up to 12" (net width) are available with center tilt only, no lift cords. **Center tilt is not available with 2½" blinds.

	Price Group	Page	Max.	Standard Rectangular	Two-On-One Three-On-One	Motorized Blinds	Cordless Lift & Lock
2" BLINDS	6	42	Max. Width	96"	120"	96"	96"
			Max. Length	108" Max Area (Sq Ft): 50	108"	96" Max Area (Sq Ft): 50	84" Max Area (Sq Ft): 40
2½" BLINDS	6	42	Max. Width	96"	120"	96"	96"
			Max. Length	108" Max Area (Sq Ft): 50	108"	96" Max Area (Sq Ft): 50	84" Max Area (Sq Ft): 31

- There is a ½" maximum distance between blinds on Two and Three on One option.
- The maximum square footage for a single Standard Rectangular Aria Blind is 50 square feet. Anything over the maximum square footage should be built as a Two-on-One and Three-on-One blinds.



COLOR NAME	2" SLAT	2½" SLAT
Polar White	2000	2200
White	2001	2201
Snow White	2002	2202
Linen	2003	2203
Cream	2004	2204
Antique	2005	2205
Natural	2006	2206
Textured Bright White	2007	2207
Oak	2100	2300
Maple	2101	2301
Teak	2102	2302
Rich Oak	2103	2303
Colonial Cherry	2104	2304
Pecan	2105	2305
Dark Walnut	2106	2306

2" Smooth Finish Blinds

PRICE GROUP 3
Ladderbraid

	Width In Inches															
	24	28	32	36	42	48	54	60	66	72	78	84	96	108	120	
Length In Inches	30	55	67	71	80	87	99	111	125	134	142	164	174	195	225	255
	36	64	77	81	88	97	109	124	139	149	157	179	193	216	250	284
	42	71	84	89	97	108	120	138	155	165	175	200	214	243	279	316
	48	78	93	99	108	117	132	151	170	182	196	224	241	275	307	345
	54	85	101	108	117	131	145	167	187	204	219	249	268	303	339	380
	60	94	110	117	127	143	158	185	205	225	241	274	296	329	375	417
	66	102	118	124	137	156	176	202	226	246	265	300	323	355	411	459
	72	111	126	132	147	170	193	219	246	265	286	323	349	383	446	501
	78	115	132	140	157	178	203	232	259	280	307	349	375	414	471	528
	84	124	142	150	167	193	218	247	271	300	330	374	402	444	503	554
	90	132	151	160	177	204	233	264	290	321	352	394	428	475	535	589
	96	137	159	168	186	216	246	279	308	344	376	422	457	506	567	628
	102	143	169	178	198	230	261	296	331	364	400	453	486	539	603	675
	108	150	177	187	208	241	274	313	346	384	423	482	516	572	637	704

Standard Decorative Valance included in price.

Larger sizes require 2-On-1 or 3-On-1 Head Rail

Due to the size and required lifting forces, it is required that blinds that fall within the shaded area be built as multiple blinds with a common valance.

Blinds in this range are built as Two or Three on One blinds.

2" & 2½" BLINDS LIFT SYSTEM	UPGRADES	ADD
Smooth Finish	Wand Tilt	No Extra Charge. (Not available on 2½" slat blinds.)
	Cord Tilt	Standard
	2½" Slat Size/Colors	Add 30% to grid.
	Cordless Lift & Lock*	Add \$72

* Available up to 96" width and 84" Length. Not available with Three-On-One, Routeless, Tape options or cut outs.

ADDITIONAL OPTIONS	UPGRADES	ADD
Add to Any Upgrade Above	Two-On-One Head Rail & Three-On-One Head Rail	Add the total width of the blinds combined to price.
	End Cut Outs	\$32 Per side (3" or less). All cut outs must be approved by Comfortex Technical Service
	Textured Slats	Add 5% to grid
	Woodtone Colors	Add 10% to grid.
	Decorative Tape Valance	Add \$16 for each valance.
	Keystone Valance	Add \$24 to the price of blind.
	Blinds under 12" Wide	Add \$17 to price of blind (not available on 2½" blinds)
	Routeless Option	No Extra Charge, Specify when ordering.

MOTORIZATION	MORE INFO
Motorized Options and Surcharges	Pg 23

Aria Advanced Faux Wood Blinds Hardware Options

Cord Lock

Cord Lock blinds feature a reliable cord tilt and lift mechanism for easy positioning of the blind.

Cord lift and tilt is standard. Wand tilt is available with 2" slat blinds only.

Cordless Lift & Lock™

The Cordless Lift & Lock option is available with 2" & 2½" slats.

The lift function is controlled from the bottom rail with a push button. Blind can be tilted open or closed with cord or wand. (Wand tilt is available with 2" slat blinds only.)

Cordless Lift & Lock is not available with Three on One blinds, Routeless, Tape options or cut outs.

Tilt Motors


Somfy radio frequency motors eliminate the need for tilt cords and allows for easy tilt control at the touch of a button. Lift function position is right or left.

See pages 29-30 for more information.



Aria Advanced Faux Wood Blinds

STANDARD CORD TILT BLINDS HARDWARE SYSTEM



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

- Cord tilt is standard on all blinds. Tilt wand is available with 2" blinds. Please specify when ordering.
- Tilt wand is not available on 2 1/2" blinds.
- Standard controls are tilt cord left and lift cord right.
- Standard cord length is half the blind length.

Hardware Features	
Standard Cord Tilt	Standard blinds feature a reliable cord tilt and lift mechanism for easy positioning of the blind. Cord tilt is standard. Wand tilt is available with 2" slat blinds.
Upgrades	
Cordless Lift & Lock™	Cordless Lift & Lock is available with 2" and 2 1/2" slat sizes.
Tilt Motors	Somfy Motorization available with 2" and 2 1/2" Slat sizes. These motors are tilt only, not for raising and lowering the blind.
Mounting Dimensions	
All Slat Sizes and Hardware Systems	
Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"
Finished Dimensions	
Inside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 3/4" • Slats will measure ordered width less: 1/2" • Length will measure ordered length • Valance will measure ordered width less: 1/8"
Outside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 1/4" • Slats will measure ordered width • Length will measure ordered length • Valance will measure ordered width plus: 1"

Control Position Options

- Tilt Cord Left / Lift Cord Right (std)
- Tilt Cord Right / Lift Cord Left
- Tilt and Lift Cord Grouped Right
- Tilt and Lift Cord Grouped Left

Minimum Width

- 12" Net
- 12" Net
- 18 1/8" Net
- 18 1/8" Net

Standard Wand Length

Blind Length

- 12" - 36"
- 36 1/8" - 48"
- 48 1/8" - 70"
- 70 1/8" - 84"
- 84 1/8" +


Wand Length

- 20"
- 24"
- 36"
- 48"
- 62"

- Wand lengths up to 48" are color coordinated with slats. Wand lengths greater than 48" are clear plastic and available in 60", 70", 78", 90" or 120" length. Please specify when ordering.

Aria Advanced Faux Wood Blinds

CORDLESS LIFT & LOCK HARDWARE SYSTEM



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

- Cord tilt is standard on all blinds. Tilt wand is available with 2" blinds. Please specify when ordering.
 - Tilt wand is not available on 2 1/2" blinds.
- Cordless Lift & Lock Blinds can be raised or lowered by pressing the button located on the bottom rail and guiding the rail into the desired location. Blind can be tilted open or closed with cord or wand.
- Cordless Lift & Lock is not available with Three-on-One blinds, Routeless, Tape options or cut outs.

Hardware Features	
Cordless Lift & Lock	Color coordinated bottom rail with color coordinated push button in the middle of the bottom rails.
Mounting Dimensions	
	2" & 2 1/2" Blinds
Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"
Finished Dimensions	
Inside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 3/4" • Slats will measure ordered width less: 1/2" • Length will measure ordered length • Valance will measure ordered width less: 1/8"
Outside Mount	
	<ul style="list-style-type: none"> • Head rail will measure ordered width less: 1/4" • Slats will measure ordered width • Length will measure ordered length • Valance will measure ordered width plus: 1"

Important Operating Note

- To operate Cordless Lift & Lock Blinds, the bottom rails must be accessible. An extension pole is not available for Cordless Lift & Lock Blinds.

Cordless Lift & Lock™ Hardware Features

- Children and pets have safer surroundings in homes that have window blinds without operating cords, reducing the risk of strangulation.
- Cordless Lift & Lock Blinds can be raised or lowered by pressing the button located on the bottom rail and guiding the rail into the desired location.

Cordless Lift & Lock™ Blind Operation

Cordless Lift & Lock Blinds are operated using the push button handle located in the center of the bottom rail.

To raise or lower the blind; press the button on the blind handle, and guide the rail to desired position. Release the button to lock the blind into place.


The blind will hold any position when the button is released. Raise the blind slowly and steadily to allow the blind to stack evenly.

Things to Consider

- Is the top of your window out of reach? To operate a Cordless Lift & Lock Blind, the bottom rail must be accessible. If the bottom rail is not accessible, you may want to consider Standard Cord Lock or Motorized hardware. An extension pole is not available for Cordless Lift & Lock Blinds.
- When ordering specify IB or OB mount.

Aria Advanced Faux Wood Blinds

SOMFY MOTORIZED BLINDS



Head Rail Dimensions

- Depth of Head Rail: 2 1/4"
- Height of Head Rail: 1 1/2"

Hardware Features

Tilt Motors	Comfortex offers the Radio Technology Somfy (RTS) battery powered tilt motors with Aria Blinds. These motors are tilt only, not for raising and lowering the blind. Specify lift position when ordering.
-------------	--

Mounting Dimensions

Minimum Shallow Mount	1 1/8"
Minimum Flush Inside Mount	3 1/2"
Minimum Outside Mount	1 3/4"

All Slat Sizes and Hardware Systems

1 1/8"
3 1/2"
1 3/4"

Finished Dimensions

Inside Mount

- Head rail will measure ordered width less: 3/4"
- Slats will measure ordered width less: 1/2"
- Length will measure ordered length
- Valance will measure ordered width less: 1/8"

Outside Mount

- Head rail will measure ordered width less: 1/4"
- Slats will measure ordered width
- Length will measure ordered length
- Valance will measure ordered width plus: 1 1/4"

Battery Wand Mounting Options

The battery wand comes with two mounting options:

- Head rail mount: Battery wand clips are mounted on the back of the head rail using a high temperature, pressure sensitive adhesive.
- Wall mount: Battery wand clips are mounted to the wall.

The battery wand measures 17" and comes with eight AA lithium batteries and is white in color. Extension wires are available for installation away from head rail.



Battery Life

The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis. Batteries are not covered by the warranty.

For example, a 36" x 60" wood blind operated twice daily will have a battery life which lasts up to 18 months.

Battery Replacement

Eight lithium batteries are included with the wand. Recommended replacement batteries are Energizer® AA lithium. These batteries are commonly found in home improvement centers, grocery and hardware stores.

Remote Options

There are two remote options, please specify when ordering.

Hand-Held Remote Options

The 1 Channel Somfy RTS Remote will operate all of the blinds simultaneously. The fully open and fully closed position of the slats are programmed at the factory.

The 5 Channel Somfy RTS Remote can operate up to five blinds simultaneously, individually or in groups.



RTS 1 Channel Remote



RTS 5 Channel Remote

WHEN ORDERING PLEASE SPECIFY WHICH CHANNELS ARE ASSIGNED TO EACH BLIND OR GROUP OF BLINDS.

For example; program line 1 to channel 1, line 2 and 3 to channel 2, etc. If no channels are assigned at time of order, all blinds will be programmed to Channel 1.

To reprogram channel assignments, please refer to the installation instructions and/or view the video at www.comfortex.com/comfortex-dealers/motorization-technical-support/.

Functions include: Tilt up, tilt down and stop, as well as, a "my" position. The "my" button acts as a stop button when the blind is in motion. When the blind is stopped, the "my" button brings it to the programmed favorite position.

To stop the tilt feature, anywhere between fully tilted open or closed, the "my" button acts as a stop button when the blind is in motion for both the 1 and 5 Channel remotes. When the shade is stopped, the "my" button brings it to the favorite position. See install instructions to set favorite positions and/or view video at comfortexdealers.com/products/motortechsupport.html.

The remote control utilizes one 3V lithium battery (CR2430). Batteries are included. Comfortex will warranty batteries for up to 3 months from date of purchase. Batteries are not covered by the warranty.

Chronis RTS Timer

The Telis 1 Chronis RTS combines the functionality of a single channel hand-held control with the convenience of a programmable timer.

- Telis 1 Chronis RTS has allows for different scheduled actions each day of the week.
- "My" button provides easy access to a preferred position.
- Manual function disables the timer and the remote then operates as a 1-channel hand held remote.
- Wall mounting bracket included.

Wireless Timers use three 1.5V DC (AAA) batteries. Batteries are included. Comfortex will warranty batteries for up to 3 months from date of purchase.



DC Power Supply

12 Volt DC power supply is available and requires a standard power outlet to power the motor. The power supply must plug in to the motor.

The DC power supply is white and comes with a 25' splice-able wire. The dimensions are 2 1/8" wide x 3 1/4" length x 2" deep.



Somfy Surcharges and Options


See page 23 for information.

Somfy Wireless Motorization Warranty

See page 38 for information.

Aria Valances

All Aria Advanced Faux Wood Blinds come standard with a 3" high valance, color matched to the slats with two returns on outside mount blinds.



Inside Mount Valances

- **Inside Mount (IB) Valances** The valance is cut to the ordered blind width minus $\frac{1}{8}$ ".
- **IB-Shallow Mount Valance:** Inside mount blinds with shallow mount valances will have $\frac{5}{8}$ " returns.

Outside Mount Valances

- **Outside Mount Valances:** The valance is cut to the ordered blind width plus 1".
- Standard returns for 2" slat blinds: 3"
- Standard returns for 2½" slat blinds: 3¾"

Glued on returns create a clean, aligned valance corner. No assembly is necessary.


Please Note: Outside Mount Valances will be adjusted larger by the factory when short or long ($1\frac{3}{8}$ " or $3\frac{1}{2}$ ") extension brackets or when small or large ($\frac{3}{8}$ " or $\frac{3}{4}$ ") spacer blocks are ordered.

Only the **first** set of ordered spacer blocks will affect the return length. Please specify longer **custom return lengths** when ordering if additional spacer blocks will be used.

- Short Extension Brackets: $4\frac{1}{4}$ " return length
- Long Extension Brackets: $6\frac{1}{4}$ " return length
- Small Spacer Blocks (First Set): $3\frac{3}{8}$ " return length
- Large Spacer Blocks (First Set): $3\frac{3}{4}$ " return length

Valance Attachment

Magnetic valance clips securely attach the valance to the head rail. The magnetic clip allows for front to back as well as up-down adjustability.



Wide and Common Valances



- The maximum width for a continuous valance is 102". Valances over 102" will be mitered in the middle. The miter will be visible.
- Valances over 102" that are spliced will include a keystone provided at no charge. The keystone will match the valance and cover the splice. The valance will require assembly. A keystone will not affect the width of the overall width of the valance.
- A Common Valance is made to cover more than one blind to create a unified look. Exact measurements must be supplied. The maximum width for a common valance is 120".

Custom Valances and Returns

Custom valances and returns are available upon request. Valances and returns are cut at the inside measurement. The inside measurement refers to the inside wall of the valance or the returns. See Figures 10 and 11 to learn how to measure for a custom valance and returns.

- Minimum return length is $\frac{1}{2}$ ".
- Maximum return length is 6".

Always make sure the width ordered is large enough to clear the width of the head rail and brackets.



Shallow Mount Valances

A Shallow Mount Valance allows you to mount a blind inside the window casing while attaching the valance to the outside with $\frac{5}{8}$ " standard returns. The Shallow Mount Valance completely conceals the mounting brackets while creating a look with a lower profile.

Inside Mount Blinds with a Shallow Mount Valance: Inside measurement of the valance equals ordered blind width plus $\frac{3}{4}$ ". (Still $1\frac{1}{4}$ " wider than actual cut head rail size.)
 (Ordered width) - ($\frac{1}{2}$ " IB deduction) + ($1\frac{1}{4}$ " added for clearance) = ($\frac{3}{4}$ " greater than ordered width)

See page 14 for Shallow Mount Valance Top View drawing.

Individual Decorative Valances

Decorative valances may be ordered individually to upgrade or retrofit existing blinds. Please use the list below when ordering individual valances.

Refer to the Individual Valance Price Grids on page 23 for pricing.


Valances and returns are cut from the inside to ensure the most accurate fit when installed over the head rail or window frame. See Figures 10 and 11 on page 24 on how to measure for a custom valance and returns.

Maximum continuous valance is 102". Lengths over 102" will be spliced in the middle, the grain will not match and the miter will be visible. Maximum spliced valance length is 120".

3" STANDARD INDIVIDUAL DECORATIVE VALANCES	
Color Number	Color Name
2000	Polar White
2001	White
2002	Snow White
2003	Linen
2004	Cream
2005	Antique
2006	Natural
2007	Textured Bright White
2100	Oak
2101	Maple
2102	Teak
2103	Rich Oak
2104	Colonial Cherry
2105	Pecan
2106	Dark Walnut

Keystone Valance Option


Keystones conceal the splices on oversized valances or add a decorative accent.



- For a valances under 102" width, a keystone can be added as decorative accent for an upcharge. The valance will come assembled with the keystone placed in the center. The keystone will match the valance.
- Valances over 102" that are spliced will include a keystone provided at no charge. The keystone will match the valance and cover the splice. The valance will require assembly. A keystone will not affect the width of the overall width of the valance.
- Decorative keystone can be ordered with a tape valance, the tape will not be placed on the keystone. The tape will butt up to it on each side.

Decorative Tape Valances

With this option, a cloth tape is glued across the flat section of the 3" valance.



Refer to the **2015 Newport Woods Blinds Sample Deck** for color and pattern selections to coordinate the wood and tape colors.

- The tape names available for this option are listed below.
- The tape pattern orientation flows left to right.
- The maximum width for a valance with decorative tape option is 102".
- Decorative keystone can be ordered with a tape valance, the tape will not be placed on the keystone. The tape will butt up to it on each side.

SOLID COLOR TAPES	
Color Number	Color Name
1005	White
1112	Natural
1036	Almond
1093	Buckskin
3136	Spicy
1062	Light Cocoa
1055	Black

DECORATIVE TAPES	
Color Number	Color Name
6000	Weave
5006	Cream/Gray/Yellow Stripe
5007	Cream/Gray Stripe
2101	White Flux
2301	Ivory/Brown Stripe

Ladderbraid and Cloth Tapes

- Ladderbraid is standard on all Aria Advanced Faux Wood Blinds.
- Cloth tapes are optional on Aria Blinds and are available in three sizes.
- Cloth tapes are available with motorized tilt option.
- Tapes not available with the Routeless option.
- Cloth tapes are made from a polyester and cotton blend which resist fading and shrinking. **Consult the 2015 Newport Woods Basswood Blinds Sample Deck for color and pattern selections.**

1" SOLID COLOR TAPES	COLOR NUMBER	COLOR NAME
1 3/8" Slats 2" Slats 2 3/8" Slats	1005	White
	1036	Almond
	1055	Black
	1062	Light Cocoa
	1093	Buckskin
	1112	Natural
	3136	Spicy

1 1/2" SOLID COLOR TAPES	COLOR NUMBER	COLOR NAME
1 3/8" Slats 2" Slats 2 3/8" Slats	0341	Malted Milk
	0480	Curr
	0155	Taupe
	0292	Paprika
	0751	Purple Haze
	7212	Pure White
	7200	Cream
	7201	Onyx
	7203	Nutmeg
	7204	Espresso
	7205	Toast
	7206	Beach

1 1/8" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
2" Slats 2 1/2" Slats	2301	Ivory/ Brown Stripe	Almond
	5006	Cream/Gray/ Yellow Stripe	Cream
	5007	Cream/ Gray Stripe	Cream
	2101	White Flux	Pure White
	6000	Weave	Cream

1 1/4" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
2" Slats 2 1/2" Slats	5000	Ivory	Cream
	5001	Beige	Cream
	5002	Light Gray	Cream
	5003	Saddle	Light Cocoa
	5004	Denim	Pure White
	5005	Coffee Bean	Light Cocoa

1 1/2" DECORATIVE COLOR TAPES	COLOR NUMBER	COLOR NAME	ATTACHED TO
2" Slats 2 1/2" Slats	6100	Aztec	Malted Milk
	6200	Dublin	Natural
	0910	White Accent	Pure White
	0911	Ivory Accent	Natural
	0901	White Elegance	Pure White
	4300	Camel Knit	Natural

Ladder Placement

The following tables show the number of ladderbraids or cloth tapes needed based on the width of the blind.

STANDARD LIFT	
Blind Width	Ladders
8" - 21"***	2
21 1/8" - 30"	3
30 3/8" - 41"	4
41 1/8" - 48"	5
48 3/8" - 63"	6
63 3/8" - 75"	7
75 3/8" - 96"	8

***Under 12" Net for 2" slats only

CORDLESS LIFT & LOCK	
Blind Width	Ladders
10 1/2" - 21"	2
21 1/8" - 30"	3
30 3/8" - 41"	4
41 1/8" - 52"	5
52 1/8" - 63"	6
63 3/8" - 75"	7
75 3/8" - 96"	8

Stack Height

Stack height refers to the thickness of the slat stack when the blind is fully raised. The following measurements include head and bottom rails.

2" & 2 1/2" SLATS STANDARD RECTANGULAR BLINDS	
Blind Width	Stack Height
48"	7 1/2"
72"	10"
84"	11 3/4"
96"	13 3/8"

Bottom Rail


Trapezoidal Bottom Rail standard on all Aria Advanced Faux Wood Blinds.

All 2½" Blinds utilize 2" trapezoidal bottom rail.



Lift & Lock Bottom Rail

Color coordinated bottom rail and button is standard on all Cordless Lift & Lock Aria Advanced Faux Wood Blinds.



Routing Types


Routing refers to how the holes are created in the slats and how the slats and lifting system are assembled. Aria Advanced Faux Wood Blinds are available with two kinds of routing: Standard and Routeless.

- **Standard Routing:** Route holes for the lift cord are punched through the center of each slat. The number of route holes depends on the length of the slat. The slats then rest on rungs of the ladderbraid or the designer cloth tapes.
- **Routeless:** Notches at the back of each slat take the place of routing holes, allowing for a sleeker look and allowing for improved room darkening and privacy. The slats then rest on rungs of the ladderbraid.
- The Routeless feature may cause light "puckering" of the lift cords on the front of the blind when the slats are tilt backward (reverse tilt) due to interlacing cords. A gentle tug down on the lift cord tassel will eliminate any puckering. Slats should be tilted only to avoid slats from shifting off the ladderbraid.
- Routeless is not available with cloth tapes.

Please Note: Routeless slats are not recommended for door applications.



Standard Routing



Routeless

End Cut Out Blinds

- Aria Advance Faux Blinds are available with cut outs. There is a maximum cut out of 3" per side. All cut outs must be approved by Technical Services.
- Cut out blinds have surcharge for each side added to the price of the blind.
- Be sure to take exact measurements for your blind with cut outs and to include a diagram of the window to the order form.
- The blind's cut out dimensions are made with the slats in the closed position. Always measure your cut out blind with the slats in the closed position.
- Bottom cut out blinds (Figure 12) will have three bottom rails. Blinds will raise from "G" (Figure 12) to head rail.
- Edge cut out blinds (Figure 13) will have two bottom rails.
- Head rail cut out blinds (Figure 14) are controlled on the opposite side of cut out. Inside mount blinds will raise to the widest width. Outside mount blinds will raise to the head rail.
- A cloth tape option is available. See price grid on page 23 for pricing.




Figure 12 Bottom Cut Out




Figure 13 Edge Cut Out




Figure 14 Head Rail Cut Out

Flame Resistance

Aria Advanced Faux Wood Blinds have passed the following industry test for flame resistance:

- NFPA 701 flammability

GREENGUARD® Certification

GREENGUARD Environmental Institute has established performance based standards to define goods with low chemical and particle emissions for use indoors. Aria Advanced Faux Wood has passed GREENGUARD Indoor Air Quality Certified® certification program for low emitting interior building materials, furnishings, and finish systems.

Product Stability and Thermal Performance

Aria Advanced Faux Wood Blind slat materials are manufactured using a proprietary co-extrusion process that provides reliable strength, heat, humidity and UV resistance over PVC.

- **UV Stability:** Aria slats performed 40% better than PVC or wood in industry tests. The proprietary material will not discolor with prolonged exposure to direct sunlight.
- **Thermal Performance:** Aria material stands up to higher temperatures better than PVC. Aria slats will not “melt” or bow in the window. Aria is guaranteed not to warp in temperatures up to 148 degrees.
- **Product Stability:** Aria material resists cracking, chipping and humidity. Aria Advanced Faux Wood Blinds are perfect window covering for bathrooms, kitchens or any other high humidity environments.

Aria Advanced Faux Wood Blinds Premium Performance Guarantee

Aria Advanced Faux Wood Blinds are made from a highly engineered, high performance proprietary material; specifically developed to stand up to damp or high humidity environments and applications with high heat or direct UV exposure. Aria Advanced Faux Wood Blinds outperform other faux wood blinds in harsh environments. Aria Advanced Faux Wood material is guaranteed not to chip, crack, warp, bow*, fade or discolor for life, or Comfortex will replace the blinds or refund your money, guaranteed.

*Some temporary bowing may occur in extreme high heat environments but slats will return to their original shape when temperature is reduced to normal. Acceptable bowing will not exceed published tolerances.

Premium Performance Guarantee does not cover damage from misuse or abuse, normal wear and tear, failure to adhere to our instructions, shipping or installation/removal charges. Refer to the Aria Advanced Faux Blinds Lifetime Limited Warranty for more specific details.

MEASURING INSTRUCTIONS


Comfortex accepts measurements down to 1/8" increments.

Inside Mount

Use a steel tape to measure the opening at three different places, and use the narrowest dimension when ordering. Be exact! The factory will make the deductions so it will not rub against the window casing. Measure the height of the window from the top (soffit) down to the sill.

Outside or Ceiling Mount

Use a steel tape to measure the exact height and width of the area to be covered. It is recommended that the blinds overlap the window by at least 1 1/2" on each side. When installation has no sill, allow the blind to overlap the bottom of the window casing by at least 1 1/2". Blind slats will measure width indicated on the order form.



Cleaning and Care

Newport Woods Basswood Blinds

Newport Basswood Blinds should be dusted regularly. Use a soft, clean cloth, dusting mitt, feather duster, vacuum cleaner with brush attachment, compressed air or hair dryer (non-heat setting) or cylindrical dust brush especially designed for blinds. Lower the blind to its full length, then tilt the slats almost fully closed and dust. Then do the reverse side of the slats in the same manner. To reach the dust where the slats overlap, it is best not to fully close the blind in either position.

Cleaning and Care

Aria Blinds

Periodic dusting with a feather duster or vacuum cleaner brush is all Aria Blinds should ever require. If necessary, Aria Blinds can be cleaned with soap and water to remove stains. Aria Blinds are fully washable and will not warp if exposed to water or humid conditions.



Child Safety

Be aware that it is possible for children to become entangled in window covering cords. To reduce the risk of accidents, all cords must be kept out of the reach of children.

A cord cleat is an effective way to implement this essential precaution. Cord cleats are available upon request. Please use them.

To mount the cord cleat at a safe height, take into account furniture or other objects upon which a child may climb. Then, after the use of the shade, simply wrap the excess cord around the cleat.

Newport Woods and Aria Blinds utilize a break-away equalizer which comes apart when force is applied from the top. This helps to alleviate an emergency situation if a child does become entangled. However, no safety system is fail-safe. It is recommended to keep cords out of reach of small children and pets.

Aria Advanced Faux Wood Blinds Premium Performance Guarantee

Aria Advanced Faux Wood Blinds are made from a highly engineered, high performance proprietary material; specifically developed to stand up to damp or high humidity environments and applications with high heat or direct UV exposure. Aria Advanced Faux Wood Blinds outperform other faux wood blinds in harsh environments. Aria Advanced Faux Wood material is guaranteed not to chip, crack, warp, bow*, fade or discolor for life, or Comfortex will replace the blinds or refund your money, guaranteed.

*Some temporary bowing may occur in extreme high heat environments but slats will return to their original shape when temperature is reduced to normal. Acceptable bowing will not exceed published tolerances.

Premium Performance Guarantee does not cover damage from misuse or abuse, normal wear and tear, failure to adhere to our instructions, shipping or installation/removal charges. Refer to the Aria Advanced Faux Blinds Lifetime Limited Warranty for more specific details.

⚠ WARNING	
	The cords on this product present a potential strangulation hazard.
	For child safety, consider cordless alternatives or products with inaccessible cords.
⚠ ADVERTENCIA	
	Los cordones de este producto representan un peligro potencial de estrangulamiento.
	Para la seguridad de los niños, utilice alternativas sin cordón o productos cuyos cordones sean inaccesibles.
⚠ MISE EN GARDE	
	Les câbles de ce produit représentent un danger potentiel de strangulation.
	Pour la sécurité des enfants, pensez au sans fil, ou procurez-vous des produits dont les câbles ne sont pas accessibles.

Conditions of Sale

All Comfortex products are custom fabricated to your exact specifications. We cannot accept responsibility for errors in ordering or cancellations and charges after the order is in production.

Policies

Our policies are designed to provide a guide for doing business with Comfortex. Our first priority and number one policy is to provide the highest level of service and total satisfaction.

Freight

Comfortex will ship all orders for fabricated shades or blinds freight free via UPS, FedEx Ground or other similar method within the continental United States*.

A \$3.75 per unit transportation surcharge will be added to all fabricated product orders, within the continental United States, including shades/blinds, vane packs, individual vanes, tracks, valance and cut yardage orders.

In addition, a \$70.00 Common Carrier surcharge** will be added for all orders shipped within the continental United States*, that include shades, blinds or valances with widths of 98" or more and are required to ship by motor freight. Exception: Verticals with lengths of 84" or more, and Roman Shades with widths of 94" or more are required to ship by motor freight.

***Hawaii:** Shipments to Hawaii will incur a freight charge of \$50.00 per unit when shipped from within the Continental US.

****In Addition,** a \$110.00 Common Carrier surcharge for oversized shipments will be added to orders shipping to Hawaii.

***Alaska:** Shipments to Alaska will incur an \$8.00 per unit transportation surcharge when shipped from within the Continental US.

****In addition,** a \$110 Common Carrier surcharge for oversized shipments will be added to orders shipping to Alaska from within the Continental US.

Canada: Shipments to Canadian Dealers will incur a \$6.00 per unit transportation surcharge when shipped from within the Continental US. In addition, a \$110 Common Carrier surcharge for oversized shipments will be added to orders shipping to Canada from within the Continental US.

Comfortex Mexico Plant: All shipments from our Mexico plant to Alaska, Hawaii or anywhere outside the continental U.S. will incur all freight charges (freight forwarder needed if shipping to another country).

Freight continued

All Other Countries: All United States dealers requesting to ship orders outside the United States must provide a freight forwarder for Comfortex to ship to within the continental United States. Comfortex cannot ship directly to your customers located outside the United States.

Note: Comfortex reserves the right to select another carrier, modify shipping terms or change freight policies without notice.

Service and Repair

Service may be obtained by contacting our Customer Service Department. No products, parts, components or other materials will be authorized for return or repair without prior approval from Comfortex. A Return Authorization (RA) may be obtained by contacting our Technical Service Department. In order to provide the quickest service possible, please have your Comfortex Work Order number and original order information available when you call.

Specifications: All Comfortex products are designed and tested to perform as intended within established, published parameters. Requests for "custom fabrication" of products outside of our published specifications may be considered, but are at the discretion of the Comfortex Technical Services department. Restrictions and additional charges apply.

Download installation instructions, order forms or additional price list copies at www.comfortex.com/comfortex-dealers/. The files can be found in the Dealers Resource Center or on the OnDemand Mobile Library.

SOMFY Motorized Blinds Warranty

Somfy offers end product suppliers a 5 year warranty on all motors and controls. Specifically, Somfy warrants its motors and controls to be free from defects in material and workmanship under normal and proper use for a period of 5 years commencing with the date stamped on each product. If the Somfy product fails within this 5 year period, Somfy will repair or replace it free of charge through your end product supplier. Batteries are not covered by the warranty.

Newport Woods Basswood Blinds and Aria Advanced Faux Wood Blinds Warranty

Comfortex warrants that its window treatments will be free from defects in materials and workmanship for as long as the original residential purchaser owns the product, provided that the product was installed properly and in accordance with the installation instructions. The Limited Lifetime Warranty is extended to the original residential purchaser only, in the original window for which it was installed.

The Warranty does not include any conditions or damages resulting from accidents, alterations, misuse, abuse, misapplication, improper handling, installation, repairs, operation, cleaning, exposure to any and all natural and manufactured excessive heat sources. (Excessive heat sources include, but not limited to; magnification of sun light through cubes of glass, heaters of any kind, ovens, candles, lighting fixtures, etc.) This warranty does not cover variation in fabric color, grain, or texture in natural wood products nor excessive warping of wood slats in high humidity areas. Loss of pleating is not covered if the product is not being cycled (held in the raised position a portion of the time). Normal wear and tear is not covered.

All moving parts, such as cords and strings (internal and external), will eventually wear out and fabric may fray. Comfortex considers these things as normal wear and tear and will carry a three year Limited Warranty. All fabric, including fabric vanes, panels, inserts, and shades carry a five year Warranty. Fabric cell separation is covered for a lifetime. See Comfortex Standard Return and Repair Policy for more details.

This Limited Warranty does not cover transportation costs to and from the retailer, costs of removal, re-measure, reinstallation of product, or any incidental or consequential damages.

If a Comfortex product is found to be defective in materials or workmanship, we will, at our discretion, repair, replace or refund the cost of a product which fails to conform to this Limited Warranty. Colors vary from lot to lot and may not exactly match sample swatch, sample book, or previous purchases. Discontinued components or color selections will be replaced with the closest equivalent current product. This shall be your sole remedy under this Limited Warranty.

To obtain service, contact the Dealer from whom you purchased the product.

This Warranty is exclusive and in lieu of all other obligations, liabilities or warranties. In no event shall Comfortex or its licensed fabricators or distributors be liable for incidental or consequential damages, or for any other damage, loss or expense, cost or fee associated with such damage. In some

states, exclusions for incidental or consequential damages are not allowable. Comfortex Dealers and Fabricators must use safety devices supplied by Comfortex in accordance with Window Covering Safety Counsel guidelines.

This Warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. Policy is subject to change without notice.

This Limited Warranty is exclusive of commercial use. Contact Comfortex Technical Service for more information. No agent, representative, dealer or unauthorized employee has the authority to increase or alter the obligation of this Warranty.

This Limited Warranty supersedes any previous versions.

©2018 COMFORTEX CORPORATION

TM is a trademark of Comfortex Corporation. [®] is a registered trademark of Comfortex Corporation. ReedTM, S-CurveTM and Plantation ShutterBlindTM are trademarks of Comfortex Corporation. SOMFY[®] is registered trademark of SOMFY International. U.S. and foreign patents pending. All rights reserved.



Aria™ Advanced Faux Wood Blinds

What's Inside:

- Newport Woods Basswood Blinds
- Aria Advanced Faux Wood Blinds
- Cordless Lift & Lock™

MDS Midwest
WINDOW FASHIONS Designer
Supply

www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)

 **Comfortex**
WINDOW FASHIONS