

genesis®

Genuine Value Retail Sales Guide



June 15, 2020

Custom Roller Shades
Shade Masterpieces™ Custom Shades
Season-View™ Shades
Flat Roman Shades
Panel Track System

**MDS** Midwest
WINDOW FASHIONS Designer
Supply

Prices subject to change without notice

888-523-2611



INDEX



























SPECIFICATION CHARTS		PRICING		PRODUCT INFORMATION	
Fabric Information	Page	Roller Shades	Page	Roller Shades	Page
Fabric	4-5	Chart 1	32	Clutch	44
Screens	6	Chart 2	33	Luxe Clutch	45
The Lafayette Artist Portfolio	7	Chart 3	34	System II Motorization	46
Roller Shades		Chart 4	35	Sonesse 30/40 WireFree Motorization	46
Size Standards		Chart 5	36	R28/Sonesse 28 WireFree Motorization	46
Lifting Systems - Fabrics	8-9	Chart 6	37	Ultra 30 WireFree Motorization	46
Cassettes - Fabrics	11-12	Chart 7	38	Auto-Wand Motorization	48
Fascias/Board Mounted - Fabrics	13-14	Chart 8	39	EZ Charge Motorization	49
EZ-Lift - Fabrics	10	Chart 9	40	Accu-Rise Cordless	51
System II & WireFree Motorization	46	Options and Surcharges	41	EZ-Lift	52
EZ Charge & Auto-Wand Motorization	48-49	Motorization	WEB	Headrails & Valances	
Lifting Systems - Screens	15	Shade Masterpieces	42-43	Small & Large Cassette	53
Cassettes - Screens	17	Roman Shades		Modern & Modern Plus Cassette	54
Fascias/Board Mounted - Screens	18	Charts 2 - 8	67	Fascia and Pocket Systems	55
EZ-Lift - Screens	16	Chart 9	68	Board Mounted	56
Lifting Systems - Sheerweave 5000	19	Options & Surcharges	68	Valances & Metal Accents	57
Cassettes - Sheerweave 5000	20	Motorization	WEB	Specialty Applications	
Fascias/Board Mounted - Sheerweave 5000	21	Panel Track		Light Blockout System	58
EZ-Lift - Sheerweave 5000	19	Charts 1 - 3	78	Season Vue & Cable Guide System	59
The Lafayette Artist Portfolio	22-23	Charts 4 - 6	79	Shade Masterpieces	60
Design Options		Charts 7 - 9	80	COM Roller Shades	61
Options Chart	24			Design Options	
Fabric Valances & Hemlines - Fabrics	25-26			Hem Styles	62
Fabric Valances & Hemlines - Screens	27			Other Options	63
Fabric Valances & Hemlines - Artist Portfolio	28			Roman Shades	
Finished Dimensions & Mounting Requirements				Cordlock	69
Open Roll	29			CareRING Cordless	70
Small Cassette	29			Clutch Systems	71
Large Cassette	29			System II Motorization	46
Modern Cassette	30			Sonesse 30/40 WireFree Motorization	46
Modern Plus Cassette	30			R28/Sonesse 28 WireFree Motorization	46
Board Mounted	30			Ultra 30 WireFree Motorization	46
3" & 4" Fascia	31			Auto-Wand Motorization	48
5" Fascia & 5" Pocket	31			EZ Charge Motorization	49
Clutch & Tube Sizes	31			Specialty Shapes	72-73
				Design Options	74
Roman Shades				Panel Track	81
Size Standards				Design Options	82
Lifting Systems - Fabrics	64			Measuring and Installation	83-84
Lifting Systems - Screens	65				
System II & WireFree Motorization	46			Color-Coordination	WEB
EZ Charge & Auto-Wand Motorization	48-49				
Design Options	66				
Finished Dimensions & Mounting Requirements	66				
Panel Track					
Size Standards	75				
Finished Dimensions & Mounting Requirements	75				
Track Configurations	76-77				

- Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**





* Use the arrow to return to your previous view
(web version only)

* Click [INDEX](#) on any page to return to the Table of Contents*

Genesis Fabric Information































Fabric Name	Price Chart	Fabric Width	Opacity	 FR Code	 Eco Friendly	Season Vue	Flat Roman Price Chart	Specialty Shapes	Panel Track Price Chart	Companions
Adele	5	110"	2		---	N/A	5	Y	5	N/A
Alana	3	108"	2	---		N/A	3	Y	3	N/A
Artistry	2	108"	2	---	---	N/A	N/A	N/A	N/A	Y
Berber Slub	5	108"	2	---		N/A	5	Y	5	Y
Boho	5	94"	4	---		N/A	5	N/A	5	N/A
Boho Eclipse	8	94"	5	---		N/A	N/A	N/A	8	N/A
Cabos	5	108"	1	---		N/A	5	Y	N/A	Y
Charmed	2	110"	3	---	---	N/A	2	N/A	2	Y
Colorado	6	110"	5	---	---	N/A	N/A	N/A	6	N/A
Dakota	6	90"	3	---	---	N/A	6	Y	6	N/A
Dallas	6	72"	2	---		N/A	6	Y	6	N/A
Dior	3	118"	3	---		N/A	N/A	N/A	N/A	N/A
Elise	4	110"	1	---	---	N/A	N/A	N/A	N/A	N/A
Essence	2	96"	4	---	---	N/A	N/A	N/A	2	N/A
Essence Eclipse	4	96"	5	---	---	N/A	N/A	N/A	N/A	N/A
Fedora*	6	72"	2	---		N/A	6	Y	6	N/A
Fiberlucet 	1	72"	3			Y	N/A	N/A	1	N/A
Flirt	7	98"	2	---	---	N/A	N/A	N/A	N/A	Y
Garbo	3	110"	3	---	---	N/A	3	N/A	3	Y
Good Vibes	6	110"	5	---	---	N/A	N/A	N/A	6	N/A
Grasscloth	5	108"	3	---		N/A	5	Y	5	N/A
Grasscloth Eclipse	7	108"	5	---		N/A	N/A	N/A	7	N/A
Hollywood	6	106"	4	---	---	N/A	6	N/A	6	N/A
Hombre*	6	72"	2	---		N/A	6	Y	6	Y
Homespun	7	79"	2	---		N/A	7	Y	7	N/A
Hypnotic	5	108"	3	---	---	N/A	N/A	N/A	N/A	Y
Jackson	6	72"	2	---		N/A	6	Y	6	N/A
Katrina	1	98"	2	---	---	N/A	N/A	N/A	N/A	N/A
Keilani	5	108"	2	---		N/A	5	Y	N/A	N/A
Kingsley	5	108"	2	---		N/A	N/A	N/A	5	N/A
Laura	4	106"	2	---		N/A	4	N/A	4	N/A
Lexie	3	110"	2	---	PVC Free	N/A	N/A	N/A	N/A	N/A
LightVue 	6	72"	N/A	---	---	N/A	N/A	N/A	N/A	N/A
Lindley*	7	72"	5	---		N/A	N/A	N/A	N/A	N/A
Linen	3	88"	5	---	---	N/A	N/A	N/A	N/A	N/A
Long Bay	2	110"	3	---	---	N/A	2	N/A	2	N/A
Long Bay Blackout	6	106"	5	---	---	N/A	N/A	N/A	6	N/A
Milan	5	98"	4	---	---	N/A	N/A	N/A	N/A	N/A
Milan Blackout	7	98"	5	---	---	N/A	N/A	N/A	N/A	N/A
Minamalist	3	110"	5	---	---	N/A	N/A	N/A	N/A	N/A
Moire	2	72"	5			Y	N/A	N/A	N/A	N/A

* Edges will be serged to prevent fraying

 Available Railroaded  NFPA 701  Oeko-Tex 100  Greenguard

Genesis Fabric Information

[Click for Easy Search view](#)

Fabric Name	Price Chart	Fabric Width	Opacity	FR Code	Eco Friendly	Season Vue	Flat Roman Price Chart	Specialty Shapes	Panel Track Price Chart	Companions
Mystic	2	108"	3	---	---	N/A	2	N/A	2	Y
Mystic Eclipse	5	110"	5	---	---	N/A	N/A	N/A	5	Y
New Viking	1	118"	3	---	---	N/A	N/A	N/A	1	N/A
No-Lite Fiberglass ↕	1	72"	5			Y	N/A	N/A	N/A	N/A
No-Lite Fiberglass Duplex ↕	2	72"	5			Y	N/A	N/A	N/A	N/A
Pacifica	9	110"	5		---	N/A	N/A	N/A	N/A	N/A
Pearlescent ↕	3	78"	5	---	---	N/A	N/A	N/A	N/A	N/A
Persia	4	110"	2	---	---	N/A	4	Y	4	N/A
Petticoat	5	110"	2	---	---	N/A	N/A	N/A	N/A	N/A
Princeton	2	78"	4	---	---	N/A	N/A	N/A	2	N/A
Refinery	6	110"	2	---		N/A	6	N/A	N/A	N/A
Refinery Eclipse	7	110"	5	---		N/A	N/A	N/A	N/A	N/A
Rhumba	2	108"	3	---	---	N/A	N/A	N/A	N/A	Y
Roxie	3	110"	3	---	---	N/A	3	N/A	3	N/A
Seclusion ↕	4	120"	5			Y	N/A	N/A	N/A	N/A
Serene	2	98"	5	---	---	N/A	N/A	N/A	N/A	N/A
Serene LF	1	98"	3	---	---	N/A	1	N/A	1	N/A
Shantung	7	79"	3	---		N/A	7	Y	7	N/A
SheerWeave 7000	8	118"	5			Y	N/A	N/A	8	N/A
SheerWeave 7200R	5	118"	5			N/A	N/A	N/A	5	N/A
SheerWeave 7250R	3	118"	3			N/A	3	N/A	3	N/A
SheerWeave 7400	7	118"	5			N/A	N/A	N/A	7	N/A
SheerWeave 7450	4	118"	2	CA 117		N/A	4	Y	4	N/A
Sheerweave 7600	7	118"	5			N/A	N/A	N/A	N/A	N/A
Sheerweave 7650	5	118"	3			N/A	N/A	N/A	N/A	N/A
Shimmer	5	110"	4	---	---	N/A	N/A	N/A	5	N/A
Spector	7	84"	5		---	N/A	N/A	N/A	7	N/A
Strie*	5	108"	2	---		N/A	5	Y	5	Y*
SuperWide ↕	2	106"	5	---	---	N/A	N/A	N/A	N/A	N/A
Tahiti	9	70"	3	---	---	N/A	9	Y	N/A	N/A
Tiffany	9	102"	1	---	---	N/A	N/A	N/A	N/A	N/A
Tussah	4	110"	3	---	PVC Free	N/A	N/A	N/A	N/A	N/A
Vizela	8	94"	2			N/A	8	Y	8	N/A
Weave	6	72"	2	---		N/A	N/A	N/A	6	Y*
Willow	6	72"	2	---		N/A	6	Y	6	N/A
Yellowstone	4	72"	3	---		N/A	4	N/A	4	Y*















































































* Edges will be serged to prevent fraying

* Not available in all colors

↕ Available Railroaded  NFPA 701  Oeko-Tex 100  Greenguard

Genesis Screen Information

[Click for Easy Search view](#)





Fabric Name	Price Chart	Fabric Width	Openess %	FR Code	Eco Friendly	Season Vue	Flat Roman Price Chart	Specialty Shapes	Panel Track Price Chart
Baru	4	98"	10%			N/A	N/A	N/A	N/A
Corbin	5	108"	4%	---		Y	5	Y	5
Dexter	5	108"	4%	---		Y	5	Y	5
Duo Vue	4	98"	1%		---	Y	N/A	N/A	4
E-Screen (3%)	4	122"	3%			Y	4	Y	N/A
E-Screen (5%)	4	122"	5%			Y	4	Y	N/A
E-Screen with KoolBlack (3%)	7	122"	3%			Y	7	Y	N/A
E-Screen with KoolBlack (5%)	6	122"	5%			Y	6	Y	N/A
Lux Screen	4	98"	3%		---	Y	4	Y	4
M Screen (3%)	4	122"	3%			Y	4	Y	4
M Screen (5%)	4	122"	5%			Y	4	Y	4
Net 3000 	3	118"	5%			Y	3	Y	3
NordicScreen Plus BW (3%)	3	118"	3%			Y	N/A	N/A	3
NordicScreen Plus BW (5%)	3	118"	5%			Y	N/A	N/A	3
NordicScreen Plus Twill	4	118"	1%			Y	N/A	N/A	4
SheerWeave 2000 	4	126"	5%			Y	4	Y	4
SheerWeave 2390 	4	126"	5%			Y	N/A	Y	4
SheerWeave 2410 	5	126"	3%			Y	N/A	Y	5
SheerWeave 2500 	6	126"	1%			Y	N/A	Y	6
SheerWeave 2701	6	126"	1%			Y	6	Y	6
SheerWeave 2703	6	126"	3%			Y	6	Y	6
SheerWeave 3000	4	96"	14%			Y	4	Y	4
SheerWeave 4000	4	126"	5%			Y	N/A	N/A	N/A
SheerWeave 4100 	4	98"	10%			Y	N/A	N/A	4
SheerWeave 4400	5	126"	3%			Y	N/A	N/A	5
SheerWeave 4800	6	126"	1%			Y	N/A	N/A	6
SheerWeave 5000 (1%)	5	98"	1%			Y	N/A	N/A	5
SheerWeave 5000 (3%)	5	98"	3%			Y	N/A	N/A	5
SheerWeave 5000 (5%)	5	98"	5%			Y	N/A	N/A	5
SheerWeave 5000 (7%)	5	98"	7%			Y	N/A	N/A	5
S-Screen Elements	6	122"	4%			Y	N/A	N/A	6
S-Screen Origins	6	122"	4%			Y	N/A	N/A	6
Triad	3	118"	3%			Y	N/A	N/A	3
T-Screen with KoolBlack (3%)	6	122"	3%			Y	6	Y	6
T-Screen with KoolBlack (5%)	6	122"	5%			Y	6	Y	6
VX Screen 3000 (1%)	2	118"	1%			Y	2	Y	2
VX Screen 3000 (3%)	2	118"	3%			Y	2	Y	2
VX Screen 3000 (5%)	1	118"	5%			Y	1	Y	N/A

 Available Railroaded
 NFPA 701
 Oeko-Tex 100
 Greenguard

Genesis - Lafayette Artist Portfolio - Fabric Information

[Click for Easy Search view](#)

Fabric Name	Price Chart	Fabric Width	Opacity/ Openess	FR Code	Eco Friendly	Season Vue	Flat Roman Price Chart	Specialty Shapes	Panel Track Price Chart
Expressions Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Expressions Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Expressions Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A
Mindful Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Mindful Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Mindful Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A
Montage Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Montage Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Montage Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A
Ribbons Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Ribbons Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Ribbons Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A
Symmetry Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Symmetry Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Symmetry Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A
Wayfair Eclipse	4	95"	5	---	---	N/A	N/A	N/A	N/A
Wayfair Linen	5	91"	4	---	---	N/A	N/A	N/A	N/A
Wayfair Screen	5	95"	3%	---	---	N/A	N/A	N/A	N/A

 Available Railroaded
  NFPA 701
  Oeko-Tex 100
  Greenguard

Helpful Fabric Information

- A wide variety of textures and patterns are available for custom shades and all fabrics DO NOT perform the same.
- Horizontal lines in a pattern may not be perfectly horizontal at the window. This is NOT considered a defect.
- Opacity ratings for each material are designed as a guide only and are subject to interpretation. Take the sample swatch and candle it to a light source to make your own determination. Warning: Even though a material may be rated "opaque", the application in which it is used may not minimize light leakage.
- Colors may appear different under varied light conditions: fluorescent to incandescent light; daylight to evening; and sample book to window.
- For shades of matching dye lot, order all shades at the same time and designate with the same room number.

Size Standards - Roller Shades - Lifting Systems - Fabrics

Click for Easy Search view	Standard Clutch**		Luxe Clutch		Accu-Rise	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Adele	110"	168"	96"	96"	N/A	N/A
Alana	108"	168"	96"	96"	96"	84"
Artistry	108"	168"	96"	96"	N/A	N/A
Berber Slub	108"	168"	96"	96"	96"	84"
Boho	94"	168"	94"	96"	94"	84"
Boho Eclipse	94"	168"	94"	96"	94"	84"
Cabos	108"	168"	96"	96"	96"	84"
Charmed	110"	168"	96"	96"	N/A	N/A
Colorado	110"	168"	96"	96"	96"	84"
Dakota	90"	168"	90"	96"	90"	84"
Dallas	72"	168"	72"	96"	72"	84"
Dior	118"	168"	96"	96"	96"	84"
Elise	110"	168"	96"	96"	N/A	N/A
Essence	95"	168"	95"	96"	95"	84"
Essence Eclipse	95"	168"	95"	96"	95"	84"
Fedora	72"	168"	72"	96"	72"	84"
Fiberlucent	120**	168"	96**	96"	72"	84"
Flirt	108"	168"	96"	96"	N/A	N/A
Garbo	110"	168"	96"	96"	N/A	N/A
Good Vibes	110"	168"	96"	96"	96"	84"
Grasscloth	108"	168"	96"	96"	96"	84"
Grasscloth Eclipse	108"	168"	96"	96"	96"	84"
Hollywood	106"	168"	96"	96"	96"	84"
Hombre	72"	168"	72"	96"	72"	84"
Homespun	79"	168"	79"	96"	79"	84"
Hypnotic	108"	168"	96"	96"	N/A	N/A
Jackson	72"	168"	72"	84"	N/A	N/A
Katrina	98"	168"	96"	96"	96"	84"
Keilani	108"	168"	96"	96"	96"	84"
Kingsley	108"	168"	96"	96"	96"	84"
Laura	106"	168"	96"	96"	96"	84"
Lexie	110"	168"	96"	96"	96"	84"
LightVue	144**	120"	96**	96"	N/A	N/A
Lindley	72"	168"	72"	96"	72"	84"
Linen	88"	168"	88"	96"	88"	84"
Long Bay	110"	168"	96"	96"	96"	84"
Long Bay Blackout	106"	168"	96"	96"	96"	84"
Milan	98"	168"	96"	96"	96"	84"
Milan Blackout	98"	168"	96"	96"	96"	84"
Minamalist	108"	168"	96"	96"	96"	84"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	24"	15"	24"	32"	24"

Notes: * Max width railroaded
 ** Cannot exceed 140 sq/ft

Size Standards - Roller Shades - Lifting Systems - Fabrics

Click for Easy Search view	Standard Clutch**		Luxe Clutch		Accu-Rise	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Moire	72"	168"	72"	96"	72"	84"
Mystic	108"	168"	96"	96"	96"	84"
Mystic Eclipse	110"	168"	96"	96"	96"	84"
New Viking	118"	168"	96"	96"	96"	84"
No-Lite Fiberglass	168**	168"	96**	96"	72"	84"
No-Lite Fiberglass Duplex	168**	168"	96**	96"	72"	84"
Pacifica	110"	168"	96"	96"	96"	84"
Pearlescent	168**	168"	96**	96"	78"	84"
Persia	110"	168"	96"	96"	96"	84"
Petticoat	110"	168"	96"	96"	N/A	N/A
Princeton	78"	168"	78"	96"	78"	84"
Refinery	110"	168"	96"	96"	96"	84"
Refinery Eclipse	110"	168"	96"	96"	96"	84"
Rhumba	108"	168"	96"	96"	N/A	N/A
Roxie	110"	168"	96"	96"	96"	84"
Seclusion	168**	168"	96"	96"	96"	84"
Serene	98"	168"	96"	96"	96"	84"
Serene LF	98"	168"	96"	96"	96"	84"
Shantung	79"	168"	79"	96"	79"	84"
SheerWeave 7000	118"	168"	96"	96"	96"	84"
SheerWeave 7200R	118"	168"	96"	96"	96"	84"
SheerWeave 7250R	118"	168"	96"	96"	96"	84"
SheerWeave 7400	118"	168"	96"	96"	96"	84"
SheerWeave 7450	118"	168"	96"	96"	96"	84"
SheerWeave 7600	118"	168"	96"	96"	96"	84"
SheerWeave 7650	118"	168"	96"	96"	96"	84"
Shimmer	110"	168"	96"	96"	96"	84"
Spector	84"	168"	84"	96"	84"	84"
Strie	108"	168"	96"	96"	96"	84"
SuperWide	168**	168"	96"	96"	96"	84"
Tahiti	70"	168"	N/A	N/A	N/A	N/A
Tiffany	102"	168"	96"	96"	96"	84"
Tussah	110"	168"	96"	96"	96"	84"
Vizela	94"	168"	94"	96"	94"	84"
Weave	72"	168"	72"	96"	72"	84"
Willow	72"	168"	72"	96"	72"	84"
Yellowstone	72"	168"	72"	96"	72"	84"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	24"	15"	24"	32"	24"

Notes: * Max width railroaded
 ** Cannot exceed 140 sq/ft

Size Standards - Roller Shades - EZ-Lift - Fabrics

Click for Easy Search view	Open Roll/ Board Mount/ Lg Cassette		Small Cassette		Modern Cassette		Pattern	Open Roll/ Board Mount/ Lg Cassette		Small Cassette		Modern Cassette	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height		Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Adele	72"	84"	72"	72"	72"	84"	Minamalist	72"	84"	72"	72"	72"	84"
Alana	72"	84"	72"	72"	72"	84"	Moire	72"	84"	72"	72"	72"	84"
Artistry	72"	84"	72"	72"	72"	84"	Mystic	72"	84"	72"	72"	72"	84"
Berber Slub	72"	84"	72"	72"	72"	84"	Mystic Eclipse	72"	84"	72"	72"	72"	84"
Boho	72"	84"	72"	72"	72"	84"	New Viking	72"	84"	72"	72"	72"	84"
Boho Eclipse	72"	84"	72"	72"	72"	84"	No-Lite Fiberglass	72"	84"	72"	72"	72"	84"
Cabos	72"	84"	60"	72"	72"	78"	No-Lite Fiberglass Duplex	72"	84"	72"	72"	72"	84"
Charmed	72"	84"	72"	72"	72"	84"	Pacifica	72"	84"	72"	72"	72"	84"
Colorado	72"	84"	72"	60"	72"	84"	Pearlescent	72"	84"	72"	72"	72"	84"
Dakota	72"	84"	72"	60"	72"	78"	Persia	72"	84"	72"	72"	72"	84"
Dallas	72"	84"	72"	72"	72"	84"	Petticoat	N/A	N/A	N/A	N/A	N/A	N/A
Dior	72"	84"	72"	72"	72"	84"	Princeton	72"	84"	72"	72"	72"	84"
Elise	72"	84"	72"	72"	72"	84"	Refinery	72"	84"	72"	72"	72"	84"
Essence	72"	84"	72"	72"	72"	84"	Refinery Eclipse	72"	84"	72"	72"	72"	84"
Essence Eclipse	72"	84"	72"	72"	72"	84"	Rhumba	N/A	N/A	N/A	N/A	N/A	N/A
Fedora	72"	84"	72"	72"	72"	84"	Roxie	72"	84"	72"	72"	72"	84"
Fiberlucet	72"	84"	72"	72"	72"	84"	Seclusion	72"	84"	72"	72"	72"	84"
Flirt	N/A	N/A	N/A	N/A	N/A	N/A	Serene	72"	84"	72"	72"	72"	84"
Garbo	N/A	N/A	N/A	N/A	N/A	N/A	Serene LF	72"	84"	72"	72"	72"	84"
Good Vibes	72"	84"	72"	72"	72"	84"	Shantung	72"	84"	72"	72"	72"	84"
Grasscloth	72"	84"	72"	72"	72"	84"	SheerWeave 7000	72"	84"	72"	72"	72"	84"
Grasscloth Eclipse	72"	84"	60"	60"	72"	84"	SheerWeave 7200R	72"	84"	72"	72"	72"	84"
Hollywood	72"	84"	72"	72"	72"	84"	SheerWeave 7250R	72"	84"	72"	72"	72"	84"
Hombre	72"	84"	72"	72"	72"	84"	SheerWeave 7400	72"	84"	72"	72"	72"	84"
Homespun	72"	84"	72"	72"	72"	84"	SheerWeave 7450	72"	84"	72"	72"	72"	84"
Hypnotic	N/A	N/A	N/A	N/A	N/A	N/A	SheerWeave 7600	72"	84"	72"	72"	72"	84"
Jackson	N/A	N/A	N/A	N/A	N/A	N/A	SheerWeave 7650	72"	84"	72"	72"	72"	84"
Katrina	72"	84"	72"	72"	72"	84"	Shimmer	72"	84"	72"	72"	72"	84"
Keilani	72"	84"	72"	60"	72"	84"	Spector	72"	84"	72"	72"	72"	84"
Kingsley	N/A	N/A	N/A	N/A	N/A	N/A	Strie	72"	84"	72"	72"	72"	84"
Laura	72"	84"	72"	72"	72"	84"	SuperWide	72"	84"	72"	72"	72"	84"
Lexie	72"	84"	72"	72"	72"	84"	Tahiti	N/A	N/A	N/A	N/A	N/A	N/A
LlghtVue	N/A	N/A	N/A	N/A	N/A	N/A	Tiffany	72"	84"	72"	72"	72"	84"
Lindley	72"	84"	72"	72"	72"	84"	Tussah	72"	84"	72"	72"	72"	84"
Linen	72"	84"	72"	72"	72"	84"	Vizela	72"	84"	72"	72"	72"	84"
Long Bay	72"	84"	72"	72"	72"	84"	Weave	72"	84"	72"	72"	72"	84"
Long Bay Blackout	72"	84"	72"	72"	72"	84"	Willow	72"	84"	72"	72"	72"	84"
Milan	72"	84"	72"	72"	72"	84"	Yellowstone	72"	84"	72"	66"	72"	84"
Milan Blackout	72"	84"	72"	72"	72"	84"							
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height		Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	18 1/2"	24"	18 1/2"	24"	18 1/2"	24"		18 1/2"	24"	18 1/2"	24"	18 1/2"	24"

Note: For widths 18 1/2" to 26 1/2" shades are available up to 56" long.

Size Standards - Roller Shades - Cassette - Fabrics

Pattern	Small Cassette			Large Cassette			Modern Cassette			Modern Plus Cassette		
	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)
Adele	96"	108"	56	110"	120"	80	110"	120"	80	110"	144"	110
Alana	96"	108"	56	108"	120"	80	108"	120"	80	108"	144"	108
Artistry	96"	120"	56	108"	120"	80	108"	120"	80	108"	144"	100
Berber Slub	96"	96"	42	108"	108"	54	108"	108"	54	108"	144"	72
Boho	94"	108"	56	94"	120"	78	94"	120"	78	94"	144"	94
Boho Eclipse	94"	102"	56	94"	120"	78	94"	120"	78	94"	144"	94
Cabos	96"	60"	48	108"	96"	72	108"	78"	58	108"	132"	99
Charmed	96"	102"	56	110"	120"	80	110"	120"	80	110"	144"	110
Colorado	96"	108"	56	110"	120"	80	110"	120"	80	110"	144"	110
Dakota	90"	60"	45	90"	96"	60	90"	78"	48	90"	138"	86
Dallas	72"	96"	48	72"	108"	54	72"	108"	54	72"	144"	72
Dior	96"	78"	48	118"	120"	80	118"	102"	80	118"	138"	100
Elise	96"	96"	56	110"	108"	80	110"	108"	80	110"	144"	100
Essence	95"	114"	56	95"	120"	80	95"	120"	80	95"	144"	115
Essence Eclipse	95"	108"	56	95"	120"	80	95"	120"	80	95"	144"	95
Fedora	72"	96"	48	72"	120"	60	72"	120"	60	72"	144"	72
Fiberlucent	96**	120"	56	120**	120"	80	120**	120"	80	120**	144"	120
Flirt	96"	96"	56	108"	108"	80	108"	108"	80	108"	144"	100
Garbo	96"	108"	56	110"	120"	80	110"	120"	80	110"	144"	110
Good Vibes	96"	96"	56	110"	120"	80	110"	120"	80	110"	144"	110
Grasscloth	96"	96"	48	108"	108"	54	108"	108"	54	108"	144"	72
Grasscloth Eclipse	96"	60"	40	108"	120"	80	108"	108"	80	108"	138"	105
Hollywood	96"	114"	56	106"	120"	80	106"	120"	80	106"	144"	106
Hombre	72"	108"	54	72"	120"	60	72"	120"	60	72"	144"	72
Homespun	79"	102"	52	79"	120"	65	79"	120"	65	79"	144"	79
Hypnotic	96"	96"	56	108"	108"	80	108"	108"	80	108"	144"	100
Jackson	N/A	N/A	N/A	72"	72"	36	72"	60"	30	72"	96"	48
Katrina	96"	120"	48	98"	120"	80	98"	120"	80	98"	144"	98
Keilani	96"	60"	40	108"	102"	74	108"	84"	56	108"	138"	105
Kingsley	N/A	N/A	N/A	108"	90"	67	108"	78"	52	108"	126"	94
Laura	96"	120"	56	106"	120"	80	106"	120"	80	106"	144"	106
Lexie	96"	102"	56	110"	120"	80	110"	120"	80	110"	144"	110
LightVue	96**	120"	56	120**	120"	80	120**	120"	80	120**	120"	120
Lindley	72"	84"	42	72"	96"	48	72"	96"	48	72"	144"	72
Linen	88"	108"	56	88"	120"	73	88"	120"	73	88"	144"	88
Long Bay	96"	102"	56	110"	120"	80	110"	120"	80	110"	144"	110
Long Bay Blackout	96"	90"	56	106"	108"	79	106"	108"	79	106"	144"	96
Milan	96"	96"	56	98"	108"	80	98"	108"	80	98"	144"	100
Milan Blackout	96"	96"	56	98"	108"	80	98"	108"	80	98"	144"	100
Minamalist	96"	114"	56	108"	120"	80	108"	120"	80	108"	144"	108
	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---
	15"	24"	---	15"	24"	---	15"	24"	---	15"	24"	---

Notes: * Max width railroaded
 ** Cannot exceed 140 sq/ft

[For EZ-Lift specifications for cassettes - Page 10](#)

Size Standards - Roller Shades - Cassette - Fabrics

Click for Easy Search view	Small Cassette			Large Cassette			Modern Cassette			Modern Plus Cassette		
Pattern	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)
Moire	72"	120"	54	72"	120"	60	72"	120"	60	72"	144"	72
Mystic	96"	102"	56	108"	120"	80	108"	120"	80	108"	144"	108
Mystic Eclipse	96"	90"	56	110"	120"	80	110"	120"	80	110"	144"	110
New Viking	96"	114"	56	118"	120"	80	118"	120"	80	118"	144"	118
No-Lite Fiberglass	96**	120"	56	120**	120"	80	120**	120"	80	120**	144"	120
No-Lite Fiberglass Duplex	96**	120"	56	120**	120"	80	120**	120"	80	120**	144"	120
Pacifica	96"	102"	56	110"	120"	80	110"	120"	80	110"	144"	110
Pearlescent	96**	102"	56	120**	120"	80	120**	120"	80	120**	144"	120
Persia	96"	84"	56	110"	120"	80	110"	114"	80	110"	138"	104
Petticoat	N/A	N/A	N/A	110"	90"	68	110"	72"	55	110"	126"	95
Princeton	78"	114"	55	78"	120"	65	78"	120"	65	78"	144"	78
Refinery	96"	108"	56	110"	120"	80	110"	120"	80	110"	144"	110
Refinery Eclipse	96"	96"	56	110"	120"	80	110"	120"	80	110"	144"	110
Rhumba	96"	108"	56	108"	120"	80	108"	120"	80	108"	144"	108
Roxie	96"	90"	56	110"	120"	80	110"	120"	80	110"	138"	105
Seclusion	96"	102"	56	120"	120"	80	N/A	N/A	N/A	N/A	N/A	N/A
Serene	96"	108"	56	98"	120"	80	98"	120"	80	98"	144"	98
Serene LF	96"	108"	56	98"	120"	80	98"	120"	80	98"	144"	98
Shantung	79"	96"	46	79"	96"	52	79"	96"	52	79"	144"	79
SheerWeave 7000	96"	78"	52	118"	96"	80	118"	96"	80	118"	138"	104
SheerWeave 7200R	96"	102"	56	118"	120"	80	118"	120"	80	118"	144"	118
SheerWeave 7250R	96"	108"	56	118"	120"	80	118"	120"	80	118"	144"	118
SheerWeave 7400	96"	84"	52	118"	96"	78	118"	96"	78	118"	138"	104
SheerWeave 7450	96"	120"	56	118"	108"	80	118"	108"	80	118"	144"	118
SheerWeave 7600	96"	108"	56	118"	120"	80	118"	120"	80	118"	144"	118
SheerWeave 7650	96"	114"	56	118"	120"	80	118"	120"	80	118"	144"	118
Shimmer	96"	114"	56	110"	120"	80	110"	120"	80	110"	144"	110
Spector	84"	114"	56	84"	120"	70	84"	120"	70	84"	144"	84
Strie	96"	72"	42	108"	102"	51	108"	102"	51	108"	144"	72
SuperWide	96"	102"	56	120**	120"	80	120**	120"	80	120**	144"	120
Tahiti	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Tiffany	96"	114"	56	102"	120"	80	102"	120"	80	102"	144"	102
Tussah	96"	102"	48	110"	108"	80	110"	108"	80	110"	144"	110
Vizela	94"	102"	56	94"	120"	78	94"	120"	78	94"	144"	94
Weave	72"	96"	39	72"	102"	51	72"	102"	51	72"	144"	72
Willow	72"	108"	54	72"	120"	60	72"	120"	60	72"	144"	72
Yellowstone	72"	66"	33	72"	96"	48	72"	96"	48	72"	144"	72
	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---
	15"	24"	---	15"	24"	---	15"	24"	---	15"	24"	---

Notes: * Max width railroaded.

** Cannot exceed 140 sq/ft

[For EZ-Lift specifications for cassettes - Page 10](#)

Size Standards - Roller Shades - Fascias/Board Mounted - Fabrics

Click for Easy Search view	3" Fascia		4" Fascia		5" Fascia**		5" Fascia Dual		5" Pocket Single**		5" Pocket Dual		Board Mounted*	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Adele	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	91"	120"
Alana	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Artistry	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Berber Slub	96"	96"	108"	144"	108"	168"	96"	78"	108"	168"	96"	78"	99"	120"
Boho	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	85"	120"
Boho Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	85"	120"
Cabos	96"	90"	108"	144"	108"	168"	N/A	N/A	108"	168"	N/A	N/A	99"	120"
Charmed	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Colorado	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Dakota	90"	90"	90"	144"	90"	168"	N/A	N/A	90"	168"	N/A	N/A	81"	120"
Dallas	72"	96"	72"	144"	72"	168"	72"	90"	72"	168"	72"	90"	63"	120"
Dior	96"	96"	118"	144"	118"	168"	96"	60"	118"	168"	96"	60"	109"	120"
Elise	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Essence*	95"	96"	95"	144"	95"	168"	95"	96"	95"	168"	95"	96"	86"	120"
Essence Eclipse*	95"	96"	95"	144"	95"	168"	95"	96"	95"	168"	95"	96"	86"	120"
Fedora	72"	96"	72"	144"	72"	168"	72"	90"	72"	168"	72"	90"	63"	120"
Fiber-Lucent	96**	96"	120**	144"	120**	168"	96**	96"	120**	168"	96**	96"	120**	120"
Flirt	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Garbo	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Good Vibes	96"	96"	110"	144"	110"	168"	96"	78"	110"	168"	96"	78"	101"	120"
Grasscloth	96"	96"	108"	144"	108"	168"	96"	84"	108"	168"	96"	84"	99"	120"
Grasscloth Eclipse	96"	96"	108"	144"	108"	168"	96"	66"	108"	168"	96"	66"	99"	120"
Hollywood	96"	96"	106"	144"	106"	168"	96"	96"	106"	168"	96"	96"	97"	120"
Hombre	72"	96"	72"	144"	72"	168"	72"	96"	72"	168"	72"	96"	63"	120"
Homespun	79"	96"	79"	144"	79"	168"	79"	96"	79"	168"	79"	96"	70"	120"
Hypnotic	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Jackson	72"	72"	72"	132"	72"	168"	N/A	N/A	72"	168"	N/A	N/A	63"	120"
Katrina	96"	96"	98"	144"	98"	168"	98"	96"	98"	168"	98"	96"	89"	120"
Keilani	96"	96"	108"	144"	108"	168"	N/A	N/A	108"	168"	N/A	N/A	99"	120"
Kingsley	96"	90"	108"	144"	108"	168"	N/A	N/A	108"	168"	N/A	N/A	99"	120"
Laura	96"	96"	106"	144"	106"	168"	96"	96"	106"	168"	96"	96"	97"	120"
Lexie	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Light-Vue	96**	96"	120**	120"	144**	120"	96**	96"	144**	120"	96**	96"	120**	120"
Lindley	72"	96"	72"	144"	72"	168"	72"	66"	72"	168"	72"	66"	63"	120"
Linen	88"	96"	88"	144"	88"	168"	88"	96"	88"	168"	88"	96"	79"	120"
Long Bay	96"	96"	110"	144"	110"	168"	96"	84"	110"	168"	96"	84"	101"	120"
Long Bay Blackout	96"	96"	106"	144"	106"	168"	96"	72"	106"	168"	96"	72"	97"	120"
Milan	96"	96"	98"	144"	98"	168"	96"	96"	98"	168"	96"	96"	98"	120"
Milan Blackout	96"	96"	98"	144"	98"	168"	96"	96"	98"	168"	96"	96"	98"	120"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"

Notes: * Max width railroaded, * View Pages 25-26 for fabric-wrapped headrail availability

** Cannot exceed 140 sq/ft

For EZ-Lift specifications for board mounted - Page 10

Size Standards - Roller Shades - Fascias/Board Mounted - Fabrics

Click for Easy Search view Pattern	3" Fascia		4" Fascia		5" Fascia**		5" Fascia Dual		5" Pocket Single**		5" Pocket Dual		Board Mounted*	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Minamalist	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Moire	72"	96"	72"	144"	72"	168"	72"	96"	72"	168"	72"	96"	63"	120"
Mystic	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	95"	120"
Mystic Eclipse	96"	96"	110"	144"	110"	168"	96"	72"	110"	168"	96"	72"	95"	120"
New Viking	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
No-Lite Fiberglass	96**	96"	120**	144"	168**	168"	96**	96"	168**	168"	96**	96"	120**	120"
No-Lite Fiberglass Duplex	96**	96"	120**	144"	168**	168"	96**	96"	168**	168"	96**	96"	120**	120"
Pacifica	96"	96"	110"	144"	110"	168"	96"	78"	110"	168"	96"	78"	91"	120"
Pearlescent	96**	96"	120**	144"	168**	168"	96**	96"	168**	168"	96**	96"	120**	120"
Persia	96"	96"	110"	144"	110"	168"	96"	66"	110"	168"	96"	66"	101"	120"
Petticoat	96"	84"	110"	144"	110"	168"	N/A	N/A	110"	168"	N/A	N/A	101"	120"
Princeton	78"	96"	78"	144"	78"	168"	78"	96"	78"	168"	78"	96"	69"	120"
Refinery	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Refinery Eclipse	96"	96"	110"	144"	110"	168"	96"	72"	110"	168"	96"	72"	101"	120"
Rhumba	96"	96"	108"	144"	108"	168"	96"	96"	108"	168"	96"	96"	99"	120"
Roxie	96"	96"	110"	144"	110"	168"	96"	72"	110"	168"	96"	72"	101"	120"
Seclusion	96"	96"	120"	144"	168**	168"	96"	96"	168**	168"	96"	96"	120"	120"
Serene	96"	96"	98"	144"	98"	168"	96"	96"	98"	168"	96"	96"	89"	120"
Serene LF	96"	96"	98"	144"	98"	168"	96"	96"	98"	168"	96"	96"	89"	120"
Shantung	79"	96"	79"	144"	79"	168"	79"	84"	79"	168"	79"	84"	70"	120"
SheerWeave 7000	96"	96"	118"	144"	118"	168"	96"	66"	118"	168"	96"	66"	109"	120"
SheerWeave 7200R	96"	96"	118"	144"	118"	168"	96"	90"	118"	168"	96"	90"	109"	120"
SheerWeave 7250R	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
SheerWeave 7400	96"	96"	118"	144"	118"	168"	96"	66"	118"	168"	96"	66"	109"	120"
SheerWeave 7450	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
SheerWeave 7600	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
SheerWeave 7650	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
Shimmer	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	101"	120"
Spector	84"	96"	84"	144"	84"	168"	84"	96"	84"	168"	84"	96"	75"	120"
Strie	96"	96"	108"	144"	108"	168"	96"	78"	108"	168"	96"	78"	99"	120"
SuperWide	96"	96"	120**	144"	168**	168"	96"	96"	168**	168"	96"	96"	120**	120"
Tahiti	N/A	N/A	70"	96"	70"	120"	N/A	N/A	70"	120"	N/A	N/A	61"	90"
Tiffany	96"	96"	102"	144"	102"	168"	96"	96"	102"	168"	96"	96"	93"	120"
Tussah	96"	96"	110"	144"	110"	168"	96"	96"	110"	168"	96"	96"	95"	120"
Vizela	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	85"	120"
Weave	72"	96"	72"	144"	72"	168"	72"	78"	72"	168"	72"	78"	63"	120"
Willow	72"	96"	72"	144"	72"	168"	72"	96"	72"	168"	72"	96"	63"	120"
Yellowstone	72"	96"	72"	144"	72"	168"	72"	60"	72"	168"	72"	60"	63"	120"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"

Notes: * Max width railroaded, * View Pages 25-26 for fabric-wrapped headrail availability
 ** Cannot exceed 140 sq/ft
 For EZ-Lift specifications for board mounted - Page 10

Size Standards - Roller Shades - Lifting Systems - Screens

Click for Easy Search view	Standard Clutch**		Luxe Clutch		Accu-Rise	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Baru	98"	168"	96"	96"	96"	84"
Corbin	108"	168"	96"	84"	96"	84"
Dexter	108"	168"	96"	90"	96"	84"
Duo Vue	98"	168"	98"	96"	96"	84"
E-Screen (3%)	122"	168"	96"	96"	96"	84"
E-Screen (5%)	122"	168"	96"	96"	96"	84"
E-Screen with KoolBlack (3%)	122"	168"	96"	96"	96"	84"
E-Screen with KoolBlack (5%)	122"	168"	96"	96"	96"	84"
Lux Screen	98"	168"	96"	96"	96"	84"
M Screen (3%)	122"	168"	96"	96"	96"	84"
M Screen (5%)	122"	168"	96"	96"	96"	84"
Net 3000	168**	168"	96"	96"	96"	84"
NordicScreen Plus BW (3%)	118"	168"	96"	96"	96"	84"
NordicScreen Plus BW (5%)	118"	168"	96"	96"	96"	84"
NordicScreen Plus Twill	118"	168"	96"	96"	96"	84"
SheerWeave 2000	168**	168"	96"	96"	96"	84"
SheerWeave 2390	168**	168"	96"	96"	96"	84"
SheerWeave 2410	168**	168"	96"	96"	96"	84"
SheerWeave 2500	168**	168"	96"	96"	96"	84"
SheerWeave 2701	126"	168"	96"	96"	96"	84"
SheerWeave 2703	126"	168"	96"	96"	96"	84"
SheerWeave 3000	96"	168"	96"	96"	96"	84"
SheerWeave 4000	126"	168"	96"	96"	96"	84"
SheerWeave 4100	168**	168"	96"	96"	96"	84"
SheerWeave 4400	126"	168"	96"	96"	96"	84"
SheerWeave 4800	126"	168"	96"	96"	96"	84"
SheerWeave 5000 (1%)	See Page 19					
SheerWeave 5000 (3%)	See Page 19					
SheerWeave 5000 (5%)	See Page 19					
SheerWeave 5000 (7%)	See Page 19					
S-Screen Elements	122"	168"	96"	96"	96"	84"
S-Screen Origins	122"	168"	96"	96"	96"	84"
Triad	118"	168"	96"	96"	96"	84"
T-Screen with KoolBlack (3%)	122"	168"	96"	96"	96"	84"
T-Screen with KoolBlack (5%)	122"	168"	96"	96"	96"	84"
VX Screen 3000 (1%)	118"	168"	96"	96"	96"	84"
VX Screen 3000 (3%)	118"	168"	96"	96"	96"	84"
VX Screen 3000 (5%)	118"	168"	96"	96"	96"	84"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	24"	15"	24"	32"	24"

Notes: * Max width railroaded,
 ** Cannot exceed 140 sq/ft

Size Standards - EZ-Lift - Screens

Click for Easy Search view	Open Roll/ Board Mount/ Large Cassette		Small Cassette		Modern Cassette	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Baru	72"	84"	72"	72"	72"	84"
Corbin	72"	78"	N/A	N/A	72"	66"
Dexter	72"	84"	N/A	N/A	72"	72"
Duo Vue	72"	84"	72"	72"	72"	84"
E-Screen (3%)	72"	84"	72"	72"	72"	84"
E-Screen (5%)	72"	84"	72"	72"	72"	84"
E-Screen with KoolBlack (3%)	72"	84"	72"	72"	72"	84"
E-Screen with KoolBlack (5%)	72"	84"	72"	72"	72"	84"
Lux Screen	72"	84"	72"	72"	72"	84"
M Screen (3%)	72"	84"	72"	72"	72"	84"
M Screen (5%)	72"	84"	72"	72"	72"	84"
Net 3000	72"	84"	72"	72"	72"	84"
NordicScreen Plus BW (3%)	72"	84"	72"	72"	72"	84"
NordicScreen Plus BW (5%)	72"	84"	72"	72"	72"	84"
NordicScreen Plus Twill	72"	84"	72"	72"	72"	84"
SheerWeave 2000	72"	84"	72"	72"	72"	84"
SheerWeave 2390	72"	84"	72"	72"	72"	84"
SheerWeave 2410	72"	84"	72"	72"	72"	84"
SheerWeave 2500	72"	84"	72"	72"	72"	84"
SheerWeave 2701	72"	84"	72"	72"	72"	84"
SheerWeave 2703	72"	84"	72"	72"	72"	84"
SheerWeave 3000	72"	84"	72"	72"	72"	84"
SheerWeave 4000	72"	84"	72"	72"	72"	84"
SheerWeave 4100	72"	84"	72"	72"	72"	84"
SheerWeave 4400	72"	84"	72"	66"	72"	84"
SheerWeave 4800	72"	84"	72"	60"	72"	84"
SheerWeave 5000 (1%)	See Page 19					
SheerWeave 5000 (3%)	See Page 19					
SheerWeave 5000 (5%)	See Page 19					
SheerWeave 5000 (7%)	See Page 19					
S-Screen Elements	72"	84"	72"	60"	72"	84"
S-Screen Origins	72"	84"	72"	60"	72"	84"
Triad	72"	84"	72"	66"	72"	84"
T-Screen with KoolBlack (3%)	72"	84"	72"	72"	72"	84"
T-Screen with KoolBlack (5%)	72"	84"	72"	72"	72"	84"
VX Screen 3000 (1%)	72"	84"	72"	72"	72"	84"
VX Screen 3000 (3%)	72"	84"	72"	72"	72"	84"
VX Screen 3000 (5%)	72"	84"	72"	72"	72"	84"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	18 1/2"	24"	18 1/2"	24"	18 1/2"	24"

Notes: For widths 18 1/2" to 26 1/2" shades are available up to 56" long.

Size Standards - Roller Shades - Cassettes- Screens

Click for Easy Search view	Small Cassette			Large Cassette			Modern Cassette			Modern Plus Cassette		
Pattern	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)
Baru	96"	84"	52	98"	114"	77	98"	114"	77	98"	144"	96
Corbin	N/A	N/A	N/A	108"	78"	58	108"	66"	49	108"	120"	90
Dexter	N/A	N/A	N/A	108"	84"	63	108"	72"	54	108"	132"	96
Duo Vue	96"	72"	48	98"	96"	65	98"	96"	65	98"	144"	96
E-Screen (3%)	96"	108"	48	120"	120"	80	120"	120"	80	120"	144"	110
E-Screen (5%)	96"	108"	48	120"	120"	80	120"	120"	80	120"	144"	110
E-Screen with KoolBlack (3%)	96"	108"	48	120"	120"	80	120"	120"	80	120"	144"	110
E-Screen with KoolBlack (5%)	96"	108"	48	120"	120"	80	120"	120"	80	120"	144"	110
Lux Screen	96"	72"	48	98"	96"	65	98"	96"	65	98"	144"	96
M Screen (3%)	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
M Screen (5%)	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
Net 3000	96"	108"	56	120**	120"	80	120**	120"	80	120**	144"	110
NordicScreen Plus BW (3%)	96"	102"	56	118"	120"	80	118"	120"	80	118"	144"	110
NordicScreen Plus BW (5%)	96"	102"	56	118"	120"	80	118"	120"	80	118"	144"	110
NordicScreen Plus Twill	96"	102"	56	118"	120"	80	118"	120"	80	118"	144"	110
SheerWeave 2000	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
SheerWeave 2390	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
SheerWeave 2410	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
SheerWeave 2500	96"	108"	56	120"	120"	80	120"	120"	80	120"	144"	110
SheerWeave 2701	96"	90"	52	120"	120"	80	120"	120"	80	120"	144"	110
SheerWeave 2703	96"	84"	52	120"	114"	80	120"	114"	80	120"	144"	96
SheerWeave 3000	96"	78"	50	96"	102"	68	96"	102"	68	96"	144"	96
SheerWeave 4000	96"	72"	48	120"	102"	80	120"	96"	80	120"	144"	100
SheerWeave 4100	96"	72"	48	120**	102"	80	120**	102"	80	98"	144"	95
SheerWeave 4400	96"	66"	42	120"	96"	80	120"	90"	75	120"	144"	96
SheerWeave 4800	96"	60"	40	120"	96"	80	120"	84"	70	120"	144"	90
SheerWeave 5000 (1%)	See Page 20											
SheerWeave 5000 (3%)	See Page 20											
SheerWeave 5000 (5%)	See Page 20											
SheerWeave 5000 (7%)	See Page 20											
S-Screen Elements	96"	60"	40	120"	96"	80	120"	84"	70	120"	138"	88
S-Screen Origins	96"	60"	40	120"	96"	80	120"	84"	70	120"	138"	88
Triad	96"	66"	44	118"	96"	75	118"	84"	68	118"	138"	95
T-Screen with KoolBlack (3%)	96"	78"	52	120"	114"	80	120"	108"	80	120"	144"	96
T-Screen with KoolBlack (5%)	96"	84"	56	120"	120"	80	120"	120"	80	120"	144"	96
VX Screen 3000 (1%)	96"	96"	52	118"	120"	80	118"	120"	80	118"	144"	110
VX Screen 3000 (3%)	96"	96"	56	118"	120"	80	118"	120"	80	118"	144"	110
VX Screen 3000 (5%)	96"	102"	56	118"	120"	80	118"	120"	80	118"	144"	110
	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---
	15"	24"	---	15"	24"	---	15"	24"	---	15"	24"	---

Notes: * Max width railroded
 ** Cannot exceed 140 sq/ft
[For EZ-Lift specifications for cassettes - Page 16](#)

Size Standards - Roller Shades - Fascias/Board Mounted - Screens

Pattern	3" Fascia		4" Fascia		5" Fascia**		5" Fascia Dual		5" Pocket Single**		5" Pocket Dual		Board Mounted+	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Baru	96"	96"	98"	144"	98"	168"	96"	72"	98"	168"	96"	72"	89"	120"
Corbin	96"	84"	108"	144"	108"	168"	N/A	N/A	108"	168"	N/A	N/A	99"	120"
Dexter	96"	90"	108"	144"	108"	168"	N/A	N/A	108"	168"	N/A	N/A	99"	120"
Duo Vue	96"	96"	98"	144"	98"	168"	98"	84"	98"	168"	98"	84"	89"	120"
E-Screen (3%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
E-Screen (5%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
E-Screen with KoolBlack (3%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
E-Screen with KoolBlack (5%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
Lux Screen	96"	96"	98"	144"	98"	168"	96"	84"	98"	168"	96"	84"	89"	120"
M Screen (3%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
M Screen (5%)	96"	96"	120"	144"	122"	168"	96"	96"	122"	168"	96"	96"	113"	120"
Net 3000	96"	96"	120**	144"	168**	168"	96"	96"	168**	168"	96"	96"	120**	120"
NordicScreen Plus BW (3%)	96"	96"	118"	144"	118"	168"	96"	90"	118"	168"	96"	90"	109"	120"
NordicScreen Plus BW (5%)	96"	96"	118"	144"	118"	168"	96"	90"	118"	168"	96"	90"	109"	120"
NordicScreen Plus Twill	96"	96"	118"	144"	118"	168"	96"	90"	118"	168"	96"	90"	109"	120"
SheerWeave 2000	96"	96"	120"	144"	168**	168"	96"	96"	168**	168"	96"	96"	120*	120"
SheerWeave 2390	96"	96"	120"	144"	168**	168"	96"	96"	168**	168"	96"	96"	120*	120"
SheerWeave 2410	96"	96"	120"	144"	168**	168"	96"	96"	168**	168"	96"	96"	120*	120"
SheerWeave 2500	96"	96"	120"	144"	168**	168"	96"	90"	168**	168"	96"	90"	120*	120"
SheerWeave 2701	96"	96"	120"	144"	126"	168"	96"	84"	126"	168"	96"	84"	117"	120"
SheerWeave 2703	96"	96"	120"	144"	126"	168"	96"	78"	126"	168"	96"	78"	117"	120"
SheerWeave 3000	96"	96"	96"	144"	96"	168"	96"	78"	96"	168"	96"	78"	87"	120"
SheerWeave 4000	96"	96"	120"	144"	126"	168"	96"	66"	126"	168"	96"	66"	117"	120"
SheerWeave 4100	96"	96"	120**	144"	168**	168"	96"	66"	168**	168"	96"	66"	120**	120"
SheerWeave 4400	96"	84"	120"	144"	126"	168"	96"	60"	126"	168"	96"	60"	117"	120"
SheerWeave 4800	96"	96"	120"	144"	126"	168"	N/A	N/A	126"	168"	N/A	N/A	117"	120"
SheerWeave 5000 (1%)	See Page 21													
SheerWeave 5000 (3%)	See Page 21													
SheerWeave 5000 (5%)	See Page 21													
SheerWeave 5000 (7%)	See Page 21													
S-Screen Elements	96"	90"	120"	144"	122"	168"	N/A	N/A	122"	168"	N/A	N/A	113"	120"
S-Screen Origins	96"	90"	120"	144"	122"	168"	N/A	N/A	122"	168"	N/A	N/A	113"	120"
Triad	96"	96"	118"	144"	118"	168"	N/A	N/A	118"	168"	N/A	N/A	109"	120"
T-Screen with KoolBlack (3%)	96"	96"	120"	144"	122"	168"	96"	72"	122"	168"	96"	72"	113"	120"
T-Screen with KoolBlack (5%)	96"	96"	120"	144"	122"	168"	96"	78"	122"	168"	96"	78"	113"	120"
VX Screen 3000 (1%)	96"	96"	118"	144"	118"	168"	96"	90"	118"	168"	96"	90"	109"	120"
VX Screen 3000 (3%)	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
VX Screen 3000 (5%)	96"	96"	118"	144"	118"	168"	96"	96"	118"	168"	96"	96"	109"	120"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"

Notes: * Max width railroaded, ** Cannot exceed 140 sq/ft
 + View Pages 27 for fabric-wrapped headrail availability
 For EZ-Lift specifications for board mounted - Page 16

Size Standards - Roller Shades - Lifting Systems - SheerWeave 5000

Click for Easy Search view	Standard Clutch		Luxe Clutch		Accu-Rise	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
SheerWeave 5000 Bark (5%) Ash	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Bark (5%) Pewter	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Bark (5%) Tiger Oak	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Chenille (3%) Marshmallow	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Chenille (3%) Honey	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Chenille (5%) Driftwood	98"	168"	96"	84"	96"	84"
SheerWeave 5000 Jute (1%) Parchment	98"	168"	96"	90"	96"	84"
SheerWeave 5000 Linen (3%) Cinnamon	98"	168"	96"	90"	96"	84"
SheerWeave 5000 Linen (3%) Cranberry	98"	168"	96"	90"	96"	84"
SheerWeave 5000 Linen (3%) Cream	98"	168"	96"	78"	96"	84"
SheerWeave 5000 Linen (3%) Fig	98"	168"	96"	90"	96"	84"
SheerWeave 5000 Linen (5%) Pearl	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Linen (5%) Taupe	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Linen (7%) Clay	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Marble (5%) Sand	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Metro (5%) Platinum	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Tweed (5%) Buckeye	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Tweed (5%) Oatmeal	98"	168"	96"	96"	96"	84"
SheerWeave 5000 Wicker (5%) Mushroom	98"	168"	96"	84"	96"	84"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	24"	15"	24"	32"	24"

EZ-Lift - SheerWeave 5000	Open Roll/Board Mount/ Large Cassette		Small Cassette		Modern Cassette	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
SheerWeave 5000 Bark (5%) Ash	72"	78"	N/A	N/A	72"	66"
SheerWeave 5000 Bark (5%) Pewter	72"	78"	N/A	N/A	72"	72"
SheerWeave 5000 Bark (5%) Tiger Oak	72"	72"	N/A	N/A	72"	66"
SheerWeave 5000 Chenille (3%) Marshmallow	72"	72"	N/A	N/A	72"	66"
SheerWeave 5000 Chenille (3%) Honey	72"	60"	N/A	N/A	72"	60"
SheerWeave 5000 Chenille (5%) Driftwood	72"	66"	N/A	N/A	72"	60"
SheerWeave 5000 Jute (1%) Parchment	72"	84"	N/A	N/A	72"	72"
SheerWeave 5000 Linen (3%) Cinnamon	72"	84"	N/A	N/A	72"	72"
SheerWeave 5000 Linen (3%) Cranberry	72"	84"	N/A	N/A	72"	72"
SheerWeave 5000 Linen (3%) Cream	N/A	N/A	N/A	N/A	N/A	N/A
SheerWeave 5000 Linen (3%) Fig	72"	84"	N/A	N/A	72"	72"
SheerWeave 5000 Linen (5%) Pearl	72"	84"	72"	66"	72"	84"
SheerWeave 5000 Linen (5%) Taupe	72"	84"	72"	66"	72"	84"
SheerWeave 5000 Linen (7%) Clay	72"	84"	72"	66"	72"	84"
SheerWeave 5000 Marble (5%) Sand	72"	84"	72"	60"	72"	78"
SheerWeave 5000 Metro (5%) Platinum	72"	84"	72"	72"	72"	84"
SheerWeave 5000 Tweed (5%) Buckeye	72"	84"	72"	60"	72"	78"
SheerWeave 5000 Tweed (5%) Oatmeal	72"	84"	72"	60"	72"	84"
SheerWeave 5000 Wicker (5%) Mushroom	72"	72"	N/A	N/A	72"	66"
Click for Easy Search view	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	18 1/2"	24"	18 1/2"	24"	18 1/2"	24"

Size Standards - Roller Shades - Cassettes - SheerWeave 5000

Click for Easy Search view	Small Cassette			Large Cassette			Modern Cassette			Modern Plus Cassette		
Pattern	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)
SheerWeave 5000 Bark (5%) Ash	N/A	N/A	N/A	98"	78"	53	98"	66"	44	98"	126"	85
SheerWeave 5000 Bark (5%) Pewter	N/A	N/A	N/A	98"	78"	53	98"	72"	49	98"	126"	85
SheerWeave 5000 Bark (5%) Tiger Oak	N/A	N/A	N/A	98"	72"	49	98"	66"	44	98"	120"	81
SheerWeave 5000 Chenille (3%) Marshmallow	N/A	N/A	N/A	98"	72"	49	96"	66"	44	98"	114"	77
SheerWeave 5000 Chenille (3%) Honey	N/A	N/A	N/A	98"	60"	40	96"	60"	40	98"	108"	73
SheerWeave 5000 Chenille (5%) Driftwood	N/A	N/A	N/A	98"	66"	44	98"	60"	40	98"	108"	73
SheerWeave 5000 Jute (1%) Parchment	N/A	N/A	N/A	98"	84"	57	98"	72"	49	98"	132"	89
SheerWeave 5000 Linen (3%) Cinnamon	N/A	N/A	N/A	98"	84"	57	98"	72"	49	98"	132"	89
SheerWeave 5000 Linen (3%) Cranberry	N/A	N/A	N/A	98"	84"	57	98"	72"	49	98"	132"	89
SheerWeave 5000 Linen (3%) Cream	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	98"	96"	65
SheerWeave 5000 Linen (3%) Fig	N/A	N/A	N/A	98"	84"	57	98"	72"	49	98"	132"	89
SheerWeave 5000 Linen (5%) Pearl	96"	66"	44	98"	96"	65	98"	84"	57	98"	144"	95
SheerWeave 5000 Linen (5%) Taupe	96"	66"	44	98"	96"	65	98"	84"	57	98"	144"	95
SheerWeave 5000 Linen (7%) Clay	96"	66"	44	98"	96"	65	98"	84"	57	98"	144"	95
SheerWeave 5000 Marble (5%) Sand	96"	60"	40	98"	90"	61	98"	78"	53	98"	138"	93
SheerWeave 5000 Metro (5%) Platinum	96"	78"	52	98"	108"	73	98"	108"	73	98"	144"	95
SheerWeave 5000 Tweed (5%) Buckeye	96"	60"	40	98"	90"	61	98"	78"	53	98"	138"	93
SheerWeave 5000 Tweed (5%) Oatmeal	96"	60"	40	98"	90"	61	98"	84"	57	98"	144"	95
SheerWeave 5000 Wicker (5%) Mushroom	N/A	N/A	N/A	98"	72"	49	98"	66"	44	98"	120"	81
	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---
	15"	24"	---	15"	24"	---	15"	24"	---	15"	24"	---

For EZ-Lift specifications for cassettes - Page 19

Size Standards - Roller Shades - Fascias/Board Mounted - SheerWeave 5000

Click for Easy Search view Pattern	3" Fascia		4" Fascia		5" Fascia		5" Fascia Dual		5" Pocket Single		5" Pocket Dual		Board Mounted	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
SheerWeave 5000 Bark (5%) Ash	96"	84"	98"	138"	98"	156"	N/A	N/A	98"	156"	N/A	N/A	89"	120"
SheerWeave 5000 Bark (5%) Pewter	96"	84"	98"	144"	98"	168"	N/A	N/A	98"	168"	N/A	N/A	89"	120"
SheerWeave 5000 Bark (5%) Tiger Oak	96"	78"	98"	132"	98"	156"	N/A	N/A	98"	156"	N/A	N/A	89"	120"
SheerWeave 5000 Chenille (3%) Marshmallow	96"	78"	98"	126"	98"	150"	N/A	N/A	98"	150"	N/A	N/A	89"	120"
SheerWeave 5000 Chenille (3%) Honey	96"	66"	98"	120"	98"	144"	N/A	N/A	98"	144"	N/A	N/A	89"	120"
SheerWeave 5000 Chenille (5%) Driftwood	96"	72"	98"	126"	98"	150"	N/A	N/A	98"	150"	N/A	N/A	89"	120"
SheerWeave 5000 Jute (1%) Parchment	96"	84"	98"	144"	98"	162"	N/A	N/A	98"	162"	N/A	N/A	89"	120"
SheerWeave 5000 Linen (3%) Cinnamon	96"	84"	98"	144"	98"	162"	N/A	N/A	98"	162"	N/A	N/A	89"	120"
SheerWeave 5000 Linen (3%) Cranberry	96"	84"	98"	144"	98"	162"	N/A	N/A	98"	162"	N/A	N/A	89"	120"
SheerWeave 5000 Linen (3%) Cream	96"	66"	98"	120"	98"	144"	N/A	N/A	98"	144"	N/A	N/A	89"	120"
SheerWeave 5000 Linen (3%) Fig	96"	84"	98"	144"	98"	162"	N/A	N/A	98"	162"	N/A	N/A	89"	120"
SheerWeave 5000 Linen (5%) Pearl	96"	96"	98"	144"	98"	168"	98"	60"	98"	168"	98"	60"	89"	120"
SheerWeave 5000 Linen (5%) Taupe	96"	96"	98"	144"	98"	168"	98"	60"	98"	168"	98"	60"	89"	120"
SheerWeave 5000 Linen (7%) Clay	96"	96"	98"	144"	98"	168"	98"	60"	98"	168"	98"	60"	89"	120"
SheerWeave 5000 Marble (5%) Sand	96"	90"	98"	144"	98"	168"	N/A	N/A	98"	168"	N/A	N/A	89"	120"
SheerWeave 5000 Metro (5%) Platinum	96"	96"	98"	144"	98"	168"	98"	96"	98"	168"	98"	96"	89"	120"
SheerWeave 5000 Tweed (5%) Buckeye	96"	90"	98"	144"	98"	168"	N/A	N/A	98"	168"	N/A	N/A	89"	120"
SheerWeave 5000 Tweed (5%) Oatmeal	96"	96"	98"	144"	98"	168"	N/A	N/A	98"	168"	N/A	N/A	89"	120"
SheerWeave 5000 Wicker (5%) Mushroom	96"	78"	98"	132"	98"	156"	N/A	N/A	98"	156"	N/A	N/A	89"	120"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"

For EZ-Lift specifications for board mounted - Page 19

Size Standards - The Lafayette Artist Portfolio

Click for Easy Search view	Standard Clutch		Luxe Clutch		Accu-Rise	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Expressions Eclipse	94"	168"	94"	96"	94"	84"
Expressions Linen	90"	168"	90"	96"	90"	84"
Expressions Screen	94"	168"	94"	96"	94"	84"
Mindful Eclipse	94"	168"	94"	96"	94"	84"
Mindful Linen	90"	168"	90"	96"	90"	84"
Mindful Screen	94"	168"	94"	96"	94"	84"
Montage Eclipse	94"	168"	94"	96"	94"	84"
Montage Linen	90"	168"	90"	96"	90"	84"
Montage Screen	94"	168"	94"	96"	94"	84"
Ribbons Eclipse	94"	168"	94"	96"	94"	84"
Ribbons Linen	90"	168"	90"	96"	90"	84"
Ribbons Screen	94"	168"	94"	96"	94"	84"
Symmetry Eclipse	94"	168"	94"	96"	94"	84"
Symmetry Linen	90"	168"	90"	96"	90"	84"
Symmetry Screen	94"	168"	94"	96"	94"	84"
Wayfair Eclipse	94"	168"	94"	96"	94"	84"
Wayfair Linen	90"	168"	90"	96"	90"	84"
Wayfair Screen	94"	168"	94"	96"	94"	84"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	24"	15"	24"	32"	24"

EZ-Lift	Open Roll/Board Mount/ Large Cassette		Small Cassette		Modern Cassette	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Expressions Eclipse	72"	84"	72"	72"	72"	84"
Expressions Linen	72"	84"	72"	72"	72"	84"
Expressions Screen	72"	84"	72"	66"	72"	84"
Mindful Eclipse	72"	84"	72"	72"	72"	84"
Mindful Linen	72"	84"	72"	72"	72"	84"
Mindful Screen	72"	84"	72"	66"	72"	84"
Montage Eclipse	72"	84"	72"	72"	72"	84"
Montage Linen	72"	84"	72"	72"	72"	84"
Montage Screen	72"	84"	72"	66"	72"	84"
Ribbons Eclipse	72"	84"	72"	72"	72"	84"
Ribbons Linen	72"	84"	72"	72"	72"	84"
Ribbons Screen	72"	84"	72"	66"	72"	84"
Symmetry Eclipse	72"	84"	72"	72"	72"	84"
Symmetry Linen	72"	84"	72"	72"	72"	84"
Symmetry Screen	72"	84"	72"	66"	72"	84"
Wayfair Eclipse	72"	84"	72"	72"	72"	84"
Wayfair Linen	72"	84"	72"	72"	72"	84"
Wayfair Screen	72"	84"	72"	66"	72"	84"
Click for Easy Search view	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	18 1/2"	24"	18 1/2"	24"	18 1/2"	24"

Size Standards - The Lafayette Artist Portfolio

Click for Easy Search view	Small Cassette			Large Cassette			Modern Cassette			Modern Plus Cassette		
Pattern	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)	Max Width	Max Height	Area (ft ²)
Expressions Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Expressions Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Expressions Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
Mindful Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Mindful Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Mindful Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
Montage Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Montage Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Montage Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
Ribbons Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Ribbons Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Ribbons Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
Symmetry Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Symmetry Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Symmetry Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
Wayfair Eclipse	94"	108"	56	94"	120"	80	94"	120"	80	94"	144"	98
Wayfair Linen	90"	108"	56	90"	120"	78	90"	120"	78	90"	144"	94
Wayfair Screen	94"	66"	42	94"	96"	80	94"	90"	75	94"	144"	96
	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---	Minimum Width	Minimum Height	---
	15"	24"	---	15"	24"	---	15"	24"	---	15"	24"	---

Click for Easy Search view	3" Fascia		4" Fascia		5" Fascia**		5" Fascia Dual		5" Pocket Single**		5" Pocket Dual		Board Mounted	
Pattern	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Expressions Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Expressions Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Expressions Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
Mindful Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Mindful Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Mindful Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
Montage Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Montage Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Montage Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
Ribbons Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Ribbons Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Ribbons Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
Symmetry Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Symmetry Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Symmetry Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
Wayfair Eclipse	94"	96"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	82"	120"
Wayfair Linen	90"	96"	90"	144"	90"	168"	90"	96"	90"	168"	90"	96"	86"	120"
Wayfair Screen	94"	84"	94"	144"	94"	168"	94"	96"	94"	168"	94"	96"	86"	120"
* Max width railroaded ** Cannot exceed 140 sq/ft	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
For EZ-Lift specifications for board mounted - Page 22	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"	15"	24"

Design Options - Roller Shades

[Click for Easy Search view](#)

Lift System Availability	Open Roll	Small Cassette	Large Cassette	Modern Cassette	Modern + Cassette	Board Mounted	3" Fascia	4" Fascia	5" Fascia	5" Pocket
Clutch	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Luxe Clutch	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Accu-Rise	Y	Y	Y	Y	N/A	Y	N/A	N/A	N/A	N/A
EZ-Lift	N/A	Y	Y	Y	N/A	Y	N/A	N/A	N/A	N/A
Auto-Wand	Y	Y	Y	N/A	N/A	Y	N/A	N/A	N/A	N/A
System II	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
R28/Sonnesse 28 WireFree	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Sonnesse 30 WireFree	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Sonnesse 40 WireFree	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Ultra 30 WireFree	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
EZ Charge V.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
EZ Charge X2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
EZ Charge X3	Y	N/A	N/A	N/A	Y	Y	N/A	Y	Y	Y

[Click for Easy Search view](#)

Options Availability	Clutch	Luxe Clutch	Accu-Rise	EZ-Lift	Open Roll	Small Cassette	Large Cassette	Modern Cassette	Modern + Cassette	Board Mount	3" Fascia	4" Fascia	5" Fascia	5" Pocket
No Charge Options														
Bead Chain Color Substitution	Y	N/A	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Bead Chain Optional Length	Y	Y	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Clutch Color Substitution	Y	N/A	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Heat Sealed Bottom Hem	Y	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Sewn in Hem	Y	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
P Clip Safety Tensioner	Y	Y	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Reverse Roll	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Season-View	Y	N/A	N/A	N/A	Y	N/A	Y	N/A	N/A	N/A	Y	Y	Y	Y
Surcharge Options														
2-on-1 Headrail	Y	N/A	N/A	N/A	N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
Metal Bead Chain	Y	Std	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Dec. Bottom Hem	Y	Y	N/A	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
Wood Bottom Hem	Y	Y	N/A	N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
Urban Bottom Rail	Y	Y	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Spring Assist	Y	N/A	N/A	N/A	Y	N/A	Y	Y	Y	Y	N/A	Y	Y	Y
Satin Nickel Clutch/Bracket	Y	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Exterior Cable Guide	Y	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	Y	Y	Y	N/A
Magnetic Hold Downs	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Mixed Metal Designer Accents	N/A	N/A	Y	Y	N/A	Y	Y	Y	Y	N/A	Y	Y	Y	N/A
Fabric Wrapped Valance	Y	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	Std	N/A	N/A	N/A	N/A
Fabric Wrapped Fascia	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	Y	N/A
Majesty Wood Valance	Y	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Noble Wood Valance	Y	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Tube Size Upgrade	Y	Y	N/A	N/A	Y	N/A	Y	Y	Y	Y	N/A	Y	Y	Y
Light Blockout	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A
Light Gap Stop	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Dual Bracket	Y	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5" Dual Fascia Bracket	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y
Decorative Dual Bracket	Y	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Design Options - Roller shades - Fabric Valances and Hemlines - Fabrics

[Click for Easy Search view](#)

Fabric Name	Fabric Wrapped Valance	Fabric Wrapped Fascia	Decorative Hem	Heat-Sealed Bottom Hem	Wood Bottom Hem	Urban Bottom Rail
Adele	Y	Y	Y	N/A	Y	Y
Alana	Y	Y	Y	N/A	N/A	Y
Artistry	Y	Y	Y	N/A	N/A	Y
Berber Slub	Y	Y	N/A	N/A	Y	Y
Boho	Y	Y	Y	N/A	Y	Y
Boho Eclipse	Y	Y	Y	N/A	Y	Y
Cabos	Y	Y	N/A	N/A	Y	Y
Charmed	Y	Y	N/A	N/A	Y	Y
Colorado	N/A	N/A	Y	N/A	Y	Y
Dakota	Y	Y	Y	N/A	Y	Y
Dallas	Y	Y	Y	N/A	Y	Y
Dior	Y	Y	N/A	N/A	Y	Y
Elise	N/A	N/A	N/A	N/A	Y	Y
Essence	Y	Y	Y	N/A	Y	Y
Essence Eclipse	Y	Y	Y	N/A	Y	Y
Fedora	Y	Y	Y	N/A	Y	Y
Fiberlucent	N/A	N/A	Y	Y	Y	Y
Flirt	N/A	N/A	N/A	N/A	N/A	Y
Garbo	Y	Y	N/A	N/A	Y	Y
Good Vibes	Y	Y	Y	N/A	Y	Y
Grasscloth	Y	Y	Y	N/A	Y	Y
Grasscloth Eclipse	Y	Y	Y	N/A	Y	Y
Hollywood	Y	Y	N/A	N/A	Y	Y
Hombre	Y	Y	Y	N/A	Y	Y
Homespun	Y	Y	Y	N/A	Y	Y
Hypnotic	Y	Y	N/A	N/A	Y	Y
Jackson	Y	Y	Y	N/A	Y	Y
Katrina	Y	Y	Y	N/A	Y	Y
Keilani	Y	Y	N/A	N/A	Y	Y
Kingsley	Y	Y	N/A	N/A	Y	Y
Laura	N/A	N/A	Y	N/A	Y	Y
Lexie	Y	Y	Y	N/A	Y	Y
LightVue	N/A	N/A	N/A	N/A	N/A	Y
Lindley	Y	Y	Y	N/A	Y	Y
Linen	Y	Y	Y	N/A	Y	Y
Long Bay	Y	Y	Y	N/A	Y	Y
Long Bay Blackout	Y	Y	Y	N/A	Y	Y
Milan	N/A	N/A	Y	N/A	Y	Y
Milan Blackout	Y	Y	Y	N/A	Y	Y
Minamalist	N/A	N/A	Y	N/A	Y	Y
Moire	N/A	N/A	Y	Y	Y	Y

Notes: Magnetic hold downs cannot be used with a heat sealed bottom hem.

If fabric-wrapped valance not available, choose a different fabric or substitute a Noble/Majesty wood valance when board mounted.

Design Options - Roller shades - Fabric Valances and Hemlines - Fabrics

[Click for Easy Search view](#)

Fabric Name	Fabric Wrapped Valance	Fabric Wrapped Fascia	Decorative Hem	Heat-Sealed Bottom Hem	Wood Bottom Hem	Urban Bottom Rail
Mystic	Y	Y	N/A	N/A	Y	Y
Mystic Eclipse	Y	Y	Y	N/A	Y	Y
New Viking	Y	Y	Y	N/A	Y	Y
No Lite Fiberglass	N/A	N/A	Y	Y	Y	Y
No Lite Fiberglass Duplex	N/A	N/A	Y	Y	Y	Y
Pacifica	Y	Y	Y	N/A	Y	Y
Pearlescent	Y	Y	Y	N/A	Y	Y
Persia	Y	Y	Y	N/A	Y	Y
Petticoat	N/A	N/A	N/A	N/A	Y	Y
Princeton	Y	Y	Y	N/A	Y	Y
Refinery	Y	Y	Y	N/A	Y	Y
Refinery Eclipse	Y	Y	Y	N/A	Y	Y
Rhumba	Y	Y	N/A	N/A	Y	Y
Roxie	Y	Y	N/A	N/A	Y	Y
Seclusion	N/A	N/A	Y	Y	Y	Y
Serene	Y	Y	Y	N/A	Y	Y
Serene LF	Y	Y	Y	N/A	Y	Y
Shantung	Y	Y	Y	N/A	Y	Y
SheerWeave 7000	Y	Y	Y	N/A	Y	Y
SheerWeave 7200R	Y	Y	Y	N/A	Y	Y
SheerWeave 7250R	N/A	N/A	Y	N/A	Y	Y
SheerWeave 7400	Y	Y	Y	N/A	Y	Y
SheerWeave 7450	Y	Y	Y	Y	Y	Y
Sheerweave 7600	N/A	N/A	Y	N/A	Y	Y
Sheerweave 7650	Y	Y	Y	N/A	Y	Y
Shimmer	Y	Y	X	N/A	Y	Y
Spector	Y	Y	Y	N/A	Y	Y
Strie	Y	Y	Y	N/A	Y	Y
SuperWide	N/A	N/A	Y	N/A	Y	Y
Tahiti	N/A	Y	N/A	N/A	Y	Y
Tiffany	N/A	N/A	N/A	N/A	N/A	Y
Tussah	Y	Y	Y	N/A	Y	Y
Vizela	Y	Y	Y	N/A	Y	Y
Weave	Y	Y	N/A	N/A	Y	Y
Willow	Y	Y	Y	N/A	Y	Y
Yellowstone	Y	Y	Y	N/A	Y	Y

Notes: Magnetic hold downs cannot be used with a heat sealed bottom hem.

If fabric-wrapped valance not available, choose a different fabric or substitute a Noble/Majesty wood valance when board mounted.

Design Options - Roller shades - Fabric Valances and Hemlines - Screens

[Click for Easy Search view](#)

Fabric Name	Fabric Wrapped Valance	Fabric Wrapped Fascia	Decorative Hem	Heat-Sealed Bottom Hem	Wood Bottom Hem	Urban Bottom Rail
Baru	Y	Y	N/A	N/A	Y	Y
Corbin	Y	Y	N/A	N/A	Y	Y
Dexter	Y	Y	N/A	N/A	Y	Y
Duo Vue	Y	Y	N/A	N/A	Y	Y
E-Screen (3%)	Y	Y	N/A	N/A	Y	Y
E-Screen (5%)	Y	Y	N/A	N/A	Y	Y
E-Screen with KoolBlack (3%)	Y	Y	N/A	N/A	Y	Y
E-Screen with KoolBlack (5%)	Y	Y	N/A	N/A	Y	Y
Lux Screen	Y	Y	Y	N/A	Y	Y
M Screen (3%)	Y	Y	N/A	Y	Y	Y
M Screen (5%)	Y	Y	N/A	Y	Y	Y
Net 3000	Y	Y	N/A	N/A	Y	Y
NordicScreen Plus BW (3%)	Y	Y	N/A	Y	Y	Y
NordicScreen Plus BW (5%)	Y	Y	N/A	Y	Y	Y
NordicScreen Plus Twill	Y	Y	N/A	Y	Y	Y
SheerWeave 2000	Y	Y	N/A	Y	Y	Y
SheerWeave 2390	Y	Y	N/A	Y	Y	Y
SheerWeave 2410	Y	Y	N/A	Y	Y	Y
SheerWeave 2500	Y	Y	N/A	Y	Y	Y
SheerWeave 2701	Y	Y	N/A	N/A	Y	Y
SheerWeave 2703	Y	Y	N/A	N/A	Y	Y
SheerWeave 3000	Y	Y	N/A	N/A	Y	Y
SheerWeave 4000	Y	Y	N/A	N/A	Y	Y
SheerWeave 4100	Y	Y	N/A	Y	Y	Y
SheerWeave 4400	Y	Y	N/A	Y	Y	Y
SheerWeave 4800	Y	Y	N/A	Y	Y	Y
SheerWeave 5000 (1%)	Y	Y	Y	N/A	Y	Y
SheerWeave 5000 (3%)	Y	Y	Y	N/A	Y	Y
SheerWeave 5000 (5%)	Y	Y	Y	N/A	Y	Y
SheerWeave 5000 (7%)	Y	Y	Y	N/A	Y	Y
S-Screen Elements	Y	Y	N/A	N/A	Y	Y
S-Screen Origins	Y	Y	N/A	N/A	Y	Y
Triad	Y	Y	N/A	N/A	Y	Y
T-Screen with KoolBlack (3%)	Y	Y	N/A	N/A	Y	Y
T-Screen with KoolBlack (5%)	Y	Y	N/A	N/A	Y	Y
VX Screen 3000 (1%)	Y	Y	N/A	Y	Y	Y
VX Screen 3000 (3%)	Y	Y	N/A	Y	Y	Y
VX Screen 3000 (5%)	Y	Y	N/A	N/A	Y	Y

Notes: Magnetic hold downs cannot be used with a heat sealed bottom hem.

If fabric-wrapped valance not available, choose a different fabric or substitute a Noble/Majesty wood valance when board mounted.

Design Options - Fabric Valances and Hemlines - Artist Portfolio

[Click for Easy Search view](#)

Fabric Name	Fabric Wrapped Valance	Fabric Wrapped Fascia	Decorative Hem	Heat-Sealed Bottom Hem	Wood Bottom Hem	Urban Bottom Rail
Expressions Eclipse	Y	Y	Y	N/A	Y	Y
Expressions Linen	Y	Y	Y	N/A	Y	Y
Expressions Screen	Y	Y	N/A	Y	Y	Y
Mindful Eclipse	Y	Y	Y	N/A	Y	Y
Mindful Linen	Y	Y	Y	N/A	Y	Y
Mindful Screen	Y	Y	N/A	Y	Y	Y
Montage Eclipse	Y	Y	Y	N/A	Y	Y
Montage Linen	Y	Y	Y	N/A	Y	Y
Montage Screen	Y	Y	N/A	Y	Y	Y
Ribbons Eclipse	Y	Y	Y	N/A	Y	Y
Ribbons Linen	Y	Y	Y	N/A	Y	Y
Ribbons Screen	Y	Y	N/A	Y	Y	Y
Symmetry Eclipse	Y	Y	Y	N/A	Y	Y
Symmetry Linen	Y	Y	Y	N/A	Y	Y
Symmetry Screen	Y	Y	N/A	Y	Y	Y
Wayfair Eclipse	Y	Y	Y	N/A	Y	Y
Wayfair Linen	Y	Y	Y	N/A	Y	Y
Wayfair Screen	Y	Y	N/A	Y	Y	Y

Notes: Magnetic hold downs cannot be used with a heat sealed bottom hem.

If fabric-wrapped valance not available, choose a different fabric or substitute a Noble/Majesty wood valance when board mounted.

Finished Dimensions & Mounting Requirements

Open Roll	Finished Dimensions			Light Gap		Mounting Requirements			
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Side Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3" All other: 2 7/16"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3 11/16" All other: 2 3/4"	3/4"	2 1/4"
Luxe Clutch	---	Ordered Width	+ 1 3/8"	3/4"	5/8"	---	---	---	2 1/4"
Accu-Rise	- 1/8"	Ordered Width	1 1/8"	9/16"	9/16"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3" All other: 2 7/16"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3 11/16" All other: 2 3/4"	3/4"	2 1/4"
EZ-Lift	- 1/8"	Ordered Width	+ 3/4"	9/16"	9/16"	2"	2 1/2"	3/4"	1"
Auto-Wand	- 1/8"	Ordered Width	+ 1 1/4"	3/4"	1/2"	1 1/2" tube: 2 7/16"	1 1/2" tube: 2 3/4"	3/4"	2 1/4"
System II	- 1/8"	Ordered Width	+ 1 1/16"	9/16"	1/2"	1 1/2" tube: 2 7/16"	1 1/2" tube: 2 3/4"	3/4"	2 1/4"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1 1/2" tube: 2 7/16" 2" tube: 3"	1 1/2" tube: 2 3/4" 2" tube: 3 11/16"	3/4"	2 1/4"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1 1/2" tube: 2 7/16" 2" tube: 3"	1 1/2" tube: 2 7/16" 2" tube: 3"	3/4"	2 1/4"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1 1/2" tube: 2 7/16"	1 1/2" tube: 2 3/4"	3/4"	2 1/4"
Ultra 30 WireFree	- 1/8"	Ordered Width	+1 1/8"	5/8"	1/2"	1 1/2" tube: 2 7/16" 2" tube: 3"	1 1/2" tube: 2 3/4" 2" tube: 3 11/16"	3/4"	2 1/4"
EZ Charge	- 1/8"	Ordered Width	+ 1 1/4"	3/4"	1/2"	2 1/2", 3 1/4" tube: 3" All other: 2 7/16"	2 1/2", 3 1/4" tube: 3 11/16" All other: 2 3/4"	3/4"	2 1/4"
Season Vue	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3" All other: 2 7/16"	1 1/4" tube: 2 5/16" 2 1/2", 3 1/4" tube: 3 11/16" All other: 2 3/4"	---	2 1/4"
Cable Guide System	---	Ordered Width	+ 1 1/8"	---	---	---	---	---	2 1/4"

Small Cassette	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/16"	11/16"	3/8"	1 3/8"	3 5/8"	1 7/8"
Accu-Rise	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 3/8"	3 5/8"	1 7/8"
EZ-Lift	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	5/8"	1 3/8"	3 5/8"	1 7/8"
Auto-Wand	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 3/8"	3 5/8"	1 7/8"
System II	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	7/16"	1 3/8"	3 5/8"	1 7/8"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 5/8"	1 7/8"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 5/8"	1 7/8"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 5/8"	1 7/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	+1 1/8"	11/16"	7/16"	1 3/8"	3 5/8"	1 7/8"
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 3/8"	3 5/8"	1 7/8"

Large Cassette	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/4"	11/16"	9/16"	1 1/4"	4 7/16"	2"
Accu-Rise	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 1/4"	4 7/16"	2"
EZ-Lift	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 1/4"	4 7/16"	2"
Auto-Wand	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 1/4"	4 7/16"	2"
System II	- 1/8"	Ordered Width	+ 1 "	9/16"	7/16"	1 1/4"	4 7/16"	2"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	7/16"	1 1/4"	4 7/16"	2"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	7/16"	1 1/4"	4 7/16"	2"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	7/16"	1 1/4"	4 7/16"	2"
Ultra 30 WireFree	- 1/8"	Ordered Width	+ 1 1/16"	5/8"	7/16"	1 1/4"	4 7/16"	2"
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 1/4"	4 7/16"	2"
Season Vue	- 1/8"	Ordered Width	+ 1 1/4"	11/16"	9/16"	1 1/4"	4 7/16"	2"

Finished Dimensions & Mounting Requirements

Modern Cassette	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/16"	11/16"	3/8"	1 3/8"	3 3/4"	1 1/8"
Accu-Rise	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 3/8"	3 3/4"	1 1/8"
EZ-Lift	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 3/8"	3 3/4"	1 1/8"
Auto-Wand	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 3/8"	3 3/4"	1 1/8"
System II	- 1/8"	Ordered Width	+ 1 1/16"	3/4"	7/16"	1 3/8"	3 3/4"	1 1/8"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 3/4"	1 1/8"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 3/4"	1 1/8"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	3 3/4"	1 1/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	+1 1/8"	11/16"	7/16"	1 3/8"	3 3/4"	1 1/8"
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/16"	7/8"	7/16"	1 3/8"	3 3/4"	1 1/8"

Modern Plus Cassette	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/16"	11/16"	3/8"	1 3/8"	4 3/8"	1 1/8"
EZ-Lift	- 1/8"	Ordered Width	+ 1 1/4"	5/8"	5/8"	1 3/8"	4 3/8"	1 1/8"
Auto-Wand	- 1/8"	Ordered Width	+ 1 3/16"	3/4"	7/16"	1 3/8"	4 3/8"	1 1/8"
System II	- 1/8"	Ordered Width	+ 1 1/16"	3/4"	7/16"	1 3/8"	4 3/8"	1 1/8"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	4 3/8"	1 1/8"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	4 3/8"	1 1/8"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/8"	11/16"	7/16"	1 3/8"	4 3/8"	1 1/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	+1 1/8"	11/16"	7/16"	1 3/8"	4 3/8"	1 1/8"
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/16"	7/8"	7/16"	1 3/8"	4 3/8"	1 1/8"

Board Mounted	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
Accu-Rise	- 1/8"	Ordered Width	1 1/8"	9/16"	9/16"	1"	3 1/2"	2"
EZ-Lift	- 1/8"	Ordered Width	- 3/4"	9/16"	9/16"	1"	3 1/2"	2 1/4"
Auto-Wand	- 1/8"	Ordered Width	+ 1 1/4"	3/4"	1/2"	1"	3 1/2"	2"
System II	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
R28 WireFree	- 1/8"	Ordered Width	+ 1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
Ultra 30 WireFree	- 1/8"	Ordered Width	+1 1/8"	5/8"	1/2"	1"	3 1/2"	2"
EZ Charge*	- 1/8"	Ordered Width	+ 1 1/4"	3/4"	1/2"	1"	3 1/2"	2"

Finished Dimensions & Mounting Requirements

3" & 4" Fascia	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
System II	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
R28 WireFree	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
EZ Charge	- 1/8"	Ordered Width	+ 1 3/8"	3/4"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
Season Vue	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	7/8"	3 1/8" / 4 1/8"	2 7/8" / 3 7/8"
Light Blockout	- 1/8"	Ordered Width	+ 1 3/16"	9/16"	5/8"	1"	3 1/8" / 4 1/8"	Brackets 2 7/8" / 3 7/8" Blockout 2 3/16"

5" Fascia	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/4"	13/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
System II	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
R28 WireFree	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
Ultra 30 WireFree	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 1/8"	4 5/16"
Season Vue	- 1/8"	Ordered Width	+ 1 1/4"	13/16"	7/16"	1 3/8"	5 1/8"	4 5/16"

5" Pocket Fascia	Finished Dimensions			Light Gap		Mounting Requirements		
	Inside Mount	Outside Mount	Cloth Measure	Control Side	Idle Side	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	+ 1 1/4"	13/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
System II	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
Sonesse 30 WF	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
Sonesse 40 WF	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
R28 WireFree	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
Ultra 30 WireFree	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---
EZ Charge*	- 1/8"	Ordered Width	+ 1 3/8"	15/16"	7/16"	1 3/8"	5 5/16"H X 5 5/8"D	---

Clutch and Tube Sizes

Clutch & Tube Size	Shade Width Up To:								
	54"	72"	96"	108"	120"	133"	144"	168"	
Shade Height Up To:	48"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	60"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	70"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	72"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	78"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	84"	SL10 - 1"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	96"	SL10 - 1 3/8"	SL10 - 1 3/8"	SL20 - 1 1/2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	108"	SL20 - 1 3/8"	SL20 - 1 3/8"	SL20 - 2"	SL20 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"
	120"	SL20 - 1 3/8"	SL20 - 1 3/8"	SL20 - 2"	SL30 - 2"	SL30 - 2 1/2"	SL30 - 2 1/2"	G400 - 3 1/4"	G400 - 3 1/4"

Shaded areas - Spring assist is automatically added to the shade at these sizes.

Tube Upgrades

• Varying shade sizes in one room may require upgrading some shades to the largest tube size to maintain uniform appearance and operation.

Pricing - Roller shades - Standard and Cassettes

Material: [Fiberlucent](#) , [Katrina](#), [New Viking](#), [No-Lite Fiberglass](#), [Serene LF](#), [VX Screen 3000 5%](#)

Price Chart 1 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	98	112	125	136	152	183	196	207	296	314	352	447	527	567	625	667	712
	48"	107	123	136	149	167	200	214	227	318	336	378	478	560	605	667	712	758
	60"	116	134	149	163	185	216	232	249	338	363	405	507	594	643	707	756	803
	72"	127	145	160	178	200	236	252	269	363	385	434	540	627	678	747	798	852
	84"	138	156	174	194	216	254	272	294	385	412	460	574	663	716	787	843	898
	96"	165	187	207	227	249	269	294	314	409	436	489	603	694	752	827	954	1,014
	108"	174	196	218	243	265	287	312	334	478	507	572	634	729	789	936	998	1,060
	120"	185	207	232	256	280	305	329	356	500	534	598	716	763	827	976	1,040	1,107

Price Chart 1 Cassette/Board Mount		Shade Width Up To:													
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	
Shade Height Up To:	36"	152	174	194	216	240	263	283	305	425	452	514	763	834	
	48"	160	183	207	229	256	278	303	325	445	476	540	792	867	
	60"	169	194	218	243	272	296	320	345	467	498	565	820	898	
	72"	178	205	229	256	285	312	338	363	487	520	592	849	932	
	84"	187	214	240	269	300	327	356	383	509	543	616	878	963	
	96"	196	225	254	283	316	345	374	403	529	565	643	907	994	
	108"	223	254	287	320	358	392	423	456	723	765	852	936	1,027	
	120"	325	358	394	429	467	503	536	572	749	794	885	972	1,058	

Lifting System Surcharges		Shade Width Up To:											
Accu-Rise	105												
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"		
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---		
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109		

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Artistry , Charmed, Essence, Long Bay, Moire, Mystic, No-Lite Fiberglass Duplex, Princeton, Rhumba, Serene, SuperWide, VX Screen 3000 1%, 3%

Price Chart 2 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	112	129	143	156	178	209	225	240	336	360	400	509	598	647	712	760	807
	48"	125	140	158	174	196	229	249	265	365	387	436	547	640	689	763	816	865
	60"	136	154	172	192	214	254	272	289	392	418	469	585	680	736	814	867	925
	72"	147	167	189	209	236	274	296	316	420	447	503	625	723	783	860	920	983
	84"	160	183	205	227	256	298	320	343	447	478	538	665	765	829	912	976	1,040
	96"	192	216	243	267	294	318	343	369	476	507	569	700	805	874	960	1,105	1,174
	108"	203	229	258	285	312	338	367	394	556	592	667	738	847	918	1,085	1,156	1,232
	120"	214	245	272	303	332	360	389	420	583	623	698	832	892	965	1,134	1,212	1,289

Price Chart 2 Cassette/Board Mount		Shade Width Up To:													
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	
Shade Height Up To:	36"	169	194	216	240	269	294	318	340	472	503	572	843	923	
	48"	180	205	232	256	287	314	338	365	498	532	603	878	963	
	60"	189	218	245	274	305	334	360	389	523	558	634	914	1,000	
	72"	200	229	260	289	323	354	383	412	549	585	665	949	1,040	
	84"	212	243	274	305	340	374	405	436	574	614	696	983	1,078	
	96"	220	254	287	320	360	394	427	460	600	640	727	1,018	1,118	
	108"	252	289	327	365	407	445	483	520	814	860	958	1,054	1,156	
	120"	363	403	443	483	527	567	607	649	843	894	998	1,096	1,196	

Lifting System Surcharges		Shade Width Up To:											
Accu-Rise	105												
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"		
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---		
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109		

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Alana , Dior, Garbo, Lexie, Linen, Minamalist, Pearlescent, Roxie, SheerWeave 7250R, Net 3000, NordicScreen Plus BW 3%, 5%, Triad

Price Chart 3 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	125	140	154	169	194	227	245	263	363	387	434	547	643	692	763	816	867
	48"	136	154	172	192	214	254	272	289	394	420	474	592	689	745	823	878	936
	60"	149	169	192	212	238	278	300	320	427	454	512	636	738	798	880	943	1,005
	72"	160	185	209	232	260	303	327	352	458	489	552	680	787	852	938	1,005	1,072
	84"	178	203	227	254	283	329	356	383	494	527	594	727	836	905	998	1,069	1,138
	96"	212	240	267	298	325	356	383	414	527	560	632	772	887	960	1,056	1,207	1,285
	108"	223	256	285	318	347	380	412	443	614	652	734	816	936	1,014	1,189	1,272	1,354
	120"	238	269	305	336	372	403	438	472	645	687	774	918	983	1,067	1,249	1,336	1,420

Price Chart 3 Cassette/Board Mount		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Shade Height Up To:	36"	180	205	232	256	287	314	338	365	500	534	607	889	974
	48"	192	220	247	276	309	336	365	392	529	567	643	929	1,018
	60"	205	234	265	294	329	360	389	420	560	598	680	972	1,065
	72"	216	249	280	314	352	383	416	447	589	632	716	1,012	1,109
	84"	229	263	298	332	372	407	440	476	620	663	754	1,054	1,156
	96"	240	278	314	352	392	429	467	503	649	696	789	1,094	1,200
	108"	274	314	356	398	445	485	527	569	874	925	1,032	1,136	1,247
	120"	389	434	478	523	572	616	660	705	909	963	1,076	1,185	1,294

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Elise , Essence Eclipse, Laura, Persia, Seclusion, SheerWeave 7450, Tussah, Yellowstone, Baru, Duo Vue, E-Screen 3%, 5%, Lux Screen, M Screen 3%, 5%, NordicScreen Plus Twill, SheerWeave 2000, 2390, 3000, 4000, 4100, Expressions Eclipse, Mindful Eclipse, Montage Eclipse, Ribbons Eclipse, Symmetry Eclipse, Wayfair Eclipse

Price Chart 4 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	143	160	180	200	223	265	285	305	416	443	496	623	727	785	865	925	987
	48"	158	183	203	225	254	298	320	343	456	487	547	680	789	854	940	1,007	1,074
	60"	174	200	225	252	280	329	356	380	498	532	598	736	852	923	1,016	1,087	1,163
	72"	192	220	249	276	312	363	389	420	540	574	649	794	916	994	1,092	1,172	1,249
	84"	209	243	274	305	340	394	427	458	583	620	703	854	978	1,063	1,167	1,252	1,338
	96"	249	285	320	356	392	427	460	498	623	667	749	912	1,040	1,132	1,243	1,416	1,507
	108"	265	305	343	380	420	458	498	536	725	774	872	969	1,105	1,200	1,400	1,496	1,594
	120"	280	325	367	409	449	492	534	574	767	818	923	1,089	1,169	1,269	1,476	1,578	1,683

Price Chart 4 Cassette/Board Mount		Shade Width Up To:													
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	
Shade Height Up To:	36"	198	227	256	285	318	347	376	405	549	587	667	967	1,060	
	48"	214	245	276	309	345	378	409	440	587	627	714	1,018	1,118	
	60"	229	263	298	332	372	407	440	476	625	669	760	1,072	1,176	
	72"	245	280	318	356	398	436	474	512	663	709	807	1,123	1,234	
	84"	258	298	340	380	425	465	505	545	700	749	852	1,174	1,289	
	96"	274	318	360	403	452	494	538	580	738	792	898	1,227	1,347	
	108"	312	358	407	456	509	558	607	656	980	1,038	1,160	1,278	1,405	
	120"	436	487	538	592	647	700	752	803	1,023	1,085	1,214	1,338	1,463	

Lifting System Surcharges		Shade Width Up To:											
Accu-Rise	105												
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"		
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---		
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109		

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Adele, Berber Slub, Boho, Cabos, Grasscloth, Hypnotic, Keilani, Kingsley, Milan, Mystic Eclipse, Petticoat, SheerWeave 7200R, 7650, 2410, 4400, 5000, Shimmer, Strie, Corbin, Dexter, Expressions Linen/Screen, Mindful Linen/Screen, Montage Linen/Screen, Ribbons Linen/Screen, Symmetry Linen/Screen, Wayfair Linen/Screen

Price Chart 5 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	158	183	203	225	254	298	320	343	458	489	549	685	796	860	947	1,014	1,080
	48"	180	205	229	258	289	336	365	392	509	545	612	756	874	947	1,040	1,116	1,189
	60"	198	227	260	289	325	376	409	438	560	600	676	827	952	1,032	1,134	1,218	1,298
	72"	218	254	287	320	360	416	452	487	612	654	738	898	1,029	1,118	1,229	1,318	1,409
	84"	243	278	318	356	398	456	496	536	665	712	803	969	1,109	1,203	1,320	1,420	1,518
	96"	285	327	369	414	454	498	540	583	716	767	865	1,043	1,187	1,289	1,416	1,603	1,709
	108"	305	352	398	445	492	538	585	629	827	885	1,000	1,112	1,263	1,374	1,592	1,705	1,818
	120"	325	376	427	476	527	576	627	676	880	943	1,063	1,247	1,343	1,463	1,687	1,807	1,927

Price Chart 5 Cassette/Board Mount		Shade Width Up To:													
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	
Shade Height Up To:	36"	214	247	278	309	347	378	412	443	569	608	690	999	1,095	
	48"	234	269	305	340	380	416	452	487	616	658	749	1,064	1,168	
	60"	252	292	329	369	414	452	492	529	629	674	765	1,080	1,185	
	72"	269	314	356	398	445	487	532	574	676	723	823	1,145	1,256	
	84"	289	334	380	427	478	525	569	616	723	774	880	1,209	1,327	
	96"	307	356	407	456	512	560	609	660	769	825	936	1,274	1,400	
	108"	347	403	458	516	576	632	687	743	1,023	1,085	1,214	1,338	1,472	
	120"	478	538	596	656	723	783	840	900	1,076	1,140	1,278	1,412	1,543	

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Colorado, Dakota, Dallas, Fedora, Good Vibes, Hollywood, Hombre, Jackson, LightVue, Long Bay Blackout, Refinery, Weave, Willow, E-Screen with KoolBlack 5%, SheerWeave 2500, 2701, 2703, 4800, S-Screen Elements, S-Screen Origins, T-Screen with KoolBlack 3%, 5%

Price Chart 6 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	174	200	225	254	283	332	358	385	503	538	605	747	865	938	1,032	1,107	1,180
	48"	200	229	260	289	327	378	412	440	565	605	680	834	960	1,040	1,145	1,229	1,312
	60"	223	258	294	329	369	427	460	498	627	669	756	918	1,054	1,143	1,256	1,349	1,440
	72"	249	287	327	367	414	474	514	554	687	736	832	1,005	1,147	1,247	1,369	1,472	1,574
	84"	274	318	363	409	456	525	567	614	749	803	907	1,092	1,243	1,352	1,483	1,594	1,703
	96"	323	372	423	472	520	569	620	669	814	872	983	1,178	1,336	1,454	1,594	1,800	1,920
	108"	345	400	454	509	563	618	672	727	938	1,003	1,134	1,260	1,429	1,556	1,792	1,920	2,049
	120"	372	429	489	547	607	665	725	783	998	1,067	1,207	1,412	1,523	1,658	1,903	2,043	2,180

Price Chart 6 Cassette/Board Mount		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Shade Height Up To:	36"	234	272	307	343	383	418	454	489	589	629	714	1,032	1,129
	48"	258	298	338	378	423	463	503	543	645	689	785	1,109	1,218
	60"	280	325	369	414	463	507	552	596	703	752	854	1,187	1,305
	72"	303	352	400	447	503	552	600	647	760	814	925	1,267	1,392
	84"	325	378	432	483	543	594	647	700	816	874	994	1,345	1,478
	96"	347	405	463	518	583	638	696	754	874	936	1,065	1,423	1,565
	108"	392	456	520	585	656	718	783	847	1,143	1,214	1,360	1,503	1,654
	120"	529	598	667	738	812	880	949	1,018	1,207	1,283	1,438	1,589	1,740

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

For Additional Surcharges and Options - See page 41
 For Motorization Surcharges - See Motorization Pricing

Pricing - Roller shades - Standard Clutch

Material: Flirt, Grasscloth Eclipse, Homespun, Lindley, Milan Blackout, Refinery Eclipse, Shantung, SheerWeave 7400, 7600, Spector, E-Screen with Koolblack 3%

Price Chart 7 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	200	232	263	296	329	383	416	447	569	609	687	840	969	1,052	1,154	1,240	1,323
	48"	232	269	307	343	385	445	483	518	652	694	785	952	1,089	1,183	1,300	1,396	1,492
	60"	263	307	347	392	440	505	549	594	729	780	883	1,060	1,209	1,316	1,443	1,552	1,660
	72"	296	343	392	440	496	565	616	665	807	863	976	1,172	1,329	1,449	1,589	1,709	1,829
	84"	327	383	436	492	552	627	683	738	889	952	1,076	1,283	1,452	1,580	1,732	1,865	1,996
	96"	380	443	505	565	627	689	749	814	967	1,034	1,174	1,392	1,572	1,714	1,878	2,105	2,249
	108"	414	480	547	614	683	749	818	885	1,109	1,187	1,343	1,503	1,692	1,845	2,107	2,263	2,416
	120"	443	516	592	663	736	809	885	958	1,189	1,274	1,440	1,674	1,812	1,978	2,249	2,418	2,585

Price Chart 7 Cassette/Board Mount		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Shade Height Up To:	36"	256	296	336	376	423	463	503	543	645	689	783	1,105	1,214
	48"	285	332	376	423	474	518	565	609	718	767	874	1,205	1,325
	60"	314	365	416	467	523	574	625	676	789	845	963	1,305	1,436
	72"	343	398	456	512	574	629	687	743	863	923	1,052	1,405	1,547
	84"	369	432	494	556	625	687	749	812	936	1,003	1,140	1,505	1,658
	96"	398	467	534	603	674	743	809	878	1,007	1,080	1,229	1,605	1,769
	108"	449	525	600	676	758	834	909	985	1,289	1,372	1,540	1,705	1,880
	120"	592	674	754	836	925	1,005	1,087	1,169	1,367	1,456	1,638	1,814	1,992

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Boho Eclipse, SheerWeave 7000, Vizela

Price Chart 8 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	218	254	287	325	365	420	456	492	616	660	745	905	1,036	1,127	1,238	1,329	1,420
	48"	256	298	338	380	429	492	534	576	709	760	856	1,034	1,178	1,283	1,407	1,512	1,616
	60"	289	340	389	438	492	560	612	660	800	856	969	1,160	1,318	1,436	1,576	1,694	1,814
	72"	327	383	438	494	556	632	689	745	892	956	1,083	1,289	1,460	1,589	1,745	1,876	2,009
	84"	365	427	492	554	620	707	769	834	987	1,058	1,196	1,418	1,600	1,745	1,914	2,058	2,207
	96"	425	494	565	634	707	776	847	916	1,078	1,154	1,309	1,547	1,740	1,898	2,080	2,325	2,483
	108"	458	538	614	692	769	847	923	1,003	1,234	1,323	1,498	1,674	1,880	2,054	2,332	2,507	2,680
	120"	496	578	665	747	834	916	1,003	1,087	1,327	1,420	1,612	1,863	2,020	2,209	2,500	2,689	2,876

Price Chart 8 Cassette/Board Mount		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Shade Height Up To:	36"	278	323	367	412	463	507	552	596	703	752	854	1,185	1,300
	48"	312	363	414	465	523	574	625	676	789	845	960	1,303	1,434
	60"	347	405	463	518	583	640	698	756	876	938	1,067	1,423	1,567
	72"	380	445	509	574	643	707	772	836	963	1,032	1,174	1,543	1,700
	84"	414	485	556	627	703	774	845	916	1,049	1,125	1,280	1,663	1,832
	96"	447	525	603	680	763	840	918	996	1,136	1,218	1,387	1,783	1,965
	108"	505	592	678	765	856	943	1,032	1,118	1,432	1,525	1,716	1,903	2,098
	120"	652	745	838	934	1,032	1,127	1,220	1,314	1,525	1,625	1,829	2,032	2,232

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

[For Additional Surcharges and Options - See page 41](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Roller shades - Standard Clutch

Material: Pacifica, Tahiti, Tiffany

Price Chart 9 Open Roll/Clutch		Shade Width Up To:																
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Shade Height Up To:	36"	274	320	367	414	463	532	576	623	763	816	920	1,105	1,258	1,369	1,503	1,616	1,729
	48"	325	380	436	492	552	629	685	740	889	952	1,078	1,285	1,456	1,585	1,738	1,872	2,003
	60"	374	440	505	569	643	727	794	858	1,016	1,089	1,236	1,463	1,649	1,800	1,974	2,125	2,278
	72"	425	498	574	649	729	827	903	976	1,143	1,227	1,394	1,640	1,845	2,016	2,209	2,380	2,552
	84"	476	560	647	729	820	925	1,012	1,096	1,272	1,365	1,552	1,818	2,043	2,232	2,443	2,634	2,825
	96"	547	645	738	834	932	1,025	1,120	1,214	1,403	1,503	1,707	1,998	2,238	2,447	2,678	2,972	3,183
	108"	598	705	807	912	1,018	1,123	1,229	1,334	1,596	1,712	1,945	2,176	2,434	2,663	2,994	3,225	3,454
	120"	649	763	878	994	1,107	1,223	1,338	1,452	1,725	1,852	2,100	2,416	2,629	2,876	3,229	3,480	3,729

Price Chart 9 Cassette/Board Mount		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Shade Height Up To:	36"	336	392	447	503	565	620	676	732	852	912	1,038	1,396	1,534
	48"	385	449	514	580	649	716	780	847	974	1,045	1,189	1,565	1,723
	60"	432	507	580	656	736	809	885	960	1,098	1,176	1,340	1,734	1,912
	72"	480	563	647	732	820	905	989	1,074	1,220	1,309	1,492	1,903	2,100
	84"	527	620	714	807	907	1,000	1,094	1,187	1,343	1,440	1,643	2,074	2,287
	96"	576	678	780	883	992	1,094	1,196	1,300	1,465	1,574	1,792	2,243	2,476
	108"	645	760	876	989	1,109	1,225	1,340	1,454	1,800	1,923	2,169	2,412	2,665
	120"	807	934	1,058	1,183	1,312	1,438	1,563	1,687	1,929	2,060	2,329	2,592	2,854

Lifting System Surcharges		Shade Width Up To:										
Accu-Rise	105											
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
EZ-Lift	98	102	107	113	116	120	124	129	---	---	---	
Luxe Clutch (add to Open Roll)	96	96	98	100	100	103	103	105	105	107	109	

7" Fabric Wrapped Valance Surcharge (Board Mounted only)		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
7" Fabric Wrapped Valance	7	9	9	12	12	12	14	14	16	16	18	20	20	23	25	27	29

Fascia Surcharges		Shade Width Up To:															
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
3" Fascia (add to Open Roll)	36	40	43	45	49	52	56	58	63	65	72	---	---	---	---	---	---
4" Fascia (add to Open Roll)	58	63	69	74	78	83	89	94	98	105	114	125	134	---	---	---	---
5" Fascia (add to Open Roll)	147	154	163	172	180	189	198	207	214	223	240	258	274	292	309	325	343
5" Pocket (add to Open Roll)	183	205	225	245	267	287	307	327	349	369	409	452	492	534	574	616	658
5" Pocket Gravity Lip (add to Open Roll)	27	32	38	40	45	49	56	63	65	69	80	87	98	109	116	127	138
Mixed Metal Designer Accents*	47	52	56	63	65	69	74	78	83	85	94	103	109	138	149	158	169
Fabric Wrapped Fascia	14	16	18	20	23	25	27	29	29	32	36	40	45	49	54	56	63

* For Mixed Metal Designer Accents on Fascia, add surcharge to Open Roll chart + Fascia surcharge. For Cassettes, add surcharge to Cassette price chart.
 For Fabric Wrapped Fascia, add surcharge to Open Roll chart + Fascia surcharge.
 For Front Fascia with Back Fascia, use price x 2.

For Additional Surcharges and Options - See page 41
 For Motorization Surcharges - See Motorization Pricing

Pricing - Roller shades - Options & Surcharges

Hem Surcharges	Shade Width Up To:																
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
Decorative Bottom Hem	67	78	92	96	112	120	132	138	147	156	183	194	207	223	243	258	274
Wood Bottom Hem	56	58	60	63	67	69	76	83	109	---	---	---	---	---	---	---	---
Urban Bottom Rail	16	20	23	25	27	32	34	36	38	43	47	54	58	65	69	76	83

Tube Size Upgrade Surcharges	Shade Width Up To:																
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
1 1/2" Tube Size Upgrade	16	18	20	20	23	23	23	25	25	25	27	---	---	---	---	---	---
2" Tube Size Upgrade	23	25	25	27	29	32	32	34	36	38	38	40	43	---	---	---	---
2 1/2" Tube Size Upgrade	45	49	52	54	56	56	63	63	65	67	69	76	76	78	80	85	87
3 1/4" Tube Size Upgrade	98	103	109	114	127	132	134	138	147	154	169	187	192	205	145	154	158

Light Blockout System Surcharges		Shade Width Up To:												
		30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"
Window Height Up To:	48"	236	260	285	312	334	360	385	412	436	460	512	563	614
	60"	240	265	294	318	345	372	396	425	449	478	529	583	634
	72"	249	276	305	334	363	389	418	447	476	503	558	616	672
	84"	256	285	314	343	374	403	432	460	492	520	578	640	698
	96"	258	287	318	347	376	405	436	467	496	527	587	647	707
	108"	260	294	323	354	385	416	445	478	507	538	600	660	723
	120"	265	298	329	360	392	425	454	487	518	549	614	676	738

Other Design Surcharges	
2-on-1 Headrail	52
Metal Bead Chain	23
Magnetic Hold Downs	23
Satin Nickel Decorative Clutch & Bracket Cover	14
Spring Assist (for 1 1/2" - 2 1/2" tube only)	69
Spring Assist (for 3 1/4" tube only)	149
Dual Shade Bracket (IS mount only) (Per pair)	32
Decorative Dual Shade Bracket (Per pair)	40
Adjustable 3" Fascia Bracket	7
Adjustable 4" Fascia Bracket	7
Season-View Exterior Cable Guide	89
Palladian Shelf - Finished (Per Ft.)	View common surcharges
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges
Light Gap Stop (Per Ft.)	View common surcharges
FR Coating or Antimicrobial Coating (Per Sq.Ft.)	View common surcharges

Standalone Valance Surcharges	Shade Width Up To:										
	48"	60"	72"	84"	96"	108"	120"	132'	144"	156"	168"
Majesty or Noble 4 5/8" Wood Valance	152	163	174	185	198	209	220	234	245	256	269
4 5/8" Fabric Wrapped Valance	143	183	216	269	294	318	343	367	392	416	440
7" Fabric Wrapped Valance	152	196	229	287	312	336	360	385	409	434	458

Pricing - Roller Shades - Shade Masterpieces

Price Group 5	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	229	296	363	420
	48"	260	327	412	478
	60"	285	356	443	509
	72"	316	400	498	574
	84"	356	440	549	634
	96"	412	500	629	---
	108"	460	560	703	---
	120"	516	629	792	---

Price Group 6	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	236	303	374	434
	48"	269	334	425	494
	60"	294	365	460	525
	72"	327	414	520	600
	84"	369	452	574	660
	96"	425	516	658	---
	108"	476	578	736	---
	120"	534	645	825	---

Price Group 7	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	243	307	383	443
	48"	276	343	440	509
	60"	303	374	478	545
	72"	338	423	543	625
	84"	380	465	600	692
	96"	440	532	687	---
	108"	494	594	769	---
	120"	554	665	860	---

Price Group 8	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	247	314	396	454
	48"	283	349	452	520
	60"	314	383	496	563
	72"	349	436	565	652
	84"	396	478	627	723
	96"	452	543	714	---
	108"	509	609	800	---
	120"	569	683	898	---

Price Group 9	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	252	318	405	465
	48"	292	356	467	536
	60"	320	392	514	580
	72"	358	445	587	676
	84"	409	492	652	749
	96"	467	558	745	---
	108"	525	627	832	---
	120"	587	700	932	---

Price Group 10	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	256	323	416	474
	48"	298	365	483	549
	60"	329	400	534	600
	72"	369	454	607	698
	84"	420	505	676	778
	96"	483	572	774	---
	108"	540	640	865	---
	120"	607	720	969	---

Price Group 11	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	263	329	427	487
	48"	305	372	496	565
	60"	340	412	549	616
	72"	380	467	629	725
	84"	434	516	700	807
	96"	496	587	803	---
	108"	558	658	898	---
	120"	625	736	1007	---

Price Group 12	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	269	334	438	496
	48"	314	378	512	580
	60"	347	418	567	634
	72"	392	476	652	749
	84"	445	529	727	838
	96"	512	603	829	---
	108"	574	676	929	---
	120"	640	754	1040	---

Price Group 13	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	274	340	449	509
	48"	320	387	525	594
	60"	356	427	587	654
	72"	403	489	674	776
	84"	458	540	752	865
	96"	525	616	858	---
	108"	589	689	963	---
	120"	660	774	1076	---

Price Group 14	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	280	347	465	523
	48"	329	396	547	616
	60"	372	443	614	680
	72"	418	505	705	812
	84"	476	560	787	907
	96"	547	638	903	---
	108"	614	714	1012	---
	120"	687	800	1132	---

Price Group 15	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	294	358	487	545
	48"	345	412	574	643
	60"	389	460	649	714
	72"	440	525	749	863
	84"	500	585	840	967
	96"	574	665	960	---
	108"	645	747	1074	---
	120"	723	834	1203	---

Price Group 16	Width To:				
	35"	53"	71"	96"	
Window Height To:	36"	303	369	509	567
	48"	358	425	605	674
	60"	405	476	685	752
	72"	463	547	792	912
	84"	525	609	889	1023
	96"	605	696	1018	---
	108"	680	780	1140	---
	120"	758	872	1276	---

Pricing - Shade Masterpieces

Price Group 17	Width To:			
	35"	53"	71"	96"
Window Height To: 36"	318	383	536	594
48"	376	443	640	709
60"	427	498	729	796
72"	489	574	845	972
84"	558	640	952	1096
96"	640	732	1089	---
108"	720	820	1223	---
120"	803	916	1363	---

Price Group 18	Width To:			
	35"	53"	71"	96"
Window Height To: 36"	338	403	578	636
48"	405	472	698	765
60"	465	536	803	869
72"	532	616	929	1069
84"	609	692	1052	1209
96"	698	787	1205	---
108"	783	883	1349	---
120"	876	989	1509	---

Price Group 19	Width To:			
	35"	53"	71"	96"
Window Height To: 36"	365	429	632	689
48"	440	507	769	836
60"	509	580	892	956
72"	585	669	1038	1196
84"	669	754	1178	1356
96"	769	858	1347	---
108"	865	965	1512	---
120"	965	1076	1687	---

Price Group 20	Width To:			
	35"	53"	71"	96"
Window Height To: 36"	392	458	685	745
48"	476	543	843	912
60"	556	627	980	1047
72"	638	725	1145	1318
84"	734	818	1305	1503
96"	843	932	1492	---
108"	945	1045	1672	---
120"	1056	1167	1869	---

C.O.M.	Width To:			
	35"	53"	71"	96"
Window Height To: 36"	205	269	309	367
48"	225	292	338	407
60"	240	312	354	418
72"	263	349	392	452
84"	294	378	425	489
96"	338	429	485	---
108"	380	480	540	---
120"	427	538	612	---

Surcharges	Shade Width Up To:										
	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Large Cassette	69	79	90	100	111	122	132	143	154	164	185
4" Fascia	58	63	69	74	78	83	89	94	98	105	114
Wood Bottom Hem	56	58	60	63	67	69	76	83	109	---	---
Decorative Hem	67	78	92	96	112	120	132	138	147	156	183
1 1/2" Tube Size Upgrade	16	18	20	20	23	23	23	25	25	25	27
2" Tube Size Upgrade	23	25	25	27	29	32	32	34	36	38	38
2 1/2" Tube Size Upgrade	45	49	52	54	56	56	63	63	65	67	69
3 1/4" Tube Size Upgrade	98	103	109	114	127	132	134	138	147	154	169

Product Information - Roller shades with Clutch

Product Features

- Fits rectangular window openings.
- Operated with continuous bead chain loop.
- Hooked clutch and spring pin-end for easy installation.
- Nylon fiberglass filled construction for quieter performance and added durability.
- Fabric comes off the back of the roller.
- Wrapped metal hem bar.
- Color coordinated continuous bead chain loop, bottom rail and end caps.
- Color coordinated bracket covers for OS mount shades to match clutch color.

Size Standards

- Open Roll - Fabrics: Pages 8-10
- Open Roll - Screens: Page 15
- Open Roll - Sheerweave 5000: Page 19
- Open Roll - Artist Portfolio: Page 22
- Cassettes - Fabrics: Pages 10-12
- Cassettes - Screens: Page 16-17
- Cassettes - Sheerweave 5000: Page 19-20
- Cassettes - Artist Portfolio: Page 23
- Fascias/Board Mounted - Fabrics: Pages 10, 13-14
- Fascias/Board Mounted - Screens: Pages 16, 18
- Fascias/Board Mounted - Sheerweave 5000: Pages 19, 21
- Fascias/Board Mounted - Artist Portfolio: Page 23

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock - Page 83

Finished Dimensions & Mounting Requirements

- Page 29

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
- Design Option Details - Pages 62-63

Ordering Notes

- Clutch brackets are universal for inside mount, outside mount, ceiling mount, standard or reverse roll shades.

Pricing

- Pages: 32-41

Decorative SL Clutch and Bracket Cover

- Available in Satin Nickel finish with a Stainless Steel Bead Chain.
 - Only available for SL10 and SL20 clutches.
- [Clutch/Tube Chart on page 31](#)



Inside Mount



Outside Mount



Available in White, Vanilla and Black



Satin Nickel Upgrade

Product Information - Roller shades with Luxe Clutch System

Product Features

- Fits rectangular window openings.
- Fabric comes off the back of the roller.
- Decorative clutch with enhanced internal springs for smoother operation.
- Satin Nickel or Vintage Brass finish.
- Outside Mount only.
- Operated with coordinating continuous metal bead chain loop.
- Brackets are heavy duty cast and machined metal.
- Uses 1 1/2" aluminum tube.

Size Standards

- Open Roll - Fabrics: [Pages 8-10](#)
- Open Roll - Screens: [Page 15](#)
- Open Roll - Sheerweave 5000: [Page 19](#)
- Open Roll - Artist Portfolio: [Page 22](#)

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

Hardware Included

- [Installation Brackets - Page 83](#)
- [Cord Tension Lock - Page 83](#)

Finished Dimensions & Mounting Requirements

- [Page 29](#)

Options

- [No Charge Options and Availability - Page 24](#)
- [Surcharge Options and Availability - Page 24](#)
- [Design Option Details - Pages 62-63](#)
- Exclusions: Inside Mount, Ceiling Mount

Pricing

- [Pages: 32-41](#)



Luxe Clutch - Vintage Brass



Luxe Clutch - Satin Nickel



Size Standards

- Cassettes - Fabrics: Pages 10-12
- Cassettes - Screens: Page 16-17
- Cassettes - Sheerweave 5000: Page 19-20
- Cassettes - Artist Portfolio: Page 22-23
- Fascias/Board Mounted - Fabrics: Pages 10, 13-14
- Fascias/Board Mounted - Screens: Pages 16, 18
- Fascias/Board Mounted - Sheerweave 5000: Pages 19, 21
- Fascias/Board Mounted - Artist Portfolio: Page 22-23

	Roller Shades					Roman Shades				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
System II	17"	102"	24"	120"	64	16"	96"	24"	96"	50
R28 WireFree	26"	102"	24"	120"	64	---	---	---	---	---
Sonesse 28 WireFree	25"	102"	24"	120"	64	---	---	---	---	---
Sonesse 30 WireFree	27"	120"	24"	120"	80	27"	96"	24"	96"	64
Sonesse 40 WireFree	31"	144"	24"	144"	144	---	---	---	---	---
Ultra 30 WireFree	31"	120"	24"	120"	80	---	---	---	---	---

For Fabric Width Restrictions - Pages 4-7

System II Information (1.1Nm)

- 12V DC Motor
- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- Available on 1 1/2" tube or 2"
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters



System II Motor

R28 WireFree/Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Available on 1 1/2" tube or 2"
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- 55 decibels
- Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



R28 Wirefree Motor

Sonesse 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Available on 1 1/2" or 2" tube
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- 44 decibels
- Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



Sonesse 30 Wirefree Motor

Sonesse 40 Wirefree Information (3Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Available on 2", 2 1/2", or 3 1/4" tube
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- 44 decibels
- Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



Sonesse 40 Wirefree Motor

Ultra 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Available on 1 1/2" or 2" tube
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- Ultra quiet sound level (38 decibels)
- Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



Ultra 30 Wirefree Motor

Finished Dimensions & Mounting Requirements

- [Pages 29-31](#)

Pricing

- To price, add motorization surcharges to shade price
- For Motorization Surcharges - [Lafayette Motorization Pricing](#)

Product Information - Somfy Motorization



Somfy myLink Overview

- WiFi to RTS bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.
- Amazon Alexa integration
- IFTTT (If This Then That)



Options - Controls



Sixteen Channel Telis RF Transmitter



Five Channel Telis RF Transmitter



Single Channel Telis RF Transmitter



Five Channel Decoflex Wall Switch



Situ 1 Channel Remote



Situ 5 Channel Remote

Design Options Availability	System II	R28/Sonesse 28 WireFree	Sonesse 30 WireFree	Sonesse 40 WireFree	Ultra 30 WireFree
No Charge Design Options					
Heat Sealed Bottom Hem	Y	Y	Y	Y	Y
Sewn in Hem	Y	Y	Y	Y	Y
Reverse Roll	Y	Y	Y	Y	Y
Season-Vue	N/A	N/A	N/A	N/A	N/A
Surcharge Design Options					
2-on-1 Headrail	Y	Y	Y	Y	Y
Dec. Bottom Hem	Y	Y	Y	Y	Y
Wood Bottom Hem	Y	Y	Y	Y	Y
Urban Bottom Rail	Y	Y	Y	Y	Y
Exterior Cable Guide	N/A	N/A	N/A	N/A	N/A
Magnetic Hold Downs	Y	Y	Y	Y	Y
Mixed Metal Designer Accents	Y	Y	Y	Y	Y
Fabric Wrapped Valance	Y	Y	Y	Y	Y
Fabric Wrapped Fascia	Y	Y	Y	Y	Y
Majesty Wood Valance	Y	Y	Y	Y	Y
Noble Wood Valance	Y	Y	Y	Y	Y
Tube Size Upgrade	Y	Y	Y	Y	Y
Light Blockout	Y*	Y	Y	Y	Y
Light Gap Stop	Y	Y	Y	Y	Y
Dual Bracket	Y	Y	Y	Y	Y
5" Dual Fascia Bracket	Y	Y	Y	Y	Y
Decorative Dual Bracket	N/A	N/A	N/A	N/A	N/A

*Not available with battery wand or solar.

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

• For more control options - [Motorization Solutions Guide](#)



Auto-Wand Product Features

- Available on Genesis roller shades and roman shades.
- Battery operated motor with wand control.
- Economical child safe solution with no cords.
- Up or Down position controlled by button on wand.
- Top and bottom limits can be set.
- Li-ion battery is internal and rechargeable. (2200 mAh)
- Wand is White, Gray or Black. [View Color Coordination](#)
- Wand control is on either side of the shade.
- Rechargeable battery can offer 6 to 12 months on a single charge under normal conditions.
- 5 Year Motor Warranty



Auto-Wand Shade



Size Standards

- Open Roll - Fabrics: Pages 8-10
- Open Roll - Screens: Page 15
- Open Roll - Sheerweave 5000: Page 19
- Open Roll - Artist Portfolio: Page 22
- Cassettes - Fabrics: Pages 10-12
- Cassettes - Screens: Page 16-17
- Cassettes - Sheerweave 5000: Page 19-20
- Cassettes - Artist Portfolio: Page 22-23
- Board Mounted - Fabrics: Pages 10, 13-14
- Board Mounted - Screens: Pages 16, 18
- Board Mounted - Sheerweave 5000: Pages 19, 21
- Board Mounted - Artist Portfolio: Page 22-23

	Roller Shades					Roman Shades				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
Auto-Wand	24"	96"	28"	96"	64	24"	96"	28"	96"	50

[For Fabric Width Restrictions - Pages 4-7](#)

Wand Length

Shade Length	Wand
Up to 39"	24"
39 1/16" - 54"	36"
Over 54 1/16"	48"



Wand Control

Options

- Design Options Headrail Availability - Page 24
- Design Options Availability - Page 50
- Design Option Details - Page 62-63
- Exclusions: Page 50

Hardware Included

- Installation Brackets - Page 83

Finished Dimensions & Mounting Requirements

- Pages 29-31

Pricing

- To price, add motorization surcharges to shade price
- For Motorization Surcharges - [Lafayette Motorization Pricing](#)



White

Black

Gray



EZ Charge Product Features

- Battery powered motor with remote control, wall switch or app interface (all purchased separately).
- Lithium-ion battery is internal and rechargeable.
- Remote offers up to 15 channels separately or in groups.
- Electronic stop setting.
- Rechargeable battery can offer 6 to 12 months on a single charge under normal conditions. Charger has a 12' cord sold separately. Extension cables sold separately.
- 6 hours for a full peak charge (from a complete dead to a full charge).
- Warning sound when battery charge is low.
- Economical child safe solution with no cords.
- 5 Year Motor Warranty



Size Standards

- Cassettes - Fabrics: Pages 10-12
- Cassettes - Screens: Page 16-17
- Cassettes - Sheerweave 5000: Page 19-20
- Cassettes - Artist Portfolio: Page 22-23
- Fascias/Board Mounted - Fabrics: Pages 10, 13-14
- Fascias/Board Mounted - Screens: Pages 16, 18
- Fascias/Board Mounted - Sheerweave 5000: Pages 19, 21
- Fascias/Board Mounted - Artist Portfolio: Page 22-23

	Roller Shades					Roman Shades				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
EZ-Charge V.2	24"	96"	24"	120"	64	24"	96"	24"	96"	50
EZ-Charge X2	32"	120"	24"	120"	80	32"	96"	24"	96"	64
EZ-Charge X3	42"	144"	24"	144"	144	---	---	---	---	---

For Fabric Width Restrictions - Pages 4-7

* Exception: Light-Vue has a maximum height of 120"

EZ Charge Version 2.0 (1.1Nm)(2200 mAh)

- Adjust speed: 40 RPM (30 RPM or 20 RPM)
- Available with 1 1/2" tube

EZ Charge X2 (Q-2Nm)(2600 mAh)

- Adjust speed: 28 RPM (24 RPM or 20 RPM)
- Available with 1 1/2" or 2" tube

Options - Version 2.0 and X2 Systems

- Design Options Headrail Availability - Page 24
- Design Options Availability - Page 50
- Design Option Details - Page 62-63
- Exclusions: Page 50
- For control options - [Motorization Solutions Guide](#)

Finished Dimensions & Mounting Requirements

- Pages 29-31

Pricing

- To price, add motorization surcharges to shade price
- For Motorization Surcharges - [Lafayette Motorization Pricing](#)

EZ Charge X3 (Q-3Nm)(4400 mAh)

- Adjust speed: 28 RPM (24 RPM or 20 RPM)
- Available with 2 1/2" or 3 1/4" tube

Options - X3 System

- Design Options Headrail Availability - Page 24
- Design Options Availability - Page 50
- Design Option Details - Page 62-63
- Exclusions: Page 50 Roman Shades
- For control options - [Motorization Solutions Guide](#)

Product Information - Auto-Wand & EZ-Charge Rechargeable Series

EZ Charge Pulse Bridge

- Allows for app control over any of your EZ Charge Series motors
- Set and manage up to 20 scenes
- Set and manage up to 20 timers
- Manage multiple hubs under multiple locations. Easily switch between office and home. Allows for up to 5 hubs under each location
- Allows for third party serial integration
- Amazon Alexa compatible
- IFTTT (If This Then That)



Pulse Bridge



EZ Charge Repeater

- Extends the RF range of operation up to 120 feet for ARC enabled products
- Operates by plugging the USB power adapter into a power outlet and then plugging the USB Repeater into the USB power adapter
- Press any button on the remote control and the blue light on the USB Repeater will flash three times. This means the USB Repeater is transmitting the signal
- Power adapter not included



Options - Controls



EZ-Charge
15 Channel Remote Control



EZ-Charge Charger with 12 foot cord



EZ-Charge Wall Switch

Design Options Availability	Auto-Wand	EZ Charge V.2	EZ Charge X2	EZ Charge X3
No Charge Design Options				
Heat Sealed Bottom Hem	Y	Y	Y	Y
Sewn in Hem	Y	Y	Y	Y
Reverse Roll	Y	Y	Y	Y
Season-View	N/A	N/A	N/A	N/A
Surcharge Design Options				
2-on-1 Headrail	Y	Y	Y	N/A
Dec. Bottom Hem	Y	Y	Y	Y
Wood Bottom Hem	Y	Y	Y	Y
Urban Bottom Rail	Y	Y	Y	Y
Exterior Cable Guide	N/A	N/A	N/A	N/A
Magnetic Hold Downs	Y	Y	Y	Y
Mixed Metal Designer Accents	Y	Y	Y	Y
Fabric Wrapped Valance	Y	Y	Y	Y
Fabric Wrapped Fascia	N/A	Y	Y	Y
Majesty Wood Valance	Y	Y	Y	Y
Noble Wood Valance	Y	Y	Y	Y
Tube Size Upgrade	N/A	N/A	Y	N/A
Light Blockout	N/A	Y	Y	Y
Light Gap Stop	Y	Y	Y	Y
Dual Bracket	N/A	Y	Y	N/A
5" Dual Fascia Bracket	N/A	Y	Y	N/A
Decorative Dual Bracket	N/A	N/A	N/A	N/A

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information - Roller shades with Accu-Rise® Cordless

Product Features

- Fits rectangular window openings
- Shade can be stopped at any height
- Color-coordinated bottom rail end caps, bottom rail and brackets
- Fabric wrapped bottom rail only
- No operating cords for superior child safety

Size Standards

(Max widths & lengths are dependent on fabric width restrictions)

- Open Roll - Fabrics: Pages 8-10
- Open Roll - Screens: Page 15
- Open Roll - Sheerweave 5000: Page 19
- Open Roll - Artist Portfolio: Page 22
- Cassettes - Fabrics: Pages 10-12
- Cassettes - Screens: Page 16-17
- Cassettes - Sheerweave 5000: Page 19-20
- Cassettes - Artist Portfolio: Page 22-23
- Board Mounted - Fabrics: Pages 10, 13-14
- Board Mounted - Screens: Pages 16, 18
- Board Mounted - Sheerweave 5000: Pages 19, 21
- Board Mounted - Artist Portfolio: Page 23



Accu-Rise Bottom Rail

Hardware Included

- Installation Brackets - Page 83

Finished Dimensions & Mounting Requirements

- Pages 29-31

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
- Design Option Details - Pages 62-63
- Exclusions - Page 24

Ordering Notes

- Only available with metal hem bar

Pricing

- Pages: 32-41
- To price, add Accu-Rise surcharge to shade price.



Product Features

- Fits rectangular window openings.
- Speed reducer so shade will lift slowly.
- Shade can be stopped at any height.
- White Raceway headrail with 1 1/2" aluminum tube.
- Fabric comes off the back of the roller.
- Fabric wrapped metal hem bar.
- Tension can be adjusted to increase or decrease speed
- Top limit can be set so hem bar height can be adjusted.
- No operating cords, superior child safe solution.



EZ Lift Outside Mount

Size Standards

(Max widths & lengths are dependent on fabric width restrictions)

- Open Roll - Fabrics: Page 10
- Open Roll - Screens: Page 16
- Open Roll - Sheerweave 5000: Page 19
- Open Roll - Artist Portfolio: Page 22
- Cassettes - Fabrics: Pages 10
- Cassettes - Screens: Page 16
- Cassettes - Sheerweave 5000: Page 19
- Cassettes - Artist Portfolio: Page 22
- Board Mounted - Fabrics: Pages 10
- Board Mounted - Screens: Pages 16
- Board Mounted - Sheerweave 5000: Pages 19
- Board Mounted - Artist Portfolio: Page 23

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
 - 2-on-1 headrail maximum width is 156"
- Design Option Details - Pages 62-63
- Exclusions - Page 24

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock - Page 83

Finished Dimensions & Mounting Requirements

- Pages 29-31

Ordering Notes

- Uses White RaceWay Headrail up to 72" height; Large Cassette needed after 72" height.

Caution

- There is a VISIBLE light gap at the top on inside mount shades with an EZ Lift system, therefore the addition of a valance or cassette is STRONGLY advised.
- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap. The shade fabric on reverse roll shades does not roll up as tightly as a regular roll shade. Avoid using stiff and heavy fabrics on reverse roll shades.

Pricing

- Pages: 32-41
- To price, add EZ-Lift surcharge to shade price.



Roller Shades - Cassette Systems

Small Cassette System Features

- Fits rectangular window openings.
- Available in White, Vanilla, Brushed Nickel, Bronze and Black. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The wrapped metal hem prevents the shade material from rolling completely into the cassette.

Size Standards

- Fabrics - Pages 10-12
- Screens - Page 16-17
- Sheerweave 5000 - Page 19-20
- Artist Portfolio - Page 23



Small Cassette

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
- 2-on-1 headrail maximum width is 156"
- Design Option Details - Pages 62-63
- Exclusions - Page 24

Pricing



- Pages: 32-41

Large Cassette System Features

- Fits rectangular window openings.
- Available in White, Vanilla, Brushed Nickel, Bronze and Black. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The wrapped metal hem prevents the shade material from rolling completely into the cassette.

Size Standards

- Fabrics - Pages 10-12
- Screens - Page 16-17
- Sheerweave 5000 - Page 19-20
- Artist Portfolio - Page 23



Large Cassette

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
- 2-on-1 headrail maximum width is 156"
- Design Option Details - Pages 62-63
- Exclusions - Page 24

Pricing

- Pages: 32-41

Finished Dimensions & Mounting Requirements

- Page 29



Available in: White, Vanilla, Brushed Nickel, Bronze and Black



Roller Shades - Cassette Systems

Modern Cassette System Features

- Fits rectangular window openings.
- Available in Black, Bronze, Brushed Nickel, Vanilla and White. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The wrapped metal hem prevents the shade material from rolling completely into the cassette.

Size Standards

- Fabrics - Pages 10-12
- Screens - Page 16-17
- Sheerweave 5000 - Page 19-20
- Artist Portfolio - Page 23



Modern Cassette

Options



- [No Charge Options and Availability - Page 24](#)
- [Surcharge Options and Availability - Page 24](#)
- 2-on-1 headrail maximum width is 156"
- [Design Option Details - Pages 62-63](#)
- [Exclusions - Page 24](#)

Modern Plus Cassette System Features

- Fits rectangular window openings.
- Available in Black, Bronze, Brushed Nickel, Vanilla and White. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The wrapped metal hem prevents the shade material from rolling completely into the cassette.

Size Standards

- Fabrics - Pages 10-12
- Screens - Page 16-17
- Sheerweave 5000 - Page 19-20
- Artist Portfolio - Page 23



Modern PlusCassette

Options

- [No Charge Options and Availability - Page 24](#)
- [Surcharge Options and Availability - Page 24](#)
- 2-on-1 headrail maximum width is 156"
- [Design Option Details - Pages 62-63](#)
- [Exclusions - Page 24](#)

Pricing

- Pages: 32-41

Finished Dimensions & Mounting Requirements

- Page 30



Available in: Black, Bronze, Brushed Nickel, Vanilla and White

Roller Shades - Fascia and Pocket Systems

3" and 4" Fascia Features

- Fits rectangular window openings.
- Available in White, Vanilla, Brushed Nickel, Bronze and Black.
- Bracket covers are standard for OS mounts.
- 3" Flat Front Fascia: Fascia is 3" high; Bottom Edge is 2 1/4" deep
- 4" Flat Front Fascia: Fascia is 4" high; Bottom Edge is 2 3/4" deep

Size Standards

- Fabrics - Pages 13-14
- Screens - Page 18
- Sheerweave 5000 - Page 21
- Artist Portfolio - Page 23

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
 - Back Fascia
- Exclusions - Page 24



3" & 4" Fascia



Available 3" & 4" Fascia Colors

Finished Dimensions & Mounting Requirements

• Page 31

Fabric Wrapped Fascia

- Fabric availability: Pages 25-28
- Available with 3", 4" & 5" fascia



Ordering Notes for Fascias & Pocket

- To price, add shade price and fascia/pocket surcharge.
- Caution: The hem bar will NOT roll up in the Fascia.
- Bracket covers add 1/4" to overall width.
- For inside mounts, it is important that the width given is an accurate measurement at the level where the fascia is to be installed.
- Specify Front or Front & Back Fascia

Pricing

- Pages: 32-41
- To price, add Fascia surcharge to Open Roll shade price.

June 15, 2020

5" Flat Fascia Features

- Fits rectangular window openings.
- Available in White, Brushed Nickel, and Bronze.
- Bracket covers are standard for OS mounts.
- Minimal fascia light gap across the header since the top of the fascia is even with the top of the brackets. Uses chain diverters and guides to eliminate notching of the fascia.
- Fascia is 5 3/16" high, 3 13/16" deep.
- Can be used as Dual Shade Option - an endplate in the 5" fascia bracket will hold two shades with controls on the same side and appear as one unit.

Size Standards

- Fabrics - Pages 13-14
- Screens - Page 18
- Sheerweave 5000 - Page 21
- Artist Portfolio - Page 23

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
 - Back Fascia
 - Dual Fascia Bracket
- Exclusions - Page 24



5" Fascia

Finished Dimensions & Mounting Requirements

• Page 31

5" Contract Pocket

- Installs in recessed pocket ceiling openings.
- Available in Anodized and White.
- Pocket Fascia is 5 5/16" high, 5 5/8" deep.
- Installation brackets are not provided since installation is job site dependent.
- Can be used as a Dual Shade option.

Size Standards


- Fabrics - Pages 13-14
- Screens - Page 18
- Sheerweave 5000 - Page 21
- Artist Portfolio - Page 23

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
 - Gravity Lip (single shade application only) - 2 5/8" wide
- Exclusions - Page 24

Finished Dimensions & Mounting Requirements

• Page 31



5" Pocket

Genesis Shades 55

Roller Shades - Board Mounted Shade

Product Features

- Fits rectangular window openings.
- Board mounted shade with Fabric Wrapped Valance.
- 4 5/8" high valance, fabric has velcro attachment to the board.
- Fabric availability - Fabric Wrapped Valance: Pages 25-28

Size Standards

- Fabrics - Pages 13-14
- Screens - Page 18
- Sheerweave 5000 - Page 21
- Artist Portfolio - Page 23

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock - Page 83

Options

- No Charge Options and Availability - Page 24
- 4 5/8" Majesty or Noble wood valance can be substituted in place of fabric wrapped valance
- Surcharge Options and Availability - Page 24
- 7" Valance Upgrade Available
- 2-on-1 headrail maximum width is 168". For widths greater than 95" the headrail and valance will ship in 2 pieces. A fabric keystone is included to cover the valance splice.
- Design Option Details - Pages 62-63
- Exclusions - Page 24

Ordering Notes

- Valances over 95" will include a splice

Fabric Wrapped Valance Returns




- For inside mounts, no returns will be sent unless specified (see undersize return).
- **Standard Return** - The standard return is 3 1/4" (measured from the back of valance) with a 3" mounting board.
- **Oversize Return** - required for an outside mount on trim or when using extension brackets. The size you specify is equal to the depth of the trim (wall to the high point of the trim) or the depth of the extension brackets. We will add that measure to the standard return.
- **Undersize Return** - required for an inside mount protruding into the room. The size you specify is equal to the recessed mounting depth.
- **Exact Size Return** - The size you specify is equal to the measurement from the back of the return to the back of the valance face (inside miter).
- **Minimum Return:** 1"
- **Maximum Return:** 7"
- Valances wider than 95" will be spliced with a fabric keystone

Finished Dimensions & Mounting Requirements

- Page 30

Pricing



- Pages: 32-41



Roller Shades - Valances and Metal Accents

Stand Alone Fabric Wrapped Valance

- 4 5/8" or 7" high valance is fabric covered and is attached to the board with velcro.
- Available with 3 1/4" returns (3" board) and 5 1/4" returns (5" board).
- See Return Measurement for Fabric Wrapped Valances on [page 56](#)
- Maximum width of valance is 168". For widths over 95" the board and valance will ship in 2 pieces. A fabric keystone is included to cover the splice in the valance. Splice is 2" wide.
- Fabric availability: [Pages 25-28](#)



Valance with Splice

Majesty and Noble Wood Valances

- Valances are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Standard return is 4 1/2" from back of valance to wall.
- If wood valance width is over 96" the valance will be spliced.

Ordering Notes

- Caution: Recommended for Roller shades only. A Majesty or Noble Wood Valance installed over a roman shade will NOT fully cover shade hardware and cords.

Majesty Valance
4 1/2" height
5/8" thick



Noble Valance
4 5/8" height
1/2" thick



Mixed Metal Designer Accents

The face of the cassette or fascia can be covered with one of the six Designer Accent materials.

The bottom rail is not wrapped with the accent fabric.

- Availability: [Page 24](#)
- Maximum width 120".
- For 2-on-1 Headrail use overall width to price.
- Hardware is color-coordinated to Genesis material unless specified. [View Color Coordination](#)
- Colors available: Brushed Sterling, Brushed Titanium, Brushed Graphite, Bronze Shimmer, Radiant Cashmere, and Bronze Pearl.



Cassette with Mixed Metal Accents



Fascia with Mixed Metal Accents

Mixed Metals Designer Accents



Brushed Sterling
821

Brushed Titanium
990

Brushed Graphite
127



Bronzed Pearl
922

Radiant Cashmere
257

Bronze Shimmer
964

Specialty Applications - Roller shades with Light Blockout System

Product Features

- Fits rectangular window openings.
- Includes front fascia, side channels and bottom channel to eliminate light leakage. Customer selects fascia color.
- Select 3" flat fascia or 4" flat fascia in Brushed Nickel, Bronze, White or Vanilla.
- Sewn in hem.
- Color coordinated continuous bead chain loop.
- Bottom uses an L channel for inside mount and a U channel for outside mount
- Wool pile is inserted in the side channel to reduce noise and light leakage

Size Standards

- Fascias - Fabrics: Pages 13-14
- Fascias - Screens: Page 18
- Fascias - Sheerweave 5000: Page 21
- Fascias - Artist Portfolio: Page 23

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock - Page 83

Finished Dimensions & Mounting Requirements

- Page 31

Options

- No Charge Options and Availability - Page 24
- Surcharge Options and Availability - Page 24
- Exclusions - Page 24, 2-on-1 Headrail; Decorative Hems; Wood Bottom Hem; Decorative Pulls; Reverse Roll; Fabric Tahiti.

Ordering Notes

- Control side cannot be changed once shade is made.
- On an inside mount there is a 1/8" gap between the side channel and the fascia to allow for installation. The L channel will be sent at ordered width and may have to be trimmed or caulked to fit opening. The L channel is designed to cover the bottom of the side channels and conceal the 1/8" gap. **Out of square windows may require over-sized or under-sized L channel for inside mount.**

Caution

- For inside mounts, It is extremely important that the width given is an accurate measurement at the level where the fascia is to be installed. Squareness of the window is also critical for this installation.
- Inside Mounts are not recommended due to light leakage. If an Inside Mount is used then additional steps are necessary to minimize the light leakage. Options include caulking, filling or using a drapery panel on each side of the window.

Pricing

- Pages: 32-41
- To price, add the Light Blockout Fascia surcharge (page 41) to Open Roll shade price.



- 3" Fascia:
- 4" Fascia:
- Side Channels: Width of channel is 2 3/16".
- Bottom Channel: Height of channel is 2 3/16"
- L Channel: Height of channel is 2 3/16"

Specialty Applications - Season-Vue Roller Shades & Cable Guide System



Product Features

- Fits rectangular window openings.
- Designed for use in enclosed patios, porches and lanais.
- Exterior clutch shade with aluminum roller and stainless steel spring components in the clutch.
- Zinc-plated steel brackets with coating provide extra protection for screened-in applications.
- Wrapped metal hem bar adds weight and stability.
- Color coordinated continuous bead chain loop, bottom hem, and end caps. [View Color Coordination](#)

Size Standards

- Cassettes - Fabrics: [Pages 11-12](#)
- Cassettes - Screens: [Page 17](#)
- Cassettes - Sheerweave 5000: [Page 20](#)
- Fascias - Fabrics: [Pages 13-14](#)
- Fascias - Screens: [Page 18](#)
- Fascias - Sheerweave 5000: [Page 21](#)

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

Hardware Included

- [Installation Brackets - Page 83](#)
- [Cord Tension Lock \(if ordered standard\) - Page 83](#)
- Tie Down Anchors (White) (if ordered with Cable Guide)

Finished Dimensions & Mounting Requirements

- [Pages 29-31](#)

Options

- Exterior Cable Guide System
- [No Charge Options and Availability - Page 24](#)
- [Surcharge Options and Availability - Page 24](#)
- [Design Option Details - Pages 62-63](#)
- [Exclusions - Page 24](#), Decorative Hems; Wood Bottom Hem, Motorization, Hold Down Brackets, Artist Portfolio Fabrics

Ordering Notes

- Must specify Season-Vue shade at the beginning of the shade order.
- Clutch brackets are universal for outside mount, ceiling mount, standard or reverse roll shades.
- Fascia brackets utilize an end plate.

Caution

- Wind Advisory: Because these shades are exposed to some environmental elements, such as wind, it is advisable to roll up the shades BEFORE there are windy conditions. Wind damage is not covered in the product warranty.

Pricing

- [Pages: 32-41](#)



Shown with Cable Guide System



Shown with Cable Guide System

Cable Guide Features & Ordering Notes

- Designed for use in enclosed patios, porches and lanais.
- Outside Mount only.
- Maximum size: 96" wide x 96" height
- Bottom Bar allows steel cable to move shade vertically with minimal swaying.
- Tie down anchor for the cable guide is white.
- [Exclusions - Page 24](#), Decorative Hems, Wood Bottom Hem, Decorative Pulls with a wrapped metal hem
- Available with white or black brackets and bottom hem bar

Pricing

- [Pages: 32-41](#)
- To price, add the shade price to the Exterior Cable Guide surcharge.

Specialty Applications - Shade Masterpieces™

Product Features

- Lafayette will laminate suitable fabrics from its comprehensive Select Masterpieces® collection for custom roller shades.
- Choose Translucent (Fiberlucent) or Opaque (No Lite Fiberglass) shade cloth opacity for laminated backing.
- Certain Select Masterpieces fabrics are not suitable for Custom Roller shades. If the Select Masterpieces fabric sample swatch contains a Roller Shade icon on the bottom strip then the fabric is suitable for Shade Masterpieces. The Lafayette Fabric Index also shows whether a fabric is available as a Shade Masterpiece.
- A Clutch Roller system is standard on all Shade Masterpieces and included in the price.
- Shade edges are serged to protect the fabric from fraying.
- Shade Masterpieces use a flame retardant backing, therefore a flame retardant fabric made into a Shade Masterpiece will retain its flame retardant properties.



Size Standards	Room Darkening		Light Filtering		Room Darkening Railroaded		Light Filtering Railroaded	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Clutch (Open Roll)	78"	96"	72"	96"	95"	68"	95"	62"
Large Cassette/Modern Cassette/ 4" Fascia	78"	84"	72"	84"	95"	84"	95"	84"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Options

- Surcharge Options
 - > 4" Fascia: [Page 55](#)
 - > Tube Size Upgrades: [Page 31](#)
- Exclusions: Reverse Roll Shades

Hardware Included

- [Installation Brackets - Page 83](#)
- [Cord Tension Lock - Page 83](#)

Ordering Notes

- Room Darkening backing is suggested for laminated shades when any type of seaming is required.

Cautions

- Lafayette will seam fabrics **VERTICALLY** for laminated shades when the Cloth Measure of the shade exceeds the maximum width of the fabric itself (and the fabric is suitable for seaming). Note that seams are **VISIBLE**. Where a seam is required, there will be two vertical seams and three segments. If seamed, the middle segment will be a full width of fabric and the two outer segments will be equal sizes.

Pricing

- [Pages 42-43](#)
- Find the Price Group for the Shade Masterpieces Custom Shade from the [Lafayette Fabric Index](#). The Select Masterpieces Price Group given in the Fabric Index is EQUAL to the Price Group number for the Genesis Shade Masterpieces pricing tables.

Specialty Applications - COM Shade Masterpieces

Product Features

- A clutch roller is standard on all COM roller shades and included in the roller shade price.
- Lafayette will seam fabrics for COM shades when the Cloth Measure of the shade exceeds the maximum width of the fabric itself (and the fabric is suitable for seaming). Note that seams are **VISIBLE**. Where a seam is required, there will be two vertical seams and three segments. If seamed, the middle segment will be a full width of fabric and the two outer segments will be equal sizes.
- Room Darkening backing is suggested for laminated shades when any type of seaming is required.

Size Standards	Room Darkening		Light Filtering		Room Darkening Railroaded		Light Filtering Railroaded	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Clutch (Open Roll)	78"	96"	72"	96"	95"	68"	95"	62"
Large Cassette / Modern Cassette / 4" Fascia	78"	84"	72"	84"	95"	84"	95"	84"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	24"	15"	24"	15"	24"	15"	24"

Hardware Included

- [Installation Brackets - Page 83](#)
- [Cord Tension Lock - Page 83](#)

Options

- Surcharge Options
 - > 4" Fascia: [Page 55](#)
 - > Tube Size Upgrades: [Page 31](#)
- Exclusions: Reverse Roll Shades, Fabrics greater than 54" wide, solid fabrics, vertical or horizontal stripes and plaids.

Ordering Notes

- Customer must specify room darkening or light filtering backing material. Select Light Filtering lining in White, Oyster or Eggshell; Room Darkening lining in White, Oyster or Light Ivory.
- See COM Procedures for fabric pickup information.

Cautions

- Fabric must be sent to Lafayette rolled. Folded fabric will not be accepted.
- Dealer should inspect all fabrics before shipping to Lafayette. We do not take responsibility for the customer's fabric. Lafayette's liability limit for COM fabrics shall not exceed the dealer fabric cost of \$25 per yard.
- Unique or irreplaceable fabrics should not be laminated.
- A small percentage of fabrics (approx. 2%) reject the lamination process even though they appear to be fabrics that should laminate. It is impossible to identify these fabrics before the product is manufactured. Lafayette will make every attempt to fix the problem. If it cannot be fixed, Lafayette will credit the shade if it is reordered in a different fabric.
- Due to the lamination process, stripes and plaids are not recommended and will require a waiver.
- Prints that have a half drop repeat are difficult to match and require additional yardage.
- Lafayette will seam fabrics **VERTICALLY** for laminated shades when the Cloth Measure of the shade exceeds the maximum width of the fabric itself (and the fabric is suitable for seaming). Note that seams are **VISIBLE**. Where a seam is required, there will be two vertical seams and three segments. If seamed, the middle segment will be a full width of fabric and the two outer segments will be equal sizes.

Pricing

- [Page 43](#)

COM Procedures

- 1/2 Yard needed for lamination testing
- Place product order first before purchasing or shipping the COM fabric to Lafayette. Note the Pick-up Number, Reference Number and Agent's name.
- Include the Pick-up Number, your company name and account number on the outside of the COM shipping package. COM Fabric Shipping Labels (Form #18-7099-02) are available at no charge. If EACH roll is not properly identified, the roll is refused in receiving and returned to the place from which it was sent.
- On each fabric inside of the package, include your account number, the reference number, pattern name and color, and indicate fabric face side.
- Allow more time. COM fabrics require shipping time from COM fabric mill to you and then shipping time from you to Lafayette. Once it arrives at Lafayette it is double inspected before being released into production.

Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Design Options - Roller Shades - Hem Styles

Decorative Hems

- Fabric availability: [Pages 25-28](#)
- The center point for each scallop style will be consistent for each order. If you desire scallop placement exactly as pictured, you must request such placement at the time of the order.
- If more than one row of trim is specified, there is an allowance of 1" between rows. Gimp surcharge is a per row surcharge.
- Simple scallop styles recommended for narrow shades.
- Decorative hems may have different placements if shades are of different sizes or ordered at different times.
- [Hemline Surcharges: Page 41](#)
- Gimp is available in the following colors:



Harlequin 215
Approx repeat 13 5/8"



Tempo 203
Approx repeat 9 1/8"



Brenda 213
Approx repeat 7 1/2"



Wave 206
Approx repeat 7 1/4"



Diane 222
Approx repeat 9 1/2"



Winchester 112
Trim is on stitch line

Wood Bottom Hem

- Size: 2" high x 5/8" deep.
- Available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Maximum shade width is 72" for 2" Bottom Hem.



Standard Wrapped Metal Hem

- Standard wrap faces the room, metal color to the window
- Low profile end caps
- Optional street side wrap



Urban Bottom Rail

- Size: 1 7/16" high x 1/2" deep.
- Available in colors: White, Brushed Nickel
- Available with a black pile insert for the bottom
- Not available fabric wrapped



Heat Sealed Bottom Hem

- Ideal for a flat fabric finish on the bottom of the shade. It replaces the bottom bar with a concealed weighted pocket for a sleek look. This hem option is no charge.
- [Fabric availability: Pages 25-28](#)

Sewn-In Bottom Hem

- Self-hemmed with an inserted metal bottom slat
- [Fabric availability: Pages 25-28](#)



Decorative Accents - Pulls

- Pulls are NOT attached when shipped.
- Pulls are shipped with a metal knotholder for attachment to shade hemline. Colors available: Brushed Aluminum, Antique Brass



Clear Plastic Grip
(Standard)



Plastic Higbee Button
(Colors: White or Ivory)



3" Colonial Tassel
with Eyelet (8" cord)



Eyelet (Must specify) &
Eyelet with Rayon Ring Pull
(12" cord)



1 1/2" diameter
Charleston Decorative Pull
(Colors: Taffeta or Mink)



1 7/8" diameter
Carpet Decorative Pull
(Colors: Slate or Wax)



1" diameter, 2 1/2" tall
Leather Decorative Pull
(Colors: Black, Brown or Cream)

Design Options - Roller shades - Other Options

Metal Bead Chains

- Available with a clutch lifting system as a surcharge option
- Finishes available: Stainless Steel, Antique Bronze, Gun Metal, Burnished Copper.



Stainless Steel Antique Bronze Gun Metal Burnished Copper

Bead Chain Loop Substitution

- The bead chain loop can be substituted with one of the other standard bead chain loops available (see specification pages).
- A custom bead chain loop can be ordered as long as the length is greater than the length shown in the bead chain loop chart. All custom bead chain loops will have a connector.
- If a bead chain loop greater than 96" is desired, a connector will be added to the color coordinated bead chain loop.
- If ordering a custom bead chain length less than 2/3 the length of your shade, the connector may not allow full rotation. Bead chain lengths must be at least 4" shorter than window length for inside mounts to properly install tensioner.
- If an installer attempts to make a custom bead chain loop with a connector, it could prevent the shade from operating properly.
- To achieve full rotation, custom loop size must be at least 2/3 the length of the shade.

2-on-1 Headrail

- Two shades share a common headrail
- See product information pages for availability
- To price, add 2-on-1 headrail surcharge to base price of each shade added together.
- Center gap for 2-on1 headrail is: 5/8"



Spring Assist Clutch System

- This Spring assist clutch reduces the pull force necessary on larger shades. [Clutch/Tube Chart on page 31.](#)
- Shades in the same room with mixed clutch systems will operate differently.
- Availability on cassette and fascia systems is clutch **size** dependent.
- Minimum shade height is 54".

Reverse Roll

- Genesis fabric will come off the front of the roller to the room side.
- Outside mount reverse roll shades project out at least 1 1/2" from the wall causing a larger light gap.
- Max length is 96"




Genesis Arch or Angle

- See [Genesis Roman Shade Arch or Angle on pages 72-73](#)

Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Gray, Vanilla and White





Decorative Dual Shade Bracket

- Inside, outside and ceiling mount options
- Maximum width is based on max width of fabric or 108" which ever is less. Railroading is available for some fabrics.
- Maximum height is 96"
- Bracket depth is 6 1/8" and 6 3/4" high.
- Inside Mount: 3" minimum mounting depth required.
- Outside Mount: 3 5/8" flat vertical mounting surface required.
- Opposite control sides required.
- Available in colors White or Black.
- Unique idle end locking system insures shades remain securely locked in the brackets.



Dual Shade Bracket

- Genesis Dual Shades Brackets are only available as Inside Mount shades using a vertical dual bracket with an SL Series clutch.
- Maximum shade width is based upon fabric width or 96" (whichever is less); railroading is available for some fabrics.
- Maximum shade height is 96".
- Vertical dual bracket is 2" deep and 5 3/4" high. For a fully recessed installation, allow 2 1/2" or greater based on material thickness.
- The upper shade will have a reverse roll (rolls off on room side). The lower shade has a standard roll.
- Controls will be on each side.
- To price, add the two shade prices together and add the Dual Shade Bracket surcharge.
- Exclusions: [Page 24](#)



Size Standards - Roman shades - Fabrics

Click for Easy Search view Pattern	Cordlock & Clutch		2-on-1 Headrail Cord/Clutch		CareRING Cordless		Top-Down/Bottom Up		Angle/Arch Top		Flat Arch		Flat Angle	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Adele	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Alana	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Berber Slub	96"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Boho	94"	120"	188"	120"	78"	84"	94"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Cabos	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Charmed	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Dakota	90"	120"	180"	120"	78"	84"	90"	96"	60"	108"	60"	30"	60"	48"
Dallas	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Fedora	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Garbo	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Grasscloth	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Hollywood	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Hombre	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Homespun	79"	120"	192"	120"	78"	84"	79"	96"	60"	108"	60"	30"	60"	48"
Jackson	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Keilani	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Laura	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Long Bay	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Mystic	98"	120"	192"	120"	78"	84"	98"	96"	N/A	N/A	N/A	N/A	N/A	N/A
Persia	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Refinery	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Roxie	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Serene LF	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Shantung	79"	120"	158"	120"	78"	84"	79"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 7250R	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 7450	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Strie	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Tahiti	70"	120"	140"	120"	70"	84"	70"	96"	60"	108"	60"	30"	60"	48"
Vizela	94"	120"	188"	120"	78"	84"	94"	96"	60"	108"	60"	30"	60"	48"
Willow	72"	120"	144"	120"	72"	84"	72"	96"	60"	108"	60"	30"	60"	48"
Yellowstone	72"	120"	144"	120"	72"	84"	72"	96"	N/A	N/A	N/A	N/A	N/A	N/A
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	• See Notes	24"	• See Notes	24"	• See Notes	24"	24"	24"	24"	24"	16"	8"	12"	12"

Notes: • Minimum Width Cordlock: 11"
 • Minimum Width Quick Lift Clutch: 15"
 • Minimum Width Traditional Clutch: 24"
 • Minimum Width CareRING Cordless: 18 1/2" up to 56" length; Over 56" length: 26 1/2"

Size Standards - Roman Shades - Screens

Click for Easy Search view Pattern	Cordlock & Clutch		2-on-1 Headrail Cord/Clutch		CareRING Cordless		Top-Down/Bottom Up		Angle/Arch Top		Flat Arch		Flat Angle	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Corbin	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Dexter	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
E-Screen (3%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
E-Screen (5%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
E-Screen with KoolBlack (3%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
E-Screen with KoolBlack (5%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Lux Screen	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
M Screen (3%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
M Screen (5%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
Net 3000	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2000	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2390	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2410	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2500	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2701	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 2703	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
SheerWeave 3000	96"	120"	192"	120"	78"	84"	96"	96"	60"	108"	60"	30"	60"	48"
T-Screen with KoolBlack (3%)	98"	120"	192"	120"	78"	84"	96"	96"	60"	108"	60"	30"	60"	48"
T-Screen with KoolBlack (5%)	98"	120"	192"	120"	78"	84"	96"	96"	60"	108"	60"	30"	60"	48"
VX Screen 3000 (1%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
VX Screen 3000 (3%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
VX Screen 3000 (5%)	98"	120"	192"	120"	78"	84"	98"	96"	60"	108"	60"	30"	60"	48"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	• See Notes	24"	• See Notes	24"	• See Notes	24"	24"	24"	24"	24"	16"	8"	12"	12"

Notes: • Minimum Width Cordlock: 11"
 • Minimum Width Quick Lift Clutch: 15"
 • Minimum Width Traditional Clutch: 24"
 • Minimum Width CareRING Cordless: 18 1/2" up to 56" length; Over 56" length: 26 1/2"

Design Options - Roman Shades

Options Availability	Cordlock	Quick Lift Clutch	Traditional Clutch	CareRing Cordless	Top-Down Bottom Up	Angle or Arch Top	Arch	Motorization
No Charge Options								
Traditional Style	Y	Y	Y	Y	Y	Y	N/A	Y
Contemporary Style	Y	Y	Y	Y	N/A	Y	N/A	Y
Hold Down Brackets	Y	Y	Y	N/A	Y	Y	N/A	N/A
Optional Cord Lengths	Y	N/A	N/A	N/A	Y	Y	N/A	N/A
Optional Bead Chain Lengths	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A
Turned Headrail - Traditional	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Turned Headrail - Contemporary	Y	N/A	N/A	N/A	N/A	Y	N/A	N/A
Surcharge Options								
2-on-1 Headrail	Y	Y	Y	Y	Y	N/A	N/A	Y
Top-Down/Bottom Up	Y	N/A	N/A	N/A	---	N/A	N/A	N/A
Banding*	Y	Y	Y	N/A	Y	Y	N/A	Y
Bottom Gimp	Y	Y	Y	Y	Y	Y	N/A	Y
Lining	Y	Y	Y	Y	Y w/banding	Y	N/A	Y
Valance length additional 6"	Y	Y	Y	Y	Y	Y	N/A	Y
Light Gap Stop	Y	Y	Y	Y	Y	Y	Y	Y

Finished Dimensions & Mounting Requirements

Roman Shades	Finished Dimensions						Light Gap			Mounting Requirements		
	Inside Mount			Outside Mount			Control Side	Idle Side	2-on-1 Headrail Center gap	Inside Mount		Outside Mount
	Fabric Width	Board Width	Shade Height	Fabric Width	Board Width	Shade Height				Minimum Mounting Depth	Flush Mount	Minimum Flat Vertical Surface
Standard Cordlock	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2"	1 1/2"
Quick Lift Clutch	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width + 3/4"	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
Traditional Clutch	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width + 3/4"	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2"	1 9/16"
CareRING Cordless	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
System II	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
Sonesse 30 WireFree	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
EZ-Charge V.2	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
EZ-Charge X2	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"
Auto-Wand	-1/2"	-1/2"	Ordered Height	Ordered Width	Ordered Width	Ordered Height	1/4"	1/4"	1/2"	1 1/2"	2 1/2"	1 9/16"

Pricing - Roman Shades

Price Group 1		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	309	423	574	609	680
	60"	365	503	689	734	825
	72"	440	618	854	912	1,025
	84"	496	700	969	1,034	1,169
	96"	540	765	1,065	1,136	1,283
	108"	585	827	1,152	1,232	1,392
	120"	627	892	1,243	1,327	1,500

Price Group 2		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	334	456	620	660	738
	60"	394	545	747	794	894
	72"	478	669	925	987	1,112
	84"	538	758	1,052	1,123	1,265
	96"	587	829	1,152	1,232	1,387
	108"	632	896	1,247	1,334	1,509
	120"	678	965	1,347	1,438	1,629

Price Group 3		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	354	487	663	705	789
	60"	418	578	796	849	954
	72"	505	712	983	1,052	1,183
	84"	569	803	1,118	1,194	1,347
	96"	620	880	1,227	1,312	1,480
	108"	669	954	1,334	1,423	1,609
	120"	723	1,029	1,438	1,538	1,743

Price Group 4		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	383	529	723	767	860
	60"	452	629	867	923	1,038
	72"	547	772	1,069	1,140	1,287
	84"	616	874	1,214	1,298	1,465
	96"	672	956	1,336	1,427	1,612
	108"	727	1,036	1,452	1,549	1,754
	120"	785	1,120	1,569	1,676	1,898
Yellowstone Lining Surcharge		147	192	216		

Price Group 5		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	409	565	776	825	925
	60"	483	676	934	994	1,118
	72"	585	825	1,145	1,223	1,378
	84"	658	934	1,303	1,392	1,572
	96"	718	1,023	1,432	1,532	1,729
	108"	778	1,112	1,556	1,665	1,885
	120"	838	1,200	1,687	1,805	2,043

Price Group 6		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	429	596	820	874	978
	60"	507	712	983	1,052	1,183
	72"	612	865	1,205	1,289	1,456
	84"	689	980	1,372	1,467	1,658
	96"	756	1,078	1,512	1,614	1,827
	108"	818	1,174	1,645	1,760	1,992
	120"	885	1,267	1,780	1,905	2,160

Price Group 7		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	449	629	872	929	1,047
	60"	534	752	1,047	1,118	1,260
	72"	643	912	1,276	1,365	1,543
	84"	723	1,034	1,452	1,552	1,758
	96"	794	1,140	1,600	1,714	1,940
	108"	863	1,243	1,747	1,872	2,120
	120"	934	1,347	1,896	2,032	2,303

Price Group 8		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	472	660	914	974	1,098
	60"	556	789	1,098	1,174	1,325
	72"	667	954	1,338	1,429	1,616
	84"	756	1,083	1,520	1,627	1,843
	96"	829	1,194	1,680	1,798	2,038
	108"	903	1,303	1,834	1,965	2,229
	120"	976	1,412	1,992	2,134	2,420

Pricing - Roman Shades

Price Group 9		Width To:				
		36"	54"	78"	84"	98"
Finished Height	48"	494	698	969	1,036	1,169
	60"	587	834	1,167	1,247	1,409
	72"	703	1,007	1,414	1,512	1,712
	84"	792	1,143	1,607	1,720	1,952
	96"	874	1,260	1,778	1,905	2,163
	108"	952	1,378	1,947	2,087	2,367
	120"	1,032	1,496	2,116	2,269	2,576
Tahiti Lining Surcharge		147	192	216		

Surcharges	Width To:				
	36"	54"	78"	84"	96"
Top-Down/Bottom-Up	92	136	143	154	174
Extra 6" Valance Height	40	47	52	58	72
Bottom Edge Gimp for Shade or Valance	72	100	136	143	167

CareRING Cordless Surcharge	Width To:					
	36"	54"	60"	78"	84"	96"
	72	76	80	85	94	109

Design Options Surcharges	
2-on-1 Headrail	52
Metal Bead Chain	23
Banding - Dakota, Tahiti or Yellowstone - 2 edges	198
Banding - Dakota, Tahiti or Yellowstone - 3 - 4 edges	258
Palladian Shelf - Finished	45
Palladian Shelf - Unfinished	35
Light Gap Stop (per ft.)	5
FR Coating or Antimicrobial Coating (per sq ft.)	5

Angle/Arch Surcharges				
Standard Arch or Angle	163			
Angle Top / Arch Top Shade (add to shade price)	309			
	Width To:	36"	48"	60"
Framed Arch or Angle		565	660	752
Routed Framed Arch or An		774	865	958

Product Information - Roman Shades

Product Features

- Fits rectangular window openings
- Cordlock system standard
- [Fabric availability: Pages 4-6](#)
- Folds spaced approximately 7" apart. (Clear polymer rods on the back of shade, N/A on Tahiti)
- Tahiti shades utilize brass rings in the back of the shade to form folds.
- TLC Cord sleeve is 1.4 mm and color coordinated.
- Fabric covered headrail; End is wrapped for OS mount shades.

Important Child Safety Note

In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

Size Standards

- [Fabrics - Page 64](#)
- [Screens - Page 65](#)
- [Motorization - Pages 46-49](#)

Standard Cord Drops (Cordlock)

- Cord length is 40% of the shade length.

Hardware Included

- [Installation Brackets - Page 83](#)
- [Cord Tension Lock \(w/Clutch system\) or P-Clip Tensioner- Page 83](#)

Options

- [Options and Availability - Page 66](#)
- [Design Option Details - Page 74](#)
- [Motorization - Pages 46-49](#)
- [Exclusions - Page 66](#)

Ordering Notes

- The Traditional style is strongly recommended for inside (jamb to jamb) installations.
- Roman shades with the same length will appear spearlined.
- Serging of the side edges is done on certain fabrics to help reduce fraying. [View pages 4-5 for serged fabrics](#)

Cautions

- Folds may appear very full; when in raised position creases will form on the shade fabric.
- For natural patterns such as Dakota, Fedora, Hombre, Tahiti, and Yellowstone, imperfections will be visible. Some natural patterns offer slight differences in grain and texture, especially in materials containing knots or surface cracks. Variations in color and hue may also be present.
- Natural materials may have a slight bow or camber; horizontal lines or bottom hems may not be perfectly straight.
- Fold alignment can vary slightly, even on shades of the same height and shades made of natural materials tend to stretch slightly over time.

Approximate Stacking Height

Stacking height will vary based upon material thickness and weight for individual fabrics. GENERAL GUIDELINE ONLY.

30" Shade Drop - 9"	72" Shade Drop - 11"
48" Shade Drop - 9 3/4"	96" Shade Drop - 12 1/2"

Pricing

- [Pages 67-68](#)



Traditional Flat Roman



Contemporary Flat Roman

Contemporary or Traditional Style

- Contemporary style: Headrail projection of 2" ($\pm 1/8$ "); Material off front and cord to back with valance
 - > Turned Headrail - Headrail projection of 1"; Cord to back of shade, 7" back valance
- Traditional style: Headrail projection of 2" ($\pm 1/8$ "); 7" Valance and cord lift system to front of shade
 - > Turned Headrail - Headrail projection of 1"; Valance and cord lift system to front of shade

CareRING Cordless Lifting System

- Available on Traditional and Contemporary style roman shades.
- CareRING and stop ball are anodized aluminum finish, attached to back of shade.



Size Standards

- Fabrics - Page 64
- Screens - Page 65

Hardware Included

- Inside mount: 3" screws
- Outside mount: Installation Brackets - Page 83

Options

- No Charge Options and Availability - Page 66
- Surcharge Options and Availability - Page 66
- Design Option Details - Page 74
- Exclusions - Page 66

Cautions

- Do not over-rotate or shade does not roll up

Pricing

- Pages - 67-68
- To price: Add CareRING Cordless width-based surcharge for each shade.



CareRING
Cordless Raised

Product Information - Roman Shades - Clutch Systems

Quick Lift Clutch Lifting System

- Smooth, quiet clutch system
- Continuous bead chain loop with cord tension lock; See Continuous Bead Chain Drop Chart
- 2 1/2" deep x 3/4" high headrail; Board has a 2 1/2" return.
- Traditional style shade: Bead chain loop and clutch are in front of the shade, behind the valance.
- Contemporary style shade: Bead chain loop and clutch behind the shade with optional back valance. Not recommended for inside mount.

Size Standards

- Fabrics - Page 64
- Screens - Page 65

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock (w/Clutch system) or P-Clip Tensioner- Page 83

Options

- No Charge Options and Availability - Page 66
- Surcharge Options and Availability - Page 66
- Design Option Details - Page 74
- Exclusions - Page 66

Traditional Clutch Lifting System

- Continuous bead chain loop with cord tension lock; See Continuous Bead Chain Drop Chart
- 2" deep x 3/4" high headrail; Board has a 2" return.
- Traditional style shade: Bead chain loop and clutch are in front of the shade, behind the valance.
- Contemporary style shade: Bead chain loop and clutch behind the shade with optional back valance.

Size Standards

- Fabrics - Page 64
- Screens - Page 65

Hardware Included

- Installation Brackets - Page 83
- Cord Tension Lock (w/Clutch system) or P-Clip Tensioner- Page 83

Options

- No Charge Options and Availability - Page 66
- Surcharge Options and Availability - Page 66
- Design Option Details - Page 74
- Exclusions - Page 66

Continuous Bead Chain Drops


Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	54 1/16" - 66"	48"
22 1/16" - 27"	18"	66 1/16" - 78"	60"
27 1/16" - 39"	24"	78 1/16" - 90"	72"
39 1/16" - 42"	36"	90 1/16" - 102"	84"
42 1/16" - 54"	39"	Over 102"	96"

Pricing

- Pages - 67-68



Quick Lift Clutch System



Traditional Clutch System


Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products, all supplied cord tension/locking devices or cord cleats must be properly installed.

Ordering Notes

- For Outside Mount clutch system shades, the headrail and valance measure 3/4" greater than than the ordered width. This allows the Cord Tension Lock and Clutch to line up vertically with no contact with the material edge (see illustration). If a wrapped end is ordered, the valance will measure an additional 1/4" due to material thickness.

HEADRAIL & VALANCE =
ORDERED WIDTH + 3/4"



SHADE = ORDERED WIDTH

Product Information - Roman Shades - Specialties

Angle Top Flat Roman Shade

- Fits window openings with a sloped top board; specify short point height and side (left or right) and long point height. A diagram is required.
- Shade operates as standard rectangular cord lock, shade raises only to the bottom of the angle.
- [Fabric availability: Pages 4-6](#)
- Maximum angle of slope is 35°
- Self-valance and cord lift system with cord to the front of shade
- Material is secured to a 1" or 2" projection board with staples; staples are hidden using gimp.
- Shade valance is 6 1/2" long at the shortest point of slope; Cord lock is on the short side of the angle.
- If a lined angle top flat roman shade is ordered, lining extends into the angle.
- L-brackets for easy installation
- Cords will be 40% of the shade length.
- Template Required

Size Standards

- [Fabrics - Page 64](#)
- [Screens - Page 65](#)

Options

- [Exclusions - Page 66](#), Angle Bottom

Pricing

- [Pages - 67-68](#)
- Price shade using long side as height, then add the Angle Top surcharge.



Arch Top Flat Roman Shade

- Fits window openings with an arched top opening. Template is required.
- Shade operates as standard rectangular, shade raises only to the bottom of the arch top.
- [Fabric availability: Pages 4-6](#)
- Arch height cannot exceed 1/2 of the arch width.
- 2" deep x 1" high headrail
- Material is secured to a 3/4" projection wooden frame with staples, staples are hidden using gimp around the arch top edge.
- Choose self-valance or no valance; Flat valance length is approx. 7" longer than the bottom of the arch portion; cord controls can be on either side of shade.
- If a lined arch top flat roman shade is ordered, lining extends into the arch.
- L-brackets for easy installation
- Cords will be 40% of the shade length.
- Template Required

Size Standards

- [Fabrics - Page 64](#)
- [Screens - Page 65](#)

Options

- [Exclusions - Page 66](#)

Pricing

- [Pages - 67-68](#)
- Price shade using highest point of arch to bottom height, then add the Arch Top surcharge.



Arch Top Shade off front
Valance to the back

Online Template Service

- A template can assure an accurate fit for arched or angle windows.
- Visit the Lafayette web site at www.lafayetteinteriorfashions.com to order a Lafayette produced template for a flat fee.

Product Information - Roman Shades - Specialties

Roman Arch

- Roman Arch is stationary. Template is required.
- Pattern runs horizontally.
- Fabric availability: [Pages 4-6](#)
- Arch height cannot exceed 1/2 of the arch width.
- Standard Arch - Board depth is 7/8"; Board height is 2".
- Framed Arch - Frame depth is 1"; Frame height is 1 5/8".
- Routed Framed Arch - Frame depth is 1"; Frame height is 2".
- For arch shade with no frame, material is secured to the front of a wooden frame with staples, staples are hidden using gimp
- Button catches are sent for installation
- Framed or Routed Framed Arch are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Template Required

Size Standards

- Fabrics - [Page 64](#)
- Screens - [Page 65](#)

Pricing

- [Pages - 67-68](#)
- Price shade using highest point of arch to bottom height, then add the Arch surcharge. Framed and Routed Framed Arch are also available for a surcharge.



Arch Shade with no frame



Arch Shade with frame

Roman Angle

- Roman Right Angle Triangle or Isoceles Triangle is stationary. Template or diagram is required.
- Pattern runs horizontally.
- Fabric availability: [Pages 4-6](#)
- Triangle height cannot exceed 1/2 of the triangle width.
- Standard Triangle - Board depth is 7/8"; Board height is 2".
- Framed Triangle - Frame depth is 1"; Frame height is 1 5/8".
- Routed Framed Triangle - Frame depth is 1"; Frame height is 2".
- Material is secured to the front of a wooden frame with staples, staples are hidden using gimp.
- Button catches are sent for installation
- Framed or Routed Framed Arch are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Template Required

Size Standards

- Fabrics - [Page 64](#)
- Screens - [Page 65](#)

Pricing

- [Pages - 67-68](#)
- Price shade using highest point of angle to bottom height, then add the Arch/Angle surcharge. Framed and Routed Framed Triangles are also available for a surcharge.



Triangle with no frame



Right Angle Triangle with frame



Triangle with frame

Design Options - Roman Shades

Top Down/Bottom Up Shade

- Fits rectangular window openings
- Front valance and cord lock system. Back valance is an option.
- [Size Standards: Pages 64-65](#)
- 2" deep x 3/4" high headrail
- Tahiti and Yellowstone Top Down/Bottom Up shades with the flat lining option must also be banded. (VSS2, SBH3, BSH4 styles)
- Folds may appear very full on some fabrics and when in the raised position creases will form.



Flat Lining for Tahiti & Yellowstone


- Shade can be lined with high quality polyester/cotton lining. Choose light filtering or room darkening, in white or ivory.
- Lining is inset approximately 1/4" from the edge of the shade material with serged edges on each side.
- Lining has brass rings for cord raising/lowering.
- Lining may need to be "dressed". This helps to train the lining to fall into the folds.
- 2-on-1 Headrail: Lining surcharge is per shade.

Banding for Dakota, Tahiti & Yellowstone

- Select 1 1/4" or 3" solid banding from the on-line Materials Library.
- Edge banding is available in twill banding.
- For 1 1/4" banding, 5/8" banding shows on each side.
- For 3" banding, 1 1/2" banding shows on each side.
- The sewing standard for a corner is the vertical band covering the horizontal band.
- Edge banding can be combined with lining option.
- Six banding configurations are available:
- Bottom hem banding: Bottom hem has 3" banding, even if the shade has 1 1/4" banding.
- Edge banding shows on the bottom hem when shade is raised.
- 2-on-1 Headrail: Banding surcharge is per shade. The valance will not align vertically with the banding on the adjacent shade due to the 1/2" gap between the shades.
- Arch top shades: banding available is Valance Hem/Bottom Hem (VBH2) only
- **Exclusions:** Hold Down Brackets, CareRING Cordless

Turned Headrail


- Projection is 3/4".
- Only available with Cordlock system.
- The 2" board is turned on its edge and hardware is installed. This allows the shades to be installed in shallow window openings and also provides a low profile installation on doors.




Valance Hem/
Bottom Hem
(VBH2)



Valance Sides/
Shade Sides
(VSS2)




Sides/
Bottom Hem
(SBH3)




Both Sides/
Hems
(BSH4)

2-on-1 Headrail

- Price each shade separately then add the multiple headrail surcharge.



Valance Sides
Only
(VOS2)



Valance Sides/
Hems Only
(VOB3)

Decorative Hem

- [Fabric Availability: Pages 25-28](#)
- Gimp is available in the following colors:



Size Standards - Panel Track

	Maximum Width	Maximum Height Cord Draw	Maximum Height Wand Draw	Minimum Height Cord Draw	Minimum Height Wand Draw
All Panel Track Shades	192"	144"	96"	39"	24"
Note: Shades less than 7' long have a 36" wand standard; Shades 7' or greater have a 48" wand standard					

Finished Dimensions & Mounting Requirements


Finished Dimensions	Inside Mount			Outside Mount		
	Fabric Width	Shade Height	Track Width	Fabric Width	Shade Height	Track Width
Cord Draw	-3/4"	-3/8"	Ordered Width -1/8"	Ordered Width	Ordered Height	Ordered Width +1"
Wand Draw	-1/4"	-3/8"	Ordered Width -1/8"	Ordered Width	Ordered Height	Ordered Width +1/8"

Mounting Requirements	Inside Mount		Outside Mount
	Minimum Mounting Depth	Flush Mount	Minimum Flat Vertical Surface
3 Channels	1 7/8"	2 1/4"	5/8"
4 Channels	2 1/4"	2 7/8"	5/8"
5 Channels	3"	3 5/8"	5/8"


Panel Track - Configurations

	3 Channels					
	One Way Draw			Split Draw		
	Minimum Track Width	Maximum Track Width	# of Overlaps	Minimum Track Width	Maximum Track Width	# of Overlaps
2 Panels	27"	79"	1	---	---	---
3 Panels	39"	117"	2	---	---	---
4 Panels	---	---	---	51"	155"	3

3 Channels - One Way Draw




3 Channels - Split Draw




	4 Channels					
	One Way Draw			Split Draw		
	Minimum Track Width	Maximum Track Width	# of Overlaps	Minimum Track Width	Maximum Track Width	# of Overlaps
4 Panels	51"	155"	3	---	---	---
6 Panels	---	---	---	75"	192"	5

4 Channels - One Way Draw




4 Channels - Split Draw




	5 Channels					
	One Way Draw			Split Draw		
	Minimum Track Width	Maximum Track Width	# of Overlaps	Minimum Track Width	Maximum Track Width	# of Overlaps
5 Panels	63"	192"	4	---	---	---
8 Panels	---	---	---	99"	192"	7

5 Channels - One Way Draw



5 Channels - Split Draw



Panel Track - Configurations

Approximate Panel Size Tables based upon Panels and Overlaps
 Panel Width cannot be specified.

Panel Sizes given are approximate and based upon Outside Measure/Mount

		Window Widths					
		2 Panels/ 1 Overlap	3 Panel/ 2 Overlaps	4 Panels/ 3 Overlaps	5 Panels/ 4 Overlaps	6 Panels/ 5 Overlaps (Split Draw Only)	8 Panels/ 7 Overlaps (Split Draw Only)
Panel Widths	15" - 16"	27 - 29"	39" - 42"	51" - 55"	63" - 68"	75" - 81"	99" - 107"
	16 1/16" - 17"	29 1/8" - 31"	42 1/8" - 45"	55 1/8" - 59"	68 1/8" - 73"	81 1/4" - 87"	107 1/4" - 115"
	17 1/16" - 18"	31 1/8" - 33"	45 1/8" - 48"	59 1/8" - 63"	73 1/8" - 78"	87 1/4" - 93"	115 1/4" - 123"
	18 1/16" - 19"	33 1/8" - 35"	48 1/8" - 51"	63 1/8" - 67"	78 1/8" - 83"	93 1/4" - 99"	123 1/4" - 131"
	19 1/16" - 20"	35 1/8" - 37"	51 1/8" - 54"	67 1/8" - 71"	83 1/8" - 88"	99 1/4" - 105"	131 1/4" - 139"
	20 1/16" - 21"	37 1/8" - 39"	54 1/8" - 57"	71 1/8" - 75"	88 1/8" - 93"	105 1/4" - 111"	139 1/4" - 147"
	21 1/16" - 22"	39 1/8" - 41"	57 1/8" - 60"	75 1/8" - 79"	93 1/8" - 98"	111 1/4" - 117"	147 1/4" - 155"
	22 1/16" - 23"	41 1/8" - 43"	60 1/8" - 63"	79 1/8" - 83"	98 1/8" - 103"	117 1/4" - 123"	155 1/4" - 163"
	23 1/16" - 24"	43 1/8" - 45"	63 1/8" - 66"	83 1/8" - 87"	103 1/8" - 108"	123 1/4" - 129"	163 1/4" - 171"
	24 1/16" - 25"	45 1/8" - 47"	66 1/8" - 69"	87 1/8" - 91"	108 1/8" - 113"	129 1/4" - 135"	171 1/4" - 179"
	25 1/16" - 26"	47 1/8" - 49"	69 1/8" - 72"	91 1/8" - 95"	113 1/8" - 118"	135 1/4" - 141"	179 1/4" - 187"
	26 1/16" - 27"	49 1/8" - 51"	72 1/8" - 75"	95 1/8" - 99"	118 1/8" - 123"	141 1/4" - 147"	187 1/4" - 192"
	27 1/16" - 28"	51 1/8" - 53"	75 1/8" - 78"	99 1/8" - 103"	123 1/8" - 128"	147 1/4" - 153"	-----
	28 1/16" - 29"	53 1/8" - 55"	78 1/8" - 81"	103 1/8" - 107"	128 1/8" - 133"	153 1/4" - 159"	-----
	29 1/16" - 30"	55 1/8" - 57"	81 1/8" - 84"	107 1/8" - 111"	133 1/8" - 138"	159 1/4" - 165"	-----
	30 1/16" - 31"	57 1/8" - 59"	84 1/8" - 87"	111 1/8" - 115"	138 1/8" - 143"	165 1/4" - 171"	-----
	31 1/16" - 32"	59 1/8" - 61"	87 1/8" - 90"	115 1/8" - 119"	143 1/8" - 148"	171 1/4" - 177"	-----
	32 1/16" - 33"	61 1/8" - 63"	90 1/8" - 93"	119 1/8" - 123"	148 1/8" - 153"	177 1/4" - 183"	-----
	33 1/16" - 34"	63 1/8" - 65"	93 1/8" - 96"	123 1/8" - 127"	153 1/8" - 158"	183 1/4" - 189"	-----
	34 1/16" - 35"	65 1/8" - 67"	96 1/8" - 99"	127 1/8" - 131"	158 1/8" - 163"	189 1/4" - 192"	-----
35 1/16" - 36"	67 1/8" - 69"	99 1/8" - 102"	131 1/8" - 135"	163 1/8" - 168"	-----	-----	
36 1/16" - 37"	69 1/8" - 71"	102 1/8" - 105"	135 1/8" - 139"	168 1/8" - 173"	-----	-----	
37 1/16" - 38"	71 1/8" - 73"	105 1/8" - 108"	139 1/8" - 143"	173 1/8" - 178"	-----	-----	
38 1/16" - 39"	73 1/8" - 75"	108 1/8" - 111"	143 1/8" - 147"	178 1/8" - 183"	-----	-----	
39 1/16" - 40"	75 1/8" - 77"	111 1/8" - 114"	147 1/8" - 151"	183 1/8" - 188"	-----	-----	
40 1/16" - 41"	77 1/8" - 79"	114 1/8" - 117"	151 1/8" - 155"	188 1/8" - 192"	-----	-----	
		One Way Stacking Width = Panel Width			Split Draw Stacking Width = Panel Width x 2		

Pricing - Panel Track

Price Chart 1		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	358	416	474	532	589	836	914	994	1,072	1,149	1,229	1,276	1,387
	60"	374	436	496	558	618	867	952	1,032	1,116	1,196	1,278	1,327	1,440
	72"	392	456	520	587	649	903	989	1,072	1,156	1,243	1,327	1,378	1,496
	84"	412	478	545	612	680	936	1,023	1,114	1,200	1,289	1,376	1,429	1,552
	96"	429	500	569	640	712	969	1,060	1,152	1,243	1,336	1,425	1,483	1,607
	108"	447	520	594	667	740	1,003	1,096	1,192	1,287	1,378	1,474	1,534	1,663
	120"	467	543	618	694	772	1,036	1,134	1,232	1,327	1,425	1,523	1,587	1,716
	144"	503	585	667	749	834	1,105	1,207	1,309	1,414	1,518	1,623	1,692	1,827

Price Chart 2		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	418	487	554	623	692	974	1,067	1,160	1,252	1,345	1,436	1,492	1,623
	60"	440	514	587	660	732	1,020	1,116	1,212	1,309	1,407	1,500	1,560	1,696
	72"	467	543	618	694	774	1,065	1,165	1,265	1,365	1,467	1,567	1,632	1,767
	84"	489	569	652	732	814	1,109	1,212	1,318	1,423	1,527	1,634	1,698	1,840
	96"	512	598	683	767	852	1,152	1,260	1,369	1,478	1,589	1,698	1,767	1,916
	108"	536	625	714	803	894	1,196	1,309	1,423	1,536	1,649	1,763	1,836	1,987
	120"	558	654	745	840	934	1,240	1,358	1,476	1,594	1,709	1,827	1,905	2,060
	144"	607	709	809	912	1,014	1,329	1,456	1,580	1,707	1,832	1,956	2,045	2,207

Price Chart 3		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	458	536	612	687	765	1,069	1,172	1,272	1,374	1,476	1,578	1,638	1,778
	60"	487	567	649	732	814	1,123	1,232	1,338	1,443	1,549	1,656	1,723	1,872
	72"	514	603	687	776	860	1,178	1,289	1,403	1,514	1,627	1,738	1,809	1,960
	84"	545	634	727	820	912	1,232	1,349	1,467	1,585	1,700	1,818	1,894	2,052
	96"	572	669	767	863	960	1,287	1,409	1,532	1,654	1,776	1,898	1,980	2,145
	108"	600	703	805	907	1,009	1,343	1,469	1,596	1,723	1,849	1,980	2,065	2,234
	120"	627	736	843	952	1,060	1,396	1,529	1,660	1,796	1,927	2,058	2,152	2,325
	144"	685	803	920	1,038	1,156	1,503	1,647	1,789	1,934	2,076	2,220	2,323	2,507

For Panel Track, wand control option is available to 96" length; cord control option is available to 144" length

Valance Surcharges	Width Up To:													
	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	
Artisan Valance	49	60	72	83	94	105	118	129	140	152	163	169	187	
Majesty or Noble Wood Valance	152	163	174	185	198	209	220	234	245	256	269	274	292	

Pricing - Panel Track

Price Chart 4		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	514	603	687	776	860	1,198	1,312	1,427	1,540	1,654	1,769	1,838	1,998
	60"	549	643	736	829	920	1,265	1,385	1,507	1,629	1,749	1,869	1,945	2,112
	72"	585	683	783	885	983	1,334	1,460	1,587	1,714	1,843	1,972	2,054	2,225
	84"	618	725	832	938	1,045	1,400	1,534	1,667	1,803	1,936	2,069	2,160	2,338
	96"	654	767	880	994	1,105	1,467	1,607	1,749	1,889	2,032	2,169	2,267	2,452
	108"	687	807	925	1,047	1,167	1,534	1,683	1,829	1,978	2,123	2,272	2,374	2,565
	120"	723	847	974	1,098	1,227	1,603	1,756	1,912	2,063	2,218	2,369	2,480	2,678
	144"	792	932	1,069	1,207	1,349	1,738	1,903	2,069	2,238	2,405	2,572	2,694	2,905

Price Chart 5		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	589	687	789	892	994	1,365	1,494	1,627	1,758	1,887	2,018	2,103	2,280
	60"	632	740	852	960	1,072	1,454	1,592	1,732	1,872	2,012	2,152	2,243	2,432
	72"	676	794	914	1,032	1,152	1,540	1,689	1,838	1,987	2,134	2,285	2,385	2,580
	84"	720	847	974	1,105	1,232	1,629	1,787	1,945	2,103	2,260	2,416	2,527	2,732
	96"	765	900	1,036	1,174	1,309	1,718	1,885	2,052	2,218	2,385	2,549	2,669	2,880
	108"	809	954	1,098	1,245	1,392	1,807	1,983	2,158	2,332	2,507	2,683	2,809	3,032
	120"	854	1,007	1,163	1,316	1,469	1,894	2,078	2,265	2,447	2,632	2,814	2,952	3,183
	144"	943	1,114	1,285	1,458	1,629	2,072	2,274	2,474	2,678	2,878	3,080	3,232	3,483

Price Chart 6		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	647	760	874	987	1,098	1,496	1,640	1,785	1,929	2,074	2,218	2,312	2,507
	60"	700	825	947	1,072	1,196	1,605	1,760	1,916	2,072	2,227	2,383	2,485	2,692
	72"	752	889	1,023	1,156	1,294	1,714	1,878	2,047	2,214	2,380	2,543	2,663	2,876
	84"	805	954	1,098	1,245	1,392	1,820	1,998	2,176	2,354	2,529	2,707	2,836	3,060
	96"	858	1,016	1,174	1,329	1,487	1,929	2,118	2,305	2,496	2,683	2,872	3,009	3,249
	108"	912	1,080	1,249	1,416	1,585	2,038	2,236	2,438	2,636	2,836	3,034	3,185	3,434
	120"	967	1,145	1,323	1,503	1,683	2,147	2,356	2,567	2,778	2,987	3,198	3,358	3,618
	144"	1,074	1,276	1,474	1,674	1,876	2,360	2,594	2,825	3,058	3,289	3,523	3,707	3,987

For Panel Track, wand control option is available to 96" length; cord control option is available to 144" length

Valance Surcharges	Width Up To:													
	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	
Artisan Valance	49	60	72	83	94	105	118	129	140	152	163	169	187	
Majesty or Noble Wood Valance	152	163	174	185	198	209	220	234	245	256	269	274	292	

Pricing - Panel Track

Price Chart 7		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	709	838	965	1,092	1,223	1,634	1,792	1,952	2,112	2,272	2,432	2,538	2,749
	60"	778	920	1,063	1,205	1,349	1,774	1,949	2,123	2,296	2,472	2,645	2,767	2,992
	72"	845	1,003	1,160	1,316	1,474	1,918	2,105	2,294	2,483	2,672	2,860	2,998	3,236
	84"	914	1,085	1,256	1,429	1,600	2,058	2,263	2,465	2,669	2,872	3,076	3,227	3,483
	96"	980	1,169	1,356	1,540	1,727	2,200	2,418	2,636	2,854	3,074	3,289	3,456	3,725
	108"	1,052	1,252	1,454	1,654	1,856	2,340	2,574	2,807	3,040	3,272	3,505	3,687	3,969
	120"	1,118	1,336	1,549	1,767	1,983	2,483	2,732	2,978	3,225	3,474	3,720	3,916	4,214
	144"	1,254	1,498	1,745	1,992	2,236	2,765	3,043	3,320	3,598	3,872	4,149	4,376	4,703

Price Chart 8		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	783	925	1,069	1,212	1,356	1,796	1,974	2,149	2,325	2,500	2,676	2,800	3,029
	60"	863	1,025	1,185	1,347	1,509	1,965	2,160	2,354	2,549	2,743	2,936	3,078	3,323
	72"	945	1,123	1,303	1,480	1,660	2,136	2,347	2,560	2,772	2,983	3,196	3,356	3,618
	84"	1,025	1,223	1,418	1,614	1,814	2,305	2,536	2,765	2,994	3,225	3,454	3,632	3,912
	96"	1,107	1,320	1,536	1,752	1,965	2,476	2,725	2,972	3,218	3,465	3,714	3,907	4,207
	108"	1,187	1,420	1,652	1,885	2,118	2,647	2,912	3,176	3,443	3,709	3,972	4,185	4,503
	120"	1,267	1,520	1,769	2,018	2,269	2,816	3,100	3,383	3,667	3,949	4,232	4,463	4,796
	144"	1,432	1,716	2,003	2,289	2,574	3,156	3,476	3,794	4,114	4,432	4,752	5,016	5,387

Price Chart 9		Width Up To:												
		48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
Height Up To:	48"	856	1,018	1,180	1,343	1,507	1,952	2,147	2,340	2,534	2,727	2,920	3,063	3,309
	60"	958	1,143	1,329	1,516	1,700	2,172	2,389	2,607	2,823	3,038	3,256	3,423	3,689
	72"	1,060	1,269	1,478	1,687	1,896	2,392	2,629	2,872	3,109	3,349	3,592	3,783	4,072
	84"	1,165	1,396	1,629	1,860	2,094	2,609	2,872	3,136	3,398	3,663	3,925	4,140	4,454
	96"	1,265	1,523	1,776	2,034	2,287	2,827	3,114	3,400	3,687	3,976	4,263	4,498	4,836
	108"	1,369	1,647	1,927	2,205	2,483	3,047	3,358	3,667	3,976	4,289	4,598	4,858	5,218
	120"	1,472	1,774	2,074	2,378	2,680	3,267	3,600	3,934	4,265	4,600	4,934	5,216	5,598
	144"	1,676	2,027	2,374	2,723	3,072	3,705	4,083	4,465	4,843	5,225	5,603	5,934	6,365

For Panel Track, wand control option is available to 96" length; cord control option is available to 144" length

Valance Surcharges	Width Up To:													
	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	
Artisan Valance	49	60	72	83	94	105	118	129	140	152	163	169	187	
Majesty or Noble Wood Valance	152	163	174	185	198	209	220	234	245	256	269	274	292	

Product Information - Panel Track

Product Features

- Fits rectangular window openings
- [Fabric availability: Pages 4-6](#)
- One Way Draw or Split Draw
- Cord Loop or Wand Control; Split Draw has 2 wands;
Wand is clear acrylic
- Split Draw with cord loop draw always uses a 5 channel track
- Front Panel Draw is standard (panels stack in front with fixed panel closest to the window side).
- Track system is .045" thick aluminum with White, Black, Satin Nickel or Pewter.
- Track can be ceiling or wall mounted
- Has integrated hook and loop system for easy panel attachment
- Approximate 3" panel overlap
- Aluminum bar inserted into bottom hem
- Installation Bracket and Swivel Bracket are color coordinated to the track color. Black brackets are sent with Pewter track finish.

Size Standards

- [Page 75](#)
- [Approximate panel size: Page 77](#)

Hardware Included

- Installation Brackets (L Brackets for OS Mount)
- Cord Tensioner Bracket with Cord Draw

Options

- [No Charge Options and Availability - Page 82](#)
- [Surcharge Options and Availability - Page 82](#)
- [Design Option Details - Page 82](#)

Ordering Notes

- For windows greater than 192", a splice kit can be requested or tracks may be butted but panels will not meet.
- Serging of the side edges is done to help reduce fraying. [See pages 4-5](#)
- Shades less than 7' long have a 36" wand standard; Shades 7' or greater have a 48" wand standard





Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires if corded window products are used in the home, cord cleats or cord tension locks must be properly installed.



Pricing

- [Pages 78-80](#)



Design Options - Panel Track

Majesty or Noble Wood Valance

- Valances are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Standard return is 3 1/2" for 3 channels from back of valance to wall; 4 1/2" for 4 channels and 5 1/2" for 5 channels.
- If wood valance width is over 96" the valance will be spliced.
- L Bracket with panhead nut & bolt is used for attachment through the top of the dust cover.




Majesty Valance
4 1/2" height
5/8" thick



Noble Valance
4 5/8" height
1/2" thick

Artisan Valance

- Available in White, Black, Satin Nickel and Pewter.
- Profile Height: 3"
- Maximum width: 144"
- Valance clips on to Panel Track channel.
- Select Corner Connector color: White, Black or Gray.
- Specify return size for outside mount shades.



Artisan Pewter Valance with
Black Corner Connector



White

Gray



Black

Measuring & Installation Information

Roller Shade Brackets


Brackets available in 3 projections
1/2" wide for all brackets

Standard Clutch Brackets			
Item #	Clutch	Projection	Height
10000-660360X	SL	1 1/2"	2 3/8"
10000-660380X	SL	2"	2 3/8"
X = B for Black, W for White, V for Vanilla			
10000-660590 (Zinc)	SL	2 7/8"	2 3/8"
10000-660590B (Black)	SL	2 7/8"	2 3/8"




Small, Large, Modern & Modern Plus Cassette Brackets

Small/Modern Cassette - Item 80-30053-XX
Colors: 03 Black, 09 Vanilla, 11 White, 38 Bronze, 53 Sierra Tan, 90 Bright Zinc.
Modern Plus Cassette - Item 80-10053-90 Color: Reinforced Nickel
Large Cassette - Item 100-37000-82



Magnetic Hold Downs (Roller Shades)

- Metal is inserted at the ends of the bottom rail and hold down magnets are attached to the window frame to hold the bottom rail in place when the shade is lowered.
- Exclusions: Heat sealed bottom hem




Magnetic Hold Down Bracket
Item # 15-9108

Hold Down Brackets (Roman Shades)


- An oval wooden rod is inserted into hem pocket at bottom of shade and a hole is drilled for hold down bracket attachment.
- Hold down brackets are not available with banding option.
- Hold downs must be specified at the time of the order and cannot be retrofitted in the field.

Hold Down Bracket
Item # WWC-900205




Roman Shade Brackets

- The type of bracket and size of bracket sent with a roman shade order is dependent on the valance or no valance option specified.
- Outside Mount shades are shipped with a New York Style bracket.
- CareRING Cordless shades are shipped with L bracket (PT-SV29).
- Spacer blocks are available if more projection is required




New York Style Bracket
Outside Bracket RWC-60025
Ceiling Bracket RWC-60026



Button Catch for Arch Receiver - Item # B0-07000-034
Catch - Item #702664
Screw - Item TFP-04051-034

Panel Track Brackets




Inside Mount Bracket
White
Item PT-6535-011
1 3/8 deep" x 1 1/8" deep

Installation L Brackets

Colors Black-03, White-11, Silver-12

- 3 Channel - Item PT-301-XX
4" deep, 2 1/4" high, 1" wide
- 4 Channel - Item PT-302-XX
4 23/32" deep, 2 1/4" high, 1" wide
- 5 Channel - Item PT-303-XX
4 5/8" deep, 2 1/4" high, 1" wide



Swivel bracket for Inside Mount
Colors Black-003, White-001, Gray-090

- 3 channel, 2 1/4" deep
Item PT-6519-XXX
- 4 or 5 channel, 3 3/8" deep
Item PT-6520-XXX


Cord Tension Lock

- Standard on all Genesis Roller/Roman Shades with Clutch system.
 - Must be secured to the wall to provide the necessary tension for the shade to operate.
 - Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.
- [View color coordination chart.](#)




P Clip Safety Tensioner

- An option in place of a cord tension lock. The clear P-Clip has a torsion spring that will open the tensioner and prevents the chain from sliding through it. The tensioner will then render the shade partially inoperable if it is loose from the wall.



Not Attached




Attached to Wall

Measuring & Installation Information

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.
- For Cloth Measure measurement, the area to cover is given. The overall finished shade width will increase when ordering by the Cloth Measure



Roller Shade Measuring

- All shade pricing is based on the width and the window opening height.
- Custom shade orders are accepted for either inside mount, outside mount or Cloth Measure.
- Custom shade width measurements should be taken to the nearest 1/16".
- It is critical that the shade brackets are mounted level so that the shade is level when installed.
- For Height, measure the full length of the window opening from the top frame to the lower sill (or bottom coverage point) to determine your window height.
- For Cloth Measure measurement, the area to cover is given. The overall finished shade width will increase when ordering by the Cloth Measure.

Roman Shade Measuring

- All shade pricing is based on the width and the height.
- Roman shade orders are accepted for either inside or outside dimensions.
- Shade width measurements should be taken to the nearest 1/16".
- It is critical that the shade brackets are mounted level so that the shade is level when installed.
- Check the projection of the style of roman shades ordered to determine minimum recess.
- For an Inside Mount, we STRONGLY recommend the Traditional style that has the cord and cord lock in front of the material for easy access.
- For Length, measure the full length of the window opening from the top frame to the lower sill (or bottom coverage point) to determine your window length.

Panel Track Measuring

- All shade pricing is based on the width and the height.
- Panel Track orders are accepted for either inside or outside dimensions.
- There WILL BE a 1/2" LIGHT GAP on the left and right sides. Consider drapery panels on each side of the opening to conceal the light gap with the inside mount installation.
- Shade width measurements should be taken to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, For Panel Track to be installed inside an area (jamb to jamb in a window or door, wall to wall in a room), give exact inside width measurements, and top to bottom length measurements of the area to be covered.
- For an Outside Mount, measure the exact width and height of the area to be covered.
- For an Outside Mount, when measuring to cover a window, we recommend the Panel Track overlap the window by 3" to 6" on each side for privacy and light control.
- For Length, measure the full length of the window opening from the top frame to the bottom coverage point) to determine your window length. When installing a Panel Track above the window frame, the track should be installed at least 2" above the frame or molding to allow the foot of the installation bracket to be properly mounted.
- When measuring from the ceiling to the floor, a deduction of 1/2" to 3/4" is recommended, but you must make this deduction.

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from Allure Shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Flame Retardant (FR) Coating or Antimicrobial

- A flame retardant or antimicrobial coating is available for Genesis fabrics without these inherent properties. The shade is fabricated then sent to an external facility for the flame coating or antimicrobial process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant or antimicrobial coating.

For more Measuring and Installation info, visit the [Lafayette Dealer Center](#) website.



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.