

manh truc®

Genuine Value Retail Sales Guide



January 16, 2023

Updated 5-10-23



Midwest
Designer
Supply

www.midwestdesignersupply.com

Roman Shades
Panel Drape
Stationary Grommet Panels

888-523-2611
262-524-1007 (fax)

Custom Crafted in the U.S.A.



CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.



BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.



For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.


All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.

For additional window treatment child safety information, please visit the Window Covering Safety Council (www.windowcoverings.org).

INDEX		
SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
Fabric Information Roman Shades - Size Standards Cordlock System Clutch System CareRing Cordless 2/3-on-1 Headrail Top-Down Bottom-Up Duo-Shade Arch/Angle Top Shade Arch Angle System II & WireFree Motorization Panel Drape Size Standards Stationary Grommet Panel Size Standards Design Options Valances Lift Systems Availability All Other Options Finished Dimensions & Mounting Requirements Flat Roman Hobbled Roman Duo-Shade Panel Drape Stationary Grommet Panel Stacking Heights	Flat & Hobbled Shades Chart F1 Chart H1 Chart F2 Chart H2 Chart F3 Chart H3 Chart F4 Chart H4 Chart F5 Chart H5 Chart F6 Chart H6 Duo-Shade Lining Surcharges Additional Option Surcharges Arch Surcharges Motorization Panel Drape Charts PD1 & PD2 Charts PD3 & PD4 Charts PD5 & PD6 Options Surcharges Stationary Grommet Panel Charts 1 & 2 Charts 3 & 4 Charts 5 & 6	Flat & Hobbled Shades Cordlock System Clutch System CareRING Cordless Duo-Shade Specialties System II Motorization Sonesse 28 WireFree Motorization Ultra 30 WireFree Motorization SimpleMotion Motorization Panel Drape Stationary Grommet Panel Design Options Valances Design Options Measuring and Installation Lafayette Warranty

• Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **For repairs and remakes, see our [policies](#) page.**

• Manh Truc materials are made from natural materials and will have visible imperfections. Some natural patterns offer slight differences in grain and texture, especially in materials containing knots or slight surface cracks. The finest native materials in shades contain some variations in color and hue. In addition, natural materials can have a slight bow or camber so that horizontal lines or bottom hems might not be perfectly straight. Fold alignment can vary slightly, even on shades that are the same height. Shades made of natural materials tend to stretch slightly over time.



Manh Truc Fabric Information

Pattern Name	Maximum Shade Width ◇	Flat Roman Chart	Hobbled Roman Chart	Edge Banding Roman Shades	Panel Drape Chart	Stationary Grommet Panel	Bottom Banding Panel Drape/Grommet Panel
Akela	118"	F4	H4	Y	PD4	G4	N/A
Aris	118"	F3	H3	Y	PD3	G3	Y
Bacopa+	96"	F1	N/A	N/A	N/A	N/A	N/A
Batang	96"	F1	H1	Y	PD1	G1	Y
Bayani	96"	F1	H1	Y	PD1	G1	Y
Beijing	118"	F2	H2	Y	PD2	G2	Y
Caracas+	72"	F2	N/A	N/A	N/A	N/A	N/A
Chakra	118"	F5	H5	Y	N/A	N/A	N/A
Chinda	118"	F2	H2	Y	PD2	G2	N/A
Dieu	96"	F3	H3	Y	PD3	G3	Y
Georgie+	72"	F6	H6	Y	PD6	G6	Y
Hanoi+	94"	F4	N/A	Y	PD4	G4	N/A
Jambu+	118"	F1	H1	Y	PD1	G1	N/A
Jilin	118"	F1	H1	Y	PD1	G1	Y
Kaila+	72"	F5	H5	Y	PD5	G5	N/A
Kaliko	96"	F3	H3	Y	PD3	G3	N/A
Karina**+	96"	F4	H4	Y	PD4	G4	Y
Kato+	96"	F3	H3	Y	PD3	G3	N/A
Keani	96"	F5	H5	Required*	PD5	G5	Y
Kwan	96"	F3	H3	Y	PD3	G3	N/A
Lani+	96"	F6	H6	Y	PD6	G6	N/A
Lea	118"	F4	H4	Y	PD4	G4	N/A
Malana+	96"	F6	H6	Required*	PD6	G6	N/A
Mayli	96"	F3	H3	Y	N/A	N/A	N/A
Meeka**+	96"	F6	H6	Y	PD6	G6	Y
Miya	118"	F3	H3	Y	PD3	G3	N/A
Naoki	118"	F1	H1	N/A	N/A	N/A	N/A
Nara+	96"	F4	H4	Y	PD4	G4	Y
Okalani	118"	F5	H5	Y	PD5	G5	Y
Sapporo	96"	F3	H3	N/A	N/A	N/A	N/A
Sasarido	118"	F3	H3	Y	PD3	G3	Y
Sibu+	96"	F2	N/A	Y	N/A	N/A	N/A
Srilanka	96"	F3	H3	Y	N/A	N/A	N/A
Ulani	96"	F2	H2	Y	PD2	G2	Y
Waja+	118"	F3	H3	Y	PD3	G3	N/A
Zaru+	96"	F3	H3	Required*	PD3	G3	Y
Zuki	96"	F4	H4	Y	N/A	N/A	N/A

* Add a surcharge

** Can not be spearlined

+ Patterns do NOT have horizontal alignment from shade to shade and are not recommended for multiple shades on one headrail.

◇ Lift system dependent

Size Standards - Roman Shades - Standard Rectangular

Pattern	Cordlock System				Clutch System				CareRing Cordless			
	Flat Roman		Hobbled Roman		Flat Roman		Hobbled Roman					
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Flat Unlined Sz Chart	Flat LF Lining Sz Chart	Flat OP Lining Sz Chart	Hobbled Unlined Sz Chart
Akela	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Aris	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F2	LF2	OP2	H2
Bacopa	96"	120"	N/A	N/A	96"	120"/96"	N/A	N/A	F3	LF3	OP3	N/A
Batang	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F2	LF2	OP2	H2
Bayani	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Bejing	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Caracas	72"	84"	N/A	N/A	72"	84"	N/A	N/A	N/A	N/A	N/A	N/A
Chakra	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Chinda	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Dieu	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Georgie	72"	84"	72"	84"	72"	84"	N/A	N/A	F1	LF1	OP1	N/A
Hanoi	94"	120"	N/A	N/A	94"	120"/96"	N/A	N/A	F1	LF1	OP1	N/A
Jambu	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F2	LF2	OP2	H2
Jilin	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F3	LF3	OP3	H3
Kaila	72"	120"	72"	96"	72"	120"/96"	72"	120"/96"	F1	LF1	OP1	H1
Kaliko	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Karina	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Kato	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Keani	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	N/A	N/A	N/A	N/A
Kwan	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Lani	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Lea	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Malana	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	N/A	N/A	N/A	N/A
Mayli	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Meeka	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F2	LF2	OP2	H2
Miya	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Naoki	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F2	LF2	OP2	H2
Nara	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Okalani	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Sapporo	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F3	LF3	OP3	H3
Sasarido	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Sibu	96"	120"	N/A	N/A	96"	120"/96"	N/A	N/A	F1	LF1	OP1	N/A
Srilanka	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Ulani	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
Waja	118"	120"	118"	96"	118"	120"/96"	118"	120"/96"	F1	LF1	OP1	H1
Zaru	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	N/A	N/A	N/A	N/A
Zuki	96"	120"	96"	96"	96"	120"/96"	96"	120"/96"	F1	LF1	OP1	H1
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
Minimums	15"	30"	15"	30"	15"/24**	30"	15"/24**	30"	18 1/2"	26 1/2"	26 1/2"	26 1/2"
* Quick Lift Clutch has minimum width of 15" and max. length of 120"; Traditional Clutch has minimum width of 24" and max. length of 96".												

* Quick Lift Clutch has minimum width of 15" and max. length of 120"; Traditional Clutch has minimum width of 24" and max. length of 96".

Size Standards - Flat Roman w/ CareRing Cordless

F1		Shade Width Up To:												LF1												
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	36"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	42"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	54"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	72"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	72"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A
	78"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	78"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A
	84"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	84"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A

OP1		Shade Width Up To:												H1												
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	N/A	N/A	N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	N/A	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	60"			N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	66"			N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	72"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	72"			N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	78"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	78"			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	84"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	84"			N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Size Standards - Flat Roman w/ CareRing Cordless

F2		Shade Width Up To:												LF2	Shade Width Up To:											
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	36"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	54"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A
	72"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	72"			Y	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	78"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	78"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
	84"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	84"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A

OP2		Shade Width Up To:												H2	Shade Width Up To:											
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	60"	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	66"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	66"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	72"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	72"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	78"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	78"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	84"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	84"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Size Standards - Flat Roman w/ CareRing Cordless

F3		Shade Width Up To:												LF3	Shade Width Up To:											
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	48"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A
	66"			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	66"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A
	72"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	72"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	78"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	78"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
	84"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	84"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A

OP3		Shade Width Up To:												H3												
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
	30"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A		
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A		
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	N/A	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A		
	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A		
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	54"	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	60"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	60"	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	66"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	66"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	72"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	72"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	78"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	78"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
	84"			N/A	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	84"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

Size Standards - Hobbled Roman w/ CareRING Cordless

F4		Shade Width Up To:												LF4	Shade Width Up To:											
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	42"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A
	60"			Y	Y	Y	Y	Y	Y	Y	Y	Y	N/A	60"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A
	66"			Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	66"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	72"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	72"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
	78"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	78"			N/A	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
	84"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	84"			N/A	N/A	Y	Y	Y	N/A	N/A	N/A	N/A	N/A

OP4		Shade Width Up To:												H4	Shade Width Up To:									
		18½"	26⅞"	26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"		26½"	30"	36"	42"	48"	54"	60"	66"	72"	78"
Shade Height Up To:	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	24"	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
	30"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	30"	N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
	36"	Y	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	36"	N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
	42"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	42"	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
	48"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	48"	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	54"	N/A	N/A	Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	54"	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	60"			N/A	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	60"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	66"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	66"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	72"			N/A	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	72"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	78"			N/A	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	78"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	84"			N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A	84"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Size Standards - Roman Shades - Options

Pattern	2-on-1 / 3-on-1 Headrail			Top Down/Bottom Up		Flat Roman Duo Shade		Angle/Arch Top		Arch		Angle		Wood Bottom Hem
	Max Width	Flat	Hobbled											
		Max Height	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width
Akela	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Aris	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Bacopa	144"	120"	N/A	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Batang	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Bayani	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Beijing	144"	120"	96"	95"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Caracas	144"	84"	N/A	72"	84"	72"	84"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Chakra	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Chinda	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Dieu	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Georgie	144"	120"	96"	72"	108"	72"	96"	60"	108"	60"	30"	60"	48"	72"
Hanoi	144"	120"	N/A	94"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Jambu	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Jilin	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Kaila	144"	120"	96"	72"	108"	72"	96"	60"	108"	60"	30"	60"	48"	72"
Kaliko	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Karina	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Kato	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Keani	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Kwan	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Lani	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Lea	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Malana	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	N/A
Mayli	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Meeka	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Miya	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Naoki	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Nara	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Okalani	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	N/A
Sapporo	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sasarido	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Sibu	144"	120"	N/A	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Srilanka	144"	120"	96"	96"	108"	84"	96"	N/A	N/A	N/A	N/A	N/A	N/A	72"
Ulani	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Waja	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Zaru	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
Zuki	144"	120"	96"	96"	108"	84"	96"	60"	108"	60"	30"	60"	48"	72"
	Min Width	Min Height	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width
Minimums	45"	30"	30"	24"	30"	15"	30"	15"	30"	12"	6"	12"	12"	15"

Size Standards - Roman Shades - Valances

Pattern	Straight Valance		Railroaded Valance		Hobbled Valance	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Akela	120"	12"	120"	12"	118"	24"
Aris	120"	12"	120"	12"	118"	24"
Bacopa	120"	12"	N/A	N/A	N/A	N/A
Batang	120"	12"	120"	12"	96"	24"
Bayani	120"	12"	120"	12"	96"	24"
Beijing	120"	12"	120"	12"	118"	24"
Caracas	120"	12"	N/A	N/A	72"	24"
Chakra	120"	12"	N/A	N/A	118"	24"
Chinda	120"	12"	120"	12"	118"	24"
Dieu	120"	12"	120"	12"	96"	24"
Georgie	120"	12"	120"	12"	N/A	N/A
Hanoi	120"	12"	120"	12"	N/A	N/A
Jambu	120"	12"	120"	12"	118"	24"
Jilin	120"	12"	120"	12"	118"	24"
Kaila	120"	12"	N/A	N/A	72"	24"
Kaliko	120"	12"	120"	12"	96"	24"
Karina	120"	12"	120"	12"	96"	24"
Kato	120"	12"	120"	12"	96"	24"
Keani	120"	12"	120"	12"	96"	24"
Kwan	120"	12"	120"	12"	96"	24"
Lani	120"	12"	120"	12"	96"	24"
Lea	120"	12"	120"	12"	118"	24"
Malana	120"	12"	120"	12"	96"	24"
Mayli	120"	12"	120"	12"	96"	24"
Meeka	120"	12"	120"	12"	96"	24"
Miya	120"	12"	120"	12"	118"	24"
Naoki	120"	12"	N/A	N/A	118"	24"
Nara	120"	12"	120"	12"	96"	24"
Okalani	120"	12"	120"	12"	118"	24"
Sapporo	120"	12"	N/A	N/A	96"	24"
Sasarido	120"	12"	120"	12"	118"	24"
Sibu	120"	12"	N/A	N/A	N/A	N/A
Srilanka	120"	12"	N/A	N/A	96"	24"
Ulani	120"	12"	120"	12"	96"	24"
Waja	120"	12"	120"	12"	118"	24"
Zaru	120"	12"	120"	12"	96"	24"
Zuki	120"	12"	N/A	N/A	96"	24"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
Minimums	15"	7"	15"	7"	15"	12"

Size Standards - Panel Drape & Grommet Panel

Pattern	Panel Drape		Stationary Grommet Panel
	Max Width	Max Height	Max Height
Akela	120"	118"	94"
Aris	120"	118"	94"
Bacopa	N/A	N/A	N/A
Batang	120"	94"	94"
Bayani	120"	94"	94"
Beijing	120"	118"	94"
Caracas	N/A	N/A	N/A
Chakra	N/A	N/A	N/A
Chinda	120"	118"	94"
Dieu	120"	94"	94"
Georgie	120"	70"	70"
Hanoi	120"	94"	94"
Jambu	120"	118"	94"
Jilin	120"	118"	94"
Kaila	120"	70"	70"
Kaliko	120"	94"	94"
Karina	120"	94"	94"
Kato	120"	94"	94"
Keani	120"	94"	94"
Kwan	120"	94"	94"
Lani	120"	94"	94"
Lea	120"	118"	94"
Malana	120"	94"	94"
Mayli	120"	94"	N/A
Meeka	120"	94"	N/A
Miya	120"	118"	94"
Naoki	N/A	N/A	N/A
Nara	120"	94"	94"
Okalani	120"	118"	94"
Sapporo	N/A	N/A	N/A
Sasarido	120"	118"	94"
Sibu	N/A	N/A	N/A
Srilanka	N/A	N/A	N/A
Ulani	120"	94"	94"
Waja	120"	118"	94"
Zaru	120"	94"	94"
Zuki	N/A	N/A	N/A
	Minimum Width	Minimum Height	Minimum Height
Miniums	36"	24"	24"

* Wand Draw Max. Length: 96", Wand Draw Min. Length: 39"

** Cannot have Bottom Banding due to flaring







*** Max track width is 144". For windows greater than 144", tracks may be butted but panels will not meet.

Design Options

Lift System Availability	Flat Roman	Hobbled Roman	Duo Shade	Panel Drape	Angle Top Shade	Arch Top Shade
Clutch	Y	Y	N/A	N/A	N/A	N/A
Cordlock - Traditional	Y	Y	Y	N/A	Y	Y
Cordlock - Contemporary	Y	Y	Y	N/A	Y	Y
CareRING Cordless	Y	Y	N/A	N/A	N/A	N/A
System II	Y	Y	N/A	N/A	N/A	N/A
Sonesse 28 WireFree	Y	Y	N/A	N/A	N/A	N/A
Ultra 30 WireFree	Y	Y	N/A	N/A	N/A	N/A

Options Availability	Clutch	Cordlock Traditional	Cordlock Contemporary	CareRING	Flat Roman	Hobbled Roman	Duo Shade	Panel Drape	Stationary Grommet	Angle Top Shade	Arch Top Shade	Arch/Angle/Framed
No Charge Options												
Bead Chain Color Substitution	Y	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Bead Chain Optional Length	Y	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Cord Optional Length	N/A	Y	Y	N/A	Y	Y	Y	N/A	N/A	Y	Y	N/A
Hold Down Brackets	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y	Y	N/A
New York Brackets	N/A	Y	Y	N/A	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
Soft Returns	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A	N/A
Turned Headrail	N/A	Y	Y	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Track Color Selection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Wood Edge Selection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Panels only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A
Surcharge Options												
FR or Antimicrobial	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Edge Banding	Y	Y	Y	N/A	Y	Y	Y	N/A	STD	Y	Y	N/A
Bottom Banding*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	N/A	N/A	N/A
Lining	Y	Y	Y	Y+	Y	N/A	N/A	Y	Y	Y	Y	N/A
2-on-1 / 3-on1 Headrail	Y	Y	Y	N/A	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Top-Down/Bottom-Up	N/A	Y	N/A	N/A	Y	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Straight Trim	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y**	Y**	N/A
Additional Valance Length	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	Y	Y	N/A
Wood Bottom Hem	Y	Y	Y	N/A	Y	Y	N/A	N/A	N/A	Y	Y	N/A
Split Draw	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Wood Pole & Finials	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Board Mounted Valance***	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Y	N/A	N/A	N/A	N/A
Light Gap Stop	Y	Y	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A	N/A
* Some fabrics cannot have bottom banding due to flaring. ** Trim available on shade valance hem only. *** Includes Fabric Valances, Majesty and Noble Wood Valances + Flat only												

Finished Dimensions - Flat & Hobbled

 <p>(Traditional pictured)</p>		
<p>Inside Mount: (Traditional and Contemporary)</p> <p>Cordlock Quick Lift Clutch Traditional Clutch CareRING Cordless Motorized</p> <p>Fabric Width: - 1/2" Valance: - 1/2" Board: - 1/2"</p>	<p>Outside Mount, Traditional, Soft Returns:</p> <p>Quick Lift Clutch Traditional Clutch</p> <p>Fabric Width: ordered width Valance: + 1" Board: + 1/2"</p>	<p>Outside Mount, Traditional, Soft Returns:</p> <p>Cordlock CareRING Cordless Motorized</p> <p>Fabric Width: ordered width Valance: ordered width Board: - 1/2"</p>
		
<p>Outside Mount, Traditional, Structured Returns:</p> <p>Quick Lift Clutch Traditional Clutch</p> <p>Fabric Width: ordered width Valance: + 1 5/8" Board: + 1 1/8"</p>	<p>Outside Mount, Traditional, Structured Returns:</p> <p>Cordlock CareRING Cordless Motorized</p> <p>Fabric Width: ordered width Valance: + 1 1/4" Board: + 3/4"</p>	<p>Outside Mount, Contemporary, Structured Returns:</p> <p>Cordlock Quick Lift Clutch Traditional Clutch CareRING Cordless Motorized</p> <p>Fabric Width: ordered width Valance: ordered width Board: - 1/2"</p>
<p>* If no return or wrap is selected then Board width is -1/2"</p>		

Finished Dimensions & Mounting Requirements

Flat & Hobbled Roman	Mounting Requirements		
	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Cordlock	1 1/2"	2"	1 1/2"
Quick Lift Clutch	1 1/2"	2 1/2"	1 1/2"
Traditional Clutch	1 1/2"	2"	1 1/2"
CareRING Cordless	1 1/2"	2 1/2"	1 9/16"
Motorized	1 1/2"	2 1/2"	1 9/16"

Duo Shade	Finished Dimensions (All finished dimensions are based on ordered height or width)				Mounting Requirements		
	Inside Mount	Outside Mount					
	Fabric Width/ Board Width	Fabric Width	Traditional Style - Board Width	Contemporary Style - Board Width	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
Cordlock	- 1/2"	Ordered Width	Regular Returns:+1 1/2" Structured Returns:+3/4"	Ordered Width	1 1/2"	2"	1 1/2"

Finished Dimensions (All finished dimensions are based on ordered height or width)					
Panel Drape	Inside Fabric Width	Inside Shade Height	Outside Fabric Width	Outside Shade Height	Outside Track Width
	-1/8"	-3/8"	Ordered Width	Ordered Height	Ordered Width

Mounting Requirements			
Panel Drape	Inside Minimum Mounting Depth	Inside Flush Mount	Outside Minimum Flat Vertical Surface
	1 3/8"	3 5/8"	1 7/8"

Stationary Grommet Panel	Finished Dimensions (All finished dimensions are based on ordered height or width)	
	Flat Panel Width	Panel Height
6 Grommets	32"	Ordered Height
8 Grommets	42"	Ordered Height
12 Grommets	62"	Ordered Height

Stacking Heights

Stacking Heights	Cordlock - Flat	Cordlock - Hobbled	Clutch - Flat/Hobbled	Cordlock - Duo Shade
30" Shade Drop	9"	9 1/2"	9 1/2"	9 1/2"
36" Shade Drop	9 1/4"	9 3/4"	9 3/4"	9 3/4"
48" Shade Drop	9 3/4"	10 1/2"	10 1/2"	10 1/2"
60" Shade Drop	10 3/8"	10 3/4"	10 3/4"	10 3/4"
72" Shade Drop	11"	11"	11"	11"
96" Shade Drop	12 1/2"	13"	13"	13"
*Stacking height is approximate and will vary based upon material thickness and weight for individual fabrics. GENERAL GUIDELINE ONLY.				

Pricing - Manh Truc Flat and Hobbled Roman Shades

F1 Flat Roman		Fabric: Bacopa , Batang , Bayani , Jambu , Jilin , Naoki										
		Shade Width Up To:										
		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	144	178	207	238	271	334	396	459	525	850	930
	42"	155	190	223	255	290	359	428	496	567	925	1013
	48"	165	203	238	273	311	384	459	532	607	1003	1096
	54"	175	215	255	292	332	411	488	567	648	1078	1180
	60"	186	230	269	309	353	436	519	603	690	1155	1263
	66"	196	242	284	328	373	461	550	640	732	1230	1346
	72"	207	255	300	344	394	488	582	675	771	1307	1430
	78"	217	267	315	363	415	513	613	711	813	1382	1513
	84"	228	280	330	382	434	538	642	746	855	1459	1594
	96"	246	307	361	417	475	590	705	819	936	1611	1761
	108"	267	332	392	453	517	642	765	890	1019	1763	1928
	120"	288	357	423	488	559	692	828	963	1100	1915	2094
H1 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	182	225	265	303	346	428	509	590	675	1157	1265
	42"	203	250	294	340	386	478	569	661	757	1307	1430
	48"	223	275	325	375	428	530	632	734	838	1457	1594
	54"	244	300	357	411	467	580	692	805	919	1609	1759
	60"	265	328	386	446	509	632	753	875	1000	1759	1923
	66"	284	353	417	482	548	682	815	946	1082	1909	2088
	72"	305	378	448	517	590	732	875	1017	1163	2059	2253
	78"	325	403	478	553	630	784	936	1090	1244	2211	2417
	84"	346	430	509	588	671	834	998	1161	1328	2361	2582
	96"	386	480	569	659	753	936	1119	1303	1490	2661	2911
	108"	428	530	630	732	834	1038	1242	1446	1653	2963	3240
	120"	467	582	692	803	915	1140	1363	1588	1815	3265	3567

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253	265	---
Lining - Opaque	207	221	232	246	278	303	334	340	348	---	---
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180	188	---
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246	---	---
CareRING Cordless System (*Max width 78")	No Surcharge										
Motorization	View Motorization Pricing										

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Valance - Ea. Additional 12"	30	40	42	55	63	78	90	107	119	194	211
Straight/Railroaded Valance - Unlined	121	144	169	192	217	267	317	367	417	598	655
Straight/Railroaded Valance - Lined - Light Filtering	271	303	338	375	417	492	555	611	671	863	---
Straight/Railroaded Valance - Lined - Opaque	325	367	400	438	494	569	648	705	767	---	---
Hobbled Valance - Unlined	142	169	200	230	261	319	380	442	503	742	813
Hobbled Valance - Lined - Light Filtering	292	328	369	413	461	544	619	686	755	1007	---
Hobbled Valance - Lined - Opaque	346	392	432	473	536	621	713	780	853	---	---

Pricing - Manh Truc Flat and Hobbled Roman Shades

F2 Flat Roman		Fabric: Beijing , Caracas , Chinda , Sibu , Ulani										
		Shade Width Up To:										
		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	198	242	284	325	371	459	546	634	725	1130	1238
	42"	213	261	307	353	400	496	590	684	784	1232	1348
	48"	228	280	330	378	430	532	634	736	842	1336	1461
	54"	242	298	350	403	459	569	678	788	900	1438	1573
	60"	257	317	373	430	490	607	721	838	959	1540	1686
	66"	271	334	394	455	519	642	767	890	1017	1642	1796
	72"	286	353	417	480	548	680	811	942	1078	1746	1909
	78"	300	371	438	507	578	715	855	992	1136	1848	2021
	84"	315	390	461	532	607	753	898	1044	1194	1950	2134
	96"	344	425	505	584	665	825	986	1146	1311	2155	2357
	108"	373	463	548	634	723	898	1075	1250	1430	2361	2582
	120"	403	500	592	686	782	973	1163	1353	1546	2565	2805
H2 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	244	300	355	407	465	575	686	796	909	1490	1630
	42"	271	336	396	457	521	644	769	894	1021	1684	1842
	48"	300	371	438	505	575	715	853	992	1134	1880	2057
	54"	328	407	480	555	632	784	938	1090	1246	2075	2269
	60"	357	442	523	605	688	855	1021	1188	1357	2271	2482
	66"	384	475	565	653	744	925	1105	1286	1469	2465	2696
	72"	413	511	607	703	800	994	1188	1384	1582	2661	2909
	78"	440	546	648	750	857	1065	1273	1482	1694	2857	3123
	84"	467	582	690	800	913	1134	1357	1580	1805	3050	3336
	96"	523	650	773	898	1023	1273	1525	1775	2030	3442	3763
	108"	580	721	859	996	1136	1415	1692	1971	2253	3832	4188
	120"	636	790	942	1094	1248	1555	1861	2167	2478	4221	4615

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253	265	---
Lining - Opaque	207	221	232	246	278	303	334	340	348	---	---
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180	188	---
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246	---	---
CareRING Cordless System (*Max width 78")	No Surcharge										
Motorization	View Motorization Pricing										

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Valance - Ea. Additional 12"	42	57	67	82	88	111	134	153	175	282	311
Straight/Railroaded Valance - Unlined	132	159	186	211	240	294	348	407	463	678	740
Straight/Railroaded Valance - Lined - Light Filtering	282	317	353	394	442	519	588	650	715	940	---
Straight/Railroaded Valance - Lined - Opaque	336	380	415	455	517	596	682	746	811	---	---
Hobbled Valance - Unlined	146	184	213	246	280	344	411	473	544	815	890
Hobbled Valance - Lined - Light Filtering	296	340	380	430	480	569	648	719	794	1080	---
Hobbled Valance - Lined - Opaque	353	403	444	492	555	646	742	813	890	---	---

Pricing - Manh Truc Flat and Hobbled Roman Shades

F3 Flat Roman		Fabric: Aris , Dieu , Kaliko , Kato , Kwan , Mayli , Miya , Sapporo , Sasarido , Srilanka , Waja , Zaru										
		Shade Width Up To:										
		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	230	284	334	382	436	540	642	744	853	1334	1459
	42"	248	307	361	413	471	584	696	809	923	1457	1594
	48"	265	328	388	446	509	630	750	871	996	1582	1730
	54"	284	350	413	478	544	673	805	934	1067	1705	1865
	60"	303	373	440	509	580	719	857	996	1140	1830	2003
	66"	319	396	467	540	615	763	911	1059	1211	1955	2138
	72"	338	419	494	571	653	809	965	1121	1284	2078	2273
	78"	357	440	521	603	688	853	1019	1186	1355	2203	2409
	84"	373	463	548	634	723	898	1073	1248	1428	2325	2544
	96"	409	509	603	696	794	988	1182	1373	1571	2573	2815
	108"	446	553	657	759	867	1078	1288	1498	1715	2823	3086
	120"	482	598	711	823	938	1167	1396	1625	1859	3071	3357
H3 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	280	344	407	469	534	661	788	917	1048	1713	1873
	42"	311	386	457	525	600	744	888	1032	1180	1940	2121
	48"	344	428	505	584	665	825	986	1146	1311	2167	2369
	54"	378	469	555	642	732	909	1086	1263	1444	2394	2617
	60"	411	509	605	698	796	990	1184	1378	1575	2621	2867
	66"	444	550	655	757	863	1073	1284	1494	1707	2848	3115
	72"	478	592	703	815	930	1155	1382	1609	1838	3075	3363
	78"	509	634	753	871	994	1238	1482	1723	1971	3305	3611
	84"	542	673	803	930	1061	1321	1580	1840	2103	3532	3861
	96"	609	757	900	1044	1192	1486	1778	2069	2365	3986	4357
	108"	673	838	1000	1161	1325	1650	1975	2300	2630	4440	4855
	120"	740	921	1098	1275	1457	1815	2173	2532	2894	4896	5350

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253	265	---
Lining - Opaque	207	221	232	246	278	303	334	340	348	---	---
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180	188	---
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246	---	---
CareRING Cordless System ("Max width 78")	No Surcharge										
Motorization	View Motorization Pricing										

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Valance - Ea. Additional 12"	55	71	84	98	111	138	165	192	219	317	344
Straight/Railroaded Valance - Unlined	142	173	205	234	265	325	388	448	513	698	763
Straight/Railroaded Valance - Lined - Light Filtering	292	332	371	417	465	550	625	694	763	961	---
Straight/Railroaded Valance - Lined - Opaque	346	394	434	480	540	628	719	788	861	---	---
Hobbled Valance - Unlined	167	207	240	275	317	390	465	540	619	857	934
Hobbled Valance - Lined - Light Filtering	319	365	409	461	517	613	703	786	869	1119	---
Hobbled Valance - Lined - Opaque	373	428	471	521	592	692	798	880	967	---	---

Pricing - Manh Truc Flat and Hobbled Roman Shades

F4 Flat Roman		Fabric: Akela , Hanoi , Karina , Lea , Nara , Zuki										
		Shade Width Up To:										
		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	250	311	365	419	478	592	705	819	936	1461	1600
	42"	271	336	396	455	519	642	765	890	1017	1600	1750
	48"	292	361	425	490	559	692	828	961	1098	1738	1900
	54"	313	386	457	525	600	744	888	1032	1180	1875	2053
	60"	332	411	486	561	640	794	948	1103	1261	2013	2203
	66"	353	436	517	596	680	844	1009	1173	1340	2153	2355
	72"	373	463	546	632	721	894	1069	1244	1421	2290	2505
	78"	392	488	578	667	761	946	1130	1315	1503	2428	2655
	84"	413	513	607	703	803	996	1190	1386	1584	2567	2807
	96"	455	563	669	773	884	1098	1313	1528	1746	2842	3109
	108"	494	613	730	844	963	1198	1434	1667	1907	3119	3411
	120"	534	665	790	915	1044	1300	1555	1809	2069	3394	3711
H4 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	313	388	457	528	600	746	890	1034	1182	1921	2100
	42"	350	434	515	594	678	840	1003	1167	1334	2178	2382
	48"	388	482	571	659	753	934	1117	1298	1484	2434	2663
	54"	425	530	628	725	828	1028	1230	1430	1636	2692	2944
	60"	463	575	684	792	903	1123	1342	1563	1786	2948	3223
	66"	503	623	740	857	978	1217	1455	1694	1936	3207	3505
	72"	540	669	796	923	1055	1311	1569	1825	2088	3463	3786
	78"	578	717	853	990	1130	1405	1682	1959	2238	3719	4067
	84"	615	765	911	1055	1205	1500	1794	2090	2388	3978	4348
	96"	690	859	1023	1188	1355	1688	2021	2355	2690	4492	4909
	108"	765	953	1136	1319	1507	1878	2246	2617	2992	5005	5471
	120"	840	1046	1248	1450	1657	2065	2473	2882	3294	5519	6034

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253	265	---
Lining - Opaque	207	221	232	246	278	303	334	340	348	---	---
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180	188	---
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246	---	---
CareRING Cordless System ("Max width 78")	No Surcharge										
Motorization	View Motorization Pricing										

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Valance - Ea. Additional 12"	65	80	92	109	123	155	188	217	250	361	394
Straight/Railroaded Valance - Unlined	155	190	221	253	288	357	423	492	559	769	842
Straight/Railroaded Valance - Lined - Light Filtering	305	346	390	438	488	580	661	736	811	1034	---
Straight/Railroaded Valance - Lined - Opaque	359	411	453	498	565	657	755	830	909	---	---
Hobbled Valance - Unlined	190	234	275	319	365	450	538	623	713	994	1088
Hobbled Valance - Lined - Light Filtering	340	392	444	503	565	675	775	867	963	1259	---
Hobbled Valance - Lined - Opaque	394	455	507	565	640	753	869	961	1061	---	---

Pricing - Manh Truc Flat and Hobbled Roman Shades

F5 Flat Roman		Fabric: Chakra , Kaila , Keani , Okalani										
		Shade Width Up To:										
		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	267	330	388	446	509	630	753	873	998	1573	1721
	42"	288	357	421	486	553	686	819	950	1088	1725	1888
	48"	311	384	455	523	598	742	886	1028	1175	1878	2055
	54"	334	413	488	563	642	796	953	1107	1265	2030	2219
	60"	355	440	521	603	686	853	1019	1184	1355	2182	2386
	66"	378	467	555	640	732	909	1084	1261	1442	2334	2550
	72"	400	496	588	680	775	963	1150	1340	1532	2484	2717
	78"	421	523	621	719	819	1019	1217	1417	1619	2636	2884
	84"	444	550	655	757	865	1075	1284	1494	1709	2788	3048
	96"	488	607	721	836	953	1186	1417	1650	1886	3092	3380
	108"	534	663	788	913	1042	1296	1550	1807	2065	3396	3713
	120"	578	717	855	990	1132	1407	1684	1961	2242	3698	4044
H5 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Shade Height Up To:	36"	342	425	503	580	661	821	982	1140	1305	2130	2330
	42"	386	478	565	655	746	928	1107	1288	1473	2419	2644
	48"	428	530	630	728	830	1032	1234	1436	1642	2707	2961
	54"	469	584	692	803	915	1138	1361	1584	1811	2996	3275
	60"	513	636	757	875	998	1244	1488	1732	1980	3284	3590
	66"	555	688	819	950	1084	1348	1613	1880	2148	3571	3905
	72"	596	742	882	1023	1169	1455	1740	2028	2317	3861	4219
	78"	638	794	946	1098	1253	1561	1867	2175	2486	4148	4534
	84"	682	846	1009	1171	1338	1665	1994	2321	2655	4436	4850
	96"	765	953	1136	1319	1507	1878	2246	2617	2992	5013	5480
	108"	850	1059	1263	1467	1675	2088	2500	2913	3330	5590	6109
	120"	934	1163	1390	1615	1844	2298	2755	3209	3667	6165	6740

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253	265	---
Lining - Opaque	207	221	232	246	278	303	334	340	348	---	---
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180	188	---
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246	---	---
CareRING Cordless System ("Max width 78")	No Surcharge										
Motorization	View Motorization Pricing										

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Valance - Ea. Additional 12"	71	88	109	125	142	175	211	248	282	394	432
Straight/Railroaded Valance - Unlined	161	198	234	269	307	380	453	523	598	807	882
Straight/Railroaded Valance - Lined - Light Filtering	313	357	400	453	507	605	692	769	853	1069	---
Straight/Railroaded Valance - Lined - Opaque	367	419	465	515	582	682	786	863	948	---	---
Hobbled Valance - Unlined	205	253	296	344	394	486	580	678	771	1053	1150
Hobbled Valance - Lined - Light Filtering	355	411	465	528	594	709	819	921	1023	1315	---
Hobbled Valance - Lined - Opaque	409	473	528	590	671	788	913	1015	1119	---	---

Pricing - Manh Truc Flat and Hobbled Roman Shades

F6 Flat Roman		Fabric: Georgie , Lani , Malana , Meeka								
		Shade Width Up To:								
		24"	30"	36"	42"	48"	60"	72"	84"	96"
Shade Height Up To:	36"	303	375	444	511	584	723	863	1003	1146
	42"	330	409	484	557	636	790	942	1096	1253
	48"	357	442	523	605	688	855	1021	1188	1359
	54"	382	475	563	650	742	921	1100	1280	1463
	60"	409	507	603	696	794	988	1180	1373	1569
	66"	436	540	642	742	848	1053	1259	1465	1675
	72"	463	573	682	788	900	1119	1338	1559	1782
	78"	488	607	721	836	953	1186	1417	1650	1886
	84"	515	640	761	882	1007	1253	1496	1742	1992
	96"	567	705	840	973	1111	1384	1655	1928	2203
	108"	621	771	919	1065	1217	1515	1815	2113	2415
	120"	673	838	998	1159	1323	1648	1973	2298	2625
H6 Hobbled Roman		24"	30"	36"	42"	48"	60"	72"	84"	96"
Shade Height Up To:	36"	388	480	569	659	750	934	1115	1296	1482
	42"	436	542	642	744	848	1055	1261	1467	1678
	48"	486	603	715	830	946	1178	1409	1640	1873
	54"	534	663	790	915	1044	1300	1555	1811	2069
	60"	584	725	863	1000	1142	1421	1703	1982	2265
	66"	632	786	936	1086	1240	1544	1848	2153	2461
	72"	682	846	1009	1171	1338	1667	1994	2323	2657
	78"	730	909	1084	1257	1436	1788	2142	2494	2853
	84"	778	969	1157	1342	1534	1911	2288	2665	3046
	96"	875	1092	1303	1515	1730	2155	2582	3009	3438
	108"	973	1213	1450	1686	1923	2400	2875	3350	3830
	120"	1071	1336	1596	1857	2119	2644	3169	3692	4221

Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"
Lining - Light Filtering	153	159	169	186	200	225	238	246	253
Lining - Opaque	207	221	232	246	278	303	334	340	348
Lined Valance Only - Light Filtering	107	115	121	132	142	159	171	175	180
Lined Valance Only - Opaque	144	157	167	175	196	213	234	238	246
CareRING Cordless System (*Max width 78")	No Surcharge								
Motorization	View Motorization Pricing								

Standalone Valances	24"	30"	36"	42"	48"	60"	72"	84"	96"
Valance - Ea. Additional 12"	82	103	121	144	163	207	246	286	328
Straight/Railroaded Valance - Unlined	184	225	267	307	348	432	515	598	684
Straight/Railroaded Valance - Lined - Light Filtering	334	382	434	492	550	655	753	844	936
Straight/Railroaded Valance - Lined - Opaque	388	446	498	553	625	734	846	938	1034
Hobbled Valance - Unlined	228	282	334	388	444	550	655	761	869
Hobbled Valance - Lined - Light Filtering	378	440	500	571	644	773	894	1007	1121
Hobbled Valance - Lined - Opaque	432	503	565	632	719	853	988	1100	1219

Pricing - Duo Shade Lining & Additional Option Surcharges

L1 - Light Filtering		Shade Width Up To:							
		24"	30"	36"	42"	48"	60"	72"	84"
Shade Height Up To:	36"	98	123	134	155	167	205	236	278
	42"	119	138	155	178	196	234	282	317
	48"	125	144	157	186	198	238	286	332
	54"	132	157	175	207	225	271	319	367
	60"	144	175	198	230	248	303	357	413
	66"	159	196	219	253	278	336	398	453
	72"	169	198	221	259	284	340	403	463
	78"	175	219	238	284	305	371	440	505
	84"	194	234	263	305	336	407	478	550
	96"	211	259	286	336	359	440	519	596
L2 - Opaque		24"	30"	36"	42"	48"	60"	72"	84"
Shade Height Up To:	36"	132	157	178	211	232	284	336	388
	42"	148	186	207	236	263	319	384	442
	48"	155	190	213	248	278	338	400	463
	54"	171	211	238	284	309	380	448	519
	60"	194	234	265	309	344	419	498	573
	66"	211	259	294	340	380	459	548	630
	72"	219	265	300	353	388	475	563	655
	78"	234	290	332	382	419	517	611	705
	84"	253	309	353	413	453	559	661	765
	96"	278	340	388	450	503	615	725	840

Optional Surcharges	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	118"
Wood Bottom Hem	48	53	61	63	67	78	80	---	---	---	---
Straight Trim/Gimp (per row)	46	50	57	61	67	80	84	98	125	153	178
Top-Down/Bottom-Up	71	80	84	100	107	125	136	144	159	173	---
Metal Bead Chain - Clutch	30										
Twill or Fabric Banding on 2 Edges	211										
Twill or Fabric Banding on 3 or 4 Edges	278										
2-on-1 Headrail (add to base price of 2 shades added together)	84										
3-on-1 Headrail (add to base price of 3 shades added together)	128										
Mitred Headrail	63										
Angle Top / Arch Top	282										
Light Gap Stop (Per Ft.)	View Common Surcharges										
Palladian Shelf - Finished (Per Ft.)	View Common Surcharges										
Palladian Shelf - Unfinished (Per Ft.)	View Common Surcharges										

Arch Surcharges (add to price at max height and max width)			
Standard Arch	192		
Width To:	36"	48"	60"
Framed Arch	663	771	880
Routed Framed Arch	907	1015	1121

Pricing - Manh Truc Panel Drape

PD1 Panel Drape		Fabric: Batang, Bayani, Jambu, Jilin							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	332	421	505	550	640	732	821	869
	60"	378	482	578	630	736	838	942	994
	72"	453	578	692	753	878	1003	1130	1188
	84"	482	613	736	800	930	1065	1194	1261
	96"	550	700	838	913	1065	1215	1365	1440
	108"	619	786	942	1028	1194	1365	1538	1619
	118"	673	859	1030	1119	1309	1494	1680	1773
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		242	290	338	390	438	488	671	728
Straight/Railroaded Valance - Lined - Light Filtering		409	488	561	625	684	742	934	---
Straight/Railroaded Valance - Lined - Opaque		473	565	640	721	778	838	---	---
Hobbled Valance - Unlined		271	332	392	450	513	575	815	886
Hobbled Valance - Lined - Light Filtering		440	530	615	690	759	825	1078	---
Hobbled Valance - Lined - Opaque		505	609	692	784	853	923	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

PD2 Panel Drape		Fabric: Beijing, Chinda, Ulani							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	355	450	538	586	684	780	878	925
	60"	405	515	617	671	782	892	1003	1061
	72"	484	619	738	805	936	1071	1205	1273
	84"	513	655	782	853	994	1136	1278	1348
	96"	586	746	892	971	1136	1294	1459	1538
	108"	659	842	1003	1096	1278	1459	1640	1734
	118"	719	919	1098	1194	1394	1594	1792	1890
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		257	315	367	421	478	536	748	813
Straight/Railroaded Valance - Lined - Light Filtering		425	513	590	659	723	786	1011	---
Straight/Railroaded Valance - Lined - Opaque		486	588	667	753	817	884	---	---
Hobbled Valance - Unlined		286	348	417	482	546	615	888	963
Hobbled Valance - Lined - Light Filtering		450	550	640	721	790	867	1150	---
Hobbled Valance - Lined - Opaque		515	625	719	815	886	963	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

Pricing - Manh Truc Panel Drape

PD3 Panel Drape		Fabric: Aris , Dieu , Kaliko , Kato , Kwan , Miya , Sasarido , Waja , Zaru							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	390	498	592	646	753	859	965	1023
	60"	446	567	678	740	861	984	1107	1167
	72"	536	680	813	888	1034	1180	1328	1400
	84"	565	721	861	942	1098	1253	1405	1484
	96"	646	823	984	1073	1253	1430	1609	1696
	108"	728	928	1107	1209	1405	1609	1811	1909
	118"	790	1009	1211	1319	1538	1757	1978	2086
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		273	336	398	459	519	584	769	836
Straight/Railroaded Valance - Lined - Light Filtering		442	538	621	696	765	836	1034	---
Straight/Railroaded Valance - Lined - Opaque		507	613	698	790	859	932	---	---
Hobbled Valance - Unlined		315	390	463	538	613	690	928	1005
Hobbled Valance - Lined - Light Filtering		480	588	686	773	857	942	1192	---
Hobbled Valance - Lined - Opaque		544	663	763	869	953	1038	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

PD4 Panel Drape		Fabric: Akela , Hanoi , Karina , Lea , Nara							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	446	569	680	742	869	992	1111	1175
	60"	513	655	782	853	994	1136	1278	1348
	72"	613	784	934	1023	1188	1359	1530	1613
	84"	650	830	994	1080	1259	1440	1619	1713
	96"	742	950	1136	1238	1440	1646	1853	1955
	108"	836	1067	1278	1390	1619	1853	2084	2198
	118"	913	1167	1392	1519	1771	2025	2278	2403
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		294	361	430	494	561	632	842	913
Straight/Railroaded Valance - Lined - Light Filtering		463	559	653	732	807	884	1105	---
Straight/Railroaded Valance - Lined - Opaque		525	636	730	825	900	982	---	---
Hobbled Valance - Unlined		346	436	523	611	694	784	1067	1161
Hobbled Valance - Lined - Light Filtering		515	636	746	848	940	1036	1330	---
Hobbled Valance - Lined - Opaque		580	711	823	942	1034	1134	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

Pricing - Manh Truc Panel Drape

PD5 Panel Drape		Fabric: Kaila , Keani , Okalani							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	463	605	705	765	890	1017	1142	1207
	60"	550	667	836	955	1111	1271	1428	1507
	72"	659	803	1000	1142	1332	1523	1713	1809
	84"	732	890	1111	1271	1482	1692	1903	2009
	96"	836	1017	1271	1450	1692	1930	2173	2294
	108"	942	1142	1428	1632	1903	2173	2444	2580
	118"	1028	1248	1559	1782	2075	2375	2671	2819
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		305	378	450	525	594	671	878	955
Straight/Railroaded Valance - Lined - Light Filtering		473	580	675	763	842	923	1142	---
Straight/Railroaded Valance - Lined - Opaque		538	655	753	857	934	1019	---	---
Hobbled Valance - Unlined		369	467	557	653	748	844	1121	1221
Hobbled Valance - Lined - Light Filtering		538	665	782	890	994	1096	1388	---
Hobbled Valance - Lined - Opaque		600	742	859	984	1088	1192	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

PD6 Panel Drape		Fabric: Georgie , Malana , Meeka , Lani							
		Shade Width Up To:							
		36"	48"	60"	72"	84"	96"	108"	120"
Shade Height Up To:	48"	496	648	755	819	953	1090	1223	1292
	60"	590	715	896	1023	1190	1361	1528	1613
	72"	707	859	1071	1223	1425	1632	1834	1936
	84"	784	953	1190	1361	1586	1811	2036	2150
	96"	896	1090	1361	1553	1811	2065	2328	2457
	108"	1009	1223	1528	1746	2036	2328	2617	2761
	118"	1100	1336	1669	1907	2221	2542	2859	3017
Surcharges		36"	48"	60"	72"	84"	96"	108"	120"
Straight/Railroaded Valance - Unlined		328	405	484	563	636	719	940	1023
Straight/Railroaded Valance - Lined - Light Filtering		507	621	723	817	903	990	1223	---
Straight/Railroaded Valance - Lined - Opaque		578	700	807	917	1000	1092	---	---
Hobbled Valance - Unlined		396	500	596	698	803	905	1200	1309
Hobbled Valance - Lined - Light Filtering		578	713	838	953	1065	1173	1486	---
Hobbled Valance - Lined - Opaque		644	794	919	1055	1165	1278	---	---
Majesty or Noble Wood Valance (for board mounted only)		167	182	194	209	221	234	250	261
Lining - Light Filtering		190	221	242	265	271	278	290	311
Lining - Opaque		250	303	336	365	373	382	403	421

Other Optional Surcharges	36"	48"	60"	72"	84"	96"	108"	120"	
3" Fabric Bottom Banding	50	65	82	94	107	125	138	155	
2" Smooth Wood Pole (Finished) with Ball Finials	334	367	367	411	411	494	494	494	
2" Smooth Wood Pole (Finished) with End Caps	290	330	330	367	367	450	450	450	
Split Draw	103								

Pricing - Manh Truc Stationary Grommet Panel

G1 Grommet Panel		Fabric: Batang , Bayani , Jambu , Jilin		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	550	598	707
	60"	630	686	811
	72"	686	746	884
	84"	759	825	978
	94"	805	878	1034
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

G2 Grommet Panel		Fabric: Beijing , Chinda , Ulani		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	619	711	794
	60"	675	778	869
	72"	732	844	944
	84"	811	930	1040
	94"	855	984	1100
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

G3 Grommet Panel		Fabric: Aris , Dieu , Kaliko , Kato , Kwan , Miya , Sasarido , Waja , Zaru		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	663	759	848
	60"	721	830	928
	72"	782	898	1005
	84"	863	996	1111
	94"	913	1055	1175
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

G4 Grommet Panel		Fabric: Akela , Hanoi , Karina , Lea , Nara		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	678	780	875
	60"	742	863	971
	72"	813	942	1071
	84"	878	1028	1167
	94"	944	1105	1267
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

G5 Grommet Panel		Fabric: Kaila , Keani , Okalani		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	711	819	917
	60"	780	894	1000
	72"	846	971	1088
	84"	932	1073	1203
	94"	986	1136	1271
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

G6 Grommet Panel		Fabric: Georgie , Lani , Malana , Meeka		
		Shade Width Up To:		
		36"	48"	62"
Shade Height Up To:	48"	748	861	963
	60"	819	940	1050
	72"	890	1021	1144
	84"	980	1128	1263
	94"	1036	1194	1336
Surcharges		36"	48"	62"
Lining - Light Filtering		190	221	242
Lining - Opaque		250	303	336
3" Fabric Bottom Banding*		50	65	82

* Refer to [Fabric Information](#) for Bottom Banding availability

Note: All pricing is PER PANEL.

Product Information - Flat & Hobbled Roman Shades - Cordlock

Flat & Hobbled Roman Product Features

- Fits rectangular window openings
- [Fabric Availability](#)
- 2" deep x 1" high, color-coordinated, engineered headrail
- Flat - folds spaced approximately 7" apart. Hobbled - folds spaced approximately 5" apart.
- TLC Cord sleeve for child safety
- Controls on right side standard
- Color-coordinated wooden tassels and cords.
- Bottom of shade is self-hemmed
- Available with [Traditional](#) or [Contemporary Style](#)

Important Child Safety Note

In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

Size Standards

- [Flat Roman](#)
- [Hobbled Roman](#)
- [Motorization](#)

Standard Cord Drops (Cordlock)

- Cord length is 40% of the shade length.

Hardware Included

- [Installation Brackets](#)
- 3" Screws for IS Mounts

Finished Dimensions & Mounting Requirements

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Motorization](#)
- [Exclusions](#)

Approximate Stacking Height

Ordering Notes

- A traditional style shade is strongly recommended for inside (jamb to jamb) installations
- Hobbled folds will vary based upon material selected. Lighter materials tend to produce flatter folds while heavier material tend to billow. Edge Banding enhances fold.

Caution

- [Advisories](#)

Pricing



Traditional Flat Roman



Contemporary Hobbled Roman

Turned Headrail

- Projection is 1". Only available with cordlock system. The 2" board is turned on its edge to provide a low profile installation for shallow windows or door applications.



1" deep x 2" high

Product Information - Flat & Hobbled Roman Shades - Clutch System

Flat & Hobbled Roman Product Features

- Fits rectangular window openings
- [Fabric Availability](#)
- Quick Lift or Traditional system available
- Quick Lift - 2 1/2" deep, Traditional - 2" deep
- Flat - Folds spaced approximately 7" apart
- Hobbled - Folds spaced approximately 5" apart
- TLC Cord sleeve for child safety
- Controls on right side standard
- Bottom of shade is self-hemmed
- Color-coordinated, engineered headrail
- Available with [Traditional](#) or [Contemporary Style](#)

Important Child Safety Note

In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

Size Standards

- [Flat Roman](#)
- [Hobbled Roman](#)
- [Motorization](#)

Hardware Included

- [Installation Brackets](#)
- 3" screws for IS mount
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Motorization](#)
- [Exclusions](#)

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
30" - 42"	24"	78 1/16" - 90"	72"
42 1/16" - 54"	36"	90 1/16" - 102"	84"
54 1/16" - 66"	48"	Over 102"	96"
66 1/16" - 78"	60"		

• For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Ordering Notes

- Contemporary style shades are NOT recommended for inside mount installations.
- Hobbled folds will vary based upon the material selected. Bulky materials tend to billow. Edge Banding enhances fold.
- For multiple shades on one headrail, specify control location for each shade and add clutch surcharge per shade.

Caution

- [Advisories](#)

Pricing



Quick Lift Clutch System



Traditional Clutch System

Product Information - Flat & Hobbled Roman Shades - CareRING Cordless

Flat & Hobbled Roman Product Features

- Fits rectangular window openings
- [Fabric Availability](#)
- Headrail 2 1/2" deep x 1" high
- Rings on back of shade provide folds
- Flat - Folds spaced approximately 7" apart
- Hobbled - Folds spaced approximately 5" apart
- TLC Cord sleeve for child safety
- Controls in the center, on the back side of shade
- Color-coordinated cords.
- Bottom of shade is self-hemmed
- Headrail is painted or stained to color coordinate
- Available with [Traditional or Contemporary Style](#)
- Structured returns standard on Traditional style. Soft returns are standard on Contemporary style with CareRING

Size Standards

- [Flat Roman](#)
- [Hobbled Roman](#)

Hardware Included

- [Installation Brackets](#)
- 3" screws for IS mount

Finished Dimensions & Mounting Requirements

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Caution

- The springs in CareRING Cordless system allow for shade to raise and lower with minimal effort. Excessive force when lowering shade can cause it to malfunction.
- [Advisories](#)

Pricing



Traditional Flat Roman



Contemporary Hobbled Roman



Structured Return



Soft Return



CareRING Cordless (shade back)

Product Information - Duo-Shade

Duo-Shade Product Features

- Separate flat roman shade and liner shade mounted on one headrail with independent controls
- Fits rectangular window openings
- Available with all Manh Truc fabrics
- Rings on back of shade and clear rods on back of liner provide folds
- TLC Cord sleeve for child safety
- Controls for shade on right, controls for liner on left
- Color-coordinated cords. Lift cord will be 40% of the shade length
- Bottom of shade is self-hemmed
- Color-coordinated, engineered headrail
- Available with [Traditional or Contemporary Style](#)

Important Child Safety Note

In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

Size Standards

- [Duo-Shade](#)

Hardware Included

- [Installation Brackets](#)
- 3" screws for IS mount

Finished Dimensions & Mounting Requirements

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Motorization](#)
- [Exclusions](#)

Caution

- [Advisories](#)

Pricing

- The Duo-Shade Liner surcharge is based upon which lining is selected, that price is added to the base shade price.



Duo-Shade Traditional Flat Roman



Duo-Shade Contemporary Flat Roman
Side view



Duo-Shade Traditional Flat Roman
Side view



Duo-Shade Contemporary Flat Roman

Product Information - Specialties

Roman Arch

- [Fabric Availability](#)
- Flat Roman Arch is stationary and will NOT raise.
- Pattern runs horizontally.
- Arch height cannot exceed 1/2 of arch width.
- Standard Arch - Board depth is 7/8"; Board height is 2".
- Material is secured to a wooden frame with staples, hidden using gimp around arch top.
- Button catches are sent for installation.
- Framed Arch - Frame depth is 1"; Frame height is 1 5/8".
- Routed Framed Arch - Frame depth is 1"; Frame height is 2".
- Framed or Routed Framed Arch are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder.
- **Template Required**

Roman Angle

- [Fabric Availability](#)
- Roman Right Angle Triangle or Isosceles Triangle is stationary.
- Pattern runs horizontally.
- Triangle height cannot exceed 1/2 of triangle width.
- Standard Triangle - Board depth is 7/8"; Board height is 2".
- Framed Triangle - Frame depth is 1"; Frame height is 1 5/8".
- Routed Framed Triangle - Frame depth is 1"; Frame height is 2".
- Material is secured to front of a wooden frame with staples, hidden using gimp.
- Button catches are sent for installation
- Framed or Routed Framed Arch are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder.
- **Template Required**


Size Standards

Pricing

- Price shade using highest point of arch to bottom height, then add the Arch surcharge. Framed and Routed Framed Arch are also available for a surcharge.

Pricing

- Price shade using highest point of angle to bottom height, then add the Arch/Angle surcharge. Framed and Routed Framed Triangles are also available for a surcharge.




Arch with frame



Arch with no frame



Triangle with no frame



Right Angle Triangle with frame



Triangle with frame

Product Information - Specialties

Angle Top Flat Roman Shade

- Fits window openings with a sloped top board; specify short point height and side (left or right) and long point height. A diagram is required.
- Shade operates as standard rectangular cord lock, shade raises only to bottom of angle.
- [Fabric Availability](#)
- Maximum angle of slope is 35°
- Self-valance and cord lift system with cord to front of shade
- Material is secured to a 1" or 2" projection board with staples; hidden using gimp.
- Shade valance on Traditional is 7" long at shortest point of slope; Cord lock is on short side of angle.
- If ordered lined, lining extends into angle.
- L-brackets for easy installation
- Cords will be 40% of shade length.
- **Template Required**

Size Standards

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#), Angle bottom, Returns

Pricing

- Price shade using long side as height, then add Angle Top surcharge.



Arch Top Flat Roman Shade

- Fits window openings with an arched top opening.
- Shade operates as standard rectangular, shade raises only to bottom of arch top.
- [Fabric Availability](#)
- Arch height cannot exceed 1/2 of arch width.
- • 2" deep x 1" high, color-coordinated, engineered headrail
- Material is secured to a 3/4" projection wooden frame with staples, hidden using gimp around arch top edge.
- Choose self-valance or no valance; Flat valance length is approx. 7" longer than bottom of arch portion; cord controls can be on either side of shade.
- L-brackets for easy installation
- Cords will be 40% of shade length.
- Available with Traditional or Contemporary Style
- **Template Required**

Size Standards

Options

- [Options and Availability](#)
- [Design Option Details](#)
- Edge Banding is available only in banding configuration [VBH2](#).
- [Exclusions](#)

Pricing

- Price shade using highest point of arch to bottom height, then add Arch Top surcharge.



Product Information - Somfy Battery Operated Series



Size Standards

Battery and Rechargeable Motorization	Flat - Unlined				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
System II	17"	96"	30"	96"	50
Sonesse 28 WireFree	25"	96"	30"	96"	50
Ultra 30 WireFree	31"	96"	30"	96"	64
Sonesse 40 WireFree	31"	96"	30"	96"	---
Flat - Light Filtering					
System II	17"	96"	30"	96"	45
Sonesse 28 WireFree	25"	96"	30"	96"	45
Ultra 30 WireFree	31"	96"	30"	96"	64
Sonesse 40 WireFree	31"	96"	30"	96"	---
Flat - Opaque					
System II	17"	96"	30"	96"	40
Sonesse 28 WireFree	25"	96"	30"	96"	40
Ultra 30 WireFree	31"	96"	30"	96"	64
Sonesse 40 WireFree	31"	96"	30"	96"	---

* Pattern Caracas not available motorized. For Hobbled shades, maximum is 84" x 84" for all motors. [Fabric Width and Sq Ft. Restrictions](#)

System II Information (1.1Nm)

- 12V DC Motor
- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- Uses a 2 1/2" headrail



System II Motor

Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Uses a 2 1/2" headrail
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- 40 decibels
- Soft Start/Soft Stop



Sonesse 28 Wirefree Motor

Ultra 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Uses a 2 1/2" headrail
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- Ultra quiet sound level (38 decibels)
- Will ship at a 30% charge; Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



Ultra 30 Wirefree Motor

Sonesse 40 Wirefree Information (3Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Uses a 2 1/2" headrail
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- 44 decibels
- Needs 4-6 hrs for full peak charge
- Soft Start/Soft Stop



Sonesse 40 Wirefree Motor

Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price

Notes:

- Side by side motorized shades are not guaranteed to travel up/down with bottom rail alignment.

Product Information - Somfy Battery Operated Series



Somfy TaHoma Overview

- 2.4Ghz WiFi connection(Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant



Options - Controls



Situ 1 Channel Remote



Situ 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel Variation Transmitter



Five Channel Decoflex Wall Switch

Design Options Availability	System II	Sonesse 28 WireFree	Ultra 30 WireFree
No Charge Design Options			
Contemporary Style	Y	Y	Y
Traditional Style	Y	Y	Y
Hold Down Brackets	Y	Y	Y
New York Brackets	N/A	N/A	N/A
Turned Headrail	N/A	N/A	N/A
Surcharge Design Options			
FR or Antimicrobial	Y	Y	Y
Edge Banding	Y	Y	Y
Lining	Y	Y	Y
2-on-1 / 3-on-1 Headrail*	Y	Y	Y
Straight Trim	Y	Y	Y
Additional Valance Length	Y	Y	Y
Wood Bottom Hem	Y	Y	Y
Majesty Wood Valance	Y	Y	Y
Noble Wood Valance	Y	Y	Y
Light Gap Stop	Y	Y	Y

* Requires multiple motors

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information - SimpleMotion™ Motorization

SimpleMotion Information

- Internal li-ion rechargeable motor
- Approximately 4-6 hours for a full charge
- Motor can be left or right
- Optional surface mounted wall switch or hand held remote



SimpleMotion Motor



Specifications	Flat - Unlined				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
SimpleMotion	25"	96"	30"	96"	50
Flat - Light Filtering					
SimpleMotion	25"	96"	30"	96"	45
Flat - Opaque					
SimpleMotion	25"	96"	30"	96"	40
Side by side motorized shades are not guaranteed to travel up/down with bottom rail alignment.					

Design Options Availability	SimpleMotion
No Charge Design Options	
Contemporary Style	Y
Traditional Style	Y
Hold Down Brackets	Y
New York Brackets	N/A
Turned Headrail	N/A
Surcharge Design Options	
FR or Antimicrobial	Y
Edge Banding	Y
Lining	Y
2-on-1 / 3-on-1 Headrail*	Y
Straight Trim	Y
Additional Valance Length	Y
Wood Bottom Hem	Y
Majesty Wood Valance	Y
Noble Wood Valance	Y
Light Gap Stop	Y

* Requires multiple motors



6-Channel Remote



6-Channel Wall Switch



4' Charger



Solar Panel (21" wide)

Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price

Product Information - Panel Drape

Product Features

- Fits rectangular window openings
- [Fabric availability](#)
- Panel Drape material is RAILROADED (turned sideways)
- One Way Draw. A locking pin provides a stationary end or Split Draw with [recessed magnets on wooden rails](#)
- Fabric Banding (1" showing) across the top
- Approximately 1.5x's Fullness
- Panel Drape stacks to approximately 15% of total track width
- Brown (brown carriers), White (white carriers) or Gray (white carriers) Hand Traverse Track.
- Track system is 1/2" high and 5/8" deep extruded aluminum.
- Track can be ceiling mounted or wall mounted.

Size Standards

Hardware Included

- [Installation Brackets](#)

Finished Dimensions & Mounting Requirements

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- For windows wider than 120", the tracks may be butted and the panels will not meet.
- Lining length is 1/2" less than Panel Drape length.
- Deduct 1/2" for floor clearance on ceiling mount installation.
- Track color chosen at time of order

Ordering Notes for Optional Sahara Channel Track

- A Sahara Mechanical Channel Track can be ordered separately.
- Panels will come ordered width and height.
- Order Sahara channel track width 1 1/2" greater than Panel Drape ordered width.
- Select Sahara pole color, brackets (WI-16XXX), and finials.
- See the Lafayette Drapery Hardware price list for Sahara Channel Track pricing.

Panel Drape with No Track

- Carriers are attached to Panel Drape. Select carrier color: white or brown.

Caution

- [Advisories](#)

Pricing



Sahara Channel Track with Sahara Finial



Carrier Attachment



Split Draw Closure

Product Information - Stationary Grommet Panels

Product Features

- Fits rectangular window openings
- [Fabric Availability](#)
- Grommet Panel material is RAILROADED (turned sideways)
Panel length cannot exceed fabric width.
- Approximately 2x's Fullness
- 3 1/2" Returns
- 3" Fabric Banding showing on the top of the Grommet Panel.
- 1 1/2" Fabric Banding showing on the panel sides.
- Grommets are 2 1/8" OS diameter and fit up to a 1 3/8" diameter rod or pole.
- Choose from one of six grommet colors: Matte Nickel, Antique Brass, Antique Copper, Black, Satin Smoke, or Oil Rubbed Bronze.

Size Standards

Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- Pricing is PER PANEL.
- Rod or pole purchased separately.
Refer to Lafayette Drapery Hardware or Kirsch Drapery Hardware price list.
- Lining length is 1/2" less than Panel length.

Finished Dimensions & Mounting Requirements

Caution

- Non-functioning panel - designed to be used as stationary panel only.
- [Advisories](#)

Pricing



Inside Diameter: 1 1/2"
Outside Diameter: 2 1/8"



6 Grommets



8 Grommets



12 Grommets

Design Options - Valances

Manh Truc Roman Shade Self-Valance

- A 7" long flat self-valance is standard with each Flat Roman and Hobbled Roman woven shade. If shade is lined, accompanying self-valance is lined.
- See [finished dimensions](#) for standard return based on shade style and inside/outside mount designation.
- Structured returns standard on Traditional style. Wrapped End is standard on Contemporary style. Soft returns are standard on Contemporary style with CareRING
- Self-valances longer than 7" and up to 36" are available
- For 2-on-1 headrail, when valance width exceeds material width, valance is split in center and butted together.
- For 3-on-1 headrail, when valance width exceeds material width, valance follows shade configuration.
- Gimp trim is available on valance hem for a surcharge.



Structured Return



Wrapped End



Soft Return

Valance Specifications	Unlined Maximum Width	Lined (Light-Filtering) Maximum Width	Lined (Opaque) Maximum Width
Straight Valance	118"	108"	96"
Railroaded Valance	120"	108"	96"
Hobbled Valance	Material Width	108"	96"
Majesty / Noble Wood Valance*	132"	132"	132"
* If width is over 96", valance will be spliced. Material availability			

Valance Options Availability	Self Valance	Straight Valance	Railroaded Valance	Hobbled Valance	Majesty or Noble Valance
No Charge Option					
Non-standard return sizes	N/A	Y	N/A	Y	Y
Surcharge Options					
Banding*	Y	Y**	Y**	N/A	N/A
Lining	Y	Y	Y**	N/A	N/A
Optional Length	Y	Y	Y**	Y	N/A
* See availability and configurations					
** Bottom edge only					

Majesty and Noble Wood Valances

- Available with Board Mounted Panel Drape
- Valances are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, Thunder. Sample chips are available using [MySwatch](#).
- Standard return is 6" from back of valance to wall.

Majesty Valance
4 1/2" height
5/8" thick



Noble Valance
4 5/8" height
1/2" thick




Straight or Railroaded Valance

- A stand-alone 7" long Valance ordered separately.
- Available with 2", 3 1/2" or 5 1/2" returns and board.
- Straight Valance has material running in same direction as woven shade and perpendicular to Panel Drape.
- Straight Valance includes fabric covering top of board and legs.
- If valance width is greater than shade material, valance is split into two equal widths.
- Railroaded Valance has material perpendicular to woven shade

Ordering Notes

- If going over a shade, order valance 2" wider than shade width to allow for side leg boards.



Hobbled Valance

- Two 6" hobbled folds form a 12" long valance, order separately.
- Hobbled Valance includes fabric covering top of board and legs.
- Available with 2", 3 1/2" or 5 1/2" returns.
- Edge Banding is on cornice face side edges only (VOS2).
[See fabric availability](#)

Ordering Notes

- If going over a shade, order valance 2" wider than shade width due to side leg boards.



Hobbled Valance

Design Options - Other Options

Panel Drape - Decorative Wood Poles

- For outside mount Panel Drape only.
- 2" Smooth Decorative Wood Pole is finished and routed for track insertion.
- Select one of nine paint or stain finishes from the wood valance collection: Buckeye, Cottage Pine, Ebony Wash, Gardenia, Java Roast, Mahogany, Natural, Navajo White, Thunder (colors available for wood side rails and handles also)
- Select either Ball Finial or End Cap finished in same selected for Decorative Wood Pole.
- Standard return from back of pole to wall is 3 1/2".
- Maximum pole width is 120".
- Wood end brackets and brass support brackets are included for installation.
- Pole is 3" greater than the ordered width.
- Caution: Due to varying wood grains the pole, bracket, and finials will not be an exact match.



Ball Finial





End Cap



Wood Installation Bracket

Mitered Corners

- Available for flat roman shades.
- A template is required with dimensions A, B, C, D, and E indicated to determine the miter angle.
- Two adjoining shades can be mitered for corner or bay windows.
- Mitered shades cannot be raised to same height level and will not fully raise due to folds.
- Not available on hobbled shades, turned headrail or clutch system.
- Lift cords are mounted opposite the miter for corner windows; for bay windows, center shade has cords on right.
- Horizontal pattern alignment is not guaranteed.



Top Down/Bottom Up Shade

- Shade forms accordian folds when raised or lowered.
- Shade lowers from the top and raises from the bottom; two sets of cords and cord locks.
- Right cord raises and lowers top of shade; left cord raises and lowers bottom of shade
- Valance and cord lift system with cord to the front of the shade.
- Shade has a 7" long self-valance for both front and back of shade to conceal hardware.
- Cords are visible when shade is lowered from the top.
- Not available with multiple shades on one headrail.
- Lining option available; however shade must have edge banding. [Fabric availability](#)
- For outside mount, structured returns standard; wrapped ends can be requested at no charge.
- Size limitations: Minimum width 24"; Maximum width varies by shade material; Maximum length 108"



Multiple Shades on One Headrail

- Available on flat and hobbled roman shades in both Traditional or Contemporary style.
- Two or three shades which share the same headrail and operate independently. Shades have a 1/2" gap.
- For 2-on-1 headrail - when valance width exceeds material width, valance is split in the center and butted together.
- For 3-on-1 headrail - when valance width exceeds material width, valance follows shade configuration.
- Cords to outside edge of shade unless otherwise specified; for 3-on-1 headrail, center shade has cords on right.
- Shades are patterned to match valance.
- Horizontal pattern alignment is not guaranteed.
- Size limitations: maximum overall width is 144"



Traditional or Contemporary Style

- Traditional style: Headrail projection of 2" ($\pm 1/8$ "); Self-valance and cord lift system to front of shade. Flat self-valance hangs approx. 7" off headrail with cords behind valance. IS mount shade has no returns. OS mount shade has [structured returns](#).
- Contemporary style: Headrail projection of 2" ($\pm 1/8$ "); Material off front - cord to back of shade. IS mount shade has no returns. OS mount shade has [wrapped ends](#).



Flat Traditional



Hobbled Traditional



Flat Contemporary



Hobbled Contemporary

Bead Chain Options

- Available on clutch operated roman shades.
- Color coordinated to the shade color. Chain lengths must be 6" shorter than window length for ISM to properly install tensioner
- Metal Bead Chain in Stainless Steel, Antique Bronze, Gun Metal or Burnished Copper are available for a surcharge.



Stainless Steel



Antique Bronze



Gun Metal



Burnished Copper

Design Options - Other Options

Flat or Hobbled Roman Shade Edge Banding

- Edge banding is wrapped around edges of shade or valance and sewn in place. [Fabric availability](#)
- Four edge banding styles are available:
 - 1 1/4" width twill banding in 4 solid colors
(5/8" of banding shows on front and back of shade)
 - 3" width twill banding in 4 solid colors
(1 1/2" of banding shows on front and back of shade)
 - 1 1/4" width fabric banding in 6 solid colors
(5/8" of banding shows on front and back of shade)
 - 3" width fabric banding in 6 solid colors
(1 1/2" of banding shows on front and back of shade)
- Can be combined with lining.
- Vertical banding will overlap horizontal banding at corners.
- Bottom hem banding is 3" to cover weight bar inserted in hem.
- For multiple shades on one headrail, add banding surcharge for each shade.
- For multiple shades on one headrail, banding on valance will not align vertically with banding on the adjacent shade due to the 1/2" gap between shades.
- Select banding color from the sample cards in the sample book.
- If banding is required, it must be at least on vertical sides.
- Six banding configurations are available:



Self-Valance Hem/Bottom Hem - VBH2



Self-Valance Sides/Shade Sides - VSS2



Sides/Bottom Hem - SBH3



Both Sides and Hems - BSH4



Valance/Cornice Only Sides - VOS2



Valance/Cornice Only Sides and Hem - VOB3
(Not available in a Hobbled Cornice)

Notes:
Edge Banding will show on bottom hem even when the shade is in raised position.

On a Hobbled Shade, fold is enhanced with edge banding and will form a billow.



Panel Drape Wood Edge

- Select one of nine paint or stain finishes from the wood valance collection: Buckeye, Cottage Pine, Ebony Wash, Gardenia, Java Roast, Mahogany, Natural, Navajo White, Thunder.

Manh Truc Wood Bottom Hem

- Available for flat roman and hobbled roman shades. [Fabric availability](#)
- Wood bottom hem is 2" high x 5/8" deep.
- Maximum shade width using wood bottom hem is 72".
- Wood Bottom Hem is available in nine colors: Buckeye, Cottage Pine, Ebony Wash, Gardenia, Java Roast, Mahogany, Natural, Navajo White, Thunder
- For multiple shades on one headrail, add hem surcharge for each shade.



Manh Truc Straight Trim

- Available for flat roman shades and hobbled roman shades
- Trim is applied to straight bottom edge of either valance hem or shade hem.
- Indicate trim style/color item number and placement. The surcharge for trim is per row. If straight trim is desired on BOTH valance and shade bottom, multiply the surcharge by 2.



Lining

- Available on Flat Roman, Panel Drape, Angle Top, Arch Top and Arch shades. Lining extends into the arch or angle.
- Shade and self-valance are lined with high quality polyester/cotton lining. Valance lining can be ordered on unlined shade.
- For Roman shades, lining (light-filtering) width is 108". For lined shades greater than 108", can be railroaded to a maximum length of 108". Lining (opaque) width is 96".
- Available with edge banding option.
- Lining is inset approximately 1/4" to 1/2" from edge of woven material on each side. Areas of light visible through ring holes
- For multiple shades on one headrail, add lining surcharge for each shade.
- Shade lining may need to be "dressed", especially when ordering bulky patterns or shades over 50" wide or long. Dressing helps to train lining to fall into folds.

Panel Drape Banding

- 1 1/2" Fabric Banding showing on top edge of Panel Drape is standard. Can be added to bottom edge as option. [Fabric availability](#)


Grommet Panel Banding

- 3" fabric banding showing on top and 1 1/2" on vertical edge of Grommet Panel is standard. Can be added to bottom edge as option. [Fabric availability](#)


Measuring and Installation Information

Roman Shade Brackets

- The type and size of bracket sent with roman shade order is dependent on valance or no valance option specified
- Outside Mount shades are shipped with New York Style bracket.
- Clutch, CareRING Cordless shades are shipped with L bracket (PT-SV29).
- Spacer blocks are available if more projection is required



New York Style Bracket
Outside Bracket
2" H x 1 7/8" D x 1" W
RWC-60025



New York Style Bracket
Ceiling Bracket
1 3/4" D x 1" W
RWC-60026



Angle Bracket - 2" Projection
1 1/2" H x 2 1/8" D x 1" W
56-2928-08



L Bracket - 1" Projection
1" H x 1" D x 1/2" W
13-10720



L Bracket - 3" Projection
3" H x 3" D x 3/4" W
8-595-0



L Bracket - 4" Projection
4" H x 4" D x 3/4" W
8-596-0

Installation Bracket for Panel Drape
Inside Clip 1 3/8" x 5/8"
Adjustable Outside Bracket
1 1/2" H, 2 7/8" to 4 1/4" D
WB-53202-XX, 25 white or 65 brown



Button Catch for Arch
Receiver - Item # B0-07000-034
Catch - Item #702664



Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Grey, Vanilla and White

Hold Down Brackets (Roman Shades)

- An oval wooden rod is inserted into hem pocket at bottom of shade and a hole is drilled for hold down bracket attachment.
- Hold down brackets are not available with banding option.
- Hold downs must be specified at time of order and cannot be retrofitted in the field.
- Important: The hold down option will affect the thickness of the bottom hem.

Hold Down Bracket
Item # WWC-900205



Cord Tension Lock

- Standard on all Manh Truc Roman Shades with Clutch system.
- Must be secured to the wall to provide the necessary tension for shade to operate.
- Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.




P Clip Safety Tensioner

- An option in place of a cord tension lock. The clear P-Clip has a torsion spring that will open tensioner and prevent chain from sliding through. The tensioner will render the shade partially inoperable if it is loose from wall.



TLC Roman Shade Child Safe Cord Sleeve

- Child safety design standard on all Manh Truc Roman Shades.
- TLC child safe cord sleeve completely encloses the rear traveling lift cords inside a protective sleeve, anchored every seven inches along back of shade. Confines cord and eliminates possibility of cord loops.
- Available in natural, camel, bronze, and gray.
- Lafayette's TLC cord sleeve has been tested by a Consumer Products Safety Commission (CPSC) approved independent laboratory and passed the provisions cited in the American National Standards Institute (ANSI/WCMA A100.1-2010).




Advisories

- Each Manh Truc Woven Shade is unique and constructed from all natural materials such as bamboo, wood, reeds and grasses. Slight cracks, wood imperfections and variations in color are inherent to natural products. Color variations may continue to change, lighten or mellow over time making each shade as distinctive as it is beautiful.
- Woven materials within a shade can have a slight bow or camber so that the horizontal lines or bottom hems might not be visually straight, even on shades of the same height. In addition, fold alignment can vary slightly from shade to shade.
- Because of the weight of the materials, shades tend to stretch slightly over time and may touch sill on inside installation.
- Most natural patterns do not provide privacy, especially at night. For complete privacy consider using the lining option or a liner shade.
- The natural grass or reed material may have a "grassy" or paint scent, especially after being enclosed during shipping.

Measuring and Installation Information

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of area to be covered.
- Measure the width in at least three places and specify narrowest width.
- Measure length in at least three places and specify shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure exact width and height of area to be covered.
- For Cloth Measure measurement, area to cover is given. Overall finished shade width will increase when ordering by Cloth Measure



Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from blind or shade. (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Roman Shade Measuring

- All shade pricing is based on width and height.
- Roman shade orders are accepted for either inside or outside dimensions.
- Shade width measurements should be taken to nearest 1/16".
- It is critical that shade brackets are mounted level so shade is level when installed.
- Check projection of style of roman shades ordered to determine minimum recess.
- For Inside Mount, we STRONGLY recommend Traditional style with cord and cord lock in front of material for easy access.
- For Length, measure full length of window opening from top frame to lower sill (or bottom coverage point) to determine your window length.

Panel Drape Measuring

- Inside Measurement - For Panel Drape to be installed inside an area (jamb to jamb in a window or door, wall to wall in a room), give exact inside width measurements, and top to bottom length measurements of area to be covered. DO NOT MAKE ANY ALLOWANCES. Production will make all deductions so that track will fit properly into opening. Panel Drape will clear sill or floor approximately 3/8". Designate your measurements INSIDE MOUNT. Warning: For inside mount, depth required for installation will vary based upon stiffness of material selected.
- Outside Measurement - Measure exact width and height of area to be covered. No allowances will be made by production for length. When measuring from ceiling to floor, a deduction of 1/2" is recommended, but you must make this deduction. Designate your measurements OUTSIDE MOUNT. When measuring to cover a window, we recommend the Panel Drape overlap window by 3" to 6" on each side for privacy and light control. Warning: When installing a Panel Drape above window frame, track should be installed at least 2" above frame or molding to allow foot of installation bracket to be properly mounted.

Flame Retardant (FR) Coating or Antimicrobial

- A flame retardant or antimicrobial coating is available for Manh Truc Woven Shades. The shade is fabricated then sent to an external facility for the flame coating or antimicrobial process. Allow four to six weeks extra delivery time for this service. Standard shipping is included.



LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Allure Fabrics are covered for 5 years.
- Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.
- Parasol shades are covered against fabric delamination for 7 years from the date of purchase.

NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- Shipping, removal, re-measuring, or reinstallation costs

TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

Note: In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.