

# tenera®

## Genuine Value Retail Sales Guide



May 1, 2023

Sheer Shadings

**MDS**  
WINDOW FASHIONS

Midwest  
Designer  
Supply

[www.midwestdesignersupply.com](http://www.midwestdesignersupply.com)


**888-523-2611**  
**262-524-1007 (fax)**

Custom Crafted in the U.S.A.



## CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.



### BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- any operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



### ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.



For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.

All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.

For additional window treatment child safety information, please visit the Window Covering Safety Council ([www.windowcoverings.org](http://www.windowcoverings.org)).


# INDEX

SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
<p><b>Tenera Size Standards</b>            Continuum Cord Loop Control            Sure-Lift Retractable Pull Cord            Accu-Rise Cordless            Tilt-Only Headrail            Specialty Shapes</p> <p><b>Design Options</b></p> <p><b>Finished Dimensions &amp; Mounting Requirements</b></p>	<p>Chart 1            Chart 2            Chart 3            Chart 4            Option Surcharges</p> <p><b>Motorization</b></p>	<p>Continuum Cord Loop Control System II            Sonesse 28 WireFree            Sure-Lift Retractable Pull Cord            Accu-Rise Cordless            Tilt-Only            Specialty Shapes</p> <p><b>Design Options</b></p> <p><b>Measuring and Installation</b></p> <p><b>Lafayette Warranty</b></p> <p><b>Color Coordination</b></p>

• Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**

\* Use the Previous button to return to your previous view (web version only)

\* Use the Index button to return to the Table of Contents



# Size Standards

Pattern	Price Chart	Vane Size	Continuum		Continuum 2-on-1 Headrail		Sure-Lift		Sure-Lift 2-on-1 Headrail		Accu-Rise Cordless		Tilt-Only Headrail		Specialty Shapes	
			Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Antonia	3	2.5"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Artisan	1	2.5"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Arturo	2	3"	120"	126"	144"	126"	120"	126"	144"	126"	84"	84"	30"	120"	84"	*42"/84"
Bella	3	2"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Bella	3	3"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Bella Notte	4	3"	120"	112"	144"	112"	120"	112"	144"	112"	84"	84"	36"	112"	N/A	N/A
Catarina	4	3"	120"	90"	144"	90"	120"	90"	144"	90"	84"	84"	30"	120"	84"	*42"/84"
Franco	2	2"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Franco	2	3"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Lucia	2	2"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Marsala	3	2.5"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Merano	1	3"	120"	120"	144"	120"	120"	120"	144"	120"	84"	84"	30"	120"	84"	*42"/84"
Napoli	2	2"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Napoli	2	3"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Pennello	1	2.5"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Pennello Notte	3	2.5"	120"	106"	144"	106"	120"	102"	144"	102"	84"	84"	36"	106"	N/A	N/A
Portico	2	3"	120"	120"	144"	120"	120"	96"	144"	96"	84"	84"	30"	120"	84"	*42"/84"
Roma	1	2.5"	120"	132"	144"	132"	120"	126"	144"	126"	84"	84"	36"	132"	N/A	N/A
Roma Notte	3	2.5"	120"	106"	144"	106"	120"	102"	144"	102"	84"	84"	36"	106"	N/A	N/A
Rosa Notte	3	2"	120"	106"	144"	106"	120"	102"	144"	102"	84"	84"	36"	106"	N/A	N/A
Rosa Notte	3	3"	120"	112"	144"	112"	120"	112"	144"	112"	84"	84"	36"	112"	N/A	N/A
Tivoli	1	2.5"	120"	132"	144"	132"	120"	126"	144"	120"	84"	84"	36"	132"	N/A	N/A
Tuscany	2	3"	120"	96"	144"	96"	120"	90"	144"	90"	84"	84"	30"	120"	84"	*42"/84"
<b>Minimums</b>			<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>	<b>Min Width</b>	<b>Min Height</b>
			12"	16"	24"	16"	12"	12"	24"	12"	18"	16"	6"	16"	12"	**8"/12"

Note: Maximum Width for end mount is 48".

\*Arch and Imperfect Arch have 42" maximum height; Extended Arch and all other specialty shapes has 84" maximum height.

\*\* Arch and Imperfect Arch have 8" minimum height; Extended Arch has 12" minimum height.

# Design Options

Options Availability	Continuum Cord Loop	Sure-Lift	Accu-Rise Cordless	Tilt-Only Headrail	Specialty Shapes
<b>No Charge Options</b>					
Back Cover (IB and EB only)	Y	Y	N/A	Y	N/A
Top Dust Cover (OB only)	Y	Y	N/A	Y	N/A
End Mount Brackets	Y	Y	Y	Y	N/A
Extension Brackets	Y	Y	Y	Y	N/A
Hardware Color Substitution	Y	Y	Y	Y	Y
Magnetic Hold Down Brackets	Y	Y	N/A	Y	N/A
No Fabric Insert	Y	Y	N/A	Y	N/A
Optional Cord Lengths	Y	Y	N/A	Y	N/A
Spacer Block	Y	Y	Y	Y	N/A
<b>Surcharge Options</b>					
2-on-1 Headrail	Y	Y	N/A	N/A	N/A
FR Coating/Antimicrobial	Y	Y	Y	Y	Y
Light Gap Stop	Y	Y	Y	Y	Y
Palladian Shelf	Y	Y	Y	Y	Y

# Finished Dimensions & Mounting Requirements

	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>						Light Gap		Mounting Requirements						
	Inside Mount		Outside Mount		End Mount				Inside Mount			Outside Mount			End Mount
	Headrail	Fabric Width	Headrail	Fabric Width	Headrail	Fabric Width	Control End	Idle End	Minimum Mounting Depth*	Flush Mount	Rear Fabric Clearance	Minimum Mounting Surface Height	Width Overlap per side (Recommended)	Rear Fabric Clearance	Minimum Mounting Depth
Continuum**	- 3/16"	-1"	Ordered Width	-3/4"	-11/16"	-1 1/2"	5/8"	3/16"	1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"
Sure-Lift**	- 3/16"	-1"	Ordered Width	-3/4"	-11/16"	-1 1/2"	5/8"	3/16"	1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"
Accu-Rise	- 3/16"	-3/4"	Ordered Width	-5/8"	-11/16"	-1 1/2"	5/16"		1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"
Tilt-Only**	- 3/16"	-1"	Ordered Width	-3/4"	-11/16"	-1 1/2"	5/8"	3/16"	1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"
System II	- 3/16"	-1"	Ordered Width	-3/4"	-11/16"	-1 1/2"	11/16"	3/16"	1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"
Sonesse 28 WireFree	- 3/16"	-1"	Ordered Width	-3/4"	-11/16"	-1 1/2"	11/16"	3/16"	1"	3 1/4"	1/8"	1"	3"	1/8"	1 1/4"

\* Add 1/4" to minimum depth dimensions if optional back cover is used for inside mount.

\*\* 2-on-1 Headrail - Fabric width: -1 1/4", Center light gap: 5/16"



# Pricing - Continuum & Sure-Lift

Chart 1		Fabrics: Artisan 2 1/2", Merano 3", Pennello 2 1/2", Roma 2 1/2", Tivoli 2 1/2"															
		Shade Width Up To:															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	109"	120"
Shade Height Up To:	36"	528	592	657	725	780	848	915	980	1144	1217	1286	1350	1409	1498	1582	1686
	42"	553	628	694	771	836	913	980	1053	1219	1294	1369	1442	1513	1596	1696	1800
	48"	590	657	738	815	884	965	1044	1130	1296	1373	1463	1534	1619	1705	1807	1919
	54"	609	694	775	863	946	1028	1115	1203	1373	1465	1540	1632	1721	1830	1930	2055
	60"	642	730	817	909	988	1088	1186	1286	1448	1542	1640	1740	1836	1955	2078	2217
	66"	661	763	863	948	1053	1155	1261	1365	1530	1634	1742	1846	1950	2088	2223	2363
	72"	694	796	896	1000	1111	1219	1336	1444	1619	1721	1840	1950	2061	2217	2357	2505
	78"	715	821	930	1040	1155	1278	1392	1513	1688	1811	1928	2046	2167	2321	2482	2630
	84"	740	863	965	1098	1217	1340	1469	1590	1773	1909	2034	2159	2282	2444	2615	2778
	90"	773	884	1017	1140	1278	1407	1536	1673	1855	1996	2134	2259	2398	2565	2736	2915
	96"	803	928	1055	1194	1336	1471	1613	1746	1944	2088	2230	2369	2507	2690	2875	3055
	102"	915	1057	1200	1357	1498	1632	1817	1996	2140	2278	2421	2561	2700	2875	3055	3248
	108"	963	1113	1261	1423	1575	1715	1915	2103	2250	2398	2548	2692	2840	3025	3215	3415
	114"	1021	1178	1340	1513	1673	1823	2028	2230	2386	2546	2700	2861	3021	3205	3403	3623
120"	1098	1259	1434	1621	1788	1950	2169	2386	2550	2725	2894	3059	3228	3434	3646	3873	
126"	1171	1350	1532	1732	1915	2086	2321	2548	2730	2915	3103	3280	3453	3675	3903	4148	
132"	1255	1442	1634	1850	2044	2234	2486	2728	2919	3119	3311	3505	3694	3932	4173	4440	

Chart 2		Fabrics: Arturo 3", Franco 2", Franco 3", Lucia 2", Napoli 2", Napoli 3", Portico 3", Tuscany 3"															
		Shade Width Up To:															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	109"	120"
Shade Height Up To:	36"	565	640	705	775	840	917	984	1055	1225	1309	1388	1448	1521	1615	1703	1813
	42"	594	673	742	830	896	984	1055	1130	1317	1396	1475	1548	1628	1725	1819	1936
	48"	630	715	788	873	957	1040	1128	1217	1400	1482	1573	1653	1736	1840	1944	2069
	54"	655	742	834	928	1019	1107	1200	1294	1482	1578	1657	1763	1855	1967	2082	2213
	60"	684	782	878	967	1067	1173	1278	1388	1559	1661	1769	1875	1982	2105	2242	2386
	66"	723	821	923	1023	1130	1244	1357	1471	1642	1765	1880	1990	2100	2250	2398	2546
	72"	742	853	965	1073	1194	1317	1436	1555	1736	1855	1986	2100	2223	2386	2538	2700
	78"	767	884	994	1119	1248	1373	1498	1630	1815	1950	2078	2205	2332	2503	2675	2840
	84"	796	923	1040	1178	1309	1442	1584	1715	1915	2055	2186	2323	2457	2636	2817	2994
	90"	832	957	1088	1225	1371	1517	1655	1800	1998	2148	2298	2438	2586	2767	2955	3142
	96"	867	992	1132	1286	1436	1584	1734	1882	2096	2250	2403	2550	2703	2903	3103	3292
	102"	986	1134	1292	1457	1613	1759	1959	2148	2305	2453	2611	2765	2913	3103	3290	3505
	108"	1036	1198	1357	1534	1694	1850	2061	2261	2421	2586	2744	2905	3065	3259	3469	3688
	114"	1100	1267	1442	1628	1800	1963	2182	2403	2575	2744	2913	3078	3248	3453	3675	3909
120"	1178	1353	1544	1740	1921	2100	2332	2575	2746	2934	3119	3298	3480	3696	3934	4182	
126"	1259	1440	1648	1863	2038	2244	2488	2738	2932	3125	3336	3519	3711	3944	4190	4448	
132"	1346	1536	1765	1988	2178	2400	2661	2932	3138	3344	3567	3765	3969	4221	4484	4763	

<b>Lifting System Surcharges</b>	<b>(Add to base price)</b>
Accu-Rise Cordless Lifting System	78
Motorization	<a href="#">View Motorization Pricing</a>

# Pricing - Continuum & Sure-Lift

Chart 3		Fabrics: <a href="#">Antonia 2 1/2"</a> , <a href="#">Bella 2"</a> , <a href="#">Bella 3"</a> , <a href="#">Marsala 2 1/2"</a> , <a href="#">Pennello Notte 2 1/2"</a> , <a href="#">Roma Notte 2 1/2"</a> , <a href="#">Rosa Notte 2"</a> , <a href="#">Rosa Notte 3"</a>															
		Shade Width Up To:															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	109"	120"
Shade Height Up To:	36"	594	663	740	813	880	959	1025	1105	1286	1361	1444	1515	1586	1690	1792	1890
	42"	617	705	778	853	940	1023	1105	1178	1373	1457	1544	1625	1698	1803	1898	2000
	48"	657	742	832	909	1005	1084	1175	1267	1463	1555	1642	1725	1811	1925	2034	2148
	54"	686	778	875	967	1055	1163	1257	1355	1555	1642	1736	1836	1938	2057	2178	2313
	60"	725	817	917	1019	1113	1219	1338	1444	1632	1736	1844	1957	2071	2205	2332	2486
	66"	744	848	965	1071	1178	1296	1419	1540	1719	1840	1961	2075	2198	2353	2505	2671
	72"	778	890	1017	1119	1250	1373	1500	1625	1811	1938	2073	2198	2319	2490	2653	2832
	78"	800	923	1040	1171	1298	1440	1567	1700	1898	2038	2173	2311	2440	2611	2790	2986
	84"	836	967	1084	1225	1365	1509	1653	1792	1996	2144	2286	2425	2567	2757	2936	3142
	90"	873	1000	1138	1286	1434	1586	1732	1884	2088	2246	2398	2546	2692	2888	3080	3292
	96"	896	1038	1180	1340	1500	1655	1809	1965	2188	2359	2509	2671	2832	3028	3234	3453
	102"	1028	1186	1353	1521	1688	1840	2046	2246	2400	2565	2730	2886	3034	3234	3436	3655
	108"	1078	1257	1419	1596	1765	1934	2159	2363	2532	2698	2871	3030	3203	3407	3621	3848
	114"	1144	1325	1509	1700	1884	2057	2284	2509	2686	2867	3034	3215	3398	3600	3838	4084
	120"	1225	1409	1619	1817	2003	2198	2444	2686	2875	3067	3259	3448	3636	3861	4109	4371
126"	1319	1509	1732	1950	2144	2357	2609	2875	3071	3282	3492	3694	3890	4134	4394	4669	
132"	1409	1619	1855	2086	2290	2513	2788	3071	3290	3507	3740	3948	4163	4423	4709	4996	

Chart 4		Fabrics: <a href="#">Bella Notte 3"</a> , <a href="#">Catarina 3"</a>															
		Shade Width Up To:															
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	109"	120"
Shade Height Up To:	36"	640	705	778	848	925	1005	1069	1146	1325	1400	1475	1555	1625	1715	1813	1996
	42"	667	742	821	898	984	1067	1146	1219	1405	1484	1573	1648	1732	1836	1934	2111
	48"	703	780	873	957	1038	1130	1219	1309	1498	1580	1661	1755	1846	1955	2061	2269
	54"	732	821	911	1011	1107	1198	1294	1400	1584	1684	1769	1869	1965	2086	2200	2450
	60"	753	863	961	1059	1155	1265	1371	1478	1659	1771	1880	1988	2088	2230	2363	2628
	66"	786	892	1011	1111	1219	1340	1463	1575	1753	1873	1990	2105	2223	2378	2534	2834
	72"	821	934	1053	1165	1288	1409	1542	1659	1846	1967	2096	2223	2353	2511	2678	3005
	78"	838	967	1088	1211	1340	1471	1605	1740	1930	2069	2200	2330	2463	2634	2817	3165
	84"	878	1011	1130	1273	1407	1548	1696	1830	2025	2171	2315	2453	2596	2775	2967	3330
	90"	911	1038	1175	1330	1471	1628	1771	1921	2119	2269	2425	2578	2725	2913	3113	3505
	96"	940	1084	1223	1388	1542	1696	1855	2005	2221	2378	2538	2690	2848	3055	3259	3675
	102"	1067	1223	1392	1559	1715	1867	2075	2278	2432	2592	2755	2909	3065	3255	3459	3859
	108"	1115	1286	1448	1634	1800	1961	2182	2392	2550	2725	2892	3059	3225	3428	3638	4059
	114"	1180	1359	1540	1732	1917	2086	2313	2538	2709	2886	3065	3238	3417	3630	3859	4305
	120"	1267	1446	1648	1850	2036	2223	2471	2709	2894	3082	3282	3461	3648	3873	4115	4600
126"	1355	1555	1765	1980	2178	2378	2636	2894	3100	3298	3507	3709	3905	4148	4405	4919	
132"	1446	1655	1886	2111	2330	2546	2832	3105	3309	3534	3755	3969	4182	4440	4715	5265	

Lifting System Surcharges	(Add to base price)
Accu-Rise Cordless Lifting System	78
Motorization	<a href="#">View Motorization Pricing</a>



# Pricing - Continuum & Sure-Lift

Other Surcharges	(Add to base price)
2-on-1 Headrail	Price as two individual headrails and add together.
Specialty Shapes	236
Light Gap Stop (Per Ft.)	<a href="#">View common surcharges</a>
Palladian Shelf - Finished (Per Ft.)	<a href="#">View common surcharges</a>
Palladian Shelf - Unfinished (Per Ft.)	<a href="#">View common surcharges</a>

# Product Information - Continuum™ Cord Loop Control

## Product Features

- Fits rectangular window openings.
- Shadings open from bottom to top using Continuum cord loop.
- Color-coordinated headrail with fabric insert.
  - [View color coordination chart.](#)
- Color coordinated cord loop, bottom rail and end caps.

## Size Standards

### Important Child Safety Note

In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

## Standard Cord Drops

Shade Length	Drop	Shade Length	Drop
16" - 26 7/8"	12"	60" - 83 7/8"	48"
27" - 39 7/8"	24"	84" - 107 7/8"	60"
40" - 59 7/8"	36"	108" - 132"	72"

\*Note: Specified lengths outside of the above measurements will have a white cord.

## Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

## Finished Dimensions & Mounting Requirements

### Options

- [Options and Availability](#)
- [Design Option Details](#)
- [Motorization](#)
- [Exclusions](#), 2-on-1 Headrail with End mount (EB)


### Ordering Notes

- Specify Inside (IB), Outside (OB) or End (EB) mount.
- Specify Right or Left control
- Specify side by side vane alignment if desired.
- For 2-on-1 Headrail, panel widths may or may not be equal.
  - With unequal panels, smaller panel must be at least 1/3 the measured width of larger panel.

### Caution

- Vane alignment is only guaranteed within 1/4" when shadings are ordered at same time, same height, same color and fabric.
- The degree of maximum vane closure varies slightly from the top to the bottom of the shading. Due to added weight in room dimming vanes the variance may be slightly more pronounced.
- As with all textiles, product is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality. These characteristics are not usually visible from the front or rear but may be visible from a side angle. Precautions should be taken to reduce exposure to harsh environmental elements, such as salt air. Continuous exposure through open windows and doors will accelerate the fabric deterioration.

## Pricing



### Shade Operation

- Pull down on rear half of cord to lower shade and open fabric vanes. Pull down on front half of cord to close vanes and raise shade.
- The Continuum cord loop allows for adjustment of fabric vanes from open to closed and anywhere in between.

# Product Information - Somfy Battery/Rechargeable Operated Series

## System II Information (1.1Nm)

- 12V DC Motor
- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters



System II Motor



## Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- 40 decibels
- Soft Start/Soft Stop



Sonesse 28 Wirefree Motor

## Size Standards


Battery and Rechargeable Motorization	Tenera Sheer Shadings				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
System II	18"	120"	12"	120"	64
Sonesse 28 WireFree	26"	120"	12"	120"	64

## Options

- [Design Option Details](#)
- **Exclusions:**
  - 2-on-1 Headrail as end mount (EB)

Design Options Availability	System II	Sonesse 28 WireFree
<b>No Charge Options</b>		
<a href="#">Back Cover (IB and EB only)</a>	Y	Y
<a href="#">Top Dust Cover (OB only)</a>	Y	Y
End Mount Brackets	Y	Y
<a href="#">Extension Brackets</a>	Y	Y
Hardware Color Substitution	Y	Y
<a href="#">Magnetic Hold Down Brackets</a>	Y	Y
No Fabric Insert	Y	Y
<a href="#">Spacer Block</a>	Y	Y
<b>Surcharge Options</b>		
<a href="#">2-on-1 Headrail</a>	Y	Y
<a href="#">Tilt-Only</a>	N/A	N/A
<a href="#">Palladian Shelf</a>	Y	Y

## Options - Controls



Smoove 4 Channel Wall Switch



Situ Variation 5 RTS Pure Transmitter



Situ 1 Channel Remote

## Caution

- If specified, System II shades are vane aligned when shipped.
- Vane alignment is only guaranteed within 1/4" when shadings are ordered at same time, same height, same color and fabric.

## Finished Dimensions & Mounting Requirements

### Notes:

- Side by side motorized shades are not guaranteed to travel up/down with bottom rail alignment.

### Pricing

- To price, add [motorization surcharges](#) to shade price.

## Somfy TaHoma Overview

- 2.4Ghz WiFi connection (Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant



# Product Information - Sure-Lift Retractable Pull Cord

## Product Features

- Fits rectangular window openings.
- Shadings open from bottom to top using a single retractable cord.
- Cord length never varies when shade is raised or lowered.
- Color-coordinated headrail with fabric insert
  - [View color coordination chart.](#)
- Color-coordinated pull cord, bottom rail and end caps. Tassle is frosted.

## Size Standards

### Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

### Standard Cord Drops

- Cord length is 40% of the shade length.
- Cord length may be shortened at time of installation for improved child safety.

### Hardware Included

- [Installation Brackets](#)

## Finished Dimensions & Mounting Requirements


### Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

### Caution

- Vane alignment is only guaranteed within 1/4" when shadings are ordered at same time, same height, same color and fabric.
- The degree of maximum vane closure varies slightly from the top to the bottom of the shading. Due to added weight in room dimming vanes the variance may be slightly more pronounced.
- As with all textiles, product is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality. These characteristics are not usually visible from the front or rear but may be visible from a side angle. Precautions should be taken to reduce exposure to harsh environmental elements, such as salt air. Continuous exposure through open windows and doors will accelerate the fabric deterioration.

## Pricing



# Product Information - Accu-Rise Cordless

## Product Features

- Fits rectangular window openings
- Will have a color-coordinated headrail with fabric insert.
  - [View color coordination chart.](#)
- Shadings open and close using a clear handle attached to the bottom rail.

## Size Standards

## Hardware Included

- [Installation Brackets](#)




## Finished Dimensions & Mounting Requirements

## Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

## Caution

- Vane alignment is only guaranteed within 1/4" when shadings are ordered at same time, same height, same color and fabric.
- The degree of maximum vane closure varies slightly from the top to the bottom of the shading.
- As with all textiles, product is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality. These characteristics are not usually visible from the front or rear but may be visible from a side angle. Precautions should be taken to reduce exposure to harsh environmental elements, such as salt air. Continuous exposure through open windows and doors will accelerate the fabric deterioration.



## Pricing

# Product Information - Tilt-Only

## Product Features

- Fits rectangular window openings.
- Shadings cannot be raised and remain in lowered position.
- Fabric vanes can be opened and closed.
- Color-coordinated headrail with fabric insert.
  - [View color coordination chart.](#)
- Color coordinated cord loop, bottom rail and end caps.



## Size Standards

### Important Child Safety Note

- In order to comply with the ANSI approved Standard For Safety of Window of Window Covering Products all supplied cord tension/locking devices or cord cleats must be properly installed.

### Standard Cord Drops

Shade Length	Drop	Shade Length	Drop
16" - 26 7/8"	1 ft.	60" - 83 7/8"	4 ft.
27" - 39 7/8"	2 ft.	84" - 107 7/8"	5 ft.
40 - 59 7/8"	3 ft.	108" - 132"	6 ft.

\*Note: Specified lengths outside of the above measurements will have a white cord.

### Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

### Finished Dimensions & Mounting Requirements


### Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

### Caution

- Vane alignment is only guaranteed within 1/4" when shadings are ordered at same time, same height, same color and fabric.
- The degree of maximum vane closure varies slightly from the top to the bottom of the shading. Due to added weight in room dimming vanes the variance may be slightly more pronounced.
- As with all textiles, product is subject to some variations. Slight wrinkling, puckering, or bowing is inherent to this textile product and should be considered normal, acceptable quality. These characteristics are not usually visible from the front or rear but may be visible from a side angle. Precautions should be taken to reduce exposure to harsh environmental elements, such as salt air. Continuous exposure through open windows and doors will accelerate the fabric deterioration.

### Pricing



Bottom Rail



# Product Information - Specialty Shapes

## Product Features - Specialty Shapes

- Fits the following windows:
  - Arch (perfect and imperfect)
  - Extended Arch (perfect and imperfect)
  - Angle
- All specialty shapes are stationary with vanes in the open position.
- Arches and angles are fabricated with a bottom rail.
- Color-coordinated bottom rail;
- Flexible mounting clips support fabric and are installed into window casement.
- Bottom rail rests on sill or on Tenera headrail when positioned above a standard rectangular shading.




## Size Standards

## Hardware Included

- Installation Brackets


## Ordering Notes

- Available as Inside (IB) Mount only.
- Available as stationary with vanes in the open position.
- **Exclusions:** Outside Mount, side-by-side vane alignment



## Pricing


- To price add [Specialty Shape Surcharge](#) to base price.



# Product Information - Design Options


## Optional Back Cover

- Used with inside (IB) and end mounts (EB) when necessary to conceal the open rear side of headrail. Back cover and brackets add 1/4" to minimum inside mounting depth.



## Optional Top Dust Cover

- Outside (OB) mount shades only.
- Attach to top of headrail
- Protects fabric and internal operating mechanisms from dust, dirt and other contaminants



## Side-By-Side Vane Alignment

- When Tenera shades are installed side by side, vane alignment can be guaranteed within 1/4" only if:
  - Shadings are ordered at the same time and in identical style, color and height
  - Shadings that need to be aligned are specified on order form.

## Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Grey, Vanilla and White




## 2-on-1 Headrail

- Two shades share a common headrail
- For overall max width, see [Size Standards](#).



## Vane Operation

- Opened
  - Vanes on all Tenera fabrics open to slightly different degrees when tilted to their maximum open positions.
  - Limit stops located on the top of the headrail halt cord movement to prevent the bottom rail from being retracted too far into the headrail when fully raised. They should not be removed or adjusted. Internal limit stops prevent shadings from over-rotating when in the fully lowered and opened position.
- Closed
  - When vanes of a Tenera shading are closed, they overlap blocking the view. However vanes do not contact each other along full length of shading - they do not form a perfect seal against light leakage. This is most visible toward bottom of shading.
  - Vane closure is measured as distance between front and rear fabric facings 6" up from lowest point of bottom rail, with shading fully lowered and vanes closed.
  - Vane closure for all 2" fabrics is 5/8" for shadings under 60" in height and 7/8" for shadings over 60" in height.
  - Vane closure for all 3" fabrics is 1", regardless of height.



2" Vane Size, 2 1/2" Vane Size

3" Vane Size

# Measuring & Installation Information


## Bracket Information

Item# 15-9125 (2-pack)  
Item# 15-9126 (3-pack)



### Optional Extension Bracket

Item # 15-2014 (3-pack)  
Item # 15-2013 (2-pack)



2 3/4", 3 5/8" Projection

### Optional Spacer Block

Item # 15-2012 (3-pack)  
Item # 15-2011 (2-pack)



## Cord Tension Lock

- Standard on all Tenera shades with Continuum system.
- Must be secured to the wall to provide the necessary tension for the shade to operate.
- Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.



## Magnetic Hold-Down Brackets

- Secures bottom of shade to prevent swaying



## Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

## Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8"


## Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from blind or shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



## Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.



## Measuring for Tenera Shades

- All shade pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, measure the exact width between the jambs (inside) where the shade is to be mounted. If the end caps are not tightly secured it is possible the shade will not fit in the opening.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width.

## Flame Retardant Coating

- A flame retardant coating is available for all fabrics and is done through an external facility. The shade is fabricated then sent to an external facility for the flame coating process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant coating.

## Tenera Care & Cleaning

- Headrail Fabric Insert - Spot-clean headrail using a sponge or delicate cloth, cool distilled water and a mild soap solution; handle with care as you would any fine fabric.
- Dusting - Regular light dusting with a feather duster is all the cleaning that is needed in most circumstances.
- Vacuuming - Use a low suction, hand-held vacuum for thorough dust removal.
- Forced Air - Blow away dirt and debris between the vanes using compressed air.
- Ultrasonic Cleaning - This product can be ultrasonically cleaned by a professional. (Translucent fabrics only)
  - Specify that a mild detergent solution be used.
  - Never immerse the headrail in the solution.
  - Dry the shading completely in the lowered position
- Electrostatic Cleaning - Do NOT use electrostatic cleaning wipes on this product.



## LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

### COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Allure Fabrics are covered for 5 years.
- Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.

### NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- Shipping, removal, re-measuring, or reinstallation costs

### TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

**Note:** In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.



Midwest  
Designer  
Supply

**1-888-523-2611**

**Midwest Designer Supply, Inc.  
N30W22377 Green Road Ste C  
Waukesha, WI 53186  
(262) 523-2600  
Fax (262) 524-1007  
[www.midwestdesignersupply.com](http://www.midwestdesignersupply.com)**

*MDS - your one source for window fashions.*