

heartland woods®
wonderwood®

fidelis®
Genuine Value
Retail Sales Guide



September 26, 2019

Updated: June 24, 2020

Wood & Faux Wood Blinds



Midwest
Designer
Supply

www.midwestdesignersupply.com



Prices subject to change without notice

888-523-2611
262-524-1007 (fax)

TABLE OF CONTENTS

SPECIFICATION CHARTS	Page	PRICING	Page	PRODUCT INFORMATION	Page
Size Standards		Heartland Woods - 2" & 2 1/2"		2" Heartland Woods	16
Heartland Woods	3	Chart H2	7	2 1/2" Heartland Woods	17
Fidelis	4	Chart H2CC (Custom Color)	7	Heartland Woods w/ Lift & Lock	18
Wonderwood	4	Chart H25	8	Heartland Woods w/ Accu-Rise	19
		Chart H25CC (Custom Color)	8	Heartland Woods w/ Auto-Tilt	20
		Design Options Surcharges	9	1" Heartland Woods	21
Design Options				2" & 2 1/2" Fidelis Composite Woods	22
Heartland Woods Options Chart	5	Heartland Woods - 1"		Fidelis w/ Lift & Lock	23
Fidelis & Wonderwood Options Chart	5	Chart H1	10	Fidelis w/ Accu-Rise	24
				Fidelis w/ Auto-Tilt	25
Finished Dimensions & Mounting Requirements	6	Heartland Woods Fixed Flat - Specialties	11	2" & 2 1/2" Wonderwood Faux Woods	26
Stacking Heights	6			Wonderwood w/ Lift & Lock	27
		Fidelis Composite Wood - 2" & 2 1/2"		Wood & Faux Wood Specialty Shapes	28
		Chart F1	12		
		Chart F2	12	Valance Options	29
		Design Options Surcharges	13	Design Options	30
		Wonderwood Faux Wood - 2" & 2 1/2"		Measuring & Installation	
		Chart WW1	14	Brackets	31
		Chart WW2	14	Cleaning	32
		Design Options Surcharges	15		
		Faux Wood Fixed Slat - Specialties	15	Heartland Woods Color Listing / Coordination	
				1" Slat	33
		Motorization Surcharges	Web	2" Slat	33
				2 1/2" Slat	33
				Fidelis Color Listing / Coordination	
				2" Slat	34
				2 1/2" Slat	34
				Wonderwood Color Listing / Coordination	
				2" Slat	34
				2 1/2" Slat	34
				Decorative Tapes	35

Fidelis Fault-Free Promise™
 With our Fault-Free Promise you can rest assured that your Fidelis composite wood blinds will not yellow, fade, warp or bow for as long as you own them.

- Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**

Size Standards - Heartland Woods

	Standard Rectangular Single Blind			Multiple Blinds 2-on-1 Headrail			Multiple Blinds 3-on-1 Headrail			Lift & Lock	Accu-Rise	Standard Rectangular Cut-Outs	
	Traditional Routed	Light-Ban	Dec Tapes	Traditional Routed	Light-Ban	Dec Tapes	Traditional Routed	Light-Ban	Dec Tapes	Routed or Dec Tape	Routed Only	Bottom or Side Only	Headrail
2" Heartland Woods - Price Chart H2 and H2CC													
Min Width:	7 3/4"	7 3/4"	12"	15 3/4"	16"	24 1/4"	23 3/4"	24 1/4"	36 1/2"	N/A	18"	18"	23 1/8"
Max Width:	96"	96"	96"	96"	96"	96"	96"	96"	96"	84"	78"	96"	96"
Min Height:	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Max Height:	120"	120"	120"	120"	120"	120"	120"	120"	120"	72"	84"	120"	120"
Max Area:	50	50	50	80	80	80	80	80	80	42	45 1/2	50	50
2 1/2" Heartland Woods - Price Chart H25 and H25CC													
Min Width:	7 3/4"	7 3/4"	12"	15 3/4"	16"	24 1/4"	23 3/4"	24 1/4"	36 1/2"	N/A	18"	18"	23 1/8"
Max Width:	96"	96"	96"	96"	96"	96"	96"	96"	96"	84"	78"	96"	96"
Min Height:	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Max Height:	120"	120"	120"	120"	120"	120"	120"	120"	120"	72"	84"	120"	120"
Max Area:	45	45	45	80	80	80	80	80	80	42	45 1/2	50	50
1" Heartland Woods - Price Chart H1													
Min Width:	6"	N/A	N/A	12 1/4"	N/A	N/A	18 1/2"	N/A	N/A	N/A	N/A	18"	23 1/8"
Max Width:	72"			96"			72"					72"	
Min Height:	12"			12"			12"					12"	
Max Height:	96"			96"			96"					96"	
Max Area:	38			76			80					38	38
2" and 2 1/2" Heartland Woods w/ Auto-Tilt Motorized System - Page 9													
Min Width:	18"	18"	18"	36"	36"	42"	54"	54"	60"	18"	N/A	N/A	N/A
Max Width:	96"	96"	96"	96"	96"	96"	96"	96"	96"	84"			
Min Height:	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"			
Max Height:	96"	96"	96"	96"	96"	96"	96"	96"	96"	72"			
Max Area:	45	45	45	80	80	80	80	80	80	42			

NOTES:

- All sizes given above are NET size. Multiple Blinds on One Headrail sizes represent total blind dimensions.
- Blinds less than 10 1/2" (net width) must have a center tilter or no controls (no lift cord)
- Blinds less than 22 1/2" (net width) must have split controls (L/R or R/L)
- For Lift & Lock system with width 19 3/4" or less only the wand tilt must be on the left side.
- With two-or three-on-one headrail blinds no segment within the blind may be specified outside of single blind specifications.
- For multiple blinds on one headrail, the space between the blinds is 1/2".
- Slat alignment cannot be guaranteed on multiple blinds on one headrail or on side-by-side blinds if blind length varies.

Specialty Shapes - 2" and 2 1/2" Fixed Slat Heartland Woods - Price Charts FS1 and FS2							
Shape:	Arch / Transom	Quadrant	Triangle	Hexagon / Octagon	Circle	Oval	Angle
Minimum Width:	18"	12"	18"	18"	18"	18"	18"
Maximum Width:	96"	72"	96"	96"	72"	72"	84"
Minimum Height:	9"	12"	9"	9"	18"	18"	18"
Maximum Height:	48"	72"	96"	96"	72"	72"	84"
Mounting:	IB or OB	IB or OB	IB or OB	IB or OB	IB only	IB only	IB or OB
Maximum Area:	25	25	32	32	28	28	25

Size Standards - Fidelis Composite and Wonderwood Faux Wood Blinds

	Standard Rectangular Single Blind			Multiple Blinds 2-on-1 Headrail			Multiple Blinds 3-on-1 Headrail			Lift & Lock	Accu-Rise	Standard Rectangular Cut-Outs	
	Traditional Routed	Light-Ban	Dec Tapes	Traditional Routed	Light-Ban	Dec Tapes	Traditional Routed	Light-Ban	Dec Tapes	Routed or Dec Tape	Routed Only	Bottom or Side Only	Headrail
2" & 2 1/2" Fidelis Composite Wood Blinds - Price Chart F1 and F2													
Min Width:	7 3/4"	7 3/4"	12"	15 3/4"	16"	24 1/4"	23 3/4"	24 1/4"	36 1/2"	12"	18"	18"	23 1/8"
Max Width:	96"	96"	96"	96"	96"	96"	96"	96"	96"	84"	60"	96"	96"
Min Height:	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Max Height:	120"	120"	120"	120"	120"	120"	120"	120"	120"	72"	72"	120"	120"
Max Area:	45	45	45	80	80	80	80	80	80	42	30	-	-
2" & 2 1/2" Wonderwood Faux Wood Blinds - Price Chart WW1 and WW2													
Min Width:	7 3/4"	7 3/4"	N/A	15 3/4"	16"	N/A	23 3/4"	24 1/4"	N/A	12"	N/A	18"	23 1/8"
Max Width:	72"	72"		96"	96"		96"	96"		72"		72"	
Min Height:	12"	12"		12"	12"		12"	12"		12"		12"	
Max Height:	96"	96"		96"	96"		96"	96"		96"		96"	
Max Area:	40	40		64	64		64	64		27		-	-
2" and 2 1/2" Fidelis Faux Wood Blinds w/ Auto-Tilt Motorized System - Page 9													
Min Width:	18"	18"	18"	36"	36"	42"	54"	54"	60"	18"	N/A	N/A	N/A
Max Width:	93"	93"	93"	93"	93"	93"	93"	93"	93"	84"			
Min Height:	12"	12"	12"	12"	12"	12"	12"	12"	12"	12"			
Max Height:	93"	93"	93"	93"	93"	93"	93"	93"	93"	72"			
Max Area:	45	45	45	80	80	80	80	80	80	42			

Notes : All sizes given above are NET size. Multiple Blinds on One Headrail sizes represent total blind dimensions.
 Blinds less than 10 1/2" (net width) must have a center tiler or no controls (no lift cord)
 Blinds less than 22 1/2" (net width) must have split controls (L/R or R/L)
 For Lift & Lock system with width 18" or less only the wand tilt must be on the left side.
 With two-or three-on-one headrail blinds no segment within the blind may be specified outside of single blind specifications.
 For multiple blinds on one headrail, the space between the blinds is 1/2".
 Slat alignment cannot be guaranteed on multiple blinds on one headrail or on side-by-side blinds if blind length varies.

Specialty Shapes - 2" and 2 1/2" Fixed Slat Fidelis and Wonderwood Blinds - Price Charts FS3 and FS4							
Shape:	Arch / Transom	Quadrant	Triangle	Hexagon / Octagon	Circle	Oval	Angle
Minimum Width:	18"	12"	18"	18"	18"	18"	18"
Maximum Width:	96"/72"*	72"	96"/72"*	72"	72"	72"	84"/72"*
Minimum Height:	9"	12"	9"	9"	18"	18"	18"
Maximum Height:	48"	72"	96"	96"	72"	72"	84"
Mounting:	IB or OB	IB or OB	IB or OB	IB or OB	IB only	IB only	IB or OB
Maximum Area:	25	25	32	32	28	28	25

* Specification varies by blind type: Fidelis specification is given first and then Wonderwood specification.

Design Options

Heartland Woods	2" Heartland	2 1/2" Heartland	2" & 2 1/2" Lift & Lock	2" & 2 1/2" Accu-Rise	2" & 2 1/2" Auto-Tilt	1" Heartland	Notes
No Charge Options							
Cord Tilt	✓	✓	X	✓	X	✓	N/A on 1" x 1" Headrail
Empress / Imperial Valance	✓	✓	✓	✓	✓	✓	
Extension Bracket	✓	✓	✓	✓	✓	✓	
Hold Down Bracket	✓	✓	✓	✓	✓	✓	
Light Ban	✓	✓	X	X	✓	X	
Non Standard Return Type	✓	✓	✓	✓	✓	✓	
Spacer Block	✓	✓	✓	✓	✓	✓	
Wand Tilt	Std	Std	Std	Std	X	Std	
Surcharge Options							
Accu-Rise	✓	✓	X	✓	X	X	
Camelot/Majesty/Noble Valance	✓	✓	✓	✓	✓	✓	
Contoured Slat Corners	✓	✓	✓	✓	✓	X	
Convert Valance to Cornice (Camelot/Majesty)	✓	✓	✓	✓	✓	X	
Custom Color	✓	✓	✓	✓	✓	X	Chart H2CC or H25CC
Cut Outs	✓	✓	X	X	X	Y	
Decorative Tapes	✓	✓	✓	X	✓	X	
Lift & Lock	✓	✓	✓	X	✓	X	
Motorization - Auto-Tilt	✓	✓	✓	X	✓	X	
Multiple Blinds on One Headrail	✓	✓	✓	X	✓	✓	
Specialty Top - Angle Top	✓	✓	X	X	X	X	
Specialty Shapes - Fixed Slats	✓	✓	X	X	X	X	
Specialty Shapes - Framed Operable	✓	X	X	X	X	X	

Fidelis & Wonderwood	2" Fidelis	2 1/2" Fidelis	2" & 2 1/2" F- Lift & Lock	2" & 2 1/2" F- Accu-Rise	2" & 2 1/2" F- Auto-Tilt	2" Wonderwood	2 1/2" Wonderwood	2" & 2 1/2" WW- Lift & Lock
No Charge Options								
Cord Tilt	✓	✓	X	✓	X	✓	✓	X
Harmony Valance	✓	✓	✓	✓	✓	X	X	X
Extension Bracket	✓	✓	✓	✓	✓	✓	✓	✓
Hold Down Bracket	✓	✓	✓	✓	✓	✓	✓	✓
Light-Ban	✓	✓	X	X	✓	✓	✓	X
Non Standard Return Type	✓	✓	✓	✓	✓	✓	✓	✓
Spacer Block	✓	✓	✓	✓	✓	✓	✓	✓
Wand Tilt	Std	Std	Std	Std	X	Std	Std	Std
Wonderwood Std Valance	X	X	X	X	X	✓	✓	✓
Surcharge Options								
Accu-Rise	✓	✓	X	✓	X	X	X	X
Cut-Outs	✓	✓	X	X	X	✓	✓	X
Decorative Tapes	✓	✓	✓	X	✓	X	X	X
Fidelis Modesty Valance	✓	✓	✓	✓	✓	X	X	X
Lift & Lock	✓	✓	✓	X	✓	✓	✓	✓
Motorization - Auto-Tilt	✓	✓	✓	X	✓	X	X	X
Multiple Blinds on One Headrail	✓	✓	✓	X	✓	✓	✓	✓
Wonderwood Deluxe Valance	X	X	X	X	X	✓	✓	✓
Specialty Shapes - Fixed Slats	✓	✓	X	X	X	✓	✓	X

Finished Dimensions & Mounting Requirements

	Finished Dimensions								Mounting Requirements			
	Inside Mount				Outside Mount				Inside Mount		Outside Mount	
	Headrail Width	Slat Width	Blind Height	Valance Width	Headrail Width	Slat Width	Blind Height	Valance Width	Minimum Casement Depth	Minimum Mounting Depth - fully recessed with valance	Minimum Flat Mounting Surface Height	Recommended Width Overlap Per Side
2" Heartland	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/8"	3 3/8"	1 3/4"	1 1/2"
2 1/2" Heartland	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/2" *	3 3/4" *	1 3/4"	1 1/2"
Heartland Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" bracket: 1 1/8" 2 1/2" bracket: 1 1/2"*	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"*	1 3/4"	1 1/2"
Heartland Accu-Rise	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" bracket: 1 1/8" 2 1/2" bracket: 1 1/2"*	2" slat: 3 1/4" 2 1/2" slat: 3 3/4"*	1 3/4"	1 1/2"
1" Heartland	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	5/8"	2 1/2"	1 1/4"	1 1/2"
2" Fidelis	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/8"	3 3/8"	1 3/4"	1 1/2"
2 1/2" Fidelis	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/2" *	3 3/4" *	1 3/4"	1 1/2"
Fidelis Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" bracket: 1 1/8" 2 1/2" bracket: 1 1/2"*	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"*	1 3/4"	1 1/2"
Fidelis Accu-Rise	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" bracket: 1 1/8" 2 1/2" bracket: 1 1/2"*	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"*	1 3/4"	1 1/2"
2" Wonderwood	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/8"	3 3/8"	1 3/4"	1 1/2"
2 1/2" Wonderwood	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	1 1/2" *	3 3/4" *	1 3/4"	1 1/2"
Wonderwood Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" bracket: 1 1/8" 2 1/2" bracket: 1 1/2"*	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"*	1 3/4"	1 1/2"

* Includes 3/8" for spacer block behind bracket for slat rotation.

Stacking Heights

Window Length	Heartland			Heartland Lift & Lock		Heartland Accu-Rise		Fidelis		Fidelis Lift & Lock		Fidelis Accu-Rise		Wonderwood		Wonderwood Lift & Lock	
	2" Blinds	2 1/2" Blinds	1" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds
36"	5 5/8"	5 1/4"	9 1/4"	6 1/8"	5 3/4"	5 5/8"	5 1/4"	5 5/8"	5 1/4"	6 1/8"	5 3/4"	5 5/8"	5 1/4"	5 5/8"	5 1/4"	6 1/8"	5 3/4"
48"	6 5/8"	6 1/2"	11 5/8"	7 1/8"	7"	6 5/8"	6 1/2"	6 5/8"	6 1/2"	7 1/8"	7"	6 5/8"	6 1/2"	6 5/8"	6 1/2"	7 1/8"	7"
60"	7 1/2"	7 3/8"	14"	8"	7 7/8"	7 1/2"	7 3/8"	7 1/2"	7 3/8"	8"	7 7/8"	7 1/2"	7 3/8"	7 1/2"	7 3/8"	8"	7 7/8"
72"	8 1/2"	8 1/4"	16 3/8"	9"	8 3/4"	8 1/2"	8 1/4"	8 1/2"	8 1/4"	9"	8 3/4"	8 1/2"	8 1/4"	8 1/2"	8 1/4"	9"	8 3/4"
84"	9 1/2"	9 1/8"	18 7/8"	---	---	---	---	9 1/2"	9 1/8"	---	---	---	---	9 1/2"	9 1/8"	---	---
96"	10 1/2"	10"	21 1/4"	---	---	---	---	10 1/2"	10"	---	---	---	---	10 1/2"	10"	---	---
120"	12 3/8"	12 1/4"	---	---	---	---	---	12 3/8"	12 1/4"	---	---	---	---	---	---	---	---

* Stacking charts are approximate and include headrail and bottom rail measurements. Decorative tapes increase the stacking height 20- 30%.

Pricing - 2" Heartland Woods

Chart H2	Shade Width Up To:														
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
Blind Height Up To:	30"	134	125	138	149	169	187	207	225	249	269	287	307	332	369
	36"	138	134	149	163	183	205	227	247	276	296	318	340	367	409
	42"	143	145	160	176	198	223	247	272	300	325	349	372	403	449
	48"	149	156	172	189	214	240	267	294	325	352	378	405	438	492
	54"	154	165	185	203	229	258	287	316	352	380	409	438	474	532
	60"	158	176	196	218	245	276	307	338	376	407	440	472	509	572
	66"	163	185	207	232	258	294	327	360	400	436	469	503	543	612
	72"	169	196	220	245	274	312	347	385	427	463	500	536	578	652
	78"	174	205	232	258	289	329	367	407	452	492	529	569	614	692
	84"	178	216	243	272	305	347	387	429	478	518	560	603	649	734
	90"	183	225	256	285	320	365	407	452	503	547	592	636	685	774
	96"	189	236	267	298	336	383	429	476	527	574	620	667	720	814
	102"	194	245	278	312	349	398	449	498	554	603	652	700	756	854
	108"	198	256	289	325	365	416	469	520	578	629	680	734	792	894
114"	203	265	303	338	380	434	489	543	603	658	712	767	827	934	
120"	209	276	314	352	396	452	509	565	629	685	743	798	863	976	

Chart H2CC	Shade Width Up To:														
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	
Blind Height Up To:	30"	198	245	276	309	347	396	445	492	545	594	643	689	745	840
	36"	214	278	316	354	396	454	509	565	629	685	740	798	860	974
	42"	232	312	354	398	447	512	576	640	712	776	840	905	976	1105
	48"	247	345	394	440	496	569	643	716	794	867	940	1014	1092	1238
	54"	263	378	432	485	545	627	709	789	876	958	1038	1120	1207	1369
	60"	280	409	469	529	596	685	776	865	960	1049	1138	1227	1325	1503
	66"	296	443	509	574	645	743	840	938	1043	1140	1238	1336	1440	1636
	72"	314	476	547	618	696	800	907	1014	1125	1232	1338	1443	1556	1767
	78"	329	509	587	663	745	858	974	1087	1207	1323	1436	1552	1672	1900
	84"	347	543	625	707	794	916	1040	1163	1292	1414	1536	1658	1787	2034
	90"	363	576	663	752	845	976	1107	1236	1374	1505	1636	1767	1903	2165
	96"	380	609	703	794	894	1034	1174	1312	1456	1596	1736	1874	2020	2298
	102"	396	643	740	838	943	1092	1238	1385	1540	1687	1834	1983	2136	2432
	108"	414	676	778	883	994	1149	1305	1460	1623	1778	1934	2089	2252	2563
114"	429	709	818	927	1043	1207	1372	1536	1705	1869	2034	2198	2367	2696	
120"	445	743	856	972	1092	1265	1438	1609	1787	1960	2132	2305	2483	2827	

- Blind prices in the 12" width column include a surcharge for narrow blinds.
- Blinds longer than 72" may not close tightly. Blinds with decorative tape will not close tightly.
- Blinds over 72" x 72" require extra lifting force; multiple blinds on one headrail are recommended.

Lifting System Surcharge	Shade Width Up To:											
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	
Accu-Rise Cordless	123	132	136	145	160	167	187	200	214	227	236	

For Additional Surcharges and Options - See page 9
 For Motorization Surcharges - See Motorization Pricing

Pricing - 2 1/2" Heartland Woods

Chart H25		Shade Width Up To:													
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Blind Height Up To:	30"	167	160	176	189	214	236	258	278	312	332	354	374	407	449
	36"	174	174	189	205	232	256	283	305	340	365	389	412	447	496
	42"	178	185	203	220	249	276	307	332	369	396	423	452	489	543
	48"	185	196	216	236	267	298	329	358	398	429	458	489	529	589
	54"	192	209	232	252	285	318	354	385	427	460	494	527	572	636
	60"	196	220	245	267	303	338	376	412	458	494	529	565	612	685
	66"	203	232	258	285	320	360	400	438	487	525	565	603	654	732
	72"	209	243	272	300	338	380	423	463	516	558	600	643	694	778
	78"	214	256	285	316	356	400	447	489	545	589	636	680	736	825
	84"	220	267	298	332	374	420	472	516	576	623	672	718	776	872
	90"	225	278	314	347	392	443	494	543	605	656	705	756	818	918
	96"	232	292	327	363	409	463	518	569	634	687	740	794	858	967
	102"	238	303	340	378	427	483	540	596	663	720	776	834	900	1014
	108"	243	314	354	394	445	503	565	623	692	752	812	872	940	1060
114"	249	327	367	409	463	525	589	649	723	785	847	909	983	1107	
120"	256	338	380	425	478	545	612	676	752	816	883	947	1023	1154	

Chart H25CC		Shade Width Up To:													
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Blind Height Up To:	30"	238	303	338	374	420	474	529	583	645	700	754	807	872	978
	36"	258	340	383	425	478	540	607	667	740	805	869	932	1005	1132
	42"	278	378	427	476	534	607	683	754	836	909	983	1056	1138	1285
	48"	296	418	472	527	592	676	760	840	934	1016	1098	1180	1274	1438
	54"	316	456	518	578	649	743	836	927	1029	1120	1214	1305	1407	1592
	60"	334	494	563	629	707	809	914	1014	1125	1227	1329	1429	1543	1745
	66"	354	532	607	680	765	876	989	1098	1220	1332	1443	1554	1676	1898
	72"	374	572	652	732	823	943	1067	1185	1316	1438	1558	1680	1809	2052
	78"	392	609	696	783	880	1009	1143	1272	1412	1543	1674	1805	1945	2205
	84"	412	647	740	834	938	1078	1220	1358	1507	1647	1787	1929	2078	2358
	90"	432	685	785	885	994	1145	1296	1445	1603	1754	1903	2054	2212	2512
	96"	449	725	829	936	1052	1212	1374	1532	1700	1858	2018	2178	2347	2665
	102"	469	763	876	987	1109	1278	1449	1616	1796	1965	2134	2303	2480	2818
	108"	487	800	920	1038	1167	1345	1527	1703	1892	2069	2247	2427	2614	2972
114"	507	838	965	1089	1225	1414	1603	1789	1987	2176	2363	2552	2749	3125	
120"	527	878	1009	1140	1283	1480	1678	1876	2083	2280	2478	2676	2883	3278	

- Blind prices in the 12" width column include a surcharge for narrow blinds.
- Blinds longer than 72" may not close tightly. Blinds with decorative tape will not close tightly.
- Blinds over 72" x 72" require extra lifting force; multiple blinds on one headrail are recommended.

Lifting System Surcharge	Shade Width Up To:										
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"
Accu-Rise Cordless	123	132	136	145	160	167	187	200	214	227	236

For Additional Surcharges and Options - See page 9
 For Motorization Surcharges - See Motorization Pricing

Pricing - Heartland Woods - Options Surcharges & Motorization

Optional Valance Surcharges	Shade Width Up To:														
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Majesty, Noble, Camelot Wood Valance	56	72	76	83	89	96	109	132	136	145	156	163	174	192	212

Standalone/Replacement Valance Surcharges	Shade Width Up To:														
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Imperial, Empress Valance	25	27	29	32	34	38	43	45	47	49	52	52	54	63	74
Majesty, Noble, Camelot Wood Valance	83	92	103	118	129	145	158	172	180	200	216	232	249	276	305

Other Design Surcharges (Add to blind base price)					
Custom Color	Use Chart H2CC for 2" Heartland Woods or H25CC for 2 1/2" Heartland Woods				
Decorative Tapes (per blind)	72				
Lift & Lock Cordless Lift System (per blind)	67				
Multiple Blinds on One Headrail	Price as individual blinds, add together and apply surcharge: \$56				
Contoured Slat Corners (per blind)	40				
Convert Valance to Cornice (per valance)	56 (Only available on Camelot or Majesty valance)				
Striping or Multi-Color Blinds	Add \$47 for 1st color; Add \$29 for each addtl color; Add \$36 for each additional blind				
Cut-Outs (per cut)	49				
Palladian Shelf - Finished (Per Ft.)	28				
Palladian Shelf - Unfinished (Per Ft.)	23				
Light Gap Stop (Per Ft.)	3				
Shade width up to:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; text-align: center;">36"</td> <td style="width: 25%; text-align: center;">48"</td> <td style="width: 25%; text-align: center;">72"</td> <td style="width: 25%; text-align: center;">96"</td> </tr> </table>	36"	48"	72"	96"
36"	48"	72"	96"		
Angle Top Surcharge	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%; text-align: center;">298</td> <td style="width: 25%; text-align: center;">396</td> <td style="width: 25%; text-align: center;">489</td> <td style="width: 25%; text-align: center;">585</td> </tr> </table>	298	396	489	585
298	396	489	585		

For Motorization Surcharges - See Motorization Pricing

Pricing - 1" Heartland Woods

Chart H1	Shade Width Up To:											
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	
Blind Height Up To:	30"	178	180	200	220	245	274	307	334	369	398	429
	36"	187	200	223	245	274	309	347	378	418	454	487
	42"	196	218	245	272	303	343	385	423	467	507	547
	48"	207	238	269	298	334	378	425	467	518	563	607
	54"	216	258	292	325	363	412	465	512	567	616	665
	60"	227	278	314	352	392	447	505	556	616	672	725
	66"	236	298	338	378	423	483	545	600	665	725	785
	72"	247	318	360	403	452	516	583	645	714	778	843
	78"	256	338	385	429	480	552	623	689	765	834	903
	84"	267	358	407	456	512	585	663	734	814	887	963
	90"	276	376	429	483	540	620	703	778	863	943	1020
	96"	285	396	454	509	569	654	740	823	912	996	1080

- Blind prices in the 12" width column include a surcharge for narrow blinds.
- Blinds longer than 72" may not close tightly.
- Blinds over 72" x 72" require extra lifting force; multiple blinds on one headrail are recommended.

Other Design Surcharges	
Multiple Blinds on One Headrail	Price as individual blinds, add together and apply surcharge: \$56
Striping or Multi-Color Blinds	Add \$47 for 1st color; Add \$29 for each addtl color; Add \$36 for each addtl blind
Cut-Outs (per cut)	49
Palladian Shelf - Finished (Per Ft.)	28
Palladian Shelf - Unfinished (Per Ft.)	23
Light Gap Stop (Per Ft.)	3

Optional Valance Surcharges	Shade Width Up To:											
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	
Majesty, Noble, Camelot Wood Valance	56	72	76	83	89	96	109	132	136	145	156	

Standalone/Replacement Valance Surcharges	Shade Width Up To:														
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Imperial, Empress Valance	25	27	29	32	34	38	43	45	47	49	52	52	54	63	74
Majesty, Noble, Camelot Wood Valance	83	92	103	118	129	145	158	172	180	200	216	232	249	276	305

- Valances wider than 96" will be spliced in the center.

Pricing - Heartland Woods Specialities

2" Heartland Fixed Slat Specialty FS1	Shade Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	227	245	263	276	294	327	352	376	400	427	---	---	---
ARCH / TRANSOM	303	320	345	363	389	434	496	543	587	680	767	840	1045
CIRCLE / OVAL	416	443	476	505	543	603	692	754	820	947	---	---	---
HEXAGON / OCTAGON	416	443	476	505	543	603	692	754	820	947	1043	1127	1312
ANGLE	267	285	305	323	345	389	440	478	529	603	678	747	---
TRIANGLE	354	378	400	427	454	509	585	636	694	798	900	987	1227

2 1/2" Heartland Fixed Slat Specialty FS2	Shade Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	325	352	376	400	425	472	505	543	574	618	---	---	---
ARCH / TRANSOM	434	463	496	523	558	629	714	780	854	983	1103	1212	1512
CIRCLE / OVAL	603	640	689	732	780	867	996	1087	1187	1372	---	---	---
HEXAGON / OCTAGON	603	640	689	732	780	867	996	1087	1187	1372	1509	1629	1900
ANGLE	383	409	436	465	494	554	636	692	756	867	978	1072	---
TRIANGLE	509	545	574	618	656	743	849	918	1005	1160	1303	1429	1780

Other Design Surcharges (add to base price of blind)	
Rounded Slat Ends	Add 25%
Custom Color (per color)	409

Pricing - 2" & 2 1/2" Fidelis Composite Wood Blinds

Chart F1 - Whites		Shade Width Up To:														
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Blind Height Up To:	≥36"	134	132	143	156	174	192	212	229	254	272	292	309	334	352	376
	42"	138	138	154	167	185	207	227	249	274	296	316	336	363	383	409
	48"	143	147	163	178	198	220	245	267	296	318	340	365	392	416	443
	54"	147	156	172	189	212	236	260	287	316	340	367	392	423	447	476
	60"	152	165	183	200	223	252	278	305	338	365	392	418	452	478	509
	62"	152	167	185	205	227	256	283	312	345	372	400	427	460	489	520
	66"	154	172	192	212	236	265	294	325	358	387	416	445	480	509	545
	72"	158	180	203	223	249	280	312	343	378	412	443	474	509	540	578
	74"	160	183	205	227	254	285	316	349	387	418	449	483	520	552	---
	78"	163	189	212	234	260	294	327	363	400	434	467	500	538	---	---
	84"	167	198	220	245	274	309	345	380	420	456	492	527	---	---	---
	90"	172	207	232	256	287	325	363	398	443	480	518	554	---	---	---
	96"	176	214	240	267	298	338	378	418	463	503	543	---	---	---	---
	102"	180	223	252	278	312	354	396	436	485	525	---	---	---	---	---
108"	185	232	260	289	325	367	412	456	505	---	---	---	---	---	---	
114"	189	240	269	300	336	383	429	474	525	---	---	---	---	---	---	
120"	192	247	280	312	349	398	445	494	---	---	---	---	---	---	---	

Chart F2 - Naturals		Shade Width Up To:														
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Blind Height Up To:	≥36"	152	147	163	176	196	218	238	260	287	309	329	352	378	400	427
	42"	156	158	174	189	212	234	258	283	312	334	358	383	412	436	465
	48"	160	167	185	203	225	252	276	303	336	360	387	414	445	472	503
	54"	165	176	196	214	238	267	296	325	358	387	416	445	478	507	540
	60"	169	187	207	227	254	285	316	347	383	414	445	476	512	543	580
	62"	172	189	209	232	258	289	323	354	392	423	454	485	523	554	592
	66"	176	196	218	240	267	300	334	367	407	440	474	507	545	578	618
	72"	180	205	229	252	283	318	354	389	432	467	503	538	578	614	656
	74"	180	209	232	256	287	323	360	396	438	476	512	547	589	627	---
	78"	185	214	240	265	296	334	372	412	454	492	529	569	612	---	---
	84"	189	225	252	278	312	352	392	432	478	518	558	600	---	---	---
	90"	194	234	263	292	325	367	412	454	503	545	587	632	---	---	---
	96"	198	243	274	303	340	385	429	476	527	572	616	---	---	---	---
	102"	203	254	285	316	354	400	449	496	549	598	---	---	---	---	---
108"	209	263	296	329	367	418	467	518	574	---	---	---	---	---	---	
114"	214	272	307	343	383	434	487	540	598	---	---	---	---	---	---	
120"	218	283	318	354	396	452	507	560	---	---	---	---	---	---	---	

* Blind prices in the 12" width column include a surcharge for narrow blinds. Blinds longer than 72" or w/ decorative tape may not close tightly. Blinds over 72" x 72" require extra lifting force; multiple blinds on one headrail are recommended.

[For Additional Surcharges and Options - See page 13](#)
[For Motorization Surcharges - See Motorization Pricing](#)

Pricing - Fidelis Composite Wood Blinds

Lifting System Surcharge	Shade Width Up To:							
	24"	28"	32"	36"	42"	48"	54"	60"
Accu-Rise Cordless (per blind)	123	132	136	145	160	167	187	200
Lift & Lock Cordless (per blind)	\$67							

Optional Valance Surcharges	Shade Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Modesty Valance	16	18	18	18	20	20	23	23	23	25	25	27	29	29	32	34

* Valances wider than 107" will be spliced in the center.

Standalone/Replacement Valance Surcharges	Shade Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Harmony Valance	29	32	32	32	34	36	38	40	45	47	49	49	52	54	56	58
Modesty Valance	36	40	40	40	47	49	52	56	58	60	65	65	69	74	83	83

* Valances wider than 107" will be spliced in the center.

Other Design Surcharges (Add to blind base price)	
Decorative Tapes (per blind)	72
Multiple Blinds on One Headrail	Price as individual blinds, add together and apply surcharge: \$56
Cut-Outs (per cut)	49
Palladian Shelf - Finished (Per Ft.)	28
Palladian Shelf - Unfinished (Per Ft.)	23
Light Gap Stop (Per Ft.)	3

For Motorization Surcharges - See Motorization Pricing

Pricing - 2" & 2 1/2" Wonderwood Faux Wood Blinds

Chart WW1 - Whites		Shade Width Up To:										
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	36"	120	120	132	140	154	169	185	198	216	232	247
	42"	123	127	138	149	163	178	196	212	232	247	265
	48"	125	132	145	156	172	189	207	225	245	263	280
	54"	129	138	152	163	178	198	218	236	258	278	298
	58"	129	143	156	169	185	205	225	245	269	289	309
	62"	132	145	160	174	192	212	232	254	278	298	320
	66"	134	149	163	178	196	218	240	263	287	309	332
	70"	136	154	167	183	203	225	247	269	296	318	343
	74"	138	156	172	189	207	232	254	278	305	329	354
	78"	140	160	176	194	214	238	263	287	314	340	365
	84"	143	165	183	200	220	247	274	300	329	356	380
	90"	145	172	189	207	229	258	285	312	343	369	398
96"	147	176	196	216	238	267	296	325	356	385	414	

Chart WW2 - Naturals		Shade Width Up To:										
		12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	36"	123	129	140	152	167	185	200	218	238	256	274
	42"	125	136	149	163	178	196	216	236	256	276	296
	48"	129	143	158	172	189	209	229	252	276	296	316
	54"	134	152	167	180	198	223	245	267	294	316	338
	58"	136	156	172	187	207	232	254	278	305	329	354
	62"	138	160	178	194	214	238	265	289	318	343	367
	66"	140	165	183	200	220	247	274	300	329	356	383
	70"	143	169	189	207	229	256	283	312	343	369	396
	74"	145	176	194	214	236	265	294	323	354	383	412
	78"	147	180	200	220	243	274	303	334	365	396	425
	84"	152	187	209	229	254	285	318	349	385	416	447
	90"	156	194	216	238	265	298	332	365	403	436	469
96"	158	203	225	249	276	312	347	383	420	456	492	

* Blind prices in the 12" width column include a surcharge for narrow blinds. Blinds longer than 72" may not close tightly. Blinds over 60" x 60" require extra lifting force; multiple blinds on one headrail are recommended.

[For Additional Surcharges and Options - See page 15](#)

Pricing - 2" & 2 1/2" Wonderwood Faux Wood Blinds

Optional Valance Surcharges	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Deluxe Valance	16	18	18	18	18	20	20	20	23	23	25	25	27	27	29

Standalone/Replacement Valance Surcharges															
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Standard or Deluxe Valance	25	27	27	29	32	34	36	38	40	45	47	49	52	54	56

* Valances wider than 107" will be spliced in the center.

Other Design Surcharges (Add to blind base price)	
Lift & Lock Cordless Lift System (per blind)	Add \$67 per blind
Multiple Blinds on One Headrail	Price as individual blinds, add together and apply surcharge: \$56
Cut-Outs (per cut)	Add \$49 per cut
Palladian Shelf - Finished (Per Ft.)	28
Palladian Shelf - Unfinished (Per Ft.)	23
Light Gap Stop (Per Ft.)	3

Pricing - Faux Woods Fixed Slat Specialty Shapes

2" & 2 1/2" Fidelis or Wonderwood Fixed Slat Specialty FS3	Shade Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	216	229	249	263	278	314	332	358	378	407	---	---	---
ARCH / TRANSOM	287	305	325	345	369	414	472	516	558	647	729	798	996
CIRCLE / OVAL	396	423	452	480	516	574	656	718	780	900	---	---	---
HEXAGON / OCTAGON	396	423	452	480	516	574	656	718	780	900	992	1074	1249
ANGLE	254	269	289	309	325	369	420	454	503	574	645	712	---
TRIANGLE	334	360	378	407	432	485	556	603	658	758	858	940	1169

Note: Slat angled down 45° (Reverse Mount) are available at no charge

Product Information - 2" Heartland Woods

Product Features

- Fits rectangular window openings
- Color coordinated wood Signature Tassel and Stop Ball
- Decorative Wedge Bottom Rail
- Wand Tilt
- Up to 54" width, shades will have 2 cords and a break away. 54 1/16" width and beyond will have a stop ball.

Size Standards

- [Page 3](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- Cord Cleat

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Cord tilt left (L), lift cord right (R)
 - Cord or wand tilt right (R), lift cord left (L)
 - Cord or wand tilt right (R), lift cord right (R)
 - Cord or wand tilt left (L), lift cord left (L)
- Blinds less than 10 1/2" wide (FINISHED) will have center tilt only (no cord lift)
- Blinds less than 22 1/2" wide (FINISHED) must be split control (L/R or R/L)
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 95"	48"
95" +	60"


* PVC wand coordinates with slat color.
Blinds over 95" will be clear.

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 96"

Stacking Heights

- [Page 6](#)



Pricing

- [Page 7](#)

Product Information - 2 1/2" Heartland Woods

Product Features

- Fits rectangular window openings
- Color coordinated wood Signature Tassel and Stop Ball
- Decorative Wedge Bottom Rail
- Wand Tilt
- Up to 54" width, shades will have 2 cords and a break away. 54 1/16" width and beyond will have a stop ball.

Size Standards

- [Page 3](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- Cord Cleat
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Cord tilt right (R), lift cord left (L)
 - Cord tilt right (R), lift cord right (R)
 - Cord tilt left (L), lift cord left (L)
- Blinds less than 10 1/2" wide (FINISHED) will have center tilt only (no cord lift)
- Blinds less than 22 1/2" wide (FINISHED) must be split control (L/R or R/L)
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 95"	48"
95" +	60"


* PVC wand coordinates with slat color.
Blinds over 95" will be clear.

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 96"

Stacking Heights

- [Page 6](#)



Low Profile Headrail



Decorative Wedge Bottom Rail

Pricing

- [Page 8](#)

Product Information - 2" & 2 1/2" Heartland Woods w/ Lift & Lock Cordless Lift System



Product Features

- Fits rectangular window openings
- See Operation instructions below
- Color coordinated aluminum bottom rail with button
- Wand Tilt
- Low profile headrail
- Motors are enclosed in the bottom rail.

Size Standards

- [Page 3](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options


- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard: Wand tilt left (L)
- Option: Wand tilt right (R)
- For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.



Lift & Lock Bottom Rail End




Button on Bottom Rail

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.
Blinds over 95" will be clear.



Low Profile Headrail

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 56"
4 each	54 1/16" to 78"
5 each	78 1/16" to 84"

Stacking Heights

- [Page 6](#)

Pricing

- [Pages 7-9](#)

Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Product Information - 2" and 2 1/2" Heartland Woods with Accu-Rise Cordless Lift



Product Features

- Fits rectangular window openings
- Available on 2" and 2 1/2" Heartland Woods
- Decorative Wedge Bottom Rail
- Includes clear snap on handle
- Wand Tilt
- Low profile headrail

Size Standards

- [Page 3](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options


- Standard: Wand tilt left (L)
- Optional: Cord tilt left (L); Cord length will be 40% of the blind length.



Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 84"	48"

* PVC wand coordinates with slat color.



Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"

Stacking Heights

- [Page 6](#)

Pricing

- [Pages 7-9](#)

Product Information - 2" & 2 1/2" Heartland Woods with Auto-Tilt



Product Features

- Available for 2" or 2 1/2" Heartland Woods
- Auto-Tilt 12 Volt single reloadable Battery Wand (required surcharge). Choose Lithium batteries and mounting clips or Solar Pack or 12V DC Transformer power options.
- Tilt control only; Pull cord length will be 40% of the blind length.
- Motor can be on right or left side; lift cords are on opposite side.
- Low Profile headrail is 1 1/2" high x 2 1/4" deep
- Headrail is color coordinated to blind as best possible
- Valance can be ordered separately
- Up to 53" width, shades will have 2 cords and a break away. 54" width and beyond will have a stop ball.

Size Standards

- [Page 3](#)

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Stacking Heights

- [Page 6](#)

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- Window length is required so that the limits can be set.

Headrail

- The low profile headrail is used for Auto-Tilt blinds. We advise the use of a valance over the headrail due to the limited number of colors available in the low profile headrail.

Pricing

- [Pages 7-9](#)

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Controls



Modulus 5 Channel Remote



Situ 1 Channel Remote



Situ 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel Telis RF Transmitter



Single Channel Telis RF Transmitter



Five Channel Decoflex Wall Switch

Somfy myLink Overview

- WiFi to RTS bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.
- Amazon Alexa integration
- IFTTT (If This Then That)



Product Information - 1" Heartland Woods

Product Features

- Fits rectangular window openings
- Metal components for added durability
- Color coordinated wood Signature Tassel and Stop Ball
- **1" Rectangular bottom rail**
- Wand Tilt
- Up to 54" width, shades will have 2 cords and a break away. 54 1/16" width and beyond will have a stop ball.

Size Standards

- [Page 3](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- Cord Cleat

Finished Dimensions & Mounting Requirements


- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Cord tilt left (L), lift cord right (R)
 - Cord or wand tilt right (R), lift cord left (L)
 - Cord or wand tilt right (R), lift cord right (R)
 - Cord or wand tilt left (L), lift cord left (L)
- Blinds less than 10 1/2" wide (FINISHED) will have center tilt only (no cord lift)
- Blinds less than 22 1/2" wide (FINISHED) must be split control (L/R or R/L)
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.



1" Heartland Woods Headrail



1" Rectangular Bottom Rail

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 95"	48"
96" +	60"

* PVC wand coordinates with slat color.
Blinds over 95" will be clear.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 72"

Stacking Heights

- [Page 6](#)

Pricing

- [Page 10](#)

Product Information - 2" and 2 1/2" Fidelis Composite Wood Blinds

Product Features

- Fits rectangular window openings
- [Fault Free Promise](#)
- Harmony Valance
- Color coordinated wood Signature Tassel and Stop Ball
- Decorative Wedge Bottom Rail
- Wand Tilt
- Up to 28" width, shades will have 2 cords and a break away. 28 1/16" width and beyond will have a stop ball.

Size Standards

- [Page 4](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- Cord Cleat
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Cord tilt left (L), lift cord right (R)
 - Cord or wand tilt right (R), lift cord left (L)
 - Cord or wand tilt right (R), lift cord right (R)
 - Cord or wand tilt left (L), lift cord left (L)
- Blinds less than 10 1/2" wide (FINISHED) will have center tilt only (no cord lift)
- Blinds less than 22 1/2" wide (FINISHED) must be split control (L/R or R/L)
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.

Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.



Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 95"	48"
95" +	60"

* PVC wand coordinates with slat color.
Blinds over 95" will be clear.

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 28"
3 each	28 1/16" to 44"
4 each	44 1/16" to 60"
5 each	60 1/16" to 76"
6 each	76 1/16" to 82"
7 each	82 1/16" to 96"



Stacking Heights

- [Page 6](#)

Pricing

- [Pages 12-13](#)

Product Information - 2" & 2 1/2" Fidelis with Lift & Lock Cordless Lift System



Product Features

- Fits rectangular window openings
- [Fault Free Promise](#)
- Harmony Valance
- See Operation instructions below
- Color coordinated aluminum bottom rail with button
- Wand Tilt
- Low profile headrail
- Motors are enclosed in the bottom rail.

Size Standards

- [Page 4](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard: Wand tilt left (L)
- Option: Wand tilt right (R)
- **For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.**

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 24"
3 each	24 1/16" to 36"
4 each	36 1/16" to 51"
5 each	51 1/16" to 60"
6 each	60 1/16" to 72"
7 each	72 1/16" to 84"

Stacking Heights

- [Page 6](#)

Pricing


- [Pages 12-13](#)



Lift & Lock Bottom Rail End



Button on Bottom Rail



Low Profile Headrail

Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Product Information - 2" and 2 1/2" Fidelis with Accu-Rise Cordless Lift



Product Features

- Fits rectangular window openings
- [Fault Free Promise](#)
- Harmony Valance
- Wand Tilt
- Low profile headrail
- Decorative Wedge Bottom Rail

Size Standards

- [Page 4](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options


- Standard: Wand tilt left (L)
- Optional: Cord tilt left (L); Cord length will be 40% of the blind length.



Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.



Low Profile Headrail

Ladder Chart

2" Fidelis		2 1/2" Fidelis	
Number of Ladders	Finished Width	Number of Ladders	Finished Width
2 each	Up to 28"	2 each	Up to 30"
3 each	28 1/16" to 44"	3 each	30 1/16" to 48"
4 each	44 1/16" to 60"	4 each	48 1/16" to 60"

Stacking Heights

- [Page 6](#)

Pricing

- [Pages 12-13](#)

Product Information - Fidelis Blinds with Auto-Tilt



Product Features

- Available for 2" or 2 1/2" Fidelis
- [Fault Free Promise](#)
- Auto-Tilt 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips (required surcharge)
- Tilt control only; Pull cord length will be 40% of the blind length.
- Motor can be on right or left side; lift cords are on opposite side.
- Low Profile headrail is 1 1/2" high x 2 1/4" deep
- Valance can be ordered separately
- Up to 28" width, shades will have 2 cords and a break away. 28 1/16" width and beyond will have a stop ball.

Size Standards

- [Page 4](#)

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Stacking Heights

- [Page 6](#)

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- Window length is required so that the limits can be set.

Pricing

- [Pages - 12, 9](#)

Motorization Services

- Customer Service Motorization Skill Set
> 800-342-5523
> motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Somfy myLink Overview

- WiFi to RTS bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.
- Amazon Alexa integration
- IFTTT (If This Then That)

Controls



Modulus 5 Channel Remote



Situlo 1 Channel Remote



Situlo 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel Telis RF Transmitter



Single Channel Telis RF Transmitter



Five Channel Decoflex Wall Switch



Product Information - 2 and 2 1/2" Wonderwood Faux Wood Blinds

Product Features

- Fits rectangular window openings
- NFPA 701 FR Rated (See Materials Library on web site for FR certificate)
- Standard Valance
- Color coordinated wood Signature Tassel and Stop Ball
- Rectangular Bottom Rail
- Wand Tilt
- Up to 35" width, shades will have 2 cords and a break away. 36" width and beyond will have a stop ball.
- Low profile headrail

Size Standards

- [Page 4](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- Cord Cleat
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)


Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard -Wand tilt left (L), lift cord right (R)
- Optional:
 - Cord tilt right (R), lift cord left (L)
 - Cord tilt right (R), lift cord right (R)
 - Cord tilt left (L), lift cord left (L)
- Blinds less than 10 1/2" wide (FINISHED) will have center tilt only (no cord lift)
- Blinds less than 22 1/2" wide (FINISHED) must be split control (L/R or R/L)
- Multiple blinds on one headrail must have a separate tilt control for each blind. A single lift control is not available.


Note: Minimum wand length is 12". Pull cord length will be 40% of the blind length.



Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 96"	48"

* PVC wand coordinates with slat color.
Blinds over 95" will be clear.



Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 23"
3 each	23 1/16" to 36"
4 each	36 1/16" to 49"
5 each	49 1/16" to 62"
6 each	62 1/16" to 72"

Stacking Heights

- [Page 6](#)

Pricing

- [Pages 14-15](#)

Product Information - 2" & 2 1/2" Wonderwood Lift & Lock Cordless Lift System



Product Features

- Fits rectangular window openings
- NFPA 701 FR Rated (See Materials Library on web site for FR certificate)
- Standard Valance
- Low profile headrail
- See operation instructions below
- Color coordinated aluminum bottom rail with button
- Wand Tilt

Size Standards

- [Page 4](#)

Hardware Included

- [Installation Brackets - Page 31](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

- [Page 6](#)

Options

- [No Charge Options and Availability - Page 5](#)
- [Surcharge Options and Availability - Page 5](#)
- [Design Option Details - Page 29](#)
- [Exclusions - Page 5](#)

Control Options

- Standard: Wand tilt left (L)
- Option: Wand tilt right (R)
- For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.



Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 24"
3 each	24 1/16" to 36"
4 each	36 1/16" to 51"
5 each	51 1/16" to 60"
6 each	60 1/16" to 72"

Stacking Heights


- [Page 6](#)

Pricing


- [Pages 14-15](#)



Lift & Lock Bottom Rail End



Button on Bottom Rail



Low Profile Headrail


Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Product Information - Wood Blind & Faux Wood Blind Specialty Shapes


Angle Top Specialty Shapes

- Available in 2" and 2 1/2" Heartland Woods.
- Standard headrail and bottom rail are used.
- For angle tops the maximum slope is 35°. Maximum length is 96" on the high side.
- A diagram is required for Angle tops and Tapered top blinds.
- Slats close only in the up position.
- The blind will raise to the start of the angle. Controls are located on the low side of the angle; Pull cord length will be 40% of the blind length.
- The valances do not have returns and are sent wider than the headrail to be cut to fit properly on the job.
- In some cases, the blinds may be tilt only if the blinds are high up.
- For tapered blinds, the maximum difference between the headrail and the bottom rail is 9". That maximum applies to each side on a double taper. In some instances the blind may be tilt only.
- Outside angle tops/tapered will have slats made exact to the template, headrail is wider to accommodate slats. Inside mount angle top/tapered blinds are made to fit within the template.




Fixed Slat Specialty Shapes

- Arches, transoms, quadrants, triangles, angles, circles ovals, hexagons, and octagons are all available as Fixed Slat Wood Blinds and Faux Wood Blinds in both 2" and 2 1/2" slat.
- A template is required for ALL specialty shapes. The template should be cut out to the ordered size.
- See page 3 or 4 for size specifications.
- Standard slat angle is up (45°); down angle (45°) may be achieved by mounting the product in reverse.
- Fixed slat specialty shapes without a bottom rail (circle, oval, hexagon) must be inside (IB) mounted only.
- Uprights may not be the same height due to the shape.
- Tapered cut slats are standard on an Arch, Quadrant, Circle and Oval and offer better light control.
- Square cut slats are standard on Angle, Triangle, Hexagon, Octagon and Transom shapes.
- Valances are not available with fixed slat specialty shapes.
- Price is based on "A" dimension. See diagrams below.



Arch




Transom




Quadrant



Triangle



Angle



Circle



Hexagon



Octagon



Oval

Design Options - Valances

Valances

- Most valances are attached using magnets at no additional charge. For Heartland Woods Majesty and Fidelis Modesty valances, a plastic clip is used for attachment.
- Heartland Woods - A Camelot or Majesty valance can be converted to a cornice with a dust cover for a surcharge.

Heartland Woods Empress Valance

- No Charge Valance
- Magnetic attachment
- Cannot be converted to Cornice
- 3 1/4" high; 7/16" thick



Heartland Woods Imperial Valance

- No Charge Valance
- Magnetic attachment
- Cannot be converted to Cornice
- 3" high; 5/16" thick



Heartland Woods Camelot Valance

- Surcharge Valance
- Magnetic attachment
- Add Dust Cover to convert to cornice (Surcharge - only available with returns)
- 3 1/2" high; 1/2" thick



Heartland Woods Majesty Valance

- Surcharge Valance
- Plastic Valance Clip Attachment
- Add Dust Cover to convert to cornice (Surcharge - only available with returns)
- 4 1/2" high; 5/8" thick



Heartland Woods Noble 4" Valance

- Surcharge Valance
- Magnetic attachment
- Cannot be converted to Cornice
- 4" high; 1/2" thick



Fidelis Harmony Valance

- Included with Fidelis blind
- Magnetic attachment
- 3" high; 9/16" thick



Fidelis Modesty Valance

- Surcharge Valance
- Plastic Valance Clip Attachment
- 4" high; 11/16" thick



Wonderwood Standard Valance

- No Charge Valance
- Magnetic attachment
- 2 1/2" high; 5/16" thick




Wonderwood Deluxe Valance

- Surcharge Valance
- Magnetic attachment
- 3 3/8" high; 5/8" thick




Magnetic Valance Attachment




Valances - Return Measurements


- For inside mounts, no returns will be sent unless specified (see undersize return).
- **Standard Return** - The standard measurement from the back edge of the return to the inside miter is 2 1/8" for 1" blinds on 1 1/2" headrail, 2 7/8" for 2" blinds and 3 5/16" for 2 1/2" blinds.



- **Oversize Return** - required for an outside mount on trim or when using extension brackets/spacer blocks. The size you specify is equal to the depth of the trim (wall to the high point of the trim) or the depth of the spacer blocks/extension brackets. We will add that measure to the standard return.



- **Undersize Return** - required for an inside mount protruding into the room. The size you specify is equal to the recessed mounting depth.



- **Exact Size Return** - The size you specify is equal to the measurement from the back of the return to the back of the valance face (inside miter).

- **Valance Clearances** - The width from outside miter to outside miter (face width) will also vary based on valance style. Lafayette adds the measurement below to the outside measurement of the blind to determine the overall width of the valance.

Camelot Valance: 1 7/8"

Imperial Valance: 1 1/2"

Empress Valance: 1 3/4"

Majesty Valance: 2 1/8"

Noble 4" Valance: 1 7/8"

Fidelis Harmony: 2"

Fidelis Modesty: 2 1/4"

Wonderwood Standard: 2"

Wonderwood Deluxe: 2 1/8"

Design Options

Decorative Tapes

- Available on 2" & 2 1/2" Heartland Woods and 2" & 2 1/2" Fidelis composite wood blinds. See product sampling for tapes.
- Blinds with decorative or cloth tapes will need to hang in the window for a few days to allow the tape to relax.
- **Not available with Light-Ban**



Light-Ban with EZE-Clean

- Available on 2" and 2 1/2" Heartland Woods, Fidelis blinds and Wonderwood blinds.
- Standard on Custom Color Heartland Woods.
- The Light-Ban slat system allows tighter closure and offers superior light control. There are no rout holes with the Light-Ban design.
- The EZE-Clean feature allows each slat to be removed/replaced individually for easy and thorough slat cleaning.
- When installing the wood blind, be sure not to stand the slats vertically or the slats may slide out of the notching.
- Blinds with the Light-Ban feature will NOT drop completely without assistance, especially on narrow blinds.


Light-Ban slat

Rout hole/
center cord slat



Multiple Blinds on One Headrail


- See pages and for 2-on-1 or 3-on-1 size specifications.
- Space between the blinds is 1/2".



Cut-Outs


- Allows for clearance around window cranks or door handles.
- Available with standard wand or cord tilt control options.
- When measuring for the cut-out, measure the blind in the flat, closed position to ensure that the cut-out is large enough.
- Top of cut-out raises to headrail.
- Blind may have three bottom rails (bottom center cut-out) or two bottom rails (bottom side cut-out).
- For headrail cut-outs, controls must be on the side opposite cut-out.
- Please send a diagram with the blind order to show the exact placement of the cut-out. (Letter A below represents the headrail).

Bottom Center Cut-Out




Measurement of C and E must be at least 7".

Bottom Side Cut-Out




Measurement of C must be 6" or more.

Headrail Cut-Out
(Standard Blinds Only)



Measurement of D must be 5" or less.

Side Cut-Out
(Left, Right or Both)



Measurement of F must be 5" or less.

Custom Color - Heartland Woods

- Available for 2" and 2 1/2" Heartland Woods. A paint or stain is mixed to match a painted or stained wood sample. Custom color match occurs when the dealer submits a wood color sample to be matched.
- For PAINT Custom Color - Custom paint color sample submissions should be clean and must thoroughly cover the wood sample. Lafayette can match solid paint colors only. Lafayette does not offer crackled, distressed or other specialty finishes. Do NOT send samples to Lafayette without a pickup number.
- For STAIN Custom Color - Lafayette will mix a stain color to closely match the overall coloration of the desired stained wood sample. Due to variations in raw wood color, grain, harvest time and density, the finished stain coloration will vary within the finished blind and from slat to slat. Matching a specific background color in a stained sample may not be feasible.

Contoured Slat Corners


- Available on 2" and 2 1/2" Heartland Woods.
- Contoured slat corners are hand-finished.
- For contoured corners, the degree of rounding will vary from slat to slat and may not be uniform throughout the blind.

Light Gap Stop


- Blocks light gap for blinds inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Grey, Vanilla and White

Measuring & Installation Information


Brackets



2" and 2 1/2"
Low Profile Bracket
50-03-046-XXX



1" Bracket
50-04-037-XXX



Spacer Block
50-03-142
The Spacer Block used behind
an extension bracket is
item 50-03-143

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

Measuring for Wood/Faux Wood Blinds

- All blind pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- For an Inside Mount, measure the exact width between the jambs (inside) where the blind is to be mounted.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width. When using a valance or cornice, the outside dimension of the valance will be greater than the outside measurement.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.
- Measuring for valances/cornices ordered separately - When ordering valances/cornices separately refer to the example below. The Face Width (FC) measurement is used when the exact measure of the valance/cornice is known. The Blind Width (BW) measurement is used when trying to fit a valance/cornice over an existing blind.

Example: Imperial Valance - 5/16" thick valance
If 48" is the requested size then the resulting valance is shown below.

$$\begin{aligned} \text{FC} &= \text{Face Width} \\ (\text{Blind width with no returns} &= \text{Face Width}) \\ \text{Valance edge to edge will measure } &48" \\ 48" \text{ FC} &= 48" \end{aligned}$$

$$\begin{aligned} \text{IS} &= \text{Inside with no Returns} \\ \text{Valance edge to edge will measure } &47 \frac{7}{8}" \\ \hline 48" \text{ IS} - \frac{1}{8}" \text{ deduction} &= 47 \frac{7}{8}" \end{aligned}$$

$$\begin{aligned} \text{BW} &= \text{Blind Width with returns} \\ \text{Valance edge to edge will measure } &49 \frac{1}{2}" \\ \text{Note: Thickness measurement varies by valance} & \end{aligned}$$

$$\begin{aligned} &48" \text{ BW} + (2 \times \frac{5}{16}" \text{ thickness}) \\ &+ (2 \times \frac{7}{16}" \text{ clearance}) = 49 \frac{1}{2}" \end{aligned}$$

$$\begin{aligned} \text{IS} &= \text{Inside Blind with Outside Returns} \\ \text{Valance edge to edge will measure } &48 \frac{3}{4}" \\ \text{Note: Thickness measurement varies by valance} & \end{aligned}$$

$$\begin{aligned} &48" \text{ IS} + (2 \times \frac{5}{16}" \text{ thickness}) \\ &+ \frac{1}{8}" \text{ clearance} = 48 \frac{3}{4}" \end{aligned}$$

	Blind Width	Support Brackets
2" Heartland	48 1/16" to 60"	1
	60 1/16" to 96"	2
2 1/2" Heartland	48 1/16" to 60"	1
	60 1/16" to 96"	2
Heartland w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 84"	2
Heartland w/ Accu-Rise	48 1/16" to 60"	1
	60 1/16" to 78"	2
1" Heartland	48 1/16" to 60"	1
	60 1/16" to 72"	2
2" & 2 1/2" Fidelis	48 1/16" to 60"	1
	60 1/16" to 96"	2
Fidelis w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 84"	2
Fidelis w/ Accu-Rise	48 1/16" to 60"	1
2" & 2 1/2" Wonderwood	48 1/16" to 60"	1
	60 1/16" to 72"	2
Wonderwood w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 72"	2

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Woodland Harvest or Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from Allure Shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Measuring & Installation Information

Natural Characteristics of Wood

- There will be slight color differences from sample chip to the finished wood blind and from wood blind to wood blind due to inherent variation of wood color, grain, and hardness, as well as age and handling. Sample chips are intended to represent an average color and therefore can only be regarded as a guide. If an exact match of a color chip is required, please submit the color chip with your order.
- Due to the lack of grain in some of the color samples, it is important that you and your customer are aware of the differences in paints, stains, and washes. Even if the grain is not detectable in samples of stains and washes, your customer should be advised that finished wood blinds will definitely show grain through the stain or wash color.
- Wood blinds are crafted from real wood. As such, expect variations in color, grain, and texture. Different graining patterns and/or stain penetration may cause a variation in the stain intensity. These are characteristics of wood and may appear randomly throughout a blind.
- Arid climates, areas of high humidity and other natural conditions may cause slight warpage. This is normal and not considered a manufacturing defect.

Faux Wood Advisories

- There will be slight color differences from sample chip to the finished faux wood blind and from blind to blind due to inherent variation of color as well as handling. Sample chips are intended to represent an average color and should only be regarded as a guide.
- Wonderwood blinds are crafted from a polymer substance. As such, expect variations in color.
- Due to the supple nature of the Wonderwood polymer, a greater number of cable tapes are used to provide improved support for the slat.
- Blinds with decorative tape will need to hang in the window for a few days to allow the tape to relax so the blind does not appear too short.

NFPA 701 FR Rating

- Wonderwood Faux Wood Blinds are FR rated and have passed the NFPA 701 test. An FR certificate can be found on our web site in the Materials Library with the Wonderwood samples shown.

Cleaning Instructions

Wood Blinds

Since your wood blind is crafted from real wood, care must be taken in cleaning. Washing the slats is NOT recommended. Although the wood is sealed, water or even excessive dampness may cause warpage or discoloration of the slats. Like any wood furnishings, wood blinds should be dusted regularly to keep them looking new. Use a soft, clean cloth, chemically-treated dust cloth, or dusting mitt. Lower the blind to its full length, tilt the slats almost all the way down and dust. Then tilt the slats almost all the way up and dust. (Not fully closing the slats in either position allows dusting where the slats overlap.) Blinds may also be cleaned by vacuuming them with the brush attachment of a vacuum cleaner. Like wood furniture, stained blinds should be treated periodically with lemon oil or other wood preservative to protect their finish and enhance their lustre. Protect all fine wood products from exposure to steam or high moisture areas, rain or outside irrigation systems to ensure their life. Ultrasonic cleaning of is NOT recommended.

Faux Wood Blinds

To reduce static cling and help repel dust, wipe the product with dryer sheets. Do not use abrasive cleaners or chemical solvents, as they will scratch or damage the surface. Spot-cleaning with fabric cleaning wipes is recommended. Performing a cleaning test on the underneath side of the slat is recommended. Ultrasonic cleaning of faux wood blinds is NOT recommended.

For blinds with the EZE-Clean feature - Each slat can be tilted forward or rotated for easy dusting while the blind is still in the window. For a thorough cleaning, you can remove the slat of your EZE-Clean blind. To remove the slats, tilt the slats to the open position, then slide each slat horizontally from the ladder. The slat can then be cleaned using a feather duster or a cleaning or furniture polishing product recommended for wood waterborne finishes. Replace the individual slats once they are cleaned. With the wood blind in the open position, carefully slide the slat back into the ladder. Make sure that the front and back slat notches are lined up with the vertical cords. For inside mounts, gently pull the wood blind forward to ensure clearance from the window casing. Note: Sufficient wall space beyond the edge of the wood blind is necessary in order to remove the slats for cleaning. In extremely tight wall configurations, removal of the wood blind from the window may be necessary to individual clean the slats.

For blinds with Decorative Tapes -

Spot-cleaning with fabric cleaning wipes is recommended for all types. These will typically not leave a stain or discolor the tapes. Performing a cleaning test on the underneath side of the blind is recommended. Tapes made of 100% polyester can be spot-cleaned with distilled water using a clean white cloth. If the decorative tape is shiny or has a luster, DO NOT USE WATER. The result may be a water stain.

Heartland Woods Color Listing / Coordination

2" SLAT				
Color Number	Color Name	Headrail	Lift & Lock Bottom Rail	PVC Wand color
231	Alaskan Cream	Gloss White	Gloss White	Ant. White
826	Antique White	Ant. White	Ant. White	Ant. White
616	Autumn Maple	Swt. Choc.	Swt. Choc.	Sw Chocolate
635	Banyan Brown	Swt. Choc.	Swt. Choc.	Sw Chocolate
112	Black	Black	Black	Dark Chocolate
525	Black Cherry	Bronze	Bronze	Black Cherry
801	Bright White	Flex White	Flex White	White
511	Buckeye	Bronze	Bronze	Sw Chocolate
473	Buff	Ant. White	Ant. White	Ant. White
518	Café Aulait	Camel	Camel	Pecan
253	Charleston	Swt. Choc.	Swt. Choc.	Black Cherry
035	Charwood	Black	Black	Dark Chocolate
522	Chickory	Bronze	Bronze	Dark Chocolate
869	Cottage Pine	Camel	Camel	Pecan
837	Dark Walnut	Bronze	Bronze	Dark Chocolate
528	Dover White	Ant. White	Ant. White	Ant. White
808	Eggshell	Ant. White	Ant. White	Ant. White
506	Gardenia	Flex White	Flex White	White
804	Golden Oak	Camel	Camel	Pecan
535	Hazel Nut	Swt. Choc.	Swt. Choc.	Pecan
517	Ivoire	Ant. White	Ant. White	Ant. White
538	Java roast	Bronze	Bronze	Dark Chocolate
809	Linen	Ant. White	Ant. White	Ant. White
841	Mahogany	Cognac	Cognac	Black Cherry
453	Modest White	Ant. White	Ant. White	Ant. White
634	Mountain Ash	Bronze	Bronze	Dark Chocolate
830	Natural	Camel	Camel	Pecan
539	Navajo White	Ant. White	Ant. White	Ant. White
639	Nomad	Camel	Camel	Ant. White
769	Nordic White	Flex White	Flex White	White
501	Nutmeg	Bronze	Bronze	Pecan
638	Outerbanks	Fawn	Ant. White	Ant. White
640	Parchment	Ant. White	Ant. White	Ant. White
632	Pearwood	Camel	Camel	Pecan
806	Pecan	Swt. Choc.	Swt. Choc.	Pecan
747	Roasted Coffee	Bronze	Bronze	Dark Chocolate
542	Rock Port Gray	Brushed Alum	Ant. White	Thunder
805	Russett	Bronze	Bronze	Black Cherry
468	Sangria	Bronze	Bronze	Black Cherry
470	Sepia	Swt. Choc.	Swt. Choc.	Sw Chocolate
636	Sorrel	Swt. Choc.	Swt. Choc.	Sw Chocolate
467	Spiced Cider	Camel	Camel	Pecan
802	Super White	Gloss White	Gloss White	White
570	Thunder	Brushed Alum	Ant. White	Thunder
767	Timber Oak	Camel	Camel	Pecan
571	Tree House	Bronze	Bronze	Dark Chocolate

2" SLAT (Cont.)				
Color Number	Color Name	Headrail	Lift & Lock Bottom Rail	PVC Wand color
867	Vivid White	Flex White	Flex White	White
870	Warm Cherry	Swt. Choc.	Swt. Choc.	Pecan
820	White	Gloss White	Gloss White	White
937	White Cap	GlossWhite	GlossWhite	Ant. White
939	Wilderness	Swt. Choc.	Swt. Choc.	Sw Chocolate
480	Woodbridge	Bronze	Bronze	Dark Chocolate

*Note: Blinds over 95" height will have a clear wand.

1" SLAT			
Color Number	Color Name	Headrail	PVC Wand color
837	Dark Walnut	Bronze	Dark Chocolate
841	Cognac	Swt.Choc	Black Cherry
805	Russett	Bronze	Black Cherry
870	Warm Cherry	Swt.Choc	Black Cherry

*Note: Blinds over 95" height will have a clear wand.

2 1/2" SLAT				
Color Number	Color Name	Headrail	Lift & Lock Bottom Rail	PVC Wand color
801	Bright White	Gloss White	Gloss White	White
804	Golden Oak	Camel	Camel	Pecan
809	Linen	Ant. White	Ant. White	Ant. White
453	Modest White	Ant. White	Ant. White	Ant. White
634	Mountain Ash	Bronze	Bronze	Dark Chocolate
769	Nordic White	Flex White	Flex White	White
640	Parchment	Ant. White	Ant. White	Ant. White
806	Pecan	Bronze	Bronze	Pecan
747	Roasted Coffee	Bronze	Bronze	Dark Chocolate
636	Sorrel	Swt. Choc.	Swt. Choc.	Swt. Choc.
867	Vivid White	Flex White	Flex White	White
870	Warm Cherry	Swt. Choc.	Swt. Choc.	Black Cherry
820	White	Gloss White	Gloss White	White

*Note: Blinds over 95" height will have a clear wand.

Fidelis & Wonderwood Color Listing / Coordination

Fidelis 2" SLAT					
Color Number	Color Name	Type	Headrail	Lift & Lock Bottom Rail	PVC Wand color
325	Almond Ash	N	Camel	Camel	Pecan
357	American Walnut	N	Swt.Choc.	Swt.Choc.	Sw Chocolate
301	AngelicWhite	W	Gloss White	Gloss White	White
326	Champagne	W	Ant. White	Ant. White	Antique White
328	CinnamonChry	N	Swt.Choc.	Swt.Choc	Swt.Choc.
311	Designer White	W	Gloss White	Gloss White	White
356	Espresso	N	Bronze	Bronze	Dk Chocolate
308	Harbor Oak	N	Bronze	Bronze	Sw Chocolate
306	Hickory	N	Bronze	Bronze	Pecan
304	Hush White	W	Gloss White	Gloss White	Antique White
305	Ivory Lace	W	Gloss White	Gloss White	Antique White
303	Latte	W	Gloss White	Gloss White	Antique White
302	Lilly	W	Gloss White	Gloss White	Antique White
320	Marshmallow	W	Gloss White	Gloss White	White
329	Royale Walnut	N	Swt.Choc	Swt. Choc	Sw Chocolate
309	Savannah	N	Coganc	Coganc	Black Cherry
310	Sugar	W	Gloss White	Gloss White	Antique White
307	Sun Maple	N	Camel	Camel	Pecan
327	White Sand	W	Gloss White	Gloss White	Antique White

N = NATURAL COLORS, W = WHITE COLORS

*Note: Blinds over 95" height will have a clear wand.

Wonderwood 2" SLAT					
Color Number	Color Name	Type	Headrail	Lift & Lock Bottom Rail	PVC Wand color
471	Adobe	W	Gloss White	Gloss White	Ant. White
257	Brick	N	Bronze	Bronze	Black Cherry
256	Brownstone	N	Swt Choc.	Swt Choc.	Sw Chocolate
576	Cement Gray	W	Shadow Gray	Shadow Gray	Thunder
570	Chalk	W	Gloss White	Gloss White	White
252	Cobblestone	N	Camel	Camel	Pecan
312	Earth	W	Gloss White	Gloss White	Ant. White
313	Flagstone	W	Gloss White	Gloss White	White
253	Granite	N	Swt Choc.	Swt Choc.	Pecan
462	Gypsum	W	Gloss White	Gloss White	White
574	Limestone	W	Gloss White	Gloss White	White
315	Pumice	W	Gloss White	Gloss White	White
575	Quarry	W	Shadow Gray	Shadow Gray	Thunder
254	River Rock	W	Camel	Camel	Pecan
251	Sand	N	Camel	Camel	Pecan
887	Sandstone	W	Gloss White	Gloss White	Ant. White
577	Slate	W	Shadow Gray	Shadow Gray	Thunder
478	Stone	W	Gloss White	Gloss White	Ant. White
250	Straw	N	Camel	Camel	Pecan
466	Stucco	W	Gloss White	Gloss White	White
316	White Rock	W	Gloss White	Gloss White	White

N = NATURAL COLORS, W = WHITE COLORS

*Note: Blinds over 95" height will have a clear wand.

Fidelis 2 1/2" SLAT					
Color Number	Color Name	Type	Headrail	Lift & Lock Bottom Rail	PVC Wand color
301	AngelicWhite	W	Gloss White	Gloss White	White
311	Designer White	W	Gloss White	Gloss White	White
308	Harbor Oak	N	Bronze	Bronze	Sw Chocolate
306	Hickory	N	Bronze	Bronze	Pecan
302	Lilly	W	Gloss White	Gloss White	Antique White
320	Marshmallow	W	Gloss White	Gloss White	White
310	Sugar	W	Gloss White	Gloss White	Antique White
307	Sun Maple	N	Camel	Camel	Pecan

N = NATURAL COLORS, W = WHITE COLORS

*Note: Blinds over 95" height will have a clear wand.

Wonderwood 2 1/2" SLAT					
Color Number	Color Name	Type	Headrail	Lift & Lock Bottom Rail	PVC Wand color
471	Adobe	W	Gloss White	Gloss White	Ant. White
256	Brownstone	N	Swt Choc.	Swt Choc.	Sw Chocolate
252	Cobblestone	N	Camel	Camel	Pecan
253	Granite	N	Swt Choc.	Swt Choc.	Pecan
462	Gypsum	W	Gloss White	Gloss White	White
254	River Rock	W	Camel	Camel	Pecan
478	Stone	W	Gloss White	Gloss White	Ant. White
466	Stucco	W	Gloss White	Gloss White	White
316	White Rock	W	Gloss White	Gloss White	White

N = NATURAL COLORS, W = WHITE COLORS

*Note: Blinds over 95" height will have a clear wand.

Heartland, Fidelis & Wonderwood Decorative Tapes

Heartland Woods Decorative Tapes - 2" SLAT	
Color Number	Pattern/Color
092	Classic Stripe / Elegance
090	Classic Stripe / Luxe
093	Classic Stripe / Refined
824	Dobby Check / Duck
830	Herringbone / Almond
973	Herringbone/ Ant White
048	Herringbone / Black
064	Herringbone / Bronze
336	Herringbone / Chestnut
685	Herringbone / Indigo
614	Herringbone / Ivory
932	Herringbone / Pewter
378	Herringbone / Sable
572	Herringbone / Spruce
302	Herringbone / Stripe
450	Herringbone/ White
884	Royalty Stripe / Copper

Fidelis Woods Decorative Tapes	
Color Number	Name
830	Almond
973	Antique White
048	Black
064	Bronze
082	Camel
685	Indigo
614	Ivory
932	Pewter
378	Sable
572	Spruce
302	Taupe
450	White

Heartland Woods Decorative Tapes - 2 1/2" SLAT	
Color Number	Pattern/Color
830	Herringbone / Almond
973	Herringbone/ Ant White
048	Herringbone / Black
614	Herringbone / Ivory
450	Herringbone/ White



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.