

HEARTLAND[®] WONDERWOOD[®]

FIDELIS[®]

Genuine Value
Retail Sales Guide



Distributed by:

April 15, 2024

Updated 6-28-24

Wood & Faux Wood Blinds



Midwest
Designer
Supply

www.midwestdesignersupply.com

888-523-2611
262-524-1007 (fax)



AMERICAN QUALITY CUSTOM | SINCE 1950

CHILD SAFETY

It's your first priority, but child and pet safety is often the last thing you think about when choosing window coverings. Did you know that the most common window products in homes are not child safe? Those horizontal blinds that were there when you moved in are a potential strangulation hazard for your little ones. As our infographic shows, accidents still happen with those long cords.



BEST FOR KIDS™ CERTIFICATION PROGRAM

The Best for Kids™ certification label makes it easy for parents and caregivers to identify products that are best suited for their home.

To become certified, Lafayette Interior Fashions must meet the specified program criteria and submit their window covering products to a designated third party testing laboratory. To pass the tests, the products may not have:

- operating cords
- inner cords that are accessible
- cords that create a hazardous loop or potential wrap-around hazard



ADDITIONAL SAFETY MEASURES

The window covering industry uses warning tags, labels, and other methods to communicate potential hazards. The warning shown here communicates the important message that cords are a potential strangulation hazard and suggests choosing cordless or inaccessible-cord alternatives. Together with the Window Covering Safety Council, we encourage you to install only cordless window coverings in rooms where children play and sleep.



For kids' sake, we offer a wide array of lifting system options, from cordless and motorized operating systems to retractable lift cords, cord tensioners, and wand controls for enhanced child safety.

All Lafayette products that utilize a clutch system are sent with a Cord Tension Lock. The Cord Tension Lock must be secured to the wall to provide the necessary tension for the shade to operate.

All **motorized** window treatment products offer child safe operation since the motor unit provides the mechanism for raising and lowering the shade.


For additional window treatment child safety information, please visit the Window Covering Safety Council (www.windowcoverings.org).

TABLE OF CONTENTS

SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
<p>Color Listing Heartland Woods Fidelis Faux Woods Wonderwood Faux Woods</p> <p>Size Standards Heartland Woods Fidelis Faux Woods Wonderwood Faux Woods</p> <p>Design Options Heartland Woods Options Chart Fidelis & Wonderwood Options Chart</p> <p>Finished Dimensions & Mounting Requirements Stacking Heights</p>	<p>Heartland Woods - 2" & 2 1/2" Chart 1 - 2" Accu-Rise Chart 2 - 2 1/2" Accu-Rise Chart 3 - 2" Lift & Lock Chart 4 - 2 1/2" Lift & Lock Design Options Surcharges Fixed Flat - Specialty Shapes</p> <p>Fidelis Composite Wood - 2" & 2 1/2" Chart 1 - 2" Accu-Rise Chart 2 - 2 1/2" Accu-Rise Chart 3 - 2" Lift & Lock Chart 4 - 2 1/2" Lift & Lock Design Options Surcharges Fixed Slat - Specialty Shapes</p> <p>Wonderwood Faux Wood - 2" & 2 1/2" Chart 1 - 2" Accu-Rise (Coming Soon) Chart 2 - 2 1/2" Accu-Rise (Coming Soon) Chart 3 - 2" Lift & Lock Chart 4 - 2 1/2" Lift & Lock Design Options Surcharges Fixed Slat - Specialty Shapes</p> <p>Motorization Surcharges (web)</p>	<p>Heartland Woods w/ Lift & Lock Heartland Woods w/ Accu-Rise Heartland Woods w/ Auto-Tilt Fidelis w/ Lift & Lock Fidelis w/ Accu-Rise Fidelis w/ Auto-Tilt Wonderwood w/ Lift & Lock Wonderwood w/ Accu-Rise Wonderwood w/ Auto-Tilt Wood & Faux Wood Specialty Shapes</p> <p>Design Options</p> <p>Measuring & Installation Brackets Cleaning</p> <p>Lafayette Warranty</p>

- Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**

- * Use the Previous button to return to your previous view (web version only)
- * Use the Index button to return to the Table of Contents



Fidelis Fault-Free Promise™

With our Fault-Free Promise you can rest assured that your Fidelis composite wood blinds will not yellow, fade, warp or bow for as long as you own them.

Color Listing

Heartland Woods Slats & Valances					
Color Name	Color #	Slat Size	Price Chart		Valances
Bright White (paint)	801	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Dark Walnut (stain)	837	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Ebony (paint)	318	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Ember (stain)	018	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Fog (paint)	348	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Gardenia (paint)	506	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Greige (paint)	827	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Natural (stain)	830	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Nordic White (paint)	769	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Nordic White (paint)	769	2 1/2"	AR 2	L&L 4	Noble, Majesty, Empress, Imperial
Pearwood (stain)	632	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Pebble (stain)	610	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Pure White (paint)	656	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Sorrel (stain)	636	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Tree House (stain)	571	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Vapor (stain)	888	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Vivid White (paint)	867	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Vivid White (paint)	867	2 1/2"	AR 2	L&L 4	Noble, Majesty, Empress, Imperial
White (paint)	820	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
White (paint)	820	2 1/2"	AR 2	L&L 4	Noble, Majesty, Empress, Imperial
White Cap (paint)	937	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
White Wash (stain)	862	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial
Wilderness (stain)	939	2"	AR 1	L&L 3	Noble, Majesty, Empress, Imperial

Wonderwood Faux Woods Slats & Valances					
Color Name	Color #	Slat Size	Price Chart		Valances
Coconut	180	2"	AR 1	L&L 3	Standard, Deluxe
Coconut Plus (Embossed)	184	2"	AR 1	L&L 3	Standard, Deluxe
Cotton	911	2"	AR 1	L&L 3	Standard, Deluxe
Cotton	911	2 1/2"	AR 2	L&L 4	Standard, Deluxe
Daisy	255	2"	AR 1	L&L 3	Standard, Deluxe
Daisy	255	2 1/2"	AR 2	L&L 4	Standard, Deluxe
Lotus	441	2"	AR 1	L&L 3	Standard, Deluxe
Lotus Plus (Embossed)	448	2"	AR 1	L&L 3	Standard, Deluxe
Moon Flower	773	2"	AR 1	L&L 3	Standard, Deluxe

Fidelis Faux Woods Slats & Valances					
Color Name	Color #	Slat Size	Price Chart		Valances
American Walnut	357	2"	AR 1	L&L 3	Modesty, Harmony
Angelic White	301	2"	AR 1	L&L 3	Modesty, Harmony
Angelic White	301	2 1/2"	AR 2	L&L 4	Modesty, Harmony
Designer White	311	2"	AR 1	L&L 3	Modesty, Harmony
Designer White	311	2 1/2"	AR 2	L&L 4	Modesty, Harmony
Ebony Wash	319	2"	AR 1	L&L 3	Modesty, Harmony
Harbor Oak	308	2"	AR 1	L&L 3	Modesty, Harmony
Hickory	306	2"	AR 1	L&L 3	Modesty, Harmony
Marshmallow	320	2"	AR 1	L&L 3	Modesty, Harmony
Mineral	701	2"	AR 1	L&L 3	Modesty, Harmony
Oatmeal	556	2"	AR 1	L&L 3	Modesty, Harmony
Quarry	575	2"	AR 1	L&L 3	Modesty, Harmony
Silverheart	784	2"	AR 1	L&L 3	Modesty, Harmony
Spruce	822	2"	AR 1	L&L 3	Modesty, Harmony
Sugar	310	2"	AR 1	L&L 3	Modesty, Harmony
Wenge	878	2"	AR 1	L&L 3	Modesty, Harmony
White Ash	590	2"	AR 1	L&L 3	Modesty, Harmony
White Sand	327	2"	AR 1	L&L 3	Modesty, Harmony

Heartland Woods Tapes		
Color Name	Color #	Tape Size
Antique White	973	2"
Black	048	2"
Black	048	2 1/2"
Earth	312	2"
Pewter	932	2"
Sable	378	2"
Taupe	302	2"
White	450	2"
White	450	2 1/2"
Fidelis Faux Woods Tapes		
Antique White	973	2"
Black	048	2"
Black	048	2 1/2"
Earth	312	2"
Pewter	932	2"
Sable	378	2"
Taupe	302	2"
White	450	2"
White	450	2 1/2"

Size Standards

	Lift & Lock (Routed or Dec Tape)	Accu-Rise (Routed Only)	Auto-Tilt (Lift & Lock only)
2" & 2 1/2" Heartland Woods			
Min Width:	12"	19"	18"
Max Width:	84"	84"	84"
Min Height:	12"	12"	12"
Max Height:	72"	84"	72"
Max Area:	42	49	42
2" & 2 1/2" Fidelis Composite Wood Blinds			
Min Width:	12"	19"	18"
Max Width:	72"	72"	72"
Min Height:	12"	12"	12"
Max Height:	72"	84"	72"
Max Area:	42	42	42
2" & 2 1/2" Wonderwood Faux Wood Blinds			
Min Width:	12"	19"	18"
Max Width:	72"	84"	72"
Min Height:	12"	12"	12"
Max Height:	72"	84"	72"
Max Area:	42	49	42
Notes : For Lift & Lock system with width 18" or less only the wand tilt must be on the left side. Slat alignment cannot be guaranteed on side-by-side blinds if blind length varies.			

Specialty Shapes - 2" and 2 1/2" Fixed Slat Heartland Woods							
Shape:	Arch / Transom	Quadrant	Triangle	Hexagon / Octagon	Circle	Oval	Angle
Minimum Width:	18"	12"	18"	18"	18"	18"	18"
Maximum Width:	96"	72"	96"	96"	72"	72"	84"
Minimum Height:	9"	12"	9"	9"	18"	18"	18"
Maximum Height:	48"	72"	96"	96"	72"	72"	84"
Mounting:	IB only	IB only	IB only	IB only	IB only	IB only	IB only
Maximum Area:	25	25	32	32	28	28	25
Specialty Shapes - 2" and 2 1/2" Fixed Slat Fidelis							
Minimum Width:	18"	12"	18"	18"	18"	18"	18"
Maximum Width:	96"/72"**	72"	96"	72"	72"	72"	84"
Minimum Height:	9"	12"	9"	9"	18"	18"	18"
Maximum Height:	48"	72"	96"	96"	72"	72"	84"
Mounting:	IB only	IB only	IB only	IB only	IB only	IB only	IB only
Maximum Area:	25	25	32	32	28	28	25
Specialty Shapes - 2" and 2 1/2" Fixed Slat Wonderwood							
Minimum Width:	18"	12"	18"	18"	18"	18"	18"
Maximum Width:	96"/72"**	72"	72**	72"	72"	72"	72**
Minimum Height:	9"	12"	9"	9"	18"	18"	18"
Maximum Height:	48"	72"	96"	96"	72"	72"	84"
Mounting:	IB only	IB only	IB only	IB only	IB only	IB only	IB only
Maximum Area:	25	25	32	32	28	28	25

Design Options

	Heartland 2" & 2 1/2" Lift & Lock	Heartland 2" & 2 1/2" Accu-Rise	Heartland 2" & 2 1/2" Auto-Tilt	Fidelis 2" & 2 1/2" Lift & Lock	Fidelis 2" & 2 1/2" Accu-Rise	Fidelis 2" & 2 1/2" Auto-Tilt	Wonderwood 2" & 2 1/2" Lift & Lock	Wonderwood 2" & 2 1/2" Accu-Rise	Wonderwood 2" & 2 1/2" Auto-Tilt
No Charge Options									
Empress / Imperial Valance	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Harmony Valance	N/A	N/A	N/A	Y	Y	Y	N/A	N/A	N/A
Wonderwood Std Valance	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	Y
Extension Bracket	Y	Y	Y	Y	Y	Y	Y	Y	Y
Hold Down Bracket	Y	Y	Y	y	Y	Y	Y	Y	Y
Non Standard Return Type	Y	Y	Y	Y	Y	Y	Y	Y	Y
Spacer Block	Y	Y	Y	Y	Y	Y	Y	Y	Y
Wand Tilt	Std	Std	N/A	Std	Std	N/A	Std	Std	N/A
Surcharge Options									
Majesty/Noble Valance	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Fidelis Modesty Valance	N/A	N/A	N/A	Y	Y	Y	N/A	N/A	N/A
Wonderwood Deluxe Valance	N/A	N/A	N/A	N/A	N/A	N/A	Y	Y	Y
Add Dust Cover	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Decorative Tapes	Y	N/A	Y	Y	N/A	Y	N/A	N/A	N/A
Motorization - Auto-Tilt	Y	N/A	Y	Y	N/A	Y	Y	N/A	Y
Specialty Shapes - Fixed Slats	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Finished Dimensions & Mounting Requirements

	Finished Dimensions (All finished dimensions are based on ordered height or width)								Mounting Requirements			
	Inside Mount				Outside Mount				Inside Mount		Outside Mount	
	Headrail Width	Slat Width	Blind Height	Valance Width	Headrail Width	Slat Width	Blind Height	Valance Width	Minimum Casement Depth	Minimum Mounting Depth - fully recessed with valance	Minimum Flat Mounting Surface Height	Recommended Width Overlap Per Side
Heartland Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"
Heartland Accu-Rise	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 1/4" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"
Fidelis Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"
Fidelis Accu-Rise	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"
Wonderwood Lift & Lock	-3/4"	-1/2"	Ordered Height	-1/8"	-1/4"	Ordered Width	Ordered Height	+1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"
Wonderwood Accu-Rise	- 3/4"	- 1/2"	Ordered Height	- 1/8"	- 1/4"	Ordered Width	Ordered Height	+ 1"	2" slat: 1 1/8" 2 1/2" slat: 1 1/2"	2" slat: 3 3/8" 2 1/2" slat: 3 3/4"	1 3/4"	1 1/2"

* Includes 3/8" for spacer block behind bracket for slat rotation.

Stacking Heights

Window Length	Heartland Lift & Lock		Heartland Accu-Rise		Fidelis Lift & Lock		Fidelis Accu-Rise		Wonderwood Lift & Lock		Wonderwood Accu-Rise	
	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds	2" Blinds	2 1/2" Blinds
36"	6 1/8"	5 3/4"	5 5/8"	5 1/4"	6 1/8"	5 3/4"	5 5/8"	5 1/4"	6 1/8"	5 3/4"	6 1/8"	5 3/4"
48"	7 1/8"	7"	6 5/8"	6 1/2"	7 1/8"	7"	6 5/8"	6 1/2"	7 1/8"	7"	7 1/8"	7"
60"	8"	7 7/8"	7 1/2"	7 3/8"	8"	7 7/8"	7 1/2"	7 3/8"	8"	7 7/8"	8"	7 7/8"
72"	9"	8 3/4"	8 1/2"	8 1/4"	9"	8 3/4"	8 1/2"	8 1/4"	9"	8 3/4"	9"	8 3/4"

* Stacking charts are approximate and include headrail and bottom rail measurements. Decorative tapes increase the stacking height 20- 30%.

Pricing - 2", 2 1/2" Heartland Woods

Chart 1 2" Accu-Rise		Colors available: Bright White, Dark Walnut, Ebony, Ember, Fog, Gardenia, Greige, Natural, Nordic White, Pearwood, Pebble, Pure White, Sorrel, Tree House, Vapor, Vivid White, White, White Cap, White Wash, Wilderness											
		Blind Width Up To:											
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Blind Height Up To:	12"	182	209	236	263	290	317	344	371	398	425	453	480
	18"	188	217	248	278	307	336	365	396	425	455	484	515
	24"	196	228	261	292	323	357	388	421	453	486	517	548
	30"	203	238	273	307	342	375	411	446	480	515	548	584
	36"	211	248	284	321	359	396	434	471	507	544	582	619
	42"	217	257	296	336	375	415	457	496	536	575	615	655
	48"	225	267	309	353	394	436	478	519	563	605	646	688
	54"	234	278	321	367	411	457	500	544	590	634	680	723
	60"	240	288	334	382	430	475	523	569	617	665	711	759
	66"	248	298	346	396	446	496	546	594	644	694	744	792
	72"	255	307	359	411	463	515	567	619	671	723	775	828
	78"	263	317	371	425	482	536	590	644	698	755	809	863
84"	271	328	384	442	498	555	613	669	728	784	840	898	

Chart 2 2 1/2" Accu-Rise		Colors available: Nordic White, Vivid White, White											
		Blind Width Up To:											
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Blind Height Up To:	12"	190	217	246	275	305	334	361	390	419	448	478	505
	18"	198	230	261	292	325	357	388	419	450	484	515	546
	24"	207	242	275	311	344	380	415	448	484	517	553	588
	30"	215	253	290	328	365	403	440	478	515	553	590	628
	36"	223	265	305	346	386	425	467	507	548	588	630	669
	42"	234	275	319	363	407	450	492	536	580	623	667	711
	48"	242	288	334	380	428	473	519	565	613	659	705	750
	54"	250	300	348	398	446	496	546	594	644	694	742	792
	60"	259	311	363	415	467	519	571	623	675	728	780	832
	66"	267	323	378	434	488	544	598	653	709	763	819	873
	72"	278	334	392	450	509	567	625	682	740	798	857	915
	78"	286	346	407	469	530	590	650	711	773	834	894	955
84"	294	359	421	486	550	613	678	740	805	869	932	996	

Chart 3 2" Lift & Lock		Colors available: Bright White, Dark Walnut, Ebony, Ember, Fog, Gardenia, Greige, Natural, Nordic White, Pearwood, Pebble, Pure White, Sorrel, Tree House, Vapor, Vivid White, White, White Cap, White Wash, Wilderness												
		Blind Width Up To:												
		12	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Blind Height Up To:	12"	215	240	263	288	311	336	359	384	407	432	455	480	503
	18"	221	246	273	300	325	353	380	407	432	459	486	511	538
	24"	225	255	284	313	342	369	398	428	457	486	515	544	573
	30"	230	261	294	325	357	388	419	450	482	513	544	575	609
	36"	236	269	303	338	371	405	438	473	507	540	575	609	642
	42"	240	278	313	350	386	423	459	496	532	569	605	642	678
	48"	244	284	323	363	400	440	480	517	557	596	634	673	713
	54"	250	292	334	375	415	457	498	540	582	623	665	707	746
	60"	255	298	342	386	432	475	519	563	607	650	694	738	782
	66"	261	307	353	398	446	492	538	586	632	678	723	771	817
72"	265	313	363	411	461	509	559	607	657	705	755	803	853	

Pricing - 2", 2 1/2" Heartland Woods

Chart 4 2 1/2" Lift & Lock		Colors available: Nordic White, Vivid White, White													
		Blind Width Up To:													
		12	18"	24"	30"	36"	42"	48"	54"	60"	66'	72"	78"	84"	
Blind Height Up To:	12"	215	240	263	288	311	336	359	384	407	432	455	480	503	
	18"	221	246	273	300	325	353	380	407	432	459	486	511	538	
	24"	225	255	284	313	342	369	398	428	457	486	515	544	573	
	30"	230	261	294	325	357	388	419	450	482	513	544	575	609	
	36"	236	269	303	338	371	405	438	473	507	540	575	609	642	
	42"	240	278	313	350	386	423	459	496	532	569	605	642	678	
	48"	244	284	323	363	400	440	480	517	557	596	634	673	713	
	54"	250	292	334	375	415	457	498	540	582	623	665	707	746	
	60"	255	298	342	386	432	475	519	563	607	650	694	738	782	
	66"	261	307	353	398	446	492	538	586	632	678	723	771	817	
72"	265	313	363	411	461	509	559	607	657	705	755	803	853		

Pricing - Heartland Woods - Options Surcharges

Optional Valance Surcharges	Blind Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	
Majesty, Noble Wood Valance	69	90	94	105	113	119	138	161	165	180	194	200	215	236	261	

Standalone/Replacement Valance Surcharges	Blind Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	
Imperial, Empress Valance	34	36	38	40	42	48	55	59	61	63	65	65	67	75	90	
Majesty, Noble Wood Valance	105	115	125	148	159	180	196	213	223	246	267	284	309	340	378	

* Valances wider than 96" will be spliced in the center.

Cloth Tape Surcharge	Blind Up To:															
	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	96"	
Cloth Tapes (Lift & Lock only)	28	36	48	63	75	92	111	123	136	150	167	184	203	223	246	

Other Design Surcharges (Add to blind base price)	
Add Dust Cover (Only available on Majesty valance)	69
Palladian Shelf - Finished (Per Ft.)	View common surcharges
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges
Light Gap Stop (Per Ft.)	View common surcharges
Motorization - Auto-Tilt (Add to Lift & Lock chart)	View Motorization Pricing

Pricing - 2", 2 1/2" Heartland Woods Fixed Slat Specialty Shapes

Chart 1 2"	Colors available: Bright White, Dark Walnut, Ebony, Ember, Fog, Gardenia, Greige, Natural, Nordic White, Pearwood, Pebble, Pure White, Sorrel, Tree House, Vapor, Vivid White, White, White Cap, White Wash, Wilderness												
	Blind Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	282	303	321	338	357	403	432	463	490	523	---	---	---
ARCH / TRANSOM	373	390	423	444	478	532	607	665	717	832	934	1,025	1,271
CIRCLE / OVAL	507	540	582	615	665	736	846	919	1,000	1,153	---	---	---
HEXAGON / OCTAGON	507	540	582	615	665	736	846	919	1,000	1,153	1,269	1,375	1,596
ANGLE	330	346	375	392	423	478	538	584	646	736	830	913	---
TRIANGLE	434	465	490	523	557	619	715	773	848	971	1,100	1,203	1,496

Chart 2 2 1/2"	Colors available: Nordic White, Vivid White, White												
	Blind Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	398	432	463	490	521	578	615	665	700	757	---	---	---
ARCH / TRANSOM	532	567	607	640	684	767	871	955	1,040	1,198	1,344	1,478	1,842
CIRCLE / OVAL	736	780	842	888	955	1,061	1,215	1,330	1,450	1,673	---	---	---
HEXAGON / OCTAGON	736	780	842	888	955	1,061	1,215	1,330	1,450	1,673	1,838	1,986	2,313
ANGLE	469	498	534	571	605	680	773	846	923	1,061	1,194	1,305	---
TRIANGLE	619	665	700	757	803	909	1,034	1,119	1,225	1,413	1,590	1,740	2,171

Pricing - 2" & 2 1/2" Fidelis Composite Wood Blinds

Chart 1 2" Accu-Rise		Colors available: American Walnut, Angelic White, Designer White, Ebony Wash, Harbor Oak, Hickory, Marshmallow, Mineral, Oatmeal, Quarry, Silverheart, Spruce, Sugar, Wenge, White Ash, White Sand										
		Blind Width Up To:										
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	
Blind Height Up To:	12"	175	192	209	225	244	261	278	294	311	328	
	18"	184	203	221	242	261	282	300	319	340	359	
	24"	190	213	236	257	280	303	323	346	369	390	
	30"	198	223	248	273	298	323	348	371	396	421	
	36"	207	234	261	288	315	344	371	398	425	453	
	42"	215	244	273	305	334	365	394	423	455	484	
	48"	221	255	288	319	353	386	417	450	482	515	
	54"	230	265	300	336	371	407	440	475	511	546	
	60"	238	275	313	350	388	428	465	503	540	578	
	66"	246	286	325	367	407	446	488	528	569	609	
	72"	253	296	340	382	425	467	511	555	596	640	
	78"	261	307	353	398	444	488	534	580	625	671	
84"	269	317	365	413	461	509	559	607	655	703		

Chart 2 2 1/2" Accu-Rise		Colors available: Angelic White, Designer White										
		Blind Width Up To:										
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	
Blind Height Up To:	12"	182	198	217	234	253	269	288	305	323	340	
	18"	190	209	230	250	271	292	311	332	353	373	
	24"	198	221	244	267	290	313	336	359	384	407	
	30"	207	232	257	284	309	336	361	388	413	440	
	36"	215	242	271	300	330	357	386	415	444	471	
	42"	221	255	286	317	348	380	411	442	473	505	
	48"	230	265	298	334	367	400	436	469	505	538	
	54"	238	275	313	350	386	423	461	496	534	571	
	60"	246	286	325	365	407	446	486	525	565	605	
	66"	255	298	340	382	425	467	509	553	594	638	
	72"	263	309	355	398	444	490	534	580	625	669	
	78"	271	319	367	415	463	511	559	607	655	703	
84"	280	332	382	432	482	534	584	634	686	736		

Chart 3 2" Lift & Lock		Colors available: American Walnut, Angelic White, Designer White, Ebony Wash, Harbor Oak, Hickory, Marshmallow, Mineral, Oatmeal, Quarry, Silverheart, Spruce, Sugar, Wenge, White Ash, White Sand										
		Blind Width Up To:										
		12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	12"	194	215	234	255	275	296	317	336	357	378	398
	18"	198	221	244	269	292	315	338	361	384	407	430
	24"	205	230	255	282	307	332	359	384	409	434	461
	30"	209	238	265	294	321	350	380	407	436	463	492
	36"	215	246	275	307	338	369	400	430	461	492	523
	42"	219	253	286	319	353	386	419	455	488	521	555
	48"	225	261	296	334	369	405	440	478	513	548	586
	54"	230	269	307	346	384	423	461	500	538	578	615
	60"	236	278	317	359	400	442	482	523	565	607	646
	66"	240	284	328	371	415	459	503	546	590	634	678
72"	246	292	338	386	432	478	523	571	617	663	709	

Pricing - 2" & 2 1/2" Fidelis Composite Wood Blinds

Chart 4 2 1/2" Lift & Lock		Colors available: Angelic White , Designer White										
		Blind Width Up To:										
		12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	12"	200	221	242	263	286	307	328	348	369	390	411
	18"	207	230	253	278	300	325	348	373	396	421	444
	24"	211	238	265	292	317	344	371	398	425	450	478
	30"	217	246	275	305	334	363	394	423	453	482	511
	36"	221	255	286	319	350	384	415	446	480	511	544
	42"	228	263	298	332	367	403	438	471	507	542	578
	48"	234	271	309	346	384	421	459	496	534	571	609
	54"	238	280	319	361	400	440	482	521	563	603	642
	60"	244	288	330	373	417	461	503	546	590	632	675
	66"	250	296	342	388	434	480	525	571	617	663	709
72"	255	305	353	400	450	498	546	596	644	692	742	

Pricing - Fidelis Composite Wood Blinds - Surcharges

Optional Valance Surcharges	Blind Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Modesty Valance	25	30	30	30	32	32	34	34	34	38	38	40	42	42	44	48

* Valances wider than 107" will be spliced in the center.

Standalone/Replacement Valance Surcharges	Blind Width Up To:															
	12"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Harmony Valance	42	44	44	44	48	53	55	59	63	65	69	69	71	73	75	80
Modesty Valance	53	59	59	59	65	69	71	75	80	84	90	90	92	103	115	115

* Valances wider than 107" will be spliced in the center.

Cloth Tape Surcharge	Width Up To:														
	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	96"
Cloth Tapes (Lift & Lock only)	28	36	48	63	75	92	111	123	136	150	167	184	203	223	246

Other Design Surcharges (Add to blind base price)	
Palladian Shelf - Finished (Per Ft.)	View common surcharges
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges
Light Gap Stop (Per Ft.)	View common surcharges
Motorization - Auto-Tilt	View Motorization Pricing

Pricing - Fidelis Faux Woods Fixed Slat Specialty Shapes

Chart 1 2" & 2 1/2"	Colors available: American Walnut , Angelic White , Designer White , Ebony Wash , Harbor Oak , Hickory , Marshmallow , Mineral , Oatmeal , Quarry , Silverheart , Spruce , Sugar , Wenge , White Ash , White Sand												
	Blind Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	290	311	338	350	375	425	446	478	507	548	---	---	---
ARCH / TRANSOM	384	413	436	465	496	557	634	690	750	867	980	1,069	1,336
CIRCLE / OVAL	534	565	607	648	690	769	878	961	1,044	1,209	---	---	---
HEXAGON / OCTAGON	534	565	607	648	690	769	878	961	1,044	1,209	1,332	1,438	1,673
ANGLE	342	363	390	417	436	496	565	611	673	769	865	955	---
TRIANGLE	446	486	507	548	580	653	748	809	880	1,019	1,148	1,261	1,565

*Pricing - 2" & 2 1/2" Wonderwood Faux Wood Blinds

Chart 1 2" Accu-Rise		Colors available: Coconut, Coconut Plus (embossed), Cotton, Daisy, Lotus, Lotus Plus (embossed), Moon Flower											
		Blind Width Up To:											
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Blind Height Up To:	12"	167	182	198	215	230	246	261	278	292	309	325	340
	18"	171	190	207	223	242	259	275	294	311	328	346	363
	24"	175	196	215	234	253	271	290	309	328	348	367	386
	30"	182	203	223	242	263	284	305	325	346	367	388	409
	36"	186	209	230	253	275	296	319	342	363	386	409	430
	42"	190	215	238	263	286	311	334	359	382	405	430	453
	48"	196	221	246	271	298	323	348	373	398	425	450	475
	54"	200	228	255	282	309	336	363	390	417	444	471	498
	60"	205	234	263	292	319	348	378	407	436	463	492	521
	66"	211	240	271	300	332	361	392	421	453	484	513	544
	72"	215	246	280	311	342	375	407	438	471	503	534	565
	78"	219	253	288	321	355	388	421	455	488	521	555	588
84"	225	261	294	330	365	400	436	471	507	540	575	611	

Chart 2 2 1/2" Accu-Rise		Colors available: Cotton, Daisy											
		Blind Width Up To:											
		18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Blind Height Up To:	12"	182	198	215	232	250	267	284	300	319	336	353	369
	18"	186	205	223	242	263	282	300	319	338	357	375	394
	24"	192	213	234	255	275	294	315	336	357	378	398	419
	30"	196	219	242	265	288	309	332	355	378	400	421	444
	36"	203	228	250	275	298	323	348	371	396	421	444	469
	42"	207	234	259	286	311	338	363	390	417	442	469	494
	48"	213	240	269	296	323	353	380	409	436	463	492	519
	54"	219	248	278	307	336	367	396	425	455	486	515	544
	60"	223	255	286	317	348	380	413	444	475	507	538	569
	66"	230	263	296	328	361	394	428	461	494	528	561	594
	72"	234	269	305	340	373	409	444	480	513	548	584	619
	78"	240	275	313	350	386	423	461	496	534	569	607	644
84"	244	284	321	361	398	438	475	515	553	592	630	669	

Chart 3 2" Lift & Lock		Colors available: Coconut, Coconut Plus (embossed), Cotton, Daisy, Lotus, Lotus Plus (embossed), Moon Flower										
		Blind Width Up To:										
		12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	12"	165	184	200	219	238	255	273	292	311	328	346
	18"	167	188	207	228	246	267	286	307	325	346	365
	24"	171	192	213	236	257	278	298	321	342	363	384
	30"	175	198	221	244	267	290	313	336	359	382	405
	36"	178	203	228	250	275	300	325	350	373	398	423
	42"	182	207	234	259	286	311	338	365	390	417	442
	48"	184	211	240	267	296	323	350	380	407	434	463
	54"	188	217	246	275	305	334	363	394	423	453	482
	60"	190	221	253	284	315	346	378	409	438	469	500
	66"	194	225	259	292	323	357	390	421	455	488	519
	72"	196	232	265	300	334	369	403	436	471	505	540

Pricing - 2" & 2 1/2" Wonderwood Faux Wood Blinds

Chart 4 2 1/2" Lift & Lock		Colors available: Cotton , Daisy										
		Blind Width Up To:										
		12"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"
Blind Height Up To:	12"	167	190	213	236	257	280	303	323	346	369	390
	18"	171	196	219	244	267	292	315	340	365	388	413
	24"	175	200	228	253	278	305	330	357	382	407	434
	30"	180	207	234	261	290	317	344	371	400	428	455
	36"	182	211	240	271	300	330	359	388	417	446	475
	42"	186	217	248	280	311	342	373	405	436	467	498
	48"	190	223	255	288	321	355	388	419	453	486	519
	54"	192	228	263	296	332	367	400	436	471	505	540
	60"	196	234	269	307	342	380	415	453	488	525	561
	66"	200	238	278	315	353	392	430	467	507	544	584
72"	205	244	284	323	363	405	444	484	523	565	605	

Pricing - Wonderwood Faux Wood Blinds - Surcharges

Optional Valance Surcharges	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Deluxe Valance	25	30	30	30	30	32	32	32	34	34	36	36	38	38	40

Standalone/Replacement Valance Surcharges															
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	107"
Standard or Deluxe Valance	36	38	38	40	42	44	48	53	55	63	65	67	69	71	73

* Valances wider than 107" will be spliced in the center.

Other Design Surcharges (Add to blind base price)	
Palladian Shelf - Finished (Per Ft.)	View common surcharges
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges
Light Gap Stop (Per Ft.)	View common surcharges
Motorization - Auto-Tilt	View Motorization Pricing

Pricing - Wonderwood Faux Woods Fixed Slat Specialty Shapes

Chart 1 2" & 2 1/2"	Colors available: Coconut , Coconut Plus (embossed) , Cotton , Daisy , Lotus , Lotus Plus (embossed) , Moon Flower												
	Blind Width Up To:												
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
QUADRANT	290	311	338	350	375	425	446	478	507	548	---	---	---
ARCH / TRANSOM	384	413	436	465	496	557	634	690	750	867	980	1,069	1,336
CIRCLE / OVAL	534	565	607	648	690	769	878	961	1,044	1,209	---	---	---
HEXAGON / OCTAGON	534	565	607	648	690	769	878	961	1,044	1,209	1,332	1,438	1,673
ANGLE	342	363	390	417	436	496	565	611	673	769	865	955	---
TRIANGLE	446	486	507	548	580	653	748	809	880	1,019	1,148	1,261	1,565

Note: Slats angled down 45° (Reverse Mount) are available at no charge

Product Information - Heartland Woods with Lift & Lock Cordless Lift System



Product Features

- Available on 2" and 2 1/2" Heartland Woods
- Fits rectangular window openings
- See Operation instructions below
- Color coordinated aluminum bottom rail with button
- Standard: Wand tilt left (L)
- Low profile headrail
- Motors are enclosed in the bottom rail.
- Imperial or Empress Valance

Size Standards

Hardware Included

- Installation Brackets
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions



Control Options

- Option: Wand tilt right (R)
- For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.


Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"


* PVC wand coordinates with slat color.
Blinds over 95" will be clear.



Lift & Lock Bottom Rail End



Button on Bottom Rail



Low Profile Headrail

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"
5 each	78 1/16" to 84"

Stacking Heights

Pricing

Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.



Product Features

- Available on 2" and 2 1/2" Heartland Woods
- Fits rectangular window openings
- Decorative Wedge Bottom Rail
- Includes clear snap on handle
- Standard: Wand tilt left (L)
- Low profile headrail
- Imperial or Empress Valance

Size Standards

Hardware Included

- Installation Brackets
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions




Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 84"	48"

* PVC wand coordinates with slat color.

Ladder or Decorative Tape Chart

Number of Ladders	Finished Width
2 each	Up to 36"
3 each	36 1/16" to 54"
4 each	54 1/16" to 78"



Low Profile Headrail

Stacking Heights

Pricing

Product Features

- Available for 2" or 2 1/2" Heartland Woods
- Auto-Tilt 12 Volt single reloadable Battery Wand (required surcharge). Choose Lithium batteries and mounting clips or Solar Pack or 12V DC Transformer power options.
- Tilt control only
- Motor can be on right or left side
- Low Profile headrail is 1 1/2" high x 2 1/4" deep
- Headrail is color coordinated to blind as best possible
- Valance can be ordered separately
- Zigbee option available



Size Standards

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Stacking Heights

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- Window length is required so that the limits can be set.

Headrail

- Utilize the low profile headrail

Pricing

Add [Motorization pricing](#) to Accu-Rise base price.

Motorization Services

- Customer Service Motorization Skill Set
> 800-342-5523
> motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Zigbee Systems

- Zigbee 3.0 from Somfy is a bi-directional smart shade ecosystem

Somfy TaHoma Overview

- 2.4Ghz WiFi connection (Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant

RTS Controls



1 Channel Situo Remote



5 Channel Situo Remote



Sixteen Channel Telis RF Transmitter



Five Channel Variation RF Transmitter



Five Channel Decoflex Wall Switch

Product Information - Fidelis with Lift & Lock Cordless Lift System



Product Features

- Available on 2" and 2 1/2" Fidelis
- Fits rectangular window openings
- [Fault Free Promise](#)
- Harmony Valance
- See Operation instructions below
- Color coordinated aluminum bottom rail with button
- Standard: Wand tilt left (L)
- Low profile headrail
- Motors are enclosed in the bottom rail.

Size Standards

Hardware Included

- [Installation Brackets](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Control Options

- Wand tilt right (R)
- For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.

Ladder or Decorative Tape Chart


Number of Ladders	Finished Width
2 each	Up to 24"
3 each	24 1/16" to 36"
4 each	36 1/16" to 51"
5 each	51 1/16" to 60"
6 each	60 1/16" to 72"
7 each	72 1/16" to 84"

Stacking Heights


Pricing



Lift & Lock Bottom Rail End



Button on Bottom Rail



Low Profile Headrail

Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.

Product Information - Fidelis with Accu-Rise Cordless Lift System



Product Features

- Available on 2" and 2 1/2" Fidelis
- Fits rectangular window openings
- [Fault Free Promise](#)
- Harmony Valance
- Low profile headrail
- Decorative Wedge Bottom Rail
- Standard: Wand tilt left (L)

Size Standards

Hardware Included

- [Installation Brackets](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)




Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 84"	48"

* PVC wand coordinates with slat color.

Ladder Chart

2" Fidelis		2 1/2" Fidelis	
Number of Ladders	Finished Width	Number of Ladders	Finished Width
2 each	Up to 28"	2 each	Up to 30"
3 each	28 1/16" to 44"	3 each	30 1/16" to 48"
4 each	44 1/16" to 60"	4 each	48 1/16" to 60"



Low Profile Headrail

Stacking Heights

Pricing



Product Features

- Available for 2" or 2 1/2" Fidelis
- [Fault Free Promise](#)
- Auto-Tilt 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips (required surcharge)
- Tilt control only
- Motor can be on right or left side
- Low Profile headrail is 1 1/2" high x 2 1/4" deep
- Valance can be ordered separately
- Zigbee option available



Size Standards

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Stacking Heights

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- Window length is required so that the limits can be set.

Pricing

Add [Motorization pricing](#) to Accu-Rise base price.

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Zigbee Systems

- Zigbee 3.0 from Somfy is a bi-directional smart shade ecosystem

Somfy TaHoma Overview

- 2.4Ghz WiFi connection (Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant

RTS Controls



1 Channel Situo Remote



5 Channel Situo Remote



Sixteen Channel Telis RF Transmitter



Five Channel Variation RF Transmitter



Five Channel Decoflex Wall Switch

Product Information - Wonderwood with Lift & Lock Cordless Lift System

Product Features

- Available for 2" or 2 1/2" Wonderwood
- Fits rectangular window openings
- Standard Valance
- Low profile headrail
- See operation instructions below
- Color coordinated aluminum bottom rail with button
- Standard: Wand tilt left (L)
- NFPA 701 FR Rated (See Materials Library on web site for FR certificate)

Size Standards

Hardware Included

- [Installation Brackets](#)
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Control Options

- Option: Wand tilt right (R)
- For Lift & Lock system with width 18" or less only, the wand tilt must be on the left side.

Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 72"	30"

* PVC wand coordinates with slat color.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 24"
3 each	24 1/16" to 36"
4 each	36 1/16" to 51"
5 each	51 1/16" to 60"
6 each	60 1/16" to 72"

Stacking Heights


Pricing



Lift & Lock Bottom Rail End



Button on Bottom Rail



Low Profile Headrail

Lift & Lock Operation

- **To raise the blind:** Fully depress the button on the front of the bottom rail. Lift & Lock button **MUST STAY FULLY DEPRESSED** as you are lifting the blind. You can stop in any position by releasing the button. Operation may require the use of two hands to support the blind as you lift.
- **To lower the blind:** Fully depress the Lift & Lock button on the front of the bottom rail. Keep button fully depressed while lowering until you reach the desired length.
CAUTION: If the Lift & Lock button is not fully depressed, operation is compromised and ratcheting noise will occur.



Product Features

- Available for 2" or 2 1/2" Wonderwood
- Fits rectangular window openings
- Standard Valance
- Low profile headrail
- Standard: Wand tilt left (L)
- NFPA 701 FR Rated (See Materials Library on web site for FR certificate)

Size Standards

Hardware Included

- Installation Brackets
- For 2 1/2" Blinds, 3/8" Spacer Block

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions


Wand Lengths

Blind Length	Wand Length
Up to 30"	12"
Up to 40"	20"
Up to 75"	30"
Up to 84"	48"

* PVC wand coordinates with slat color.

Ladder Chart

Number of Ladders	Finished Width
2 each	Up to 23"
3 each	23 1/16" to 36"
4 each	36 1/16" to 49"
5 each	49 1/16" to 62"
6 each	62 1/16" to 72"
7 each	72 1/16" to 84"



Low Profile Headrail

Stacking Heights

Pricing

Product Features

- Available for 2" or 2 1/2" Wonderwood
- Auto-Tilt 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips (required surcharge)
- Tilt control only
- Motor can be on right or left side
- Low Profile headrail is 1 1/2" high x 2 1/4" deep
- Valance can be ordered separately
- Zigbee option available



Size Standards

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Stacking Heights

Ordering Notes

- Specify Inside or Outside Mount.
- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Price as a standard blind, add the motor surcharge per blind and other surcharges (transmitters, etc.).
- Specify desired channel(s) for programming.
- Window length is required so that the limits can be set.

Pricing

Add [Motorization pricing](#) to Accu-Rise base price.

Motorization Services

- Customer Service Motorization Skill Set
> 800-342-5523
> motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Zigbee Systems

- Zigbee 3.0 from Somfy is a bi-directional smart shade ecosystem

Somfy TaHoma Overview

- 2.4Ghz WiFi connection (Not 5Ghz) or Ethernet
- Apple (iOS 8+) or Android (Lollipop 6.0+) compatible using the TaHoma North America App
- Join up to 10 TaHoma hubs together (RTS only) for multi-zone control
- Control up to 40 RTS channels per TaHoma
- Maximum of 40 scenes
- Maximum of 40 schedules
- Remote access
- Control4 Certified driver
- Compatible with Amazon Alexa, IFTTT & Google Assistant

RTS Controls



1 Channel Situo Remote



5 Channel Situo Remote



Sixteen Channel Telis RF Transmitter



Five Channel Variation RF Transmitter



Five Channel Decoflex Wall Switch


Product Information - Heartland, Fidelis, & Wonderwood Specialty Shapes

Fixed Slat Specialty Shapes


- Both 2" and 2 1/2" Fixed slats are available in Arches, transoms, quadrants, triangles, angles, circles, ovals, hexagons, and octagons.
- A template is required for ALL specialty shapes. The template should be cut out to the ordered size.
- Standard slat angle is up (45°); down angle (45°) may be achieved by mounting the product in reverse.
- Fixed slat specialty shapes without a bottom rail (circle, oval, hexagon) must be inside (IB) mounted only.
- Uprights may not be the same height due to the shape.
- Tapered cut slats are standard on an Arch, Quadrant, Circle and Oval and offer better light control.
- Square cut slats are standard on Angle, Triangle, Hexagon, Octagon and Transom shapes.
- Valances are not available with fixed slat specialty shapes.
- Price is based on "A" dimension. See diagrams below.




Arch




Transom




Quadrant




Triangle




Angle




Circle



Oval



Hexagon



Octagon

Design Options

Valances

- Most valances are attached using magnets at no additional charge. For Heartland Woods Majesty and Fidelis Modesty valances, a plastic clip is used for attachment.
- Heartland Woods - A Majesty valance can have an added dust cover for a surcharge.

Heartland Woods Empress Valance

No Charge Valance
Magnetic attachment
Dust cover not available
3 1/4" high; 7/16" thick



Heartland Woods Imperial Valance

No Charge Valance
Magnetic attachment
Dust cover not available
3" high; 5/16" thick



Heartland Woods Majesty Valance

Surcharge Valance
Plastic Valance Clip Attachment
Dust Cover available
(Surcharge - only available with returns)
4 1/2" high; 5/8" thick



Heartland Woods Noble 4" Valance

Surcharge Valance
Magnetic attachment
Dust cover not available
4" high; 11/16" thick



Fidelis Harmony Valance

No Charge Valance
Magnetic attachment
3" high; 9/16" thick



Fidelis Modesty Valance

Surcharge Valance
Plastic Valance Clip Attachment
4" high; 11/16" thick



Wonderwood Standard Valance

No Charge Valance
Magnetic attachment
2 1/2" high; 5/16" thick



Wonderwood Deluxe Valance

Surcharge Valance
Magnetic attachment
3 3/8" high; 5/8" thick




Decorative Tapes

- Available on 2" & 2 1/2" Heartland Woods w/Lift & Lock and 2" & 2 1/2" Fidelis w/ Lift & Lock. Tape colors are available on the [Materials Library](#).
- Blinds with decorative or cloth tapes will need to hang in the window for a few days to allow the tape to relax.




Magnetic Valance Attachment




Valances - Return Measurements


- For inside mounts, no returns will be sent unless specified (see undersize return).
- **Standard Return** - The standard measurement from the back edge of the return to the inside miter is 2 1/8" for 1" blinds on 1 1/2" headrail, 3" for 2" blinds and 3 3/8" for 2 1/2" blinds.



- **Upsize Return** - required for an outside mount on trim or when using extension brackets/spacer blocks. The size you specify is equal to the depth of the trim (wall to the high point of the trim) or the depth of the spacer blocks/extension brackets. We will add that measure to the standard return.



- **Undersize Return** - required for an inside mount protruding into the room. The size you specify is equal to the recessed mounting depth.



- **Valance Clearances** - The width from outside miter to outside miter (face width) will also vary based on valance style. Lafayette adds the measurement below to the outside measurement of the blind to determine the overall width of the valance.


Imperial Valance: 1 1/2"	Empress Valance: 1 3/4"
Majesty Valance: 2 1/8"	
Noble 4" Valance: 1 3/4"	
Fidelis Harmony: 2"	Fidelis Modesty: 2 1/4"
Wonderwood Standard: 2"	Wonderwood Deluxe: 2 1/8"

Light Gap Stop


- Blocks light gap for blinds inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Grey, Vanilla and White

Measuring & Installation Information

Brackets



2" and 2 1/2"
Low Profile Bracket
50-03-046-XXX



Spacer Block
50-03-142
The Spacer Block used behind
an extension bracket is
item 50-03-143

	Blind Width	Support Brackets
Heartland w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 84"	2
Heartland w/ Accu-Rise	48 1/16" to 60"	1
	60 1/16" to 78"	2
Fidelis w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 84"	2
Fidelis w/ Accu-Rise	48 1/16" to 60"	1
Wonderwood w/ Lift & Lock	48 1/16" to 60"	1
	60 1/16" to 72"	2
Wonderwood w/ Accu-Rise	48 1/16" to 60"	1
	60 1/16" to 72"	2

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from Shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.

Measuring for Wood/Faux Wood Blinds

- All blind pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- For an Inside Mount, measure the exact width between the jambs (inside) where the blind is to be mounted.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width. When using a valance or cornice, the outside dimension of the valance will be greater than the outside measurement.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.

Measuring for valances - ordered separately

- When ordering valances/cornices separately refer to the example below. The Face Width (FC) measurement is used when the exact measure of the valance/cornice is known. The Blind Width (BW) measurement is used when trying to fit a valance/cornice over an existing blind.

Example: Imperial Valance - 5/16" thick valance
If 48" is the requested size then the resulting valance is shown below.

FC = Face Width
(Valance width with or without returns = Face Width)
Valance edge to edge will measure 48"
48" FC = 48"

IS = Inside with no Returns
Valance edge to edge will measure 47 7/8"

48" IS - 1/8" deduction = 47 7/8"

BW = Blind Width with returns
Valance edge to edge will measure 49 1/2"
Note: Thickness measurement varies by valance

48" BW + (2 x 5/16" thickness)
+ (2 x 7/16" clearance) = 49 1/2"

IS = Inside Blind with Outside Returns
Valance edge to edge will measure 48 3/4"
Note: Thickness measurement varies by valance

48" IS + (2 x 5/16" thickness)
+ 1/8" clearance = 48 3/4"

Measuring & Installation Information

Natural Characteristics of Wood

- There will be slight color differences from sample chip to the finished wood blind and from wood blind to wood blind due to inherent variation of wood color, grain, and hardness, as well as age and handling. Sample chips are intended to represent an average color and therefore can only be regarded as a guide. If an exact match of a color chip is required, please submit the color chip with your order.
- Due to the lack of grain in some of the color samples, it is important that you and your customer are aware of the differences in paints, stains, and washes. Even if the grain is not detectable in samples of stains and washes, your customer should be advised that finished wood blinds will definitely show grain through the stain or wash color.
- Wood blinds are crafted from real wood. As such, expect variations in color, grain, and texture. Different graining patterns and/or stain penetration may cause a variation in the stain intensity. These are characteristics of wood and may appear randomly throughout a blind.
- Arid climates, areas of high humidity and other natural conditions may cause slight warpage. This is normal and not considered a manufacturing defect.

Faux Wood Advisories

- There will be slight color differences from sample chip to the finished faux wood blind and from blind to blind due to inherent variation of color as well as handling. Sample chips are intended to represent an average color and should only be regarded as a guide.
- Wonderwood blinds are crafted from a polymer substance. As such, expect variations in color.
- Due to the supple nature of the Wonderwood polymer, a greater number of cable tapes are used to provide improved support for the slat.
- Blinds with decorative tape will need to hang in the window for a few days to allow the tape to relax so the blind does not appear too short.

NFPA 701 FR Rating

- Wonderwood Faux Wood Blinds are FR rated and have passed the NFPA 701 test. An FR certificate can be found on our web site in the Materials Library with the Wonderwood samples shown.

Cleaning Instructions

Wood Blinds

Since your wood blind is crafted from real wood, care must be taken in cleaning. Washing the slats is NOT recommended. Although the wood is sealed, water or even excessive dampness may cause warpage or discoloration of the slats. Like any wood furnishings, wood blinds should be dusted regularly to keep them looking new. Use a soft, clean cloth, chemically-treated dust cloth, or dusting mitt. Lower the blind to its full length, tilt the slats almost all the way down and dust. Then tilt the slats almost all the way up and dust. (Not fully closing the slats in either position allows dusting where the slats overlap.) Blinds may also be cleaned by vacuuming them with the brush attachment of a vacuum cleaner. Like wood furniture, stained blinds should be treated periodically with lemon oil or other wood preservative to protect their finish and enhance their lustre. Protect all fine wood products from exposure to steam or high moisture areas, rain or outside irrigation systems to ensure their life. Ultrasonic cleaning of is NOT recommended.

Faux Wood Blinds

To reduce static cling and help repel dust, wipe the product with dryer sheets. Do not use abrasive cleaners or chemical solvents, as they will scratch or damage the surface. Spot-cleaning with fabric cleaning wipes is recommended. Performing a cleaning test on the underneath side of the slat is recommended. Ultrasonic cleaning of faux wood blinds is NOT recommended.

For blinds with the EZE-Clean feature - Each slat can be tilted forward or rotated for easy dusting while the blind is still in the window. For a thorough cleaning, you can remove the slat of your EZE-Clean blind. To remove the slats, tilt the slats to the open position, then slide each slat horizontally from the ladder. The slat can then be cleaned using a feather duster or a cleaning or furniture polishing product recommended for wood waterborne finishes. Replace the individual slats once they are cleaned. With the wood blind in the open position, carefully slide the slat back into the ladder. Make sure that the front and back slat notches are lined up with the vertical cords. For inside mounts, gently pull the wood blind forward to ensure clearance from the window casing. Note: Sufficient wall space beyond the edge of the wood blind is necessary in order to remove the slats for cleaning. In extremely tight wall configurations, removal of the wood blind from the window may be necessary to individual clean the slats.

For blinds with Decorative Tapes -

Spot-cleaning with fabric cleaning wipes is recommended for all types. These will typically not leave a stain or discolor the tapes. Performing a cleaning test on the underneath side of the blind is recommended. Tapes made of 100% polyester can be spot-cleaned with distilled water using a clean white cloth. If the decorative tape is shiny or has a luster, DO NOT USE WATER. The result may be a water stain.

LAFAYETTE INTERIOR FASHIONS™

LIFETIME LIMITED WARRANTY

Since 1950, LAFAYETTE INTERIOR FASHIONS has consistently held a high standard of quality for both products and service, ensuring you find the perfect, custom crafted window treatments. The Lafayette Limited Lifetime Warranty represents a dedication to your complete satisfaction.

COVERED BY THE WARRANTY

- Lafayette Interior Fashions products are covered for defects in materials or workmanship for as long as the original purchaser owns the product (exceptions are noted below).
- All internal mechanisms, components, and brackets.
- Motorization systems (excluding batteries) are covered for 5 years.
- Interior Masterpieces and Sheer Visions fabrics are covered for 3 years.
- Heartland wood blinds finish is covered for 3 years.
- Operational cords are covered for 7 years from the date of purchase.

NOT COVERED BY THE WARRANTY

- Any conditions caused by normal wear and tear.
- Abuse, accidents, alterations, misuse.
- Damage including but not limited to discoloration, fading, cracking, warping, shrinking, or stretching caused by exposure to the elements (sun, condensation, excessive humidity, wind)
- Failure to follow our instructions for measurement, proper installation, use, cleaning, or maintenance.
- Slight color variation; natural variations in color, grain, or weave of natural materials
- Any customer supplied fabric
- Shipping, removal, re-measuring, or reinstallation costs

TO OBTAIN WARRANTY SERVICE

Contact your original dealer (place of purchase) for warranty assistance. Lafayette Interior Fashions will promptly repair or replace the product or components found to be defective. Warranty claims must be accompanied by proof of purchase.

It is at the sole discretion of Lafayette Interior Fashions to determine whether product will be repaired or replaced. Repairs and or replacements will be made with like or similar parts or products.

Note: In no event shall Lafayette Interior Fashions be liable or responsible for incidental or consequential damages or for any other indirect damage, loss, cost, or expense. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. THE DURATION OF ANY IMPLIED WARRANTIES FOR ANY PRODUCT IS LIMITED IN DURATION TO THE WARRANTY TERM APPLICABLE TO SUCH PRODUCT AS SET FORTH ABOVE.

LAFAYETTE INTERIOR FASHIONS™

Product Offering


BLINDS



Classic Collection™
Aluminum Blinds



Heartland Woods®
Wood Blinds



Fidelis®
Faux Wood Blinds



Wonderwood®
Faux Wood Blinds



Discoveries®
Vertical Blinds




Sheer Visions®
Vertical Blinds

SHADES




Allure®
Transitional Shades



Genesis®
Custom Shades



Genesis®
Panel Track



Manh Truc®
Woven Wood Shades



Parasol®
Cellular Shades



Tenera®
Sheer Shadings



Midwest
Designer
Supply

1-888-523-2611

customer.service@midwestdesignersupply.com